

David Mark Pritchard

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1423408/david-mark-pritchard-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100
papers

3,852
citations

34
h-index

60
g-index

113
ext. papers

4,614
ext. citations

5.8
avg, IF

5.19
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 100 | The intestinal epithelial stem cell: the mucosal governor. <i>International Journal of Experimental Pathology</i> , 1997 , 78, 219-43 | 2.8 | 392 |
| 99 | British Society of Gastroenterology guidelines on the diagnosis and management of patients at risk of gastric adenocarcinoma. <i>Gut</i> , 2019 , 68, 1545-1575 | 19.2 | 177 |
| 98 | Epithelial cell shedding and barrier function: a matter of life and death at the small intestinal villus tip. <i>Veterinary Pathology</i> , 2015 , 52, 445-55 | 2.8 | 169 |
| 97 | The management of gastric polyps. <i>Gut</i> , 2010 , 59, 1270-6 | 19.2 | 162 |
| 96 | Characterization of epithelial cell shedding from human small intestine. <i>Laboratory Investigation</i> , 2006 , 86, 1052-63 | 5.9 | 147 |
| 95 | Quality standards in upper gastrointestinal endoscopy: a position statement of the British Society of Gastroenterology (BSG) and Association of Upper Gastrointestinal Surgeons of Great Britain and Ireland (AUGIS). <i>Gut</i> , 2017 , 66, 1886-1899 | 19.2 | 134 |
| 94 | Gastrin induces proliferation in Barrett's metaplasia through activation of the CCK2 receptor. <i>Gastroenterology</i> , 2003 , 124, 615-25 | 13.3 | 131 |
| 93 | Review article: Pathogenesis and management of gastric carcinoid tumours. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 1305-20 | 6.1 | 130 |
| 92 | Stimulation of MMP-7 (matrilysin) by <i>Helicobacter pylori</i> in human gastric epithelial cells: role in epithelial cell migration. <i>Journal of Cell Science</i> , 2003 , 116, 3017-26 | 5.3 | 124 |
| 91 | A mouse model of pathological small intestinal epithelial cell apoptosis and shedding induced by systemic administration of lipopolysaccharide. <i>DMM Disease Models and Mechanisms</i> , 2013 , 6, 1388-99 | 4.1 | 105 |
| 90 | Comparison of the human gastric microbiota in hypochlorhydric states arising as a result of <i>Helicobacter pylori</i> -induced atrophic gastritis, autoimmune atrophic gastritis and proton pump inhibitor use. <i>PLoS Pathogens</i> , 2017 , 13, e1006653 | 7.6 | 104 |
| 89 | Radiation-induced p53 and p21WAF-1/CIP1 expression in the murine intestinal epithelium: apoptosis and cell cycle arrest. <i>American Journal of Pathology</i> , 1998 , 153, 899-909 | 5.8 | 98 |
| 88 | Damage-induced apoptosis in intestinal epithelia from bcl-2-null and bax-null mice: investigations of the mechanistic determinants of epithelial apoptosis in vivo. <i>Oncogene</i> , 1999 , 18, 7287-93 | 9.2 | 93 |
| 87 | IFN- γ inhibits gastric carcinogenesis by inducing epithelial cell autophagy and T-cell apoptosis. <i>Cancer Research</i> , 2011 , 71, 4247-59 | 10.1 | 89 |
| 86 | The role of matrix metalloproteinase-7 in redefining the gastric microenvironment in response to <i>Helicobacter pylori</i> . <i>Gastroenterology</i> , 2006 , 130, 1754-63 | 13.3 | 88 |
| 85 | KLF4 gene expression is inhibited by the notch signaling pathway that controls goblet cell differentiation in mouse gastrointestinal tract. <i>American Journal of Physiology - Renal Physiology</i> , 2009 , 296, G490-8 | 5.1 | 80 |
| 84 | <i>Helicobacter pylori</i> -induced gastric pathology: insights from in vivo and ex vivo models. <i>DMM Disease Models and Mechanisms</i> , 2017 , 10, 89-104 | 4.1 | 74 |

| | | | |
|----|---|------|----|
| 83 | Increased circulation of galectin-3 in cancer induces secretion of metastasis-promoting cytokines from blood vascular endothelium. <i>Clinical Cancer Research</i> , 2013 , 19, 1693-704 | 12.9 | 65 |
| 82 | <i>Helicobacter pylori</i> induces plasminogen activator inhibitor 2 in gastric epithelial cells through nuclear factor-kappaB and RhoA: implications for invasion and apoptosis. <i>Cancer Research</i> , 2004 , 64, 1695-702 | 10.1 | 65 |
| 81 | Lessons from genetically engineered animal models. VII. Apoptosis in intestinal epithelium: lessons from transgenic and knockout mice. <i>American Journal of Physiology - Renal Physiology</i> , 2000 , 278, G1-5 | 5.1 | 65 |
| 80 | Inactivating cholecystokinin-2 receptor inhibits progastrin-dependent colonic crypt fission, proliferation, and colorectal cancer in mice. <i>Journal of Clinical Investigation</i> , 2009 , 119, 2691-701 | 15.9 | 64 |
| 79 | Conditional deletion of IkappaB-kinase-beta accelerates helicobacter-dependent gastric apoptosis, proliferation, and preneoplasia. <i>Gastroenterology</i> , 2010 , 138, 1022-34.e1-10 | 13.3 | 57 |
| 78 | Exome sequencing identifies ATP4A gene as responsible of an atypical familial type I gastric neuroendocrine tumour. <i>Human Molecular Genetics</i> , 2015 , 24, 2914-22 | 5.6 | 49 |
| 77 | Gastrin-induced apoptosis contributes to carcinogenesis in the stomach. <i>Laboratory Investigation</i> , 2006 , 86, 1037-51 | 5.9 | 46 |
| 76 | Increased gastric expression of MMP-7 in hypergastrinemia and significance for epithelial-mesenchymal signaling. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 292, G1133-40 | 5.1 | 43 |
| 75 | Netazepide, a gastrin receptor antagonist, normalises tumour biomarkers and causes regression of type 1 gastric neuroendocrine tumours in a nonrandomised trial of patients with chronic atrophic gastritis. <i>PLoS ONE</i> , 2013 , 8, e76462 | 3.7 | 42 |
| 74 | Netazepide, a gastrin/cholecystokinin-2 receptor antagonist, can eradicate gastric neuroendocrine tumours in patients with autoimmune chronic atrophic gastritis. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 466-475 | 3.8 | 41 |
| 73 | Oral iron exacerbates colitis and influences the intestinal microbiome. <i>PLoS ONE</i> , 2018 , 13, e0202460 | 3.7 | 40 |
| 72 | <i>Helicobacter pylori</i> and gastric cancer. <i>Current Opinion in Gastroenterology</i> , 2006 , 22, 620-5 | 3 | 38 |
| 71 | Importance of the alternative NF- κ B activation pathway in inflammation-associated gastrointestinal carcinogenesis. <i>American Journal of Physiology - Renal Physiology</i> , 2016 , 310, G1081-90 | 5.1 | 36 |
| 70 | Analysis of clinical isolates of <i>Helicobacter pylori</i> in Pakistan reveals high degrees of pathogenicity and high frequencies of antibiotic resistance. <i>Helicobacter</i> , 2014 , 19, 387-99 | 4.9 | 36 |
| 69 | PAK1 modulates a PPAR γ /NF- κ B cascade in intestinal inflammation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015 , 1853, 2349-60 | 4.9 | 34 |
| 68 | Dose Escalation Using Contact X-ray Brachytherapy After External Beam Radiotherapy as Nonsurgical Treatment Option for Rectal Cancer: Outcomes From a Single-Center Experience. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 100, 565-573 | 4 | 34 |
| 67 | The association of a panel of biomarkers with the presence and severity of carcinoid heart disease: a cross-sectional study. <i>PLoS ONE</i> , 2013 , 8, e73679 | 3.7 | 33 |
| 66 | NF- κ B1, NF- κ B2 and c-Rel differentially regulate susceptibility to colitis-associated adenoma development in C57BL/6 mice. <i>Journal of Pathology</i> , 2015 , 236, 326-36 | 9.4 | 31 |

| | | | |
|----|--|------|----|
| 65 | Chemically modified, non-anticoagulant heparin derivatives are potent galectin-3 binding inhibitors and inhibit circulating galectin-3-promoted metastasis. <i>Oncotarget</i> , 2015 , 6, 23671-87 | 3.3 | 31 |
| 64 | Gastrin-induced miR-222 promotes gastric tumor development by suppressing p27kip1. <i>Oncotarget</i> , 2016 , 7, 45462-45478 | 3.3 | 30 |
| 63 | Signaling mediated by the NF- κ B sub-units NF- κ B1, NF- κ B2 and c-Rel differentially regulate Helicobacter felis-induced gastric carcinogenesis in C57BL/6 mice. <i>Oncogene</i> , 2013 , 32, 5563-73 | 9.2 | 28 |
| 62 | Progastrin stimulates murine colonic epithelial mitosis after DNA damage. <i>Gastroenterology</i> , 2003 , 124, 1348-57 | 13.3 | 27 |
| 61 | Gastrin stimulates expression of plasminogen activator inhibitor-1 in gastric epithelial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 301, G446-53 | 5.1 | 26 |
| 60 | The Nrf2 inhibitor brusatolol is a potent antitumour agent in an orthotopic mouse model of colorectal cancer. <i>Oncotarget</i> , 2018 , 9, 27104-27116 | 3.3 | 26 |
| 59 | Progastrin-induced secretion of insulin-like growth factor 2 from colonic myofibroblasts stimulates colonic epithelial proliferation in mice. <i>Gastroenterology</i> , 2013 , 145, 197-208.e3 | 13.3 | 25 |
| 58 | Intestinal Preparation Techniques for Histological Analysis in the Mouse. <i>Current Protocols in Mouse Biology</i> , 2016 , 6, 148-168 | 1.1 | 25 |
| 57 | Proteomic profiling of a mouse model of acute intestinal Apc deletion leads to identification of potential novel biomarkers of human colorectal cancer (CRC). <i>Biochemical and Biophysical Research Communications</i> , 2013 , 440, 364-70 | 3.4 | 24 |
| 56 | Gastric Helicobacter infection induces iron deficiency in the INS-GAS mouse. <i>PLoS ONE</i> , 2012 , 7, e50194 | 3.7 | 24 |
| 55 | Dose escalation using contact X-ray brachytherapy (Papillon) for rectal cancer: does it improve the chance of organ preservation?. <i>British Journal of Radiology</i> , 2017 , 90, 20170175 | 3.4 | 23 |
| 54 | Suppression of apoptosis, crypt hyperplasia, and altered differentiation in the colonic epithelia of bak-null mice. <i>Gastroenterology</i> , 2009 , 136, 943-52 | 13.3 | 23 |
| 53 | Helicobacter and gastrin stimulate Reg1 expression in gastric epithelial cells through distinct promoter elements. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 293, G347-54 | 5.1 | 23 |
| 52 | Increased expression of the urokinase plasminogen activator system by Helicobacter pylori in gastric epithelial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 295, G431-41 | 5.1 | 20 |
| 51 | Gastrin receptor pharmacology. <i>Current Gastroenterology Reports</i> , 2012 , 14, 453-9 | 5 | 19 |
| 50 | Towards better models and mechanistic biomarkers for drug-induced gastrointestinal injury. <i>Pharmacology & Therapeutics</i> , 2017 , 172, 181-194 | 13.9 | 18 |
| 49 | Gastrin stimulates MMP-1 expression in gastric epithelial cells: putative role in gastric epithelial cell migration. <i>American Journal of Physiology - Renal Physiology</i> , 2015 , 309, G78-86 | 5.1 | 17 |
| 48 | Gastrin increases murine intestinal crypt regeneration following injury. <i>Gastroenterology</i> , 2006 , 130, 1169-80 | 3.9 | 16 |

| | | | |
|----|--|------|----|
| 47 | British Society of Gastroenterology guidelines for the management of iron deficiency anaemia in adults. <i>Gut</i> , 2021 , 70, 2030-2051 | 19.2 | 16 |
| 46 | Macrophage-Specific NF- κ B Activation Dynamics Can Segregate Inflammatory Bowel Disease Patients. <i>Frontiers in Immunology</i> , 2019 , 10, 2168 | 8.4 | 13 |
| 45 | Potential clinical indications for a CCK receptor antagonist. <i>Current Opinion in Pharmacology</i> , 2016 , 31, 68-75 | 5.1 | 12 |
| 44 | Murine Models of Helicobacter (pylori or felis)-associated Gastric Cancer. <i>Current Protocols in Pharmacology</i> , 2015 , 69, 14.34.1-14.34.35 | 4.1 | 11 |
| 43 | A knockin mouse model for human ATP4aR703C mutation identified in familial gastric neuroendocrine tumors recapitulates the premalignant condition of the human disease and suggests new therapeutic strategies. <i>DMM Disease Models and Mechanisms</i> , 2016 , 9, 975-84 | 4.1 | 10 |
| 42 | Correlation between a short-term intravenous octreotide suppression test and response to antrectomy in patients with type-1 gastric neuroendocrine tumours. <i>European Journal of Gastroenterology and Hepatology</i> , 2013 , 25, 474-81 | 2.2 | 9 |
| 41 | Carcinoid Heart Disease: Prognostic Value of 5-Hydroxyindoleacetic Acid Levels and Impact on Survival: A Systematic Literature Review. <i>Neuroendocrinology</i> , 2021 , 111, 1-15 | 5.6 | 9 |
| 40 | 68Gallium DOTANOC-PET Imaging in Lung Carcinoids: Impact on Patients Management. <i>Neuroendocrinology</i> , 2018 , 106, 128-138 | 5.6 | 8 |
| 39 | Peanut agglutinin appearance in the blood circulation after peanut ingestion mimics the action of endogenous galectin-3 to promote metastasis by interaction with cancer-associated MUC1. <i>Carcinogenesis</i> , 2014 , 35, 2815-21 | 4.6 | 8 |
| 38 | Zollinger-Ellison syndrome: still a diagnostic challenge in the 21st century?. <i>Gastroenterology</i> , 2011 , 140, 1380-3 | 13.3 | 8 |
| 37 | NAP1L1: A Novel Human Colorectal Cancer Biomarker Derived From Animal Models of Inactivation. <i>Frontiers in Oncology</i> , 2020 , 10, 1565 | 5.3 | 8 |
| 36 | Risk factors and clinical correlates of neoplastic transformation in gastric hyperplastic polyps in Chinese patients. <i>Scientific Reports</i> , 2020 , 10, 2582 | 4.9 | 7 |
| 35 | Helicobacter pylori, HIV and Gastric Hypochlorhydria in the Malawian Population. <i>PLoS ONE</i> , 2015 , 10, e0132043 | 3.7 | 7 |
| 34 | The role of plasminogen activator inhibitor-1 in gastric mucosal protection. <i>American Journal of Physiology - Renal Physiology</i> , 2013 , 304, G814-22 | 5.1 | 7 |
| 33 | Pro-GRP-derived peptides are expressed in colorectal cancer cells and tumors and are biologically active in vivo. <i>Endocrinology</i> , 2012 , 153, 1082-92 | 4.8 | 7 |
| 32 | Systematic review: management of localised low-grade upper gastrointestinal neuroendocrine tumours. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 51, 1247-1267 | 6.1 | 7 |
| 31 | Nonlinear machine learning pattern recognition and bacteria-metabolite multilayer network analysis of perturbed gastric microbiome. <i>Nature Communications</i> , 2021 , 12, 1926 | 17.4 | 7 |
| 30 | NF- κ B2 signalling in enteroids modulates enterocyte responses to secreted factors from bone marrow-derived dendritic cells. <i>Cell Death and Disease</i> , 2019 , 10, 896 | 9.8 | 6 |

| | | | |
|----|---|-----|---|
| 29 | Potential role of fecal volatile organic compounds as biomarkers of chemically induced intestinal inflammation in mice. <i>FASEB Journal</i> , 2019 , 33, 3129-3136 | 0.9 | 6 |
| 28 | Matrix metalloproteinase (MMP)-7 in Barrett's esophagus and esophageal adenocarcinoma: expression, metabolism, and functional significance. <i>Physiological Reports</i> , 2018 , 6, e13683 | 2.6 | 6 |
| 27 | Is local excision sufficient in selected grade 1 or 2 type III gastric neuroendocrine neoplasms?. <i>Endocrine</i> , 2021 , 74, 421-429 | 4 | 5 |
| 26 | SNOM Imaging of a Crypt-Like Feature in Adenocarcinoma Associated with Barrett's Oesophagus. <i>Physica Status Solidi (B): Basic Research</i> , 2018 , 255, 1700518 | 1.3 | 4 |
| 25 | Replication of Crohn's Disease Mucosal Isolates inside Macrophages Correlates with Resistance to Superoxide and Is Dependent on Macrophage NF-kappa B Activation. <i>Pathogens</i> , 2019 , 8, | 4.5 | 4 |
| 24 | A novel FTIR analysis method for rapid high-confidence discrimination of esophageal cancer. <i>Infrared Physics and Technology</i> , 2019 , 102, 103007 | 2.7 | 3 |
| 23 | Mice lacking NF-B1 exhibit marked DNA damage responses and more severe gastric pathology in response to intraperitoneal tamoxifen administration. <i>Cell Death and Disease</i> , 2017 , 8, e2939 | 9.8 | 3 |
| 22 | Hexane Extracts of Inhibit the Development of Gastric Preneoplasia in Infected INS-Gas Mice. <i>Frontiers in Pharmacology</i> , 2017 , 8, 92 | 5.6 | 3 |
| 21 | Effects of EGFR Inhibitor on Helicobacter pylori Induced Gastric Epithelial Pathology in Vivo. <i>Pathogens</i> , 2013 , 2, 571-90 | 4.5 | 3 |
| 20 | A "Watch and Wait" Strategy Involving Regular Endoscopic Surveillance Is Safe for Many Patients with Small, Sporadic, Grade 1, Non-Ampullary, Non-Functioning Duodenal Neuroendocrine Tumours. <i>Neuroendocrinology</i> , 2021 , 111, 764-774 | 5.6 | 3 |
| 19 | Netazepide Inhibits Expression of Pappalysin 2 in Type 1 Gastric Neuroendocrine Tumors. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020 , 10, 113-132 | 7.9 | 3 |
| 18 | Using systems medicine to identify a therapeutic agent with potential for repurposing in inflammatory bowel disease. <i>DMM Disease Models and Mechanisms</i> , 2020 , 13, | 4.1 | 3 |
| 17 | The impact of lymph node metastases and right hemicolectomy on outcomes in appendiceal neuroendocrine tumours (aNETs). <i>European Journal of Surgical Oncology</i> , 2021 , 47, 1332-1338 | 3.6 | 3 |
| 16 | Long-Term Iron Deficiency and Dietary Iron Excess Exacerbate Acute Dextran Sodium Sulphate-Induced Colitis and Are Associated with Significant Dysbiosis. <i>International Journal of Molecular Sciences</i> , 2021 , 22, | 6.3 | 2 |
| 15 | Application of a quantum cascade laser aperture scanning near-field optical microscope to the study of a cancer cell. <i>Analyst, The</i> , 2018 , 143, 5912-5917 | 5 | 2 |
| 14 | Recharacterization data for a geriatric gastrin polyclonal antibody. <i>Data in Brief</i> , 2019 , 24, 103886 | 1.2 | 1 |
| 13 | A Budget Impact Model of the Addition of Telotristat Ethyl Treatment to the Standard of Care in Patients with Uncontrolled Carcinoid Syndrome. <i>Pharmacoeconomics</i> , 2020 , 38, 607-618 | 4.4 | 1 |
| 12 | New Developments in Gastric Neuroendocrine Neoplasms.. <i>Current Oncology Reports</i> , 2022 , 24, 77 | 6.3 | 1 |

| | | | |
|----|---|-----|---|
| 11 | Effects of Proton Pump Inhibitor Therapy, Infection and Gastric Preneoplastic Pathology on Fasting Serum Gastrin Concentrations. <i>Frontiers in Endocrinology</i> , 2021 , 12, 741887 | 5.7 | 1 |
| 10 | Using systems medicine to identify a therapeutic agent with potential for repurposing in Inflammatory Bowel Disease | | 1 |
| 9 | Neuroendocrine tumours: what gastroenterologists need to know.. <i>Frontline Gastroenterology</i> , 2022 , 13, 50-56 | 2.6 | 1 |
| 8 | The Impact of Gallium DOTA PET/CT in Managing Patients With Sporadic and Familial Pancreatic Neuroendocrine Tumours. <i>Frontiers in Endocrinology</i> , 2021 , 12, 654975 | 5.7 | 1 |
| 7 | Gastric metastasis before diagnosis of primary invasive lobular breast carcinoma: a rare case presentation from Pakistan. <i>Women and Health</i> , 2021 , 61, 867-871 | 1.7 | 1 |
| 6 | Genome-Wide association between EYA1 and Aspirin-induced peptic ulceration. <i>EBioMedicine</i> , 2021 , 74, 103728 | 8.8 | 0 |
| 5 | Myths and misconceptions in the management of infection.. <i>Frontline Gastroenterology</i> , 2022 , 13, 245-253 | 2.6 | 0 |
| 4 | Development of an orthotopic syngeneic murine model of colorectal cancer for use in translational research. <i>Laboratory Animals</i> , 2019 , 53, 598-609 | 2.6 | 0 |
| 3 | In Reply to Habr-Gama et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 101, 743-744 | | 1 |
| 2 | Models of gastric cancer. <i>Drug Discovery Today: Disease Models</i> , 2005 , 2, 21-26 | 1.3 | |
| 1 | Appearance of peanut agglutinin in the blood circulation after peanut ingestion promotes endothelial secretion of metastasis-promoting cytokines. <i>Carcinogenesis</i> , 2021 , 42, 1079-1088 | 4.6 | |