

Ellen Blix

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1423466/publications.pdf>

Version: 2024-02-01

49
papers

898
citations

471061

17
h-index

476904

29
g-index

50
all docs

50
docs citations

50
times ranked

905
citing authors

#	ARTICLE	IF	CITATIONS
1	Episiotomy characteristics and risks for obstetric anal sphincter injuries: a case-control study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 724-730.	1.1	116
2	Inter-observer variation in assessment of 845 labour admission tests: comparison between midwives and obstetricians in the clinical setting and two experts. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003, 110, 1-5.	1.1	75
3	Risk factors for obstetric anal sphincter injury after a successful multicentre interventional programme. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 83-91.	1.1	58
4	ST waveform analysis versus cardiotocography alone for intrapartum fetal monitoring: a systematic review and meta-analysis of randomized trials. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 16-27.	1.3	58
5	Transfer to hospital in planned home births: a systematic review. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 179.	0.9	52
6	Outcomes of planned home births and planned hospital births in low-risk women in Norway between 1990 and 2007: A retrospective cohort study. <i>Sexual and Reproductive Healthcare</i> , 2012, 3, 147-153.	0.5	51
7	Oxytocin and dystocia as risk factors for adverse birth outcomes: A cohort of low-risk nulliparous women. <i>Midwifery</i> , 2014, 30, 364-370.	1.0	51
8	Is the operative delivery rate in low-risk women dependent on the level of birth care? A randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011, 118, 1357-1364.	1.1	39
9	Transfers to hospital in planned home birth in four Nordic countries – a prospective cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 420-428.	1.3	29
10	Intermittent auscultation fetal monitoring during labour: A systematic scoping review to identify methods, effects, and accuracy. <i>PLoS ONE</i> , 2019, 14, e0219573.	1.1	29
11	Praxis and guidelines for planned homebirths in the Nordic countries – An overview. <i>Sexual and Reproductive Healthcare</i> , 2014, 5, 3-8.	0.5	28
12	Perineal injuries and birth positions among 2992 women with a low risk pregnancy who opted for a homebirth. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 196.	0.9	27
13	Suboptimal Iodine Status among Pregnant Women in the Oslo Area, Norway. <i>Nutrients</i> , 2018, 10, 280.	1.7	27
14	Avoiding disturbance: Midwifery practice in home birth settings in Norway. <i>Midwifery</i> , 2011, 27, 687-692.	1.0	25
15	Evaluation of satisfaction with care in a midwifery unit and an obstetric unit: a randomized controlled trial of low-risk women. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 143.	0.9	25
16	The admission <sc>CTG</sc>: is there any evidence for still using the test?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 613-619.	1.3	20
17	Anal incontinence, urinary incontinence and sexual problems in primiparous women – a comparison between women with episiotomy only and women with episiotomy and obstetric anal sphincter injury. <i>BMC Women's Health</i> , 2014, 14, 157.	0.8	19
18	What women emphasise as important aspects of care in childbirth – an online survey. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 647-655.	1.1	18

#	ARTICLE	IF	CITATIONS
19	Labor admission test: an assessment of the test's value as screening for fetal distress in labor. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2001, 80, 738-743.	1.3	17
20	Maternal body mass index and risk of obstetric, maternal and neonatal outcomes: A cohort study of nulliparous women with spontaneous onset of labor. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021, 100, 521-530.	1.3	17
21	The Labour Progression Study (LaPS): Duration of labour following Zhang's guideline and the WHO partograph – A cluster randomised trial. <i>Midwifery</i> , 2020, 81, 102578.	1.0	14
22	Giving birth and becoming a parent during the COVID-19 pandemic: A qualitative analysis of 806 women's responses to three open-ended questions in an online survey. <i>Midwifery</i> , 2022, 109, 103321.	1.0	13
23	Inter-observer variation in assessment of 845 labour admission tests: comparison between midwives and obstetricians in the clinical setting and two experts. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003, 110, 1-5.	1.1	11
24	Study protocol: the Labor Progression Study, LAPS - does the use of a dynamic progression guideline in labor reduce the rate of intrapartum cesarean sections in nulliparous women? A multicenter, cluster randomized trial in Norway. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 370.	0.9	9
25	National survey of routines for intrapartum fetal monitoring in Norway. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2019, 98, 390-395.	1.3	8
26	Scarce scientific evidence for the use of cardiotocography plus fetal <sc>ECG ST</sc> interval analysis (<sc>STAN</sc>). <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2014, 93, 570-570.	1.3	7
27	Norwegian women's motivations and preparations for freebirth – A qualitative study. <i>Sexual and Reproductive Healthcare</i> , 2020, 25, 100511.	0.5	7
28	The effect of Zhang's guideline vs the WHO partograph on childbirth experience measured by the Childbirth Experience Questionnaire in the Labor Progression Study (LaPS): A cluster randomized trial. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2022, 101, 193-199.	1.3	6
29	Factors Associated with Cesarean Section among Primiparous Women in Georgia: A Registry-based Study. <i>Journal of Epidemiology and Global Health</i> , 2020, 10, 337.	1.1	5
30	<sc>STAN</sc> technology, surrogate outcomes and possible sources of bias. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2016, 95, 608-609.	1.3	4
31	Labor pain, birth experience and postpartum depression. <i>Scandinavian Journal of Pain</i> , 2020, 20, 859-860.	0.5	4
32	Recommendations for intrapartum fetal monitoring are not followed in low-risk women: A study from two Norwegian birth units. <i>Sexual and Reproductive Healthcare</i> , 2020, 26, 100552.	0.5	4
33	Effects of external cephalic version for breech presentation at or near term in high-resource settings: A systematic review of randomized and non-randomized studies. <i>European Journal of Midwifery</i> , 2020, 4, 1-8.	0.5	4
34	The overuse of intrapartum cardiotocography (CTG) for low-risk women: An actor-network theory analysis of data from focus groups. <i>Women and Birth</i> , 2022, 35, 593-601.	0.9	4
35	The impact of the introduction of intrapartum fetal <sc>ECG ST</sc> segment analysis. A population study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2022, 101, 809-818.	1.3	4
36	Deviations from <sc>STAN</sc> guidelines are frequent but results cannot be excluded when the effectiveness of the method should be evaluated. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2014, 93, 589-589.	1.3	3

#	ARTICLE	IF	CITATIONS
37	Practice, skills and experience with the Pinard stethoscope for intrapartum Foetal monitoring: Focus group interviews with Norwegian midwives.. <i>Midwifery</i> , 2022, 108, 103288.	1.0	3
38	Statistical significance is not necessarily equal to clinical significance. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016, 95, 1192-1192.	1.3	2
39	Outcomes of care at "F�deriket Midwifery Unit" 2007-2011, a freestanding midwifery-led unit in Oslo, Norway: A prospective cohort study. <i>Nordic Journal of Nursing Research</i> , 2016, 36, 38-43.	0.6	2
40	Zhang's guidelines vs WHO guidelines for diagnosing labour dystocia " Authors' reply. <i>Lancet</i> , The, 2019, 394, e11.	6.3	1
41	One-to-one care routines and compliance with the national professional recommendation on continuous intrapartum support in Norway: A national survey. <i>European Journal of Midwifery</i> , 2019, 3, 14.	0.5	1
42	Episiotomy characteristics and risk for obstetric anal sphincter injuries: a case-control study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012, 119, 1148-1149.	1.1	0
43	Regarding national survey of routines for intrapartum fetal monitoring in Norway. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 1354-1355.	1.3	0
44	Enhancing the quality of maternal and neonatal care by the Safe Childbirth Project in Al Shifa Hospital, Gaza occupied Palestinian territory (oPt): a descriptive retrospective study. <i>Lancet</i> , The, 2021, 398, S34.	6.3	0
45	Title is missing!. , 2020, 15, e0227941.		0
46	Title is missing!. , 2020, 15, e0227941.		0
47	Title is missing!. , 2020, 15, e0227941.		0
48	Title is missing!. , 2020, 15, e0227941.		0
49	Use of external cephalic version for breech presentation at term: A national survey of Norwegian birth units. <i>Sexual and Reproductive Healthcare</i> , 2022, 33, 100751.	0.5	0