
Simone Muenst

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1424239/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The single-cell pathology landscape of breast cancer. Nature, 2020, 578, 615-620.	13.7	582
2	Recurrent hotspot mutations in HRAS Q61 and PI3K-AKT pathway genes as drivers of breast adenomyoepitheliomas. Nature Communications, 2018, 9, 1816.	5.8	105
3	Tailored axillary surgery with or without axillary lymph node dissection followed by radiotherapy in patients with clinically node-positive breast cancer (TAXIS): study protocol for a multicenter, randomized phase-III trial. Trials, 2018, 19, 667.	0.7	73
4	<i>Ex-vivo</i> assessment of drug response on breast cancer primary tissue with preserved microenvironments. Oncolmmunology, 2017, 6, e1331798.	2.1	35
5	Infiltration by myeloperoxidase-positive neutrophils is an independent prognostic factor in breast cancer. Breast Cancer Research and Treatment, 2019, 177, 581-589.	1.1	34
6	Frequency, phenotype, and genotype of minute gastrointestinal stromal tumors in the stomach: an autopsy study. Human Pathology, 2011, 42, 1849-1854.	1.1	30
7	Multiparameter analysis of homogeneously R-CHOP-treated diffuse large B cell lymphomas identifies CD5 and FOXP1 as relevant prognostic biomarkers: report of the prospective SAKK 38/07 study. Journal of Hematology and Oncology, 2015, 8, 70.	6.9	28
8	Tailored axillary surgery in patients with clinically node-positive breast cancer: Pre-planned feasibility substudy of TAXIS (OPBC-03, SAKK 23/16, IBCSG 57-18, ABCSG-53, GBG 101). Breast, 2021, 60, 98-110.	0.9	28
9	In Vitro Modeling of Tumor–Immune System Interaction. ACS Biomaterials Science and Engineering, 2018, 4, 314-323.	2.6	21
10	High density of CD66b in primary high-grade ovarian cancer independently predicts response to chemotherapy. Journal of Cancer Research and Clinical Oncology, 2020, 146, 127-136.	1.2	20
11	Expression of RET is associated with Oestrogen receptor expression but lacks prognostic significance in breast cancer. BMC Cancer, 2019, 19, 41.	1.1	16
12	Tall cell carcinoma of the breast with reversed polarity (TCCRP) with mutations in the IDH2 and PIK3CA genes: a case report. Molecular Biology Reports, 2020, 47, 4917-4921.	1.0	14
13	An <i>In Vivo</i> CRISPR Screen Identifies Stepwise Genetic Dependencies of Metastatic Progression. Cancer Research, 2022, 82, 681-694.	0.4	14
14	Src homology phosphotyrosyl phosphataseâ€2 expression is an independent negative prognostic factor in human breast cancer. Histopathology, 2013, 63, 74-82.	1.6	13
15	Pregnancy at early age is associated with a reduction of progesterone-responsive cells and epithelial Wnt signaling in human breast tissue. Oncotarget, 2017, 8, 22353-22360.	0.8	11
16	Genetic Alterations in Benign Breast Biopsies of Subsequent Breast Cancer Patients. Frontiers in Medicine, 2019, 6, 166.	1.2	10
17	Nuclear accumulation of MKL1 in luminal breast cancer cells impairs genomic activity of ERα and is associated with endocrine resistance. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2020, 1863, 194507.	0.9	9
18	An Integrated Epigenomic and Genomic View on Phyllodes and Phyllodes-like Breast Tumors. Cancers, 2022, 14, 667.	1.7	5

SIMONE MUENST

#	Article	IF	CITATIONS
19	High ratio of pCXCR4/CXCR4 tumor infiltrating immune cells in primary high grade ovarian cancer is indicative for response to chemotherapy. BMC Cancer, 2022, 22, 376.	1.1	4
20	ldentification of Somatic Mutations in Thirty-year-old Serum Cell-free DNA From Patients With Breast Cancer: A Feasibility Study. Clinical Breast Cancer, 2020, 20, 413-421.e1.	1.1	2
21	Abstract PD4-04: Tailored axillary surgery to omit axillary lymph node dissection independently from the use of neoadjuvant chemotherapy in patients with clinically node-positive breast cancer: Pre-specified subproject within TAXIS (SAKK 23/16 / IBCSG 57-18 / ABCSG-53 / GBG 101). , 2021, , .		1
22	Persistent acute cholecystitis after cholecystostomy – increased mortality due to treatment approach?. Hpb, 2021, , .	0.1	1
23	Abstract OT-04-03: Tailored axillary surgery with or without axillary lymph node dissection followed by radiotherapy in patients with clinically node-positive breast cancer (SAKK 23/16 / IBCSG 57-18 /) Tj ETQq1 1 C	.784314 r	gB ō /Overlock