

Simone Muenst

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1424239/publications.pdf>

Version: 2024-02-01

23
papers

1,056
citations

758635

12
h-index

752256

20
g-index

23
all docs

23
docs citations

23
times ranked

2316
citing authors

#	ARTICLE	IF	CITATIONS
1	An Integrated Epigenomic and Genomic View on Phyllodes and Phyllodes-like Breast Tumors. <i>Cancers</i> , 2022, 14, 667.	1.7	5
2	An <i>In Vivo</i> CRISPR Screen Identifies Stepwise Genetic Dependencies of Metastatic Progression. <i>Cancer Research</i> , 2022, 82, 681-694.	0.4	14
3	High ratio of pCXCR4/CXCR4 tumor infiltrating immune cells in primary high grade ovarian cancer is indicative for response to chemotherapy. <i>BMC Cancer</i> , 2022, 22, 376.	1.1	4
4	Abstract PD4-04: Tailored axillary surgery to omit axillary lymph node dissection independently from the use of neoadjuvant chemotherapy in patients with clinically node-positive breast cancer: Pre-specified subproject within TAXIS (SAKK 23/16 / IBCSG 57-18 / ABCSG-53 / GBC 101). , 2021, , .		1
5	Abstract OT-04-03: Tailored axillary surgery with or without axillary lymph node dissection followed by radiotherapy in patients with clinically node-positive breast cancer (SAKK 23/16 / IBCSG 57-18 /) Tj ETQq1 1 0.784314 rgBö /Overlock		
6	Tailored axillary surgery in patients with clinically node-positive breast cancer: Pre-planned feasibility substudy of TAXIS (OPBC-03, SAKK 23/16, IBCSG 57-18, ABCSG-53, GBC 101). <i>Breast</i> , 2021, 60, 98-110.	0.9	28
7	Persistent acute cholecystitis after cholecystostomy “ increased mortality due to treatment approach?. <i>Hpb</i> , 2021, , .	0.1	1
8	High density of CD66b in primary high-grade ovarian cancer independently predicts response to chemotherapy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 127-136.	1.2	20
9	Tall cell carcinoma of the breast with reversed polarity (TCCRP) with mutations in the IDH2 and PIK3CA genes: a case report. <i>Molecular Biology Reports</i> , 2020, 47, 4917-4921.	1.0	14
10	Identification of Somatic Mutations in Thirty-year-old Serum Cell-free DNA From Patients With Breast Cancer: A Feasibility Study. <i>Clinical Breast Cancer</i> , 2020, 20, 413-421.e1.	1.1	2
11	Nuclear accumulation of MKL1 in luminal breast cancer cells impairs genomic activity of ER α and is associated with endocrine resistance. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2020, 1863, 194507.	0.9	9
12	The single-cell pathology landscape of breast cancer. <i>Nature</i> , 2020, 578, 615-620.	13.7	582
13	Genetic Alterations in Benign Breast Biopsies of Subsequent Breast Cancer Patients. <i>Frontiers in Medicine</i> , 2019, 6, 166.	1.2	10
14	Infiltration by myeloperoxidase-positive neutrophils is an independent prognostic factor in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2019, 177, 581-589.	1.1	34
15	Expression of RET is associated with Oestrogen receptor expression but lacks prognostic significance in breast cancer. <i>BMC Cancer</i> , 2019, 19, 41.	1.1	16
16	In Vitro Modeling of Tumor-Immune System Interaction. <i>ACS Biomaterials Science and Engineering</i> , 2018, 4, 314-323.	2.6	21
17	Tailored axillary surgery with or without axillary lymph node dissection followed by radiotherapy in patients with clinically node-positive breast cancer (TAXIS): study protocol for a multicenter, randomized phase-III trial. <i>Trials</i> , 2018, 19, 667.	0.7	73
18	Recurrent hotspot mutations in HRAS Q61 and PI3K-AKT pathway genes as drivers of breast adenomyoepitheliomas. <i>Nature Communications</i> , 2018, 9, 1816.	5.8	105

#	ARTICLE	IF	CITATIONS
19	<i>Ex-vivo</i> assessment of drug response on breast cancer primary tissue with preserved microenvironments. <i>Oncolmmunology</i> , 2017, 6, e1331798.	2.1	35
20	Pregnancy at early age is associated with a reduction of progesterone-responsive cells and epithelial Wnt signaling in human breast tissue. <i>Oncotarget</i> , 2017, 8, 22353-22360.	0.8	11
21	Multiparameter analysis of homogeneously R-CHOP-treated diffuse large B cell lymphomas identifies CD5 and FOXP1 as relevant prognostic biomarkers: report of the prospective SAKK 38/07 study. <i>Journal of Hematology and Oncology</i> , 2015, 8, 70.	6.9	28
22	Src homology phosphotyrosyl phosphataseâ€2 expression is an independent negative prognostic factor in human breast cancer. <i>Histopathology</i> , 2013, 63, 74-82.	1.6	13
23	Frequency, phenotype, and genotype of minute gastrointestinal stromal tumors in the stomach: an autopsy study. <i>Human Pathology</i> , 2011, 42, 1849-1854.	1.1	30