


List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1426305/publications.pdf Version: 2024-02-01



OI MEI

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Metronomic capecitabine as adjuvant therapy in locoregionally advanced nasopharyngeal carcinoma: a multicentre, open-label, parallel-group, randomised, controlled, phase 3 trial. Lancet, The, 2021, 398, 303-313. | 13.7 | 98 |
| 2 | Pretreatment hematologic markers as prognostic factors in patients with nasopharyngeal carcinoma: Neutrophilâ€lymphocyte ratio and plateletâ€lymphocyte ratio. Head and Neck, 2016, 38, E1332-40. | 2.0 | 93 |
| 3 | Interleukin-6 promotes the migration and invasion of nasopharyngeal carcinoma cell lines and upregulates the expression of MMP-2 and MMP-9. International Journal of Oncology, 2014, 44, 1551-1560. | 3.3 | 72 |
| 4 | Mental health problems among <scp>COVID</scp> â€19 survivors in Wuhan, China. World Psychiatry, 2021, 20, 139-140. | 10.4 | 46 |
| 5 | Targeting polarized phenotype of microglia via IL6/JAK2/STAT3 signaling to reduce NSCLC brain metastasis. Signal Transduction and Targeted Therapy, 2022, 7, 52. | 17.1 | 43 |
| 6 | <p>Prognostic significance of serum lactate dehydrogenase in patients with breast cancer: a meta-analysis</p> . Cancer Management and Research, 2019, Volume 11, 3611-3619. | 1.9 | 42 |
| 7 | Assessment of patients who tested positive for COVID-19 after recovery. Lancet Infectious Diseases, The, 2020, 20, 1004-1005. | 9.1 | 41 |
| 8 | <scp>SALL</scp> 4 induces radioresistance in nasopharyngeal carcinoma via the <scp>ATM</scp> /Chk2/p53 pathway. Cancer Medicine, 2019, 8, 1779-1792. | 2.8 | 38 |
| 9 | Foxk2 inhibits non-small cell lung cancer epithelial-mesenchymal transition and proliferation through the repression of different key target genes. Oncology Reports, 2017, 37, 2335-2347. | 2.6 | 36 |
| 10 | Radiation-Induced DNMT3B Promotes Radioresistance in Nasopharyngeal Carcinoma through Methylation of p53 and p21. Molecular Therapy - Oncolytics, 2020, 17, 306-319. | 4.4 | 33 |
| 11 | Macrophage Capping Protein CapG Is a Putative Oncogene Involved in Migration and Invasiveness in Ovarian Carcinoma. BioMed Research International, 2014, 2014, 1-8. | 1.9 | 30 |
| 12 | Single-arm, multi-centre phase II study of lobaplatin combined with docetaxel for recurrent and metastatic nasopharyngeal carcinoma patients. Oral Oncology, 2014, 50, 717-720. | 1.5 | 23 |
| 13 | miRNA signature identification of retinoblastoma and the correlations between differentially expressed miRNAs during retinoblastoma progression. Molecular Vision, 2015, 21, 1307-17. | 1.1 | 22 |
| 14 | The relationship between UGT1A1 gene polymorphism and irinotecan effect on extensive-stage small-cell lung cancer. OncoTargets and Therapy, 2015, 8, 3575. | 2.0 | 20 |
| 15 | Analysis of gene expression changes associated with human carcinoma-associated fibroblasts in non-small cell lung carcinoma. Biological Research, 2017, 50, 6. | 3.4 | 20 |
| 16 | Impact of COVID-19 vaccination on the use of PD-1 inhibitor in treating patients with cancer: a real-world study. , 2022, 10, e004157. | | 19 |
| 17 | Clinical challenges in cancer patients with COVID-19: Aging, immunosuppression, and comorbidities. Aging, 2020, 12, 24462-24474. | 3.1 | 17 |
| 18 | Suppression of CEP55 reduces cell viability and induces apoptosis in human lung cancer. Oncology Reports, 2016, 36, 1939-1945. | 2.6 | 15 |

QI MEI

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Development and validation of prognostic model for predicting mortality of COVID-19 patients in Wuhan, China. Scientific Reports, 2020, 10, 22451. | 3.3 | 15 |
| 20 | ldentification of crucial regulatory relationships between long non-coding RNAs and protein-coding genes in lung squamous cell carcinoma. Molecular and Cellular Probes, 2016, 30, 146-152. | 2.1 | 14 |
| 21 | Survival Factors and Metabolic Pathogenesis in Elderly Patients (≥65) With COVID-19: A Multi-Center Study. Frontiers in Medicine, 2020, 7, 595503. | 2.6 | 14 |
| 22 | Health Issues and Immunological Assessment Related to Wuhan's COVID-19 Survivors: A Multicenter Follow-Up Study. Frontiers in Medicine, 2021, 8, 617689. | 2.6 | 14 |
| 23 | Twist1 promotes radioresistance in nasopharyngeal carcinoma. Oncotarget, 2016, 7, 81332-81340. | 1.8 | 14 |
| 24 | A survival analysis of surgically treated incidental low-grade glioma patients. Scientific Reports, 2021, 11, 8522. | 3.3 | 13 |
| 25 | Primary tumor volume should be included in the TNM staging system of nasopharyngeal carcinoma. Medical Hypotheses, 2014, 82, 486-487. | 1.5 | 12 |
| 26 | PPA1 regulates tumor malignant potential and clinical outcome of colon adenocarcinoma through JNK pathways. Oncotarget, 2017, 8, 58611-58624. | 1.8 | 12 |
| 27 | Retrospective study of irinotecan/cisplatin followed by etoposide/cisplatin or the reverse sequence in extensive-stage small cell lung cancer. OncoTargets and Therapy, 2015, 8, 2209. | 2.0 | 11 |
| 28 | A Numerical Research of Herringbone Passive Mixer at Low Reynold Number Regime. Micromachines, 2017, 8, 325. | 2.9 | 11 |
| 29 | High pretreatment serum gamma-glutamyl transpeptidase predicts an inferior outcome in nasopharyngeal carcinoma. Oncotarget, 2017, 8, 67651-67662. | 1.8 | 11 |
| 30 | Prior Study of Cross-Cultural Validation of McGill Quality-of-Life Questionnaire in Mainland Mandarin Chinese Patients With Cancer. American Journal of Hospice and Palliative Medicine, 2015, 32, 709-714. | 1.4 | 10 |
| 31 | Numerical evaluation of face masks for prevention of COVID-19 airborne transmission. Environmental Science and Pollution Research, 2022, 29, 44939-44953. | 5.3 | 10 |
| 32 | The impact of UGT2B7 C802T and CYP3A4*1G polymorphisms on pain relief in cancer patients receiving oxycontin. Supportive Care in Cancer, 2018, 26, 2763-2767. | 2.2 | 9 |
| 33 | A Microfluidic Chip with Double-Slit Arrays for Enhanced Capture of Single Cells. Micromachines, 2018, 9, 157. | 2.9 | 9 |
| 34 | Does chemotherapy reactivate SARS-CoV-2 in cancer patients recovered from prior COVID-19 infection?. European Respiratory Journal, 2020, 56, 2002672. | 6.7 | 8 |
| 35 | Inhibitory effect of endostar in combination with radiotherapy in a mouse model of human CNE2 nasopharyngeal carcinoma. Journal of Huazhong University of Science and Technology [Medical Sciences], 2011, 31, 62-66. | 1.0 | 7 |
| 36 | In search of underlying mechanisms and potential drugs of melphalan-induced vascular toxicity through retinal endothelial cells using bioinformatics approach. Tumor Biology, 2016, 37, 6709-6718. | 1.8 | 6 |

QI MEI

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | An examination of the regulatory mechanism of Pxdn mutation-induced eye disorders using microarray analysis. International Journal of Molecular Medicine, 2016, 37, 1449-1456. | 4.0 | 5 |
| 38 | Snailâ€mediated cancer stem cellâ€like phenotype in human CNE2 nasopharyngeal carcinoma cell. Head and Neck, 2018, 40, 485-497. | 2.0 | 5 |
| 39 | Irradiation-Induced Activated Microglia Affect Brain Metastatic Colonization of NSCLC Cells via miR-9/CDH1 Axis. OncoTargets and Therapy, 2021, Volume 14, 1911-1922. | 2.0 | 4 |
| 40 | Quantitative Proteomics Reveals the Role of Lysine 2-Hydroxyisobutyrylation Pathway Mediated by Tip60. Oxidative Medicine and Cellular Longevity, 2022, 2022, 1-13. | 4.0 | 4 |
| 41 | Accumulation of AGO2 Facilitates Tumorigenesis of Human Hepatocellular Carcinoma. BioMed Research International, 2020, 2020, 1-12. | 1.9 | 3 |
| 42 | Podoplanin is a useful prognostic marker and indicates better differentiation in lung squamous cell cancer patients? A systematic review and meta-analysis. BMC Cancer, 2020, 20, 424. | 2.6 | 3 |
| 43 | The clinical prognostic value of PD-L1 after concurrent chemoradiotherapy in Chinese nasopharyngeal carcinoma patients. Annals of Translational Medicine, 2021, 9, 1650-1650. | 1.7 | 2 |
| 44 | Preliminary results of gentamycin combined with sodium bicarbonate for prevention of irinotecan-induced diarrhea. Frontiers of Medicine in China, 2009, 3, 470-474. | 0.1 | 1 |
| 45 | Effects of Pulse Interval and Dosing Flux on Cells Varying the Relative Velocity of Micro Droplets and Culture Solution. Processes, 2018, 6, 119. | 2.8 | 1 |
| 46 | Efficacy and Safety for the Use of Half-Dosed Pegylated Granulocyte Colony-Stimulating Factors in Preventing Febrile Neutropenia During Chemotherapy in Patients With Malignant Tumors: A Multicenter, Open-Labeled, Single-Arm Phase 2 Trial. Frontiers in Oncology, 2022, 12, 820324. | 2.8 | 1 |
| 47 | The choice of the immunosuppressant for the patients of the malignant tumors after kidney transplantation. Chinese-German Journal of Clinical Oncology, 2008, 7, 413-415. | 0.1 | 0 |
| 48 | From desire to action, explore the palliative care of cancer development road in China. Chinese-German Journal of Clinical Oncology, 2010, 9, 60-62. | 0.1 | 0 |
| 49 | The efficacy and safety of extended use of endostatin plus platinum-based doublet chemotherapy in patients with advanced non-small cell lung cancer: An analysis of a 10-year retrospective study Journal of Clinical Oncology, 2019, 37, e20523-e20523. | 1.6 | 0 |
| 50 | Pathway-flux based biomarker for immunotherapy response in melanoma Journal of Clinical Oncology, 2020, 38, e22064-e22064. | 1.6 | 0 |
| 51 | Peripheral blood leukocytes-related early diagnosis for lung cancer Journal of Clinical Oncology, 2020, 38, e21020-e21020. | 1.6 | 0 |
| 52 | Differential early diagnosis of benign versus malignant lung cancer using systematic pathway flux analysis of peripheral blood leukocytes. Scientific Reports, 2022, 12, 5070. | 3.3 | 0 |