

Z S Demiroglu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1426402/z-s-demiroglu-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

598
papers

10,881
citations

45
h-index

71
g-index

619
ext. papers

14,111
ext. citations

4.9
avg, IF

3.94
L-index

#	Paper	IF	Citations
598	Measurement of double-parton scattering in inclusive production of four jets with low transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
597	Study of quark and gluon jet substructure in Z+jet and dijet events from pp collisions. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
596	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
595	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	1
594	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 153	4.2	0
593	Search for long-lived particles produced in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
592	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
591	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 290	4.2	0
590	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
589	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
588	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
587	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
586	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
585	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
584	Measurement of the inclusive $\overline{t}t$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
583	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 970	4.2	3
582	Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the $B\bar{b}$ final state at 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2

581	Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	3
580	Observation of tW production in the single-lepton channel in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	0
579	Search for chargino-neutralino production in events with Higgs and W bosons using 137 fb ⁻¹ of proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	1
578	Measurements of the pp $\rightarrow W\gamma$ and pp $\rightarrow Z\gamma$ cross sections at $(\sqrt{s}) = 13$ TeV and limits on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	1
577	Search for dark photons in Higgs boson production via vector boson fusion in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	2
576	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2021 , 81, 200	4-2	5
575	Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	3
574	Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	4
573	Search for new physics in top quark production with additional leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV using effective field theory. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	4
572	Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	1
571	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	6
570	Development and validation of HERWIG tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , 2021 , 81, 312	4-2	1
569	Angular analysis of the decay $B^+ \rightarrow K^{*0}(892)\mu^+\mu^-$ in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	2
568	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , 2021 , 81, 378	4-2	5
567	Measurement of b jet shapes in proton-proton collisions at $(\sqrt{s}) = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	0
566	First measurement of large area jet transverse momentum spectra in heavy-ion collisions. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	2
565	Study of Drell-Yan dimuon production in proton-lead collisions at $(\sqrt{s_{NN}}) = 8.16$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	0
564	Measurements of the differential cross sections of the production of Z + jets and γ jets and of Z boson emission collinear with a jet in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	

563	In-medium modification of dijets in PbPb collisions at $(\sqrt{s_{\mathrm{NN}}}) = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	0
562	Measurement of the Z boson differential production cross section using its invisible decay mode ($Z \rightarrow \overline{\nu}\nu$) in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	
561	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 488	4-2	5
560	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	3
559	Search for resonant and nonresonant new phenomena in high-mass dilepton final states at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	5
558	Search for the lepton flavor violating decay $\mu \rightarrow e \gamma$ in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	1
557	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 13	4-2	7
556	Evidence for Higgs boson decay to a pair of muons. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	14
555	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , 2021 , 81, 3	4-2	5
554	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 629	4-2	4
553	Search for a heavy vector resonance decaying to a W boson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 688	4-2	0
552	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 723	4-2	3
551	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , 2021 , 81, 852	4-2	0
550	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021 , 81, 800	4-2	7
549	Measurement of prompt open-charm production cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	
548	Measurement of the inclusive and differential $t\bar{t}$ cross sections in the single-lepton channel and EFT interpretation at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	0
547	Measurement of the top quark mass using events with a single reconstructed top quark in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	0
546	Probing effective field theory operators in the associated production of top quarks with a Z boson in multilepton final states at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	0

545	Search for a heavy resonance decaying to a top quark and a W boson at $\sqrt{s} = 13$ TeV in the fully hadronic final state. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5-4	1
544	Pileup mitigation at CMS in 13 TeV data. <i>Journal of Instrumentation</i> , 2020 , 15, P09018-P09018	1	14
543	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P10017-P10017	1	23
542	Search for decays of the 125 GeV Higgs boson into a Z boson and a Υ meson. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	2
541	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	12
540	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	20
539	Identification of heavy, energetic, hadronically decaying particles using machine-learning techniques. <i>Journal of Instrumentation</i> , 2020 , 15, P06005-P06005	1	18
538	Measurements with silicon photomultipliers of dose-rate effects in the radiation damage of plastic scintillator tiles in the CMS hadron endcap calorimeter. <i>Journal of Instrumentation</i> , 2020 , 15, P06009-P06009	1	2
537	Search for supersymmetry in proton-proton collisions at $(\sqrt{s}) = 13$ TeV in events with high-momentum Z bosons and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	1
536	Combination of the W boson polarization measurements in top quark decays using ATLAS and CMS data at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	2
535	Search for resonant pair production of Higgs bosons in the $bbZZ$ channel in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2020 , 102,	4-9	4
534	Search for a light charged Higgs boson in the $H\bar{b}b$ channel in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2020 , 102,	4-9	6
533	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	8
532	Running of the top quark mass from proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135263	4-2	9
531	Search for dijet resonances using events with three jets in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 805, 135448	4-2	1
530	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	1
529	Search for disappearing tracks in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 806, 135502	4-2	14
528	Search for new neutral Higgs bosons through the $(\text{H}) \rightarrow \text{ZA} \rightarrow \{\ell\ell\}^{\{+\}\{-\}} \overline{\text{b}} \text{b}$ process in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5-4	10

527	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189	4.2	3
526	Multiparticle correlation studies in pPb collisions at $\sqrt{s_{NN}}=8.16$ TeV. <i>Physical Review C</i> , 2020 , 101,	2.7	2
525	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , 2020 , 80, 534	4.2	6
524	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $(\sqrt{s}) = 13$ TeV and constraints on anomalous quartic couplings. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
523	Determination of the strong coupling constant $\alpha_S(m_Z)$ from measurements of inclusive W^\pm and Z boson production cross sections in proton-proton collisions at $(\sqrt{s}) = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
522	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
521	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 43	4.2	6
520	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
519	Search for Supersymmetry with a Compressed Mass Spectrum in Events with a Soft τ Lepton, a Highly Energetic Jet, and Large Missing Transverse Momentum in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 041803	7.4	3
518	Evidence for (W^+W^-) production from double-parton interactions in proton-proton collisions at $(\sqrt{s} = 13, \text{TeV})$. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
517	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75	4.2	24
516	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3	4.2	16
515	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4.2	61
514	Constraints on the ρ_{c1} versus ρ_{c2} Polarizations in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 162002	7.4	6
513	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $\tau\mu$ and $e\mu$ in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6
512	A search for the standard model Higgs boson decaying to charm quarks. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
511	Study of J/ψ meson production inside jets in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 804, 135409	4.2	3
510	Search for a Narrow Resonance Lighter than 200 GeV Decaying to a Pair of Muons in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 124, 131802	7.4	12

509	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	11
508	Study of excited B0 states decaying to B0 in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135345	4.2	19
507	A measurement of the Higgs boson mass in the diphoton decay channel. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 805, 135425	4.2	25
506	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
505	A multi-dimensional search for new heavy resonances decaying to boosted $\gamma\gamma$ or boson pairs in the dijet final state at 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 237	4.2	10
504	Production of Λ^+ baryons in proton-proton and lead-lead collisions at sNN=5.02TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135328	4.2	11
503	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020 , 80, 1164	4.2	0
502	Measurement of differential cross sections and charge ratios for t -channel single top quark production in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 370	4.2	4
501	Measurement of $(\sigma_{\text{pp}}^{\text{t}}/\sigma_{\text{pp}}^{\text{t}})$ normalised multi-differential cross sections in (pp) collisions at ($\sqrt{s}=13, \text{TeV}$), and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13
500	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	16
499	Dependence of inclusive jet production on the anti-kT distance parameter in pp collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
498	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
497	Observation of the B0-B0 decay in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 802, 135203	4.2	5
496	Reconstruction of signal amplitudes in the CMS electromagnetic calorimeter in the presence of overlapping proton-proton interactions. <i>Journal of Instrumentation</i> , 2020 , 15, P10002-P10002	1	4
495	Observation of nuclear modifications in W boson production in pPb collisions at sNN=8.16TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135048	4.2	9
494	Search for light pseudoscalar boson pairs produced from decays of the 125 GeV Higgs boson in final states with two muons and two nearby tracks in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135087	4.2	15
493	Measurement of the single top quark and antiquark production cross sections in the t channel and their ratio in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135042	4.2	8
492	Observation of the Production of Three Massive Gauge Bosons at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 125, 151802	7.4	2

491	Measurements of production cross sections of WZ and same-sign WW boson pairs in association with two jets in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 809, 135710	4.2	14
490	Strange hadron production in pp and pPb collisions at $s_{\text{NN}}=5.02\text{ TeV}$. <i>Physical Review C</i> , 2020 , 101,	2.7	1
489	The production of isolated photons in PbPb and pp collisions at $(\sqrt{s_{\text{NN}}}) = 5.02\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
488	Measurement of CKM matrix elements in single top quark t-channel production in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 808, 135609	4.2	3
487	Investigation into the event-activity dependence of $\langle n_S \rangle$ relative production in proton-proton collisions at $(\sqrt{s}) = 7\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
486	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $(\sqrt{s}) = 13\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
485	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , 2020 , 4, 10	6	3
484	W+W boson pair production in proton-proton collisions at $s=13\text{ TeV}$. <i>Physical Review D</i> , 2020 , 102,	4.9	4
483	Search for electroweak production of a vector-like T quark using fully hadronic final states. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
482	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at $(\sqrt{s}) = 13\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
481	Measurement of properties of $(\mathcal{B}_{\text{S}}^0 \rightarrow \mu^+ \mu^-)$ decays and search for $\mathcal{B}_S^0 \rightarrow \mu^+ \mu^-$ with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	10
480	Search for a light pseudoscalar Higgs boson in the boosted τ final state in proton-proton collisions at $(\sqrt{s}) = 13\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
479	Measurements of $t\bar{t}$ Production and the CP Structure of the Yukawa Interaction between the Higgs Boson and Top Quark in the Diphoton Decay Channel. <i>Physical Review Letters</i> , 2020 , 125, 061801	7.4	15
478	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$. <i>Journal of Instrumentation</i> , 2020 , 15, P02027-P02027	1	11
477	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	4
476	Measurement of the cross section for $(\overline{t}t)$ production with additional jets and b jets in pp collisions at $(\sqrt{s}) = 13\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
475	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $(\sqrt{s}) = 13\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	13
474	Measurement of the $Y(1S)$ pair production cross section and search for resonances decaying to $Y(1S)\mu\mu$ in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 808, 135578	4.2	10

473	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	18
472	Calibration of the CMS hadron calorimeters using proton-proton collision data at \sqrt{s} = 13 TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P05002-P05002	1	
471	Search for supersymmetry in pp collisions at \sqrt{s} =13 TeV with 137 fb ⁻¹ in final states with a single lepton using the sum of masses of large-radius jets. <i>Physical Review D</i> , 2020 , 101,	4.9	6
470	Measurement of the Jet Mass Distribution and Top Quark Mass in Hadronic Decays of Boosted Top Quarks in pp Collisions at \sqrt{s} =13 TeV. <i>Physical Review Letters</i> , 2020 , 124, 202001	7.4	2
469	Observation of the B _s ⁰ -K(3872) ⁰ Decay. <i>Physical Review Letters</i> , 2020 , 125, 152001	7.4	4
468	Measurement of the associated production of a Z boson with charm or bottom quark jets in proton-proton collisions at \sqrt{s} =13 TeV. <i>Physical Review D</i> , 2020 , 102,	4.9	6
467	Study of central exclusive production in proton-proton collisions at and 13TeV. <i>European Physical Journal C</i> , 2020 , 80, 718	4.2	2
466	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 752	4.2	2
465	Studies of Charm Quark Diffusion inside Jets Using Pb-Pb and pp Collisions at $\sqrt{s_{NN}}$ =5.02 TeV. <i>Physical Review Letters</i> , 2020 , 125, 102001	7.4	3
464	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
463	Measurement of the top quark pair production cross section in dilepton final states containing one lepton in pp collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	0
462	Measurement of the tt ^{bb} production cross section in the all-jet final state in pp collisions at \sqrt{s} =13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135283	4.2	5
461	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 773	4.2	0
460	Search for a Light Charged Higgs Boson Decaying to a W Boson and a CP-Odd Higgs Boson in Final States with e μ in Proton-Proton Collisions at \sqrt{s} =13 TeV. <i>Physical Review Letters</i> , 2019 , 123, 131802	7.4	6
459	Studies of Beauty Suppression via Nonprompt D ⁰ Mesons in Pb-Pb Collisions at $\sqrt{s_{NN}}$ =5.02 TeV. <i>Physical Review Letters</i> , 2019 , 123, 022001	7.4	7
458	Search for charged Higgs bosons in the H _{SM} - H _{SM} decay channel in proton-proton collisions at (\sqrt{s} =13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	24
457	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 305	4.2	2
456	Evidence for light-by-light scattering and searches for axion-like particles in ultraperipheral PbPb collisions at $\sqrt{s_{NN}}$ =5.02TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134826	4.2	35

455	Measurement of electroweak WZ boson production and search for new physics in WZ + two jets events in pp collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 281-307	4.2	19
454	Search for Higgs and Z boson decays to J/ψ Y pairs in the four-muon final state in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134811	4.2	4
453	A search for pair production of new light bosons decaying into muons in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 796, 131-154	4.2	16
452	Measurement of B_s^0 meson production in pp and PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 796, 168-190	4.2	5
451	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
450	Search for Dark Matter Particles Produced in Association with a Top Quark Pair at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 011803	7.4	7
449	Search for the Higgs Boson Decaying to Two Muons in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 021801	7.4	22
448	Search for supersymmetric partners of electrons and muons in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 140-166	4.2	24
447	Non-Gaussian elliptic-flow fluctuations in PbPb collisions at $\sqrt{s_{NN}}=5.02\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 643-665	4.2	17
446	Measurement and interpretation of differential cross sections for Higgs boson production at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 792, 369-396	4.2	18
445	Search for an L gauge boson using $Z \rightarrow \mu\mu$ events in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 792, 345-368	4.2	29
444	Search for a low-mass χ resonance in association with a bottom quark in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
443	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $(\sqrt{s}) = 13$ TeV via Higgs boson decays to $l\bar{l}$ leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	3
442	Search for the pair production of light top squarks in the $e\bar{e}$ final state in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
441	Measurement of associated production of a boson and a charm quark in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 269	4.2	9
440	Combinations of single-top-quark production cross-section measurements and $ f_{LVVtb} $ determinations at $(\sqrt{s}) = 7$ and 8 TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
439	Observation of prompt J/ψ meson elliptic flow in high-multiplicity pPb collisions at $\sqrt{s_{NN}}=8.16$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 791, 172-194	4.2	14
438	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421	4.2	153

437	Search for supersymmetry in events with a photon, jets, $\bar{\nu}$ -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 444	4.2	1
436	Measurements of the Higgs boson width and anomalous HVV couplings from on-shell and off-shell production in the four-lepton final state. <i>Physical Review D</i> , 2019 , 99,	4.9	42
435	Measurements of the pp \rightarrow WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
434	Measurements of properties of the Higgs boson decaying to a W boson pair in pp collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 791, 96-129	4.2	27
433	Search for a W^{\pm} boson decaying to a lepton and a neutrino in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 792, 107-131	4.2	15
432	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4.2	27
431	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at $(\sqrt{s} = 13, \text{TeV})$. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
430	. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
429	Search for nonresonant Higgs boson pair production in the $(\overline{\text{b}}\overline{\text{b}})$ final state at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
428	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280	4.2	12
427	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
426	Search for a standard model-like Higgs boson in the mass range between 70 and 110 GeV in the diphoton final state in proton-proton collisions at $s=8$ and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 320-347	4.2	21
425	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364	4.2	18
424	Search for invisible decays of a Higgs boson produced through vector boson fusion in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 520-551	4.2	86
423	Combination of Searches for Higgs Boson Pair Production in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 121803	7.4	35
422	Jet Shapes of Isolated Photon-Tagged Jets in Pb-Pb and pp Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 152001	7.4	8
421	Search for W Boson Decays to Three Charged Pions. <i>Physical Review Letters</i> , 2019 , 122, 151802	7.4	1
420	Measurement of prompt (χ^0_S) production cross sections in proton-lead and proton-proton collisions at $s_{NN}=5.02\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 509-532	4.2	6

419	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 90	4.2	6
418	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123	4.2	4
417	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at = 13. <i>European Physical Journal C</i> , 2019 , 79, 94	4.2	7
416	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
415	Search for long-lived particles decaying into displaced jets in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	24
414	Measurements of ($\overline{\text{t}}$) differential cross sections in proton-proton collisions at ($\sqrt{s}=13$) TeV using events containing two leptons. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15
413	Search for ($\overline{\text{t}}\text{H}$) production in the (H) to $\overline{\text{b}}\text{b}$ decay channel with leptonic ($\overline{\text{t}}$) decays in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	17
412	Search for Narrow H Resonances in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 081804	7.4	1
411	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at ($\sqrt{s} = 13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
410	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
409	Search for resonant ($\overline{\text{t}}$) production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	13
408	Observation of Single Top Quark Production in Association with a Z Boson in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 132003	7.4	6
407	Observation of Two Excited B_{c}^{+} States and Measurement of the $B_{c}^{+}(2S)$ Mass in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 132001	7.4	31
406	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
405	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
404	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14
403	Measurement of nuclear modification factors of $\rho(1S)$, $\rho(2S)$, and $\rho(3S)$ mesons in PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 270-293	4.2	40
402	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 20	4.2	4

401	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	18
400	Search for a W boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
399	Search for top quark partners with charge $5/3$ in the same-sign dilepton and single-lepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
398	Inclusive search for supersymmetry in pp collisions at ($\sqrt{s}=13$) TeV using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
397	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
396	Search for excited leptons in final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
395	Search for new particles decaying to a jet and an emerging jet. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	15
394	Centrality and pseudorapidity dependence of the transverse energy density in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review C</i> , 2019 , 100,	2.7	2
393	Search for the production of $W\bar{W}$ events at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	3
392	Search for associated production of a Higgs boson and a single top quark in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	13
391	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at ($\sqrt{s} = 13, \text{TeV}$). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	6
390	Search for pair production of second-generation leptoquarks at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	20
389	Search for pair production of first-generation scalar leptoquarks at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	15
388	Measurement of exclusive ϕ photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 702	4.2	13
387	Search for dark matter in events with a leptoquark and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 76-99	4.2	2
386	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 277	4.2	19
385	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , 2019 , 79, 564	4.2	20
384	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two muons and two b quarks in pp collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 398-423	4.2	17

383	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
382	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , 2019 , 79, 313	4.2	13
381	Search for long-lived particles using nonprompt jets and missing transverse momentum with proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134876	4.2	15
380	Combination of CMS searches for heavy resonances decaying to pairs of bosons or leptons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134952	4.2	10
379	Search for anomalous electroweak production of vector boson pairs in association with two jets in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134985	4.2	16
378	Search for MSSM Higgs bosons decaying to $\mu\mu$ in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134992	4.2	11
377	An embedding technique to determine μ backgrounds in proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P06032-P06032	1	5
376	Performance of missing transverse momentum reconstruction in proton-proton collisions at $\sqrt{s} = 13$ TeV using the CMS detector. <i>Journal of Instrumentation</i> , 2019 , 14, P07004-P07004	1	39
375	Measurement of the top quark Yukawa coupling from tt kinematic distributions in the lepton+jets final state in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	5
374	Charged-particle angular correlations in XeXe collisions at $\sqrt{s_{NN}}=5.44$ TeV. <i>Physical Review C</i> , 2019 , 100,	2.7	14
373	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
372	Search for supersymmetry using Higgs boson to diphoton decays at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
371	Measurements of differential Z boson production cross sections in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	11
370	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
369	Study of the $(\mathbf{B}^+ \rightarrow \mathbf{J}/\psi \overline{\Lambda} \mathbf{p})$ decay in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	1
368	Search for low-mass resonances decaying into bottom quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	12
367	Search for pair-produced three-jet resonances in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	2
366	Search for resonances decaying to a pair of Higgs bosons in the $b(\overline{q})q(\overline{q})$ final state in proton-proton collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5

365	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 969	4.2	1
364	Pseudorapidity distributions of charged hadrons in xenon-xenon collisions at $\sqrt{s_{NN}}=5.44$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 799, 135049	4.2	5
363	Search for vectorlike leptons in multilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	14
362	Search for pair production of vectorlike quarks in the fully hadronic final state. <i>Physical Review D</i> , 2019 , 100,	4.9	18
361	Measurement of the top quark polarization and tt spin correlations using dilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	13
360	Constraints on anomalous HVV couplings from the production of Higgs bosons decaying to $\ell\ell$ pairs. <i>Physical Review D</i> , 2019 , 100,	4.9	11
359	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	10
358	Probing the chiral magnetic wave in pPb and PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV using charge-dependent azimuthal anisotropies. <i>Physical Review C</i> , 2019 , 100,	2.7	5
357	Measurement of the differential Drell-Yan cross section in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	6
356	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at (\sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
355	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 893	4.2	6
354	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
353	Search for Physics beyond the Standard Model in Events with Overlapping Photons and Jets. <i>Physical Review Letters</i> , 2019 , 123, 241801	7.4	
352	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 886	4.2	6
351	Search for long-lived particles using delayed photons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	7
350	Search for Low-Mass Quark-Antiquark Resonances Produced in Association with a Photon at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2019 , 123, 231803	7.4	7
349	Search for Higgs boson pair production in the $\tau\tau$ final state in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 7-36	4.2	24
348	Measurement of differential cross sections for Z boson pair production in association with jets at $\sqrt{s}=8$ and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 19-44	4.2	3

347	Brightness and uniformity measurements of plastic scintillator tiles at the CERN H2 test beam. <i>Journal of Instrumentation</i> , 2018 , 13, P01002-P01002	1	
346	Inclusive Search for a Highly Boosted Higgs Boson Decaying to a Bottom Quark-Antiquark Pair. <i>Physical Review Letters</i> , 2018 , 120, 071802	7.4	30
345	Observation of Electroweak Production of Same-Sign W Boson Pairs in the Two Jet and Two Same-Sign Lepton Final State in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 081801	7.4	50
344	Observation of Correlated Azimuthal Anisotropy Fourier Harmonics in pp and p+Pb Collisions at the LHC. <i>Physical Review Letters</i> , 2018 , 120, 092301	7.4	27
343	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242	4.2	4
342	Measurement of the Splitting Function in pp and Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 142302	7.4	27
341	Measurement of quarkonium production cross sections in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 251-272	4.2	20
340	Pseudorapidity distributions of charged hadrons in proton-lead collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
339	Observation of the Higgs boson decay to a pair of τ leptons with the CMS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 283-316	4.2	78
338	Suppression of Excited χ States Relative to the Ground State in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 142301	7.4	12
337	Search for Higgsino pair production in pp collisions at $s=13$ TeV in final states with large missing transverse momentum and two Higgs bosons decaying via $H\rightarrow b\bar{b}$. <i>Physical Review D</i> , 2018 , 97,	4.9	8
336	Search for resonant and nonresonant Higgs boson pair production in the ($\overline{\mathrm{b}}\mathrm{b}$) final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
335	Search for heavy resonances decaying to a top quark and a bottom quark in the lepton+jets final state in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 777, 39-63	4.2	14
334	Measurements of $t\bar{t}$ cross sections in association with b jets and inclusive jets and their ratio using dilepton final states in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 355-378	4.2	12
333	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s}=13$. <i>European Physical Journal C</i> , 2018 , 78, 291	4.2	17
332	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018 , 78, 165	4.2	29
331	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287	4.2	11
330	Measurement of the inclusive ($\overline{\mathrm{t}}\mathrm{t}$) cross section in pp collisions at ($\sqrt{s}=5.02$) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3

329	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	
328	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	2
327	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	4
326	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	45
325	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	40
324	Measurement of differential cross sections in the kinematic angular variable ϕ^* for inclusive Z boson production in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	2
323	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	8
322	Measurement of normalized differential ($\overline{\mathrm{t}}$) cross sections in the dilepton channel from pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	12
321	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	13
320	Search for ZZ resonances in the $2\ell\ell$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
319	Search for massive resonances decaying into WW, WZ, ZZ, qW, and qZ with dijet final states at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 97,	4-9	20
318	Measurement of the B polarization and angular parameters in $\bar{B}-B/\ell$ decays from pp collisions at $s=7$ and 8 TeV. <i>Physical Review D</i> , 2018 , 97,	4-9	6
317	Search for gauge-mediated supersymmetry in events with at least one photon and missing transverse momentum in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 118-143	4-2	9
316	Bose-Einstein correlations in pp, pPb, and PbPb collisions at $s_{\mathrm{NN}}=0.9\sqrt{s}$ TeV. <i>Physical Review C</i> , 2018 , 97,	2-7	15
315	Measurement of differential cross sections for the production of top quark pairs and of additional jets in lepton+jets events from pp collisions at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 97,	4-9	20
314	Search for new physics in final states with an energetic jet or a hadronically decaying W or Z boson and transverse momentum imbalance at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 97,	4-9	51
313	Jet properties in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
312	Search for supersymmetry with Higgs boson to diphoton decays using the razor variables at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 166-190	4-2	4

311	Search for pair production of vector-like quarks in the $b\bar{W}b\bar{W}$ channel from proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 82-106	4.2	29
310	Measurement of the associated production of a single top quark and a Z boson in pp collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 358-384	4.2	11
309	Search for new long-lived particles at $s=13\text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 432-454	4.2	20
308	Search for supersymmetry in events with one lepton and multiple jets exploiting the angular correlation between the lepton and the missing transverse momentum in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 384-409	4.2	2
307	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22
306	Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>Journal of Instrumentation</i> , 2018 , 13, P06015-P06015	1	118
305	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4.2	20
304	Elliptic Flow of Charm and Strange Hadrons in High-Multiplicity p+Pb Collisions at $\sqrt{s_{NN}}=8.16\text{ TeV}$. <i>Physical Review Letters</i> , 2018 , 121, 082301	7.4	35
303	Measurement of b hadron lifetimes in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 457	4.2	9
302	Study of jet quenching with isolated-photon+jet correlations in PbPb and pp collisions at $s_{NN}=5.02\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 785, 14-39	4.2	21
301	Search for top squarks and dark matter particles in opposite-charge dilepton final states at $s=13\text{ TeV}$. <i>Physical Review D</i> , 2018 , 97,	4.9	26
300	Constraining Gluon Distributions in Nuclei Using Dijets in Proton-Proton and Proton-Lead Collisions at $\sqrt{s_{NN}}=5.02\text{ TeV}$. <i>Physical Review Letters</i> , 2018 , 121, 062002	7.4	8
299	Observation of $t\bar{t}\gamma$ Production. <i>Physical Review Letters</i> , 2018 , 120, 231801	7.4	96
298	Search for Physics Beyond the Standard Model in Events with High-Momentum Higgs Bosons and Missing Transverse Momentum in Proton-Proton Collisions at 13TeV . <i>Physical Review Letters</i> , 2018 , 120, 241801	7.4	9
297	Combination of inclusive and differential ($\overline{\text{t}}$) charge asymmetry measurements using ATLAS and CMS data at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
296	Search for Heavy Neutral Leptons in Events with Three Charged Leptons in Proton-Proton Collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review Letters</i> , 2018 , 120, 221801	7.4	62
295	Search for vectorlike light-flavor quark partners in proton-proton collisions at $s=8\text{ TeV}$. <i>Physical Review D</i> , 2018 , 97,	4.9	6
294	Search for single production of a vector-like T quark decaying to a Z boson and a top quark in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 574-600	4.2	24

293	Search for a massive resonance decaying to a pair of Higgs bosons in the four b quark final state in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 244-269	4.2	22
292	Search for the $X(5568)$ State Decaying into $B_{s}^{0}\bar{B}_{s}^{0}$ in Proton-Proton Collisions at $\sqrt{s}=8\text{ TeV}$. <i>Physical Review Letters</i> , 2018 , 120, 202005	7.4	36
291	Measurements of the $(\text{pp})\rightarrow\text{ZZ}$ production cross section and the $(\text{ZZ})\rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at $(\sqrt{s} = 13,\text{TeV})$ 2018 , 78, 1		3
290	Measurement of b hadron lifetimes in pp collisions at $(\sqrt{s} = 8)$ (TeV) 2018 , 78, 1		1
289	Azimuthal anisotropy of charged particles with transverse momentum up to $100\text{GeV}/c$ in PbPb collisions at $\sqrt{s_{NN}}=5.02\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 195-216	4.2	27
288	Search for $(\overline{\text{t}}\text{t})\text{H}$ production in the all-jet final state in proton-proton collisions at $(\sqrt{s}=13)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
287	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at $(\sqrt{s}=8)$ and 13 TeV . <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
286	Measurement of the groomed jet mass in PbPb and pp collisions at $(\sqrt{s_{\text{NN}}}=5.02)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	5
285	Search for pair-produced resonances decaying to quark pairs in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review D</i> , 2018 , 98,	4.9	8
284	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $(\sqrt{s}=13)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
283	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $(\sqrt{s}=13)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
282	Search for natural and split supersymmetry in proton-proton collisions at $(\sqrt{s}=13)\text{ TeV}$ in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	39
281	Pseudorapidity and transverse momentum dependence of flow harmonics in pPb and PbPb collisions. <i>Physical Review C</i> , 2018 , 98,	2.7	6
280	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $(\sqrt{s}=13)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
279	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two leptons in proton-proton collisions at $(\sqrt{s}=13)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
278	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at $(\sqrt{s}=8)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
277	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $(\sqrt{s}=13)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
276	Charged-particle nuclear modification factors in XeXe collisions at $(\sqrt{s_{\text{NN}}}=5.44)\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11

275	Precision measurement of the structure of the CMS inner tracking system using nuclear interactions. <i>Journal of Instrumentation</i> , 2018 , 13, P10034-P10034	1	7
274	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891	4.2	13
273	Angular analysis of the decay $B \rightarrow K^* \mu \mu$ in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	8
272	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
271	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	37
270	Event shape variables measured using multijet final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
269	Search for physics beyond the standard model in high-mass diphoton events from proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	14
268	Search for Leptoquarks Coupled to Third-Generation Quarks in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 241802	7.4	20
267	Search for long-lived particles with displaced vertices in multijet events in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	12
266	Measurement of jet substructure observables in tt events from proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	12
265	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
264	Search for narrow and broad dijet resonances in proton-proton collisions at ($\sqrt{s}=13$) TeV and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	50
263	Search for Z resonances using leptonic and hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
262	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	5
261	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
260	Search for supersymmetry in events with a lepton pair and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
259	Observation of Medium-Induced Modifications of Jet Fragmentation in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV Using Isolated Photon-Tagged Jets. <i>Physical Review Letters</i> , 2018 , 121, 242301	7.4	15
258	Search for the decay of a Higgs boson in the $\tau\tau$ channel in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11

257	Performance of reconstruction and identification of τ leptons decaying to hadrons and ν_{τ} in pp collisions at $\sqrt{s}=13$ TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P10005-P10005	1	29
256	Evidence for the Associated Production of a Single Top Quark and a Photon in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 221802	7-4	6
255	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707	4-2	23
254	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965	4-2	19
253	Studies of ρ and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939	4-2	12
252	Observation of the $Z \rightarrow \tau^+ \tau^-$ Decay in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 141801	7-4	1
251	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\ell q$ final states at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
250	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 697	4-2	9
249	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\tau$ final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
248	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , 2018 , 78, 789	4-2	19
247	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at ($\sqrt{s}=13$ ~hbox{TeV}). <i>European Physical Journal C</i> , 2018 , 78, 1	4-2	4
246	Search for high-mass resonances in final states with a lepton and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	15
245	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	8
244	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	10
243	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , 2018 , 78, 708	4-2	5
242	Search for vector-like T and B quark pairs in final states with leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	29
241	Search for dark matter produced in association with a Higgs boson decaying to $\tau\bar{\tau}$ or $\tau\nu_{\tau}$ at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
240	Search for additional neutral MSSM Higgs bosons in the $\tau\tau$ final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	42

239	Search for Pair-Produced Resonances Each Decaying into at Least Four Quarks in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 141802	7.4	1
238	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
237	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20
236	Search for a heavy resonance decaying into a Z boson and a vector boson in the (ν_{q}) final state. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
235	Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P05011-P05011	1	152
234	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	18
233	Search for beyond the standard model Higgs bosons decaying into a ($\text{b}\overline{\text{b}}$) pair in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
232	Observation of the $\chi_{\text{b}1}(3\text{P})$ and $\chi_{\text{b}2}(3\text{P})$ and Measurement of their Masses. <i>Physical Review Letters</i> , 2018 , 121, 092002	7.4	16
231	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , 2018 , 78, 701	4.2	25
230	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , 2018 , 78, 509	4.2	37
229	Search for lepton flavour violating decays of the Higgs boson to μe and $\text{e}\mu$ in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
228	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying τ leptons at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
227	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two b quarks and two τ leptons in proton-proton collisions at $s=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 785, 462-488	4.2	28
226	Observation of Higgs Boson Decay to Bottom Quarks. <i>Physical Review Letters</i> , 2018 , 121, 121801	7.4	79
225	Constraints on models of scalar and vector leptoquarks decaying to a quark and a neutrino at $s=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	26
224	Electroweak production of two jets in association with a Z boson in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>European Physical Journal C</i> , 2018 , 78, 1	4.2	12
223	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
222	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16

221	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
220	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	20
219	Search for a singly produced third-generation scalar leptoquark decaying to a \bar{l} lepton and a bottom quark in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
218	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
217	Measurement of the inelastic proton-proton cross section at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	41
216	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	24
215	Search for high-mass resonances in dilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	63
214	Search for Narrow Resonances in the b-Tagged Dijet Mass Spectrum in Proton-Proton Collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 201801	7.4	13
213	Search for Higgs boson pair production in events with two bottom quarks and two tau leptons in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 101-127	4.2	35
212	Search for the pair production of third-generation squarks with two-body decays to a bottom or charm quark and a neutralino in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 263-291	4.2	12
211	Constraints on the chiral magnetic effect using charge-dependent azimuthal correlations in pPb and PbPb collisions at the CERN Large Hadron Collider. <i>Physical Review C</i> , 2018 , 97,	2.7	40
210	Measurement of Prompt $D^{\{0\}}$ Meson Azimuthal Anisotropy in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2018 , 120, 202301	7.4	39
209	Search for pair production of excited top quarks in the lepton + jets final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 349-370	4.2	6
208	Search for excited quarks of light and heavy flavor in $\bar{t}t$ jet final states in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 390-411	4.2	5
207	Search for supersymmetry in proton-proton collisions at 13 TeV using identified top quarks. <i>Physical Review D</i> , 2018 , 97,	4.9	16
206	Evidence for the Higgs boson decay to a bottom quark-antiquark pair. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 501-532	4.2	47
205	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
204	Measurement of angular parameters from the decay $B^0 \rightarrow K^* \mu^+ \mu^-$ in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 517-541 ²	4.2	44

203	Nuclear modification factor of D0 mesons in PbPb collisions at $\sqrt{s_{NN}}=5.02\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 782, 474-496	4.2	61
202	Search for R-parity violating supersymmetry in pp collisions at $\sqrt{s}=13\text{TeV}$ using b jets in a final state with a single lepton, many jets, and high sum of large-radius jet masses. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 783, 114-139	4.2	8
201	Search for new physics in events with two soft oppositely charged leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 782, 440-467	4.2	34
200	Search for Dark Matter and Supersymmetry with a Compressed Mass Spectrum in the Vector Boson Fusion Topology in Proton-Proton Collisions at $\sqrt{s}=8\text{ TeV}$. <i>Physical Review Letters</i> , 2017 , 118, 021802	4.4	23
199	Search for high-mass diphoton resonances in proton-proton collisions at 13 TeV and combination with 8 TeV search. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 767, 147-170	4.2	55
198	Observation of the decay $B^+ \rightarrow \mu^+ \nu_\mu (1020) K^+$ in pp collisions at $\sqrt{s}=8\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 764, 66-86	4.2	2
197	Search for supersymmetry in events with one lepton and multiple jets in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review D</i> , 2017 , 95,	4.9	7
196	Measurement of the WZ production cross section in pp collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 766, 268-290	4.2	22
195	Search for R-parity violating supersymmetry with displaced vertices in proton-proton collisions at $\sqrt{s}=8\text{ TeV}$. <i>Physical Review D</i> , 2017 , 95,	4.9	11
194	Measurements of the $[\text{Formula: see text}]$ production cross section in lepton+jets final states in pp collisions at 8 $[\text{Formula: see text}]$ and ratio of 8 to 7 $[\text{Formula: see text}]$ cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15	4.2	19
193	Inclusive search for supersymmetry using razor variables in pp collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review D</i> , 2017 , 95,	4.9	9
192	Measurement of the $[\text{Formula: see text}]$ production cross section using events in the $[\text{Formula: see text}]$ final state in pp collisions at $[\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2017 , 77, 172	4.2	22
191	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $(\sqrt{s}=8\text{ TeV})$ and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	34
190	Search for electroweak production of charginos in final states with two leptons in pp collisions at $(\sqrt{s}=8\text{ TeV})$. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
189	Measurement of the production cross section of a W boson in association with two b jets in pp collisions at $[\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2017 , 77, 92	4.2	7
188	Measurement of the WZ production cross section in pp collisions at $[\text{Formula: see text}]$ and $8 [\text{Formula: see text}]$ and search for anomalous triple gauge couplings at $[\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2017 , 77, 236	4.2	21
187	Measurement of prompt and nonprompt $[\text{Formula: see text}]$ production in $[\text{Formula: see text}]$ and $[\text{Formula: see text}]$ collisions at $[\text{Formula: see text}]$. <i>European Physical Journal C</i> , 2017 , 77, 269	4.2	26
186	Suppression of $\chi(1S)$, $\chi(2S)$, and $\chi(3S)$ quarkonium states in PbPb collisions at $\sqrt{s_{NN}}=2.76\text{TeV}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 357-379	4.2	57

185	Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV. <i>Journal of Instrumentation</i> , 2017 , 12, P02014-P02014	1	149
184	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , 2017 , 77, 294	4.2	21
183	Search for single production of a heavy vector-like T quark decaying to a Higgs boson and a top quark with a lepton and jets in the final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 771, 80-105	4.2	11
182	Measurement of the cross section for electroweak production of $Z\eta$ association with two jets and constraints on anomalous quartic gauge couplings in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 380-402	4.2	22
181	The CMS trigger system. <i>Journal of Instrumentation</i> , 2017 , 12, P01020-P01020	1	210
180	Multiplicity and rapidity dependence of strange hadron production in pp, pPb, and PbPb collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 103-129	4.2	23
179	Search for top squark pair production in compressed-mass-spectrum scenarios in proton-proton collisions at $\sqrt{s}=8$ TeV using the \cancel{E}_T variable. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 767, 403-430	4.2	15
178	Search for narrow resonances in dilepton mass spectra in proton-proton collisions at $\sqrt{s}=13$ TeV and combination with 8 TeV data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 57-80	4.2	50
177	Search for dijet resonances in proton-proton collisions at $\sqrt{s}=13$ TeV and constraints on dark matter and other models. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 769, 520-542	4.2	74
176	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos, and b quarks. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 137-162	4.2	13
175	Observation of Charge-Dependent Azimuthal Correlations in p-Pb Collisions and Its Implication for the Search for the Chiral Magnetic Effect. <i>Physical Review Letters</i> , 2017 , 118, 122301	7.4	72
174	Evidence for collectivity in pp collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 193-220	4.2	171
173	Search for Supersymmetry in pp Collisions at $\sqrt{s}=13$ TeV in the Single-Lepton Final State Using the Sum of Masses of Large-Radius Jets. <i>Physical Review Letters</i> , 2017 , 119, 151802	7.4	7
172	Measurement of the B^0 Meson Nuclear Modification Factor in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 152301	7.4	37
171	Measurement of the differential cross sections for the associated production of a W boson and jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	15
170	Search for new physics in the monophoton final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
169	Pseudorapidity dependence of long-range two-particle correlations in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review C</i> , 2017 , 96,	2.7	5
168	Measurement of inclusive jet cross sections in pp and PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV. <i>Physical Review C</i> , 2017 , 96,	2.7	39

167	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 459	4.2	16
166	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 467	4.2	14
165	Search for supersymmetry in the all-hadronic final state using top quark tagging in pp collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	7
164	Measurement of the top quark mass in the dileptonic $t\bar{t}$ decay channel using the mass observables $M_{b\bar{b}}$, $M_{b\bar{c}}$ and $M_{b\bar{d}}$ in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	8
163	Search for supersymmetry in multijet events with missing transverse momentum in proton-proton collisions at 13 TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	50
162	Search for Charged Higgs Bosons Produced via Vector Boson Fusion and Decaying into a Pair of W and Z Bosons Using pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 141802	7.4	28
161	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751	4.2	15
160	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at ($\sqrt{s}=8$) TeV using H \rightarrow WW decays. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
159	Study of Jet Quenching with Z+jet Correlations in Pb-Pb and pp Collisions at $\sqrt{s}_{NN}=5.02$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 082301	7.4	22
158	Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 111802	7.4	21
157	Search for standard model production of four top quarks in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 336-358	4.2	10
156	Charged-particle nuclear modification factors in PbPb and pPb collisions at ($\sqrt{s}_{NN}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	64
155	Search for supersymmetry in events with photons and missing transverse energy in pp collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 769, 391-412	4.2	3
154	Search for heavy gauge W' bosons in events with an energetic lepton and large missing transverse momentum at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 278-301	4.2	24
153	Measurements of the charm jet cross section and nuclear modification factor in pPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 306-329	4.2	14
152	Search for high-mass Z resonances in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV using jet substructure techniques. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 363-387	4.2	10
151	Coherent J/ψ photoproduction in ultra-peripheral PbPb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the CMS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 489-511	4.2	58
150	Search for ($\overline{\text{t}}\text{t}$) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	17

149	Search for single production of vector-like quarks decaying into a b quark and a W boson in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 634-656	4.2	11
148	Cross section measurement of t-channel single top quark production in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 752-776	4.2	32
147	Measurement of differential cross sections for top quark pair production using the lepton+jets final state in proton-proton collisions at 13 TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	41
146	Search for associated production of dark matter with a Higgs boson decaying to ($\overline{\text{b}}\text{b}$) or $\text{t}\bar{\text{t}}$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
145	Observation of Top Quark Production in Proton-Nucleus Collisions. <i>Physical Review Letters</i> , 2017 , 119, 242001	7.4	11
144	Observation of Y(1S) pair production in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29
143	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	26
142	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8
141	Constraints on anomalous Higgs boson couplings using production and decay information in the four-lepton final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 1-24	4.2	32
140	Measurement of the semileptonic ($\overline{\text{t}}\text{t}$) + $\overline{\text{b}}\text{b}$ production cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
139	Measurements of the pp $\rightarrow \text{W}\Delta$ and pp $\rightarrow \text{Z}\Delta$ cross sections and limits on anomalous quartic gauge couplings at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	2
138	Mechanical stability of the CMS strip tracker measured with a laser alignment system. <i>Journal of Instrumentation</i> , 2017 , 12, P04023-P04023	1	
137	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 710	4.2	54
136	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
135	Search for leptophobic Z' bosons decaying into four-lepton final states in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 773, 563-584	4.2	6
134	Search for black holes and other new phenomena in high-multiplicity final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 279-307	4.2	10
133	Combination of searches for heavy resonances decaying to WW, WZ, ZZ, WH, and ZH boson pairs in proton-proton collisions at $\sqrt{s}=8$ and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 533-558	4.2	25
132	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19

131	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
130	Measurements of differential cross sections for associated production of a W boson and jets in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	10
129	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15
128	Measurement of the differential inclusive B+ hadron cross sections in pp collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 771, 435-456	4.2	15
127	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 252	4.2	58
126	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327	4.2	17
125	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2017 , 77, 354	4.2	8
124	Relative Modification of Prompt Υ S and J/ Υ yields from pp to PbPb Collisions at $\sqrt{s_{NN}}=5.02$ TeV. <i>Physical Review Letters</i> , 2017 , 118, 162301	7.4	18
123	Searches for invisible decays of the Higgs boson in pp collisions at (\sqrt{s}) = 7, 8, and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	74
122	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
121	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 845	4.2	22
120	Search for Evidence of the Type-III Seesaw Mechanism in Multilepton Final States in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2017 , 119, 221802	7.4	23
119	Measurement of electroweak-induced production of W with two jets in pp collisions at ($\sqrt{s}=8$) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
118	Searches for W' bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
117	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5
116	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
115	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
114	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20

113	Principal-component analysis of two-particle azimuthal correlations in PbPb and pPb collisions at CMS. <i>Physical Review C</i> , 2017 , 96,	2.7	12
112	Search for Higgs boson pair production in the $b\bar{b}$ final state in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	14
111	Measurement of charged pion, kaon, and proton production in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	33
110	Measurement of vector boson scattering and constraints on anomalous quartic couplings from events with four leptons and two jets in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 682-705	4.2	29
109	Search for a heavy composite Majorana neutrino in the final state with two leptons and two quarks at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 315-337	4.2	6
108	Search for top squark pair production in pp collisions at $(\sqrt{s}=13)$ TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25
107	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
106	Measurement of the $(\overline{\text{t}}\text{t})$ production cross section using events with one lepton and at least one jet in pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	14
105	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
104	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578	4.2	21
103	Search for top quark partners with charge 5/3 in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3
102	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	21
101	Measurements of jet charge with dijet events in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
100	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
99	Search for new physics with dijet angular distributions in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
98	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	46
97	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	35
96	Search for new phenomena with multiple charged leptons in proton-proton collisions at $(\sqrt{s}=13)$ (TeV). <i>European Physical Journal C</i> , 2017 , 77, 1	4.2	2

95	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20
94	Search for high-mass $Z\tau$ resonances in e^+e^- and $\tau^+\tau^-$ final states in proton-proton collisions at ($\sqrt{s}=8$) and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
93	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying τ leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
92	Search for CP violation in ($t\bar{t}$) production and decay in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
91	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746	4.2	8
90	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
89	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
88	Radioactive source calibration test of the CMS Hadron Endcap Calorimeter test wedge with Phase I upgrade electronics. <i>Journal of Instrumentation</i> , 2017 , 12, P12034-P12034	1	
87	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77
86	Particle-flow reconstruction and global event description with the CMS detector. <i>Journal of Instrumentation</i> , 2017 , 12, P10003-P10003	1	234
85	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
84	Search for Narrow Resonances in Dijet Final States at $\sqrt{s}=8$ TeV with the Novel CMS Technique of Data Scouting. <i>Physical Review Letters</i> , 2016 , 117, 031802	7.4	57
83	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 325	4.2	13
82	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 439	4.2	34
81	Search for Resonant Production of High-Mass Photon Pairs in Proton-Proton Collisions at $\sqrt{s}=8$ and 13 TeV. <i>Physical Review Letters</i> , 2016 , 117, 051802	7.4	61
80	Measurement of the differential cross sections for top quark pair production as a function of kinematic event variables in pp collisions at $s=7$ and 8 TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	2
79	Search for vectorlike charge $2/3$ T quarks in proton-proton collisions at ($s=8$) TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	66
78	Measurements of $t\bar{t}$ spin correlations and top quark polarization using dilepton final states in pp collisions at $s=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	21

77	Measurement of the top quark mass using charged particles in pp collisions at $s=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	10
76	Search for supersymmetry in pp collisions at $s=8$ TeV in final states with boosted W bosons and b jets using razor variables. <i>Physical Review D</i> , 2016 , 93,	4.9	10
75	Measurement of Long-Range Near-Side Two-Particle Angular Correlations in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 172302	7.4	90
74	Search for dark matter and unparticles produced in association with a Z boson in proton-proton collisions at $s=8$ TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	18
73	Measurement of the top quark mass using proton-proton data at $(s)=7$ and 8 TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	69
72	Study of B Meson Production in p+Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV Using Exclusive Hadronic Decays. <i>Physical Review Letters</i> , 2016 , 116, 032301	7.4	19
71	Measurement of the Top Quark Pair Production Cross Section in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 052002	7.4	28
70	Search for supersymmetry in electroweak production with photons and large missing transverse energy in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 479-500	4.2	6
69	Combined search for anomalous pseudoscalar HVV couplings in $VH(H-bb?)$ production and $H \rightarrow VV$ decay. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 672-696 ^{4.2}	4.2	28
68	Measurements of $tt?$ charge asymmetry using dilepton final states in pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 365-386	4.2	9
67	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $(\sqrt{s}=7)$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	364
66	Measurement of dijet azimuthal decorrelation in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 536	4.2	6
65	Search for dark matter particles in proton-proton collisions at $(\sqrt{s}=8)$ TeV using the razor variables. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
64	Search for s channel single top quark production in pp collisions at $(\sqrt{s}=7)$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8
63	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 372	4.2	24
62	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $(\sqrt{s}=7)$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	15
61	Measurement of the $(\overline{t}t)$ production cross section in the $e\bar{e}$ channel in proton-proton collisions at $(\sqrt{s}=7)$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	30
60	Search for new physics with the M_{T2} variable in all-jets final states produced in pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16

59	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	9
58	Evidence for exclusive $\Xi W + W \Xi$ production and constraints on anomalous quartic gauge couplings in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	27
57	Search for supersymmetry in pp collisions at ($\sqrt{s}=13$) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	7
56	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 460	4-2	14
55	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	9
54	Phenomenological MSSM interpretation of CMS searches in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	11
53	Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	5
52	Measurement of the inclusive jet cross section in pp collisions at ($\sqrt{s} = 2.76, \text{text {TeV}}$). <i>European Physical Journal C</i> , 2016 , 76, 1	4-2	17
51	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 379	4-2	20
50	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 469	4-2	37
49	Observation of top quark pairs produced in association with a vector boson in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	18
48	Correlations between jets and charged particles in PbPb and pp collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	21
47	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	2
46	Search for excited leptons in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	10
45	Search for a low-mass pseudoscalar Higgs boson produced in association with a $b\bar{b}$ pair in pp collisions at $s=8\sqrt{\text{TeV}}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 296-320	4-2	20
44	Measurement of spin correlations in $t\bar{t}$ production using the matrix element method in the muon+jets final state in pp collisions at $s=8\sqrt{\text{TeV}}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 321-346	4-2	10
43	Study of Z boson production in pPb collisions at $s_{\text{NN}}=5.02\sqrt{\text{TeV}}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 36-57	4-2	35
42	Transverse momentum spectra of inclusive b jets in pPb collisions at $s_{\text{NN}}=5.02\sqrt{\text{TeV}}$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 754, 59-80	4-2	22

41	Search for supersymmetry in the multijet and missing transverse momentum final state in pp collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 758, 152-180	4.2	30
40	Search for supersymmetry in events with soft leptons, low jet multiplicity, and missing transverse energy in proton-proton collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 9-35	4.2	12
39	Measurement of the $[Formula: see text]$ production cross section in the all-jets final state in pp collisions at $[Formula: see text][Formula: see text]$. <i>European Physical Journal C</i> , 2016 , 76, 128	4.2	21
38	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155	4.2	250
37	Search for massive WH resonances decaying into the $[Formula: see text]$ final state at $[Formula: see text][Formula: see text]$. <i>European Physical Journal C</i> , 2016 , 76, 237	4.2	19
36	Measurement of the CP-violating weak phase ϕ_s and the decay width difference $\Delta\Gamma$ using the $B_s^0 \rightarrow \mu^+ \mu^- (1020)$ decay channel in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 97-120	4.2	26
35	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
34	Search for heavy Majorana neutrinos in $e^+e^- \rightarrow \mu^+ \mu^-$ jets and $e^+e^- \rightarrow \tau^+ \tau^-$ jets events in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	28
33	Search for Narrow Resonances Decaying to Dijets in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2016 , 116, 071801	7.4	96
32	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into μ leptons in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
31	Searches for a heavy scalar boson H decaying to a pair of 125 GeV Higgs bosons hh or for a heavy pseudoscalar boson A decaying to Zh, in the final states with h $\rightarrow \mu\mu$. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 755, 217-244	4.2	46
30	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
29	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at $(\sqrt{s_{\mathrm{N}}; \mathrm{N}})=2.76)$ TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
28	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at $[Formula: see text]$. <i>European Physical Journal C</i> , 2016 , 76, 451	4.2	36
27	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , 2016 , 76, 371	4.2	25
26	Reconstruction and identification of μ lepton decays to hadrons and $B \rightarrow \mu \tau$ CMS. <i>Journal of Instrumentation</i> , 2016 , 11, P01019-P01019	1	75
25	Search for long-lived charged particles in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	55
24	Measurement of the W boson helicity fractions in the decays of top quark pairs to lepton + jets final states produced in pp collisions at $\sqrt{s}=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 762, 512-534	4.2	17

23	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
22	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 317	4.2	9
21	Search for two Higgs bosons in final states containing two photons and two bottom quarks in proton-proton collisions at 8 TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	44
20	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	4
19	Studies of inclusive four-jet production with two b-tagged jets in proton-proton collisions at 7 TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	3
18	Measurement of the ZZ production cross section and Z \rightarrow $\mu\mu$ branching fraction in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 280-303	4.2	22
17	Searches for R-parity-violating supersymmetry in pp collisions at $s=8$ TeV in final states with 0 leptons. <i>Physical Review D</i> , 2016 , 94,	4.9	7
16	Dose rate effects in the radiation damage of the plastic scintillators of the CMS hadron endcap calorimeter. <i>Journal of Instrumentation</i> , 2016 , 11, T10004-T10004	1	10
15	Measurement of the integrated and differential tt production cross sections for high- p_T top quarks in pp collisions at $s=8$ TeV. <i>Physical Review D</i> , 2016 , 94,	4.9	21
14	Angular analysis of the decay $B_0 \rightarrow K^* \mu^+ \mu^-$ from pp collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 753, 424-448	4.2	59
13	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
12	Search for anomalous single top quark production in association with a photon in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20
11	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	6
10	Search for neutral resonances decaying into a Z boson and a pair of b jets or leptons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 369-394	4.2	33
9	Measurement of the $Z\mu\mu$ production cross section in pp collisions at $s=8$ TeV and limits on anomalous ZZ and Z trilinear gauge boson couplings. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 448-468	4.2	10
8	ρ (nS) polarizations versus particle multiplicity in pp collisions at $s=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 761, 31-52	4.2	5
7	Search for lepton flavour violating decays of the Higgs boson to $e\bar{\mu}$ and $e\mu$ in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 472-500	4.2	35
6	Search for R-parity violating decays of a top squark in proton-proton collisions at $s=8$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 760, 178-201	4.2	4

5	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	10
4	Pseudorapidity distribution of charged hadrons in proton-proton collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 751, 143-163	4-2	34
3	Search for a charged Higgs boson in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	61
2	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	11
1	Search for a light charged Higgs boson decaying to ($\overline{\text{charm}}\text{strange}$) in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-37	5-4	33