## Paul K Link

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1426973/publications.pdf Version: 2024-02-01



DATH K LINK

#	Article	IF	CITATIONS
1	Detrital zircon U–Pb and Hf signatures of Paleo-Mesoproterozoic strata in the Priest River region, northwestern USA: A record of Laurentia assembly and Nuna tenure. Precambrian Research, 2021, 367, 106445.	2.7	8
2	Neoproterozoic Windermere Supergroup Near Bayhorse, Idaho: Lateâ€6tage Rodinian Rifting Was Deflected West Around the Belt Basin. Tectonics, 2020, 39, e2020TC006145.	2.8	22
3	U-Pb zircon ages of the Wildhorse gneiss, Pioneer Mountains, south-central Idaho, and tectonic implications. , 2017, 13, 681-698.		13
4	500–490 Ma detrital zircons in Upper Cambrian Worm Creek and correlative sandstones, Idaho, Montana, and Wyoming: Magmatism and tectonism within the passive margin. Lithosphere, 2017, 9, 910-926.	1.4	28
5	Multi-Stage Silicification of Pliocene Wood: Re-Examination of an 1895 Discovery from Idaho, USA. Geosciences (Switzerland), 2016, 6, 21.	2.2	12
6	Opalized Wood from Clover Creek, Gooding County, Idaho. Rocks and Minerals, 2016, 91, 258-268.	0.1	3
7	Detrital zircon record of mid-Paleozoic convergent margin activity in the northern U.S. Rocky Mountains: Implications for the Antler orogeny and early evolution of the North American Cordillera. Lithosphere, 2016, 8, 533-550.	1.4	44
8	THE LEMHI ARCH OF EAST-CENTRAL IDAHO: A STRANDED FAULT BLOCK WITHIN THE WESTERN LAURENTIAN RIFT MARGIN. , 2016, , .		1
9	Detrital zircon provenance and paleogeography of the Pahrump Group and overlying strata, Death Valley, California. Precambrian Research, 2014, 251, 102-117.	2.7	31
10	Geochronologic and stratigraphic constraints on the Mesoproterozoic and Neoproterozoic Pahrump Group, Death Valley, California: A record of the assembly, stability, and breakup of Rodinia. Bulletin of the Geological Society of America, 2014, 126, 652-664.	3.3	45
11	Sequence stratigraphy and formalization of the Middle Uinta Mountain Group (Neoproterozoic), central Uinta Mountains, Utah: A closer look at the western Laurentian Seaway at ca. 750Ma. Precambrian Research, 2013, 236, 65-84.	2.7	17
12	Pre- to synglacial rift-related volcanism in the Neoproterozoic (Cryogenian) Pocatello Formation, SE Idaho: New SHRIMP and CA-ID-TIMS constraints. Lithosphere, 2013, 5, 128-150.	1.4	41
13	Paleogeographic implications of non–North American sediment in the Mesoproterozoic upper Belt Supergroup and Lemhi Group, Idaho and Montana, USA. Geology, 2010, 38, 927-930.	4.4	72
14	New 40Ar-39Ar and detrital zircon U-Pb ages for the Upper Cretaceous Wahweap and Kaiparowits formations on the Kaiparowits Plateau, Utah: implications for regional correlation, provenance, and biostratigraphy. Cretaceous Research, 2009, 30, 287-299.	1.4	65
15	Palaeoclimatic inferences from upper Palaeozoic siltstone of the Earp Formation and equivalents, Arizona-New Mexico (USA). Sedimentology, 2007, 54, 701-719.	3.1	27
16	Detrital zircon provenance of Mesoproterozoic to Cambrian arenites in the western United States and northwestern Mexico. Bulletin of the Geological Society of America, 2001, 113, 1343-1356.	3.3	165
17	Detrital zircons in the Mesoproterozoic upper Belt Supergroup in the Pioneer, Beaverhead, and Lemhi Ranges, Montana and Idaho: The Big White arc. Special Paper of the Geological Society of America, 0, , 163-183.	0.5	21