Martin Cornillet

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1428024/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Impact on followâ€up strategies in patients with primary sclerosing cholangitis. Liver International, 2023, 43, 127-138.	3.9	15
2	Mucosalâ€associated invariant Tâ€cell tumor infiltration predicts longâ€term survival in cholangiocarcinoma. Hepatology, 2022, 75, 1154-1168.	7.3	14
3	COVIDâ€19â€specific metabolic imprint yields insights into multiorgan system perturbations. European Journal of Immunology, 2022, 52, 503-510.	2.9	7
4	Subtype-Specific Surface Proteins on Adipose Tissue Macrophages and Their Association to Obesity-Induced Insulin Resistance. Frontiers in Endocrinology, 2022, 13, 856530.	3.5	4
5	The Karolinska <scp>KI</scp> /K <scp>COVID</scp> â€19 immune atlas: An open resource for immunological research and educational purposes. Scandinavian Journal of Immunology, 2022, 96, .	2.7	4
6	Are antibodies to fine specificities of citrullinated peptides/proteins useful for stratification of rheumatoid arthritis patients?. Clinical and Translational Immunology, 2021, 10, e1288.	3.8	0
7	Continuous human uterine NK cell differentiation in response to endometrial regeneration and pregnancy. Science Immunology, 2021, 6, .	11.9	62
8	A heterozygous germline CD100 mutation in a family with primary sclerosing cholangitis. Science Translational Medicine, 2021, 13, .	12.4	8
9	A biliary immune landscape map of primary sclerosing cholangitis reveals a dominant network of neutrophils and tissue-resident T cells. Science Translational Medicine, 2021, 13, .	12.4	31
10	High-dimensional profiling reveals phenotypic heterogeneity and disease-specific alterations of granulocytes in COVID-19. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	52
11	Prognostic value of preoperative inflammatory markers in resectable biliary tract cancer – Validation and comparison of the Glasgow Prognostic Score and Modified Glasgow Prognostic Score in a Western cohort. European Journal of Surgical Oncology, 2020, 46, 804-810.	1.0	18
12	Presence of autoantibodies in "seronegative―rheumatoid arthritis associates with classical risk factors and high disease activity. Arthritis Research and Therapy, 2020, 22, 170.	3.5	48
13	MAIT Cells Are Enriched and Highly Functional in Ascites of Patients With Decompensated Liver Cirrhosis. Hepatology, 2020, 72, 1378-1393.	7.3	29
14	Robust T Cell Immunity in Convalescent Individuals with Asymptomatic or Mild COVID-19. Cell, 2020, 183, 158-168.e14.	28.9	1,561
15	Natural killer cell immunotypes related to COVID-19 disease severity. Science Immunology, 2020, 5, .	11.9	344
16	Characterization of lymphocyte subsets in ascites during spontaneous bacterial peritonitis: MAIT cells show the strongest increase. Journal of Hepatology, 2020, 73, S213.	3.7	0
17	Anti–Citrullinated Protein Antibody Specificities, Rheumatoid Factor Isotypes, and Incident Cardiovascular Events in Patients With Rheumatoid Arthritis. Arthritis and Rheumatology, 2020, 72, 1658-1667.	5.6	20
18	MAIT cell activation and dynamics associated with COVID-19 disease severity. Science Immunology, 2020, 5, .	11.9	147

MARTIN CORNILLET

#	Article	IF	CITATIONS
19	29-Color Flow Cytometry: Unraveling Human Liver NK Cell Repertoire Diversity. Frontiers in Immunology, 2019, 10, 2692.	4.8	22
20	NK cells are activated and primed for skin-homing during acute dengue virus infection in humans. Nature Communications, 2019, 10, 3897.	12.8	46
21	Imbalance of Genes Encoding Natural Killer Immunoglobulin-Like Receptors and Human Leukocyte Antigen in Patients With Biliary Cancer. Gastroenterology, 2019, 157, 1067-1080.e9.	1.3	19
22	GS-10-A germline mutation in SEMA4D leads to a familial syndrome of sclerosing cholangitis. Journal of Hepatology, 2019, 70, e46-e47.	3.7	0
23	Retained NK Cell Phenotype and Functionality in Non-alcoholic Fatty Liver Disease. Frontiers in Immunology, 2019, 10, 1255.	4.8	58
24	Anticitrullinated protein/peptide antibody multiplexing defines an extended group of ACPA-positive rheumatoid arthritis patients with distinct genetic and environmental determinants. Annals of the Rheumatic Diseases, 2018, 77, 203-211.	0.9	42
25	Seropositivity and Antibody Profiling of Patients Are Dramatically Impacted by the Features of Peptides Used as Immunosorbents: A Lesson from Anti–Citrullinated Protein/Peptide Antibody. Journal of Immunology, 2018, 201, 3211-3217.	0.8	6
26	The role of anti-citrullinated protein antibody reactivities in an inception cohort of patients with rheumatoid arthritis receiving treat-to-target therapy. Arthritis Research and Therapy, 2018, 20, 146.	3.5	18
27	Number of individual ACPA reactivities in synovial fluid immune complexes, but not serum anti-CCP2 levels, associate with inflammation and joint destruction in rheumatoid arthritis. Annals of the Rheumatic Diseases, 2018, 77, 1345-1353.	0.9	20
28	Immunomodulation of RA Patients' PBMC with a Multiepitope Peptide Derived from Citrullinated Autoantigens. Mediators of Inflammation, 2017, 2017, 1-9.	3.0	6
29	Soluble SEMA4D/CD100: A novel immunoregulator in infectious and inflammatory diseases. Clinical Immunology, 2016, 163, 52-59.	3.2	52
30	Autoantibodies to human citrullinated fibrinogen and their subfamilies to the α36-50Cit and β60-74Cit fibrin peptides similarly predict radiographic damages: a prospective study in the French ESPOIR cohort of very early arthritides. Rheumatology, 2016, 55, 1859-1870.	1.9	8
31	Predictive value of autoantibodies from anti-CCP2, anti-MCV and anti-human citrullinated fibrinogen tests, in early rheumatoid arthritis patients with rapid radiographic progression at 1â€year: results from the ESPOIR cohort. RMD Open, 2015, 1, e000180.	3.8	20
32	In ACPA-positive RA patients, antibodies to EBNA35-58Cit, a citrullinated peptide from the Epstein–Barr nuclear antigen-1, strongly cross-react with the peptide β60-74Cit which bears the immunodominant epitope of citrullinated fibrin. Immunologic Research, 2015, 61, 117-125.	2.9	24
33	In Black Africans with rheumatoid arthritis, ACPA recognize citrullinated fibrinogen and the derived peptides α36-50Cit38,42 and β60-74Cit60,72,74, like in Caucasians. Clinical Immunology, 2014, 152, 58-64.	3.2	12
34	The fibrin-derived citrullinated peptide β60–74Cit _{60,72,74} bears the major ACPA epitope recognised by the rheumatoid arthritis-specific anticitrullinated fibrinogen autoantibodies and anti-CCP2 antibodies. Annals of the Rheumatic Diseases, 2014, 73, 1246-1252.	0.9	34
35	Autoantibodies to citrullinated fibrinogen compared with anti-MCV and anti-CCP2 antibodies in diagnosing rheumatoid arthritis at an early stage: data from the French ESPOIR cohort. Annals of the Rheumatic Diseases, 2013, 72, 357-362.	0.9	44
36	FcÎ ³ receptor profile of monocytes and macrophages from rheumatoid arthritis patients and their response to immune complexes formed with autoantibodies to citrullinated proteins. Annals of the Rheumatic Diseases, 2011, 70, 1052-1059.	0.9	90

#	Article	IF	CITATIONS
37	The antigen specificity of the rheumatoid arthritis-associated ACPA directed to citrullinated fibrin is very closely restricted. Journal of Autoimmunity, 2011, 37, 263-272.	6.5	45