Björn Machner

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1428124/publications.pdf

Version: 2024-02-01

| | | 686830 | 839053 |
|----------|----------------|--------------|----------------|
| 19 | 350 | 13 | 18 |
| papers | citations | h-index | g-index |
| | | | |
| 21 | 21 | 21 | 327 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | NPTX1-related oculomotor apraxia: an intra-hemispheric disconnection disorder. Journal of Neurology, 2022, 269, 3931-3936. | 1.8 | 2 |
| 2 | On the quest for hidden ovarian teratomas in therapy-refractory anti-NMDA receptor encephalitis: a case report. Neurological Research and Practice, 2022, 4, 15. | 1.0 | 4 |
| 3 | What guides decision-making on intravenous thrombolysis in acute vestibular syndrome and suspected ischemic stroke in the posterior circulation?. Journal of Neurology, 2021, 268, 249-264. | 1.8 | 18 |
| 4 | Routine use of perfusion computed tomography for the detection of delayed cerebral ischemia in unconscious patients after aneurysmal subarachnoid hemorrhage. Acta Neurochirurgica, 2021, 163, 151-160. | 0.9 | 5 |
| 5 | Resting-state functional connectivity in the attention networks is not altered by offline theta-burst stimulation of the posterior parietal cortex or the temporo-parietal junction as compared to a vertex control site. Neurolmage Reports, 2021, 1, 100013. | 0.5 | 1 |
| 6 | Usability of the head impulse test in routine clinical practice in the emergency department to differentiate vestibular neuritis from stroke. European Journal of Neurology, 2021, 28, 1737-1744. | 1.7 | 29 |
| 7 | Risk of acute brain lesions in dizzy patients presenting to the emergency room: who needs imaging and who does not?. Journal of Neurology, 2020, 267, 126-135. | 1.8 | 23 |
| 8 | Effects of galvanic vestibular stimulation on resting state brain activity in patients with bilateral vestibulopathy. Human Brain Mapping, 2020, 41, 2527-2547. | 1.9 | 18 |
| 9 | Behavioral deficits in left hemispatial neglect are related to a reduction of spontaneous neuronal activity in the right superior parietal lobule. Neuropsychologia, 2020, 138, 107356. | 0.7 | 13 |
| 10 | The ipsilesional attention bias in right-hemisphere stroke patients as revealed by a realistic visual search task: Neuroanatomical correlates and functional relevance Neuropsychology, 2018, 32, 850-865. | 1.0 | 28 |
| 11 | Randomized Controlled Trial on Hemifield Eye Patching and Optokinetic Stimulation in Acute Spatial Neglect. Stroke, 2014, 45, 2465-2468. | 1.0 | 36 |
| 12 | Impact of dynamic bottom-up features and top-down control on the visual exploration of moving real-world scenes in hemispatial neglect. Neuropsychologia, 2012, 50, 2415-2425. | 0.7 | 41 |
| 13 | Eye movement disorders in <i>ATP13A2</i> mutation carriers (PARK9). Movement Disorders, 2010, 25, 2687-2689. | 2.2 | 14 |
| 14 | Eye movement disorders are different in <i>Parkin</i> -linked and idiopathic early-onset PD. Neurology, 2010, 75, 125-128. | 1.5 | 18 |
| 15 | Visual search disorders beyond pure sensory failure in patients with acute homonymous visual field defects. Neuropsychologia, 2009, 47, 2704-2711. | 0.7 | 32 |
| 16 | Acute hemianopic patients do not show a contralesional deviation in the line bisection task. Journal of Neurology, 2009, 256, 289-290. | 1.8 | 18 |
| 17 | Visual Search Disorders in Acute and Chronic Homonymous Hemianopia. Annals of the New York Academy of Sciences, 2009, 1164, 419-426. | 1.8 | 23 |
| 18 | Downbeat Nystagmus Is Abolished by Alcohol in Nonalcoholic Wernicke Encephalopathy. Neurology: Clinical Practice, 0, , 10.1212/CPJ.00000000001138. | 0.8 | 2 |

BJöRN MACHNER

| # | # | Article | IF | CITATIONS |
|---|----|---|-----|-----------|
| 1 | L9 | Monocular patching attenuates vertical nystagmus in Wernickeâ€s Encephalopathy via release of activity in subcortical visual pathways. Movement Disorders Clinical Practice, 0, , . | 0.8 | 0 |