

Patricia Clark

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1428258/patricia-clark-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83
papers

8,375
citations

21
h-index

91
g-index

102
ext. papers

9,451
ext. citations

3.4
avg, IF

4.68
L-index

#	Paper	IF	Citations
83	The American College of Rheumatology 1990 Criteria for the Classification of Fibromyalgia. Report of the Multicenter Criteria Committee. <i>Arthritis and Rheumatism</i> , 1990 , 33, 160-72		6494
82	Controlled clinical trial of IV cyclophosphamide versus IV methylprednisolone in severe neurological manifestations in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 620-5	2.4	215
81	Global dietary calcium intake among adults: a systematic review. <i>Osteoporosis International</i> , 2017 , 28, 3315-3324	5.3	154
80	The prevalence of radiographic vertebral fractures in Latin American countries: the Latin American Vertebral Osteoporosis Study (LAVOS). <i>Osteoporosis International</i> , 2009 , 20, 275-82	5.3	103
79	Biologic therapies and bone loss in rheumatoid arthritis. <i>Osteoporosis International</i> , 2017 , 28, 429-446	5.3	96
78	The International Costs and Utilities Related to Osteoporotic Fractures Study (ICUROS)--quality of life during the first 4 months after fracture. <i>Osteoporosis International</i> , 2013 , 24, 811-23	5.3	96
77	Standardising the descriptive epidemiology of osteoporosis: recommendations from the Epidemiology and Quality of Life Working Group of IOF. <i>Osteoporosis International</i> , 2013 , 24, 2763-4	5.3	92
76	Hydroxychloroquine compared with placebo in rheumatoid arthritis. A randomized controlled trial. <i>Annals of Internal Medicine</i> , 1993 , 119, 1067-71	8	89
75	Learning from pain scales: patient perspective. <i>Journal of Rheumatology</i> , 2003 , 30, 1584-8	4.1	82
74	Incidence rates and life-time risk of hip fractures in Mexicans over 50 years of age: a population-based study. <i>Osteoporosis International</i> , 2005 , 16, 2025-30	5.3	58
73	Quality of life for up to 18 months after low-energy hip, vertebral, and distal forearm fractures--results from the ICUROS. <i>Osteoporosis International</i> , 2018 , 29, 557-566	5.3	57
72	Leptin predicts BMD and bone resorption in older women but not older men: the Rancho Bernardo study. <i>Journal of Bone and Mineral Research</i> , 2006 , 21, 758-64	6.3	54
71	Syringe pressure irrigation of subdermic tissue after appendectomy to decrease the incidence of postoperative wound infection. <i>World Journal of Surgery</i> , 2000 , 24, 38-41; discussion 41-2	3.3	54
70	What couples say about their recovery of sexual intimacy after prostatectomy: toward the development of a conceptual model of couples' sexual recovery after surgery for prostate cancer. <i>Journal of Sexual Medicine</i> , 2015 , 12, 494-504	1.1	45
69	Increasing age- and sex-specific rates of hip fracture in Mexico: a survey of the Mexican Institute of Social Security. <i>Osteoporosis International</i> , 2011 , 22, 2359-64	5.3	43
68	Dietary Patterns, Bone Mineral Density, and Risk of Fractures: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2018 , 10,	6.7	36
67	Official Positions for FRAX [®] Bone Mineral Density and FRAX [®] simplification from Joint Official Positions Development Conference of the International Society for Clinical Densitometry and International Osteoporosis Foundation on FRAX [®] . <i>Journal of Clinical Densitometry</i> , 2011 , 14, 226-36	3.5	34

66	FRAX-based intervention and assessment thresholds in seven Latin American countries. <i>Osteoporosis International</i> , 2018 , 29, 707-715	5.3	33
65	Bone Mineral Density After Transitioning From Denosumab to Alendronate. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	33
64	Health care costs of osteopenia, osteoporosis, and fragility fractures in Mexico. <i>Archives of Osteoporosis</i> , 2013 , 8, 125	2.9	28
63	Direct costs of osteoporosis and hip fracture: an analysis for the Mexican healthcare system. <i>Osteoporosis International</i> , 2008 , 19, 269-76	5.3	25
62	Risk factors for osteoporotic hip fractures in Mexicans. <i>Archives of Medical Research</i> , 1998 , 29, 253-7	6.6	20
61	Quality of life after hip, vertebral, and distal forearm fragility fractures measured using the EQ-5D-3L, EQ-VAS, and time-trade-off: results from the ICUROS. <i>Quality of Life Research</i> , 2018 , 27, 707-716	3.7	19
60	Epidemiology, costs and burden of osteoporosis in Mexico. <i>Archives of Osteoporosis</i> , 2010 , 5, 9-17	2.9	19
59	A patient and physician survey of fibromyalgia across Latin America and Europe. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 188	2.8	17
58	Cisplatin Nephrotoxicity and Longitudinal Growth in Children With Solid Tumors: A Retrospective Cohort Study. <i>Medicine (United States)</i> , 2015 , 94, e1413	1.8	16
57	Reference Values of Total Lean Mass, Appendicular Lean Mass, and Fat Mass Measured with Dual-Energy X-ray Absorptiometry in a Healthy Mexican Population. <i>Calcified Tissue International</i> , 2016 , 99, 462-471	3.9	16
56	Epidemiology of osteoporosis in Mexico. Present and future directions. <i>Revista De Investigacion Clinica</i> , 2013 , 65, 183-91	1.6	15
55	High prevalence of hypovitaminosis D in Mexicans aged 14 years and older and its correlation with parathyroid hormone. <i>Archives of Osteoporosis</i> , 2015 , 10, 225	2.9	14
54	Hearing loss in Mexican children treated with cisplatin. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2014 , 78, 1456-60	1.7	14
53	Cultural adaptation and validation of the Quality of Life Questionnaire of the European Foundation for Osteoporosis (QUALEFFO) in a Mexican population. <i>Clinical Rheumatology</i> , 2008 , 27, 151-61	3.9	14
52	Consensus statement: osteoporosis prevention and treatment in Latin America-current structure and future directions. <i>Archives of Osteoporosis</i> , 2018 , 13, 90	2.9	13
51	Dietary patterns are associated with bone mineral density in an urban Mexican adult population. <i>Osteoporosis International</i> , 2016 , 27, 3033-40	5.3	13
50	Health-related quality of life during the first year after a hip fracture: results of the Mexican arm of the International Cost and Utility Related to Osteoporotic Fractures Study (MexICUROS). <i>Osteoporosis International</i> , 2018 , 29, 1147-1154	5.3	12
49	Hip axis length variation: its correlation with anthropometric measurements in women from three ethnic groups. <i>Osteoporosis International</i> , 2008 , 19, 1301-6	5.3	12

48	Bone speed of sound throughout lifetime assessed with quantitative ultrasound in a Mexican population. <i>Journal of Clinical Densitometry</i> , 2015 , 18, 68-75	3.5	11
47	Risk perception and knowledge about osteoporosis: well informed but not aware? A cross-sectional study. <i>Journal of Community Health</i> , 2015 , 40, 245-50	4	11
46	A public health approach to musculoskeletal health. <i>Best Practice and Research in Clinical Rheumatology</i> , 2014 , 28, 517-32	5.3	11
45	The prevalence of radiographic vertebral fractures in Mexican men. <i>Osteoporosis International</i> , 2010 , 21, 1523-8	5.3	11
44	Health-related quality of life after surgery for hip fracture: a multicentric study in Mexican population. <i>Medwave</i> , 2014 , 14, e5972	2.5	11
43	Epidemiology of physician-diagnosed neuropathic pain in Brazil. <i>Journal of Pain Research</i> , 2019 , 12, 243-253	5.3	10
42	The SLC16A11 risk haplotype is associated with decreased insulin action, higher transaminases and large-size adipocytes. <i>European Journal of Endocrinology</i> , 2019 , 180, 99-107	6.5	10
41	The burden of musculoskeletal disorders in Mexico at national and state level, 1990-2016: estimates from the global burden of disease study 2016. <i>Osteoporosis International</i> , 2018 , 29, 2745-2760	5.3	9
40	Comparison of International Reference Values for Bone Speed of Sound in Pediatric Populations: Meta-analysis. <i>Journal of Clinical Densitometry</i> , 2016 , 19, 316-25	3.5	8
39	Low Serum Vitamin D Concentrations Are Associated with Insulin Resistance in Mexican Children and Adolescents. <i>Nutrients</i> , 2019 , 11,	6.7	8
38	Predictors of bone mineral density in female workers in Morelos State, Mexico. <i>Archives of Medical Research</i> , 2004 , 35, 172-80	6.6	8
37	Direct costs of osteoporosis and hip fracture: an analysis for the Mexican Social Insurance Health Care System. <i>Salud Publica De Mexico</i> , 2009 , 51 Suppl 1, S108-13	1.7	8
36	Association between Sociodemographic Factors and Dietary Patterns in Children Under 24 Months of Age: A Systematic Review. <i>Nutrients</i> , 2019 , 11,	6.7	7
35	The Spanish version of the Fibromyalgia Rapid Screening Tool: translation, validity and reliability. <i>Rheumatology</i> , 2013 , 52, 2283-91	3.9	6
34	Bone quality and nutritional status in children with congenital heart defects. <i>Journal of Clinical Densitometry</i> , 2012 , 15, 205-10	3.5	6
33	Fracture risk assessment in Latin America: is Frax an adaptable instrument for the region?. <i>Clinical Rheumatology</i> , 2010 , 29, 1085-91	3.9	6
32	Risk Factors for Febrile Neutropenia in Children With Solid Tumors Treated With Cisplatin-based Chemotherapy. <i>Journal of Pediatric Hematology/Oncology</i> , 2016 , 38, 191-6	1.2	5
31	Obesogenic Lifestyle and Its Influence on Adiposity in Children and Adolescents, Evidence from Mexico. <i>Nutrients</i> , 2020 , 12,	6.7	4

30	Validation of a risk perception questionnaire developed for patients with rheumatoid arthritis. <i>PLoS ONE</i> , 2019 , 14, e0219921	3.7	4
29	Physical activity and dark skin tone: protective factors against low bone mass in Mexican men. <i>Journal of Clinical Densitometry</i> , 2012 , 15, 374-9	3.5	4
28	Adversidad psicosocial, psicopatolog�a y funcionamiento en hermanos adolescentes en alto riesgo (HAR) con y sin trastorno por d�ficit de atenci�n con hiperactividad (TDAH). <i>Salud Mental</i> , 2014 , 37, 467	0.5	4
27	Configuration of bioelectrical impedance measurements affects results for phase angle. <i>Medical Engineering and Physics</i> , 2020 , 84, 10-15	2.4	4
26	Core principles for fracture prevention: North American Consensus from the National Osteoporosis Foundation, Osteoporosis Canada, and Academia Nacional de Medicina de Mexico. <i>Osteoporosis International</i> , 2020 , 31, 2073-2076	5.3	4
25	Bone age as a correction factor for the analysis of trabecular bone score (TBS) in children. <i>Archives of Osteoporosis</i> , 2019 , 14, 26	2.9	4
24	Prevention of low bone mass to achieve high bone density in Mexico: position of the Mexican Association for Bone and Mineral Metabolism. <i>Archives of Osteoporosis</i> , 2018 , 13, 105	2.9	4
23	Calcium and vitamin D for increasing bone mineral density in premenopausal women. <i>The Cochrane Library</i> , 2017 ,	5.2	3
22	Patient ratings of care at a rheumatology out-patient unit. <i>Archives of Medical Research</i> , 2004 , 35, 82-6	6.6	3
21	Escala de Satisfacci�n Familiar por Adjetivos (ESFA) en escolares y adolescentes mexicanos: datos normativos. <i>Salud Mental</i> , 2013 , 36, 381-386	0.5	3
20	Osteoporosis in Latin America: panel expert review. <i>Medwave</i> , 2013 , 13, e5791-e5791	2.5	3
19	Reference values for bone mineral density in healthy Mexican children and adolescents. <i>Bone</i> , 2021 , 142, 115734	4.7	3
18	Does being a woman make a difference in professional practice? A qualitative view to the practice of rheumatology. <i>Journal of Rheumatology</i> , 2000 , 27, 2010-7	4.1	3
17	The Discriminatory Ability of the Fibromyalgia Rapid Screening Tool (FiRST): An International Study in Spain and Four Latin American Countries. <i>Pain Medicine</i> , 2016 , 17, 931-9	2.8	2
16	Description of Normative Spine TBS Data for Men and Women in Mexican Population. <i>Journal of Clinical Densitometry</i> , 2021 , 24, 129-134	3.5	2
15	25 hydroxyvitamin D and nutritional parameters correlation in adults with stage 4 chronic kidney disease. <i>Clinical Nutrition ESPEN</i> , 2018 , 28, 80-87	1.3	2
14	Correlation of appendicular muscle mass measured with dual-energy X-ray absorptiometry and anthropometry in a healthy population of pediatric and adolescent subjects. <i>Bolet�n M�dico Del Hospital Infantil De M�xico</i> , 2020 , 77, 28-33	0.6	1
13	Estimation of absolute risk of fracture due to fragility in Mexican women with early and natural menopause. <i>Cirug�a Y Cirujanos</i> , 2019 , 87, 260-266	0.3	1

12	Post-Renal Transplantation Bone Health in Children Evaluated by Means of Quantitative Ultrasound and Densitometry. <i>Transplantation Proceedings</i> , 2016 , 48, 635-8	1.1	1
11	Differences in the relation between bone mineral content and lean body mass according to gender and reproductive status by age ranges. <i>Journal of Bone and Mineral Metabolism</i> , 2019 , 37, 749-758	2.9	1
10	Are Women Ready to Prevent Osteoporosis? Change Stages for Preventive Behaviors. <i>Health Education and Behavior</i> , 2021 , 48, 892-898	4.2	0
9	Relationship between physical activity, lean body mass, and bone mass in the Mexican adult population. <i>Archives of Osteoporosis</i> , 2021 , 16, 94	2.9	0
8	Short- and long-term prognostic factors associated with functional recovery in elderly patients with hip fracture: A systematic review.. <i>Osteoporosis International</i> , 2022 , 1	5.3	0
7	Letter to the Editor. <i>Calcified Tissue International</i> , 2017 , 100, 323	3.9	
6	Vitamin D concentration and its association with parathyroid hormone in children and adolescents. <i>Boletín Médico Del Hospital Infantil De México</i> , 2021 , 78, 265-272	0.6	
5	Severe osteoporosis: Principles for pharmacological therapy in Mexico. <i>Reumatología Clínica</i> , 2021 , 17, 97-105	0.9	
4	Severe osteoporosis: Principles for pharmacological therapy in Mexico. <i>Reumatología Clínica (English Edition)</i> , 2021 , 17, 97-105	0.1	
3	Markers of disease severity and positive family history are associated to significant risk perception in rheumatoid arthritis, while compliance with therapy is not: a cross-sectional study in 415 Mexican outpatients. <i>Arthritis Research and Therapy</i> , 2021 , 23, 61	5.7	
2	Second Colombian Consensus on the Management of Post-menopausal Osteoporosis: 2017 update. <i>Revista Colombiana De Reumatología (English Edition)</i> , 2018 , 25, 184-210	0.1	
1	Fragility fractures: proposal of the best practice through the fracture coordination units: the experience of Mexico.. <i>Archives of Osteoporosis</i> , 2021 , 17, 8	2.9	