

# Paul F Lambert

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1429104/publications.pdf>

Version: 2024-02-01

111  
papers

5,199  
citations

108046

37  
h-index

111975

67  
g-index

116  
all docs

116  
docs citations

116  
times ranked

5793  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | AIB1 is a novel target of the high-risk HPV E6 protein and a biomarker of cervical cancer progression. <i>Journal of Medical Virology</i> , 2022, 94, 3962-3977.                                       | 2.5 | 4         |
| 2  | A Novel In Vivo Model of Laryngeal Papillomavirus-Associated Disease Using <i>Mus musculus</i> Papillomavirus. <i>Viruses</i> , 2022, 14, 1000.  | 1.5 | 5         |
| 3  | Merkel cell polyomavirus large T antigen binding to pRb promotes skin hyperplasia and tumor development. <i>PLoS Pathogens</i> , 2022, 18, e1010551.   | 2.1 | 9         |
| 4  | Expanded Basal Compartment and Disrupted Barrier in Vocal Fold Epithelium Infected with Mouse Papillomavirus MmuPV1. <i>Viruses</i> , 2022, 14, 1059.  | 1.5 | 1         |
| 5  | Stress Keratin 17 Expression in Head and Neck Cancer Contributes to Immune Evasion and Resistance to Immune-Checkpoint Blockade. <i>Clinical Cancer Research</i> , 2022, 28, 2953-2968.                | 3.2 | 12        |
| 6  | Stress keratin 17 as a novel biomarker of response in immune checkpoint blockade-treated head and neck squamous cell carcinoma. <i>Journal of Clinical Oncology</i> , 2022, 40, 3117-3117.             | 0.8 | 0         |
| 7  | Inherited DNA Repair Defects Disrupt the Structure and Function of Human Skin. <i>Cell Stem Cell</i> , 2021, 28, 424-435.e6.   | 5.2 | 10        |
| 8  | Patient-Derived Organotypic Epithelial Rafts Model Phenotypes in Juvenile-Onset Recurrent Respiratory Papillomatosis. <i>Viruses</i> , 2021, 13, 68.   | 1.5 | 11        |
| 9  | A Novel In Vitro Culture Model System to Study Merkel Cell Polyomavirus-Associated MCC Using Three-Dimensional Organotypic Raft Equivalents of Human Skin. <i>Viruses</i> , 2021, 13, 138.             | 1.5 | 6         |
| 10 | HIV-1 Protease Inhibitors Slow HPV16-Driven Cell Proliferation through Targeted Depletion of Viral E6 and E7 Oncoproteins. <i>Cancers</i> , 2021, 13, 949.   | 1.7 | 17        |
| 11 | The vaginal and fecal microbiota of a murine cervical carcinoma model under synergistic effect of 17 $\beta$ -Estradiol and E7 oncogene expression. <i>Microbial Pathogenesis</i> , 2021, 152, 104763. | 1.3 | 3         |
| 12 | Estrogen Receptor- $\alpha$ Suppresses Liver Carcinogenesis and Establishes Sex-Specific Gene Expression. <i>Cancers</i> , 2021, 13, 2355.   | 1.7 | 19        |
| 13 | Role of IQGAP1 in Papillomavirus-Associated Head and Neck Tumorigenesis. <i>Cancers</i> , 2021, 13, 2276.  | 1.7 | 8         |
| 14 | Expression of miR-34a and miR-15b during the progression of cervical cancer in a murine model expressing the HPV16 E7 oncoprotein. <i>Journal of Physiology and Biochemistry</i> , 2021, 77, 547-555.  | 1.3 | 5         |
| 15 | Vitamin A deficiency in K14E7HPV expressing transgenic mice facilitates the formation of malignant cervical lesions. <i>Apmis</i> , 2021, 129, 512-523.  | 0.9 | 3         |
| 16 | A Novel Model for Papillomavirus-Mediated Anal Disease and Cancer Using the Mouse Papillomavirus. <i>MBio</i> , 2021, 12, e0161121.  | 1.8 | 13        |
| 17 | Directed differentiation of human pluripotent stem cells into epidermal stem and progenitor cells. <i>Molecular Biology Reports</i> , 2021, 48, 6213-6222.   | 1.0 | 4         |
| 18 | Mouse papillomavirus type 1 (MmuPV1) DNA is frequently integrated in benign tumors by microhomology-mediated end-joining. <i>PLoS Pathogens</i> , 2021, 17, e1009812.                                  | 2.1 | 12        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Role of IQGAP1 in Carcinogenesis. <i>Cancers</i> , 2021, 13, 3940.  | 1.7 | 24        |
| 20 | The Mus musculus Papillomavirus Type 1 E7 Protein Binds to the Retinoblastoma Tumor Suppressor: Implications for Viral Pathogenesis. <i>MBio</i> , 2021, 12, e0227721.  | 1.8 | 6         |
| 21 | The Merkel Cell Polyomavirus T Antigens Function as Tumor Promoters in Murine Skin. <i>Cancers</i> , 2021, 13, 222.   | 1.7 | 8         |
| 22 | $^{137}\text{Cs}$ promotes Epstein-Barr virus latency in undifferentiated epithelial cells. <i>PLoS Pathogens</i> , 2021, 17, e1010045.   | 2.1 | 8         |
| 23 | A PI3K/AKT Scaffolding Protein, IQ Motif-Containing GTPase Associating Protein 1 (IQGAP1), Promotes Head and Neck Carcinogenesis. <i>Clinical Cancer Research</i> , 2020, 26, 301-311.                                  | 3.2 | 20        |
| 24 | Viruses and Human Cancer. , 2020, , 165-179.e7.   |     | 1         |
| 25 | The human papillomavirus 16 E5 gene potentiates MmuPV1-Dependent pathogenesis. <i>Virology</i> , 2020, 541, 1-12.   | 1.1 | 11        |
| 26 | Life Beyond COVID: Pay Attention to Viruses. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 108, 348-350.   | 0.4 | 0         |
| 27 | An Infection-Based Murine Model for Papillomavirus-Associated Head and Neck Cancer. <i>MBio</i> , 2020, 11, .   | 1.8 | 26        |
| 28 | Mus musculus Papillomavirus 1: a New Frontier in Animal Models of Papillomavirus Pathogenesis. <i>Journal of Virology</i> , 2020, 94, .   | 1.5 | 25        |
| 29 | Cell-penetrating peptide inhibits retromer-mediated human papillomavirus trafficking during virus entry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 6121-6128. | 3.3 | 30        |
| 30 | Cooperation of genes in HPV16 E6/E7-dependent cervicovaginal carcinogenesis trackable by endoscopy and independent of exogenous estrogens or carcinogens. <i>Carcinogenesis</i> , 2020, 41, 1605-1615.                  | 1.3 | 8         |
| 31 | Reactivation of Epstein-Barr Virus by HIF-1 $\alpha$ Requires p53. <i>Journal of Virology</i> , 2020, 94, .   | 1.5 | 12        |
| 32 | Stress keratin 17 enhances papillomavirus infection-induced disease by downregulating T cell recruitment. <i>PLoS Pathogens</i> , 2020, 16, e1008206.   | 2.1 | 27        |
| 33 | A Mouse Model of Oropharyngeal Papillomavirus-Induced Neoplasia Using Novel Tools for Infection and Nasal Anesthesia. <i>Viruses</i> , 2020, 12, 450.   | 1.5 | 12        |
| 34 | A highway to carcinogenesis: the role of IQGAP1, a signaling scaffolding protein, in head and neck cancer development. <i>Oncoscience</i> , 2020, 7, 49-51.   | 0.9 | 3         |
| 35 | Effects of culture method on response to EGFR therapy in head and neck squamous cell carcinoma cells. <i>Scientific Reports</i> , 2019, 9, 12480.   | 1.6 | 30        |
| 36 | The Specificity of EGF-Stimulated IQGAP1 Scaffold Towards the PI3K-Akt Pathway is Defined by the IQ3 motif. <i>Scientific Reports</i> , 2019, 9, 9126.  | 1.6 | 26        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | A Human Papillomavirus-Independent Cervical Cancer Animal Model Reveals Unconventional Mechanisms of Cervical Carcinogenesis. <i>Cell Reports</i> , 2019, 26, 2636-2650.e5.  | 2.9 | 49        |
| 38 | A Novel <i>In Vivo</i> Infection Model To Study Papillomavirus-Mediated Disease of the Female Reproductive Tract. <i>MBio</i> , 2019, 10, .  | 1.8 | 45        |
| 39 | Activating Mutations in <i>Pik3ca</i> Contribute to Anal Carcinogenesis in the Presence or Absence of HPV-16 Oncogenes. <i>Clinical Cancer Research</i> , 2019, 25, 1889-1900.   | 3.2 | 24        |
| 40 | Sexual transmission of murine papillomavirus (MmuPV1) in <i>Mus musculus</i> . <i>ELife</i> , 2019, 8, .   | 2.8 | 23        |
| 41 | Calcium-activated potassium channels as potential early markers of human cervical cancer. <i>Oncology Letters</i> , 2018, 15, 7249-7254.   | 0.8 | 16        |
| 42 | Development of an in vivo infection model to study Mouse papillomavirus-1 (MmuPV1). <i>Journal of Virological Methods</i> , 2018, 253, 11-17.  | 1.0 | 18        |
| 43 | Lipidomic Profiling Links the Fanconi Anemia Pathway to Glycosphingolipid Metabolism in Head and Neck Cancer Cells. <i>Clinical Cancer Research</i> , 2018, 24, 2700-2709.   | 3.2 | 21        |
| 44 | HPV16-E6 Oncoprotein Activates TGF- $\beta$ and Wnt/Catenin Pathways in the Epithelium-Mesenchymal Transition of Cataracts in a Transgenic Mouse Model. <i>BioMed Research International</i> , 2018, 2018, 1-17.                                   | 0.9 | 2         |
| 45 | Early synergistic interactions between the HPV16 E7 oncoprotein and 17 $\beta$ -oestradiol for repressing the expression of Granzyme $\beta$ 2B in a cervical cancer model. <i>International Journal of Oncology</i> , 2018, 53, 579-591.          | 1.4 | 10        |
| 46 | Inhibition of TGF- $\beta$ 2 and NOTCH Signaling by Cutaneous Papillomaviruses. <i>Frontiers in Microbiology</i> , 2018, 9, 389.   | 1.5 | 27        |
| 47 | Loss of Function of Canonical Notch Signaling Drives Head and Neck Carcinogenesis. <i>Clinical Cancer Research</i> , 2018, 24, 6308-6318.  | 3.2 | 43        |
| 48 | Differentiation-Dependent LMP1 Expression Is Required for Efficient Lytic Epstein-Barr Virus Reactivation in Epithelial Cells. <i>Journal of Virology</i> , 2017, 91, .  | 1.5 | 40        |
| 49 | Human papillomavirus oncogenes reprogram the cervical cancer microenvironment independently of and synergistically with estrogen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E9076-E9085. | 3.3 | 59        |
| 50 | Absence of $\beta$ -Chain in Keratinocytes Alters Chemokine Secretion, Resulting in Reduced Immune Cell Recruitment. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2120-2130.   | 0.3 | 12        |
| 51 | Human Papillomavirus and the Stroma: Bidirectional Crosstalk during the Virus Life Cycle and Carcinogenesis. <i>Viruses</i> , 2017, 9, 219.  | 1.5 | 40        |
| 52 | Rodent Papillomaviruses. <i>Viruses</i> , 2017, 9, 362.  | 1.5 | 30        |
| 53 | Cutaneous HPV8 and MmuPV1 E6 Proteins Target the NOTCH and TGF- $\beta$ 2 Tumor Suppressors to Inhibit Differentiation and Sustain Keratinocyte Proliferation. <i>PLoS Pathogens</i> , 2017, 13, e1006171.   | 2.1 | 83        |
| 54 | Overexpression of the human DEK oncogene reprograms cellular metabolism and promotes glycolysis. <i>PLoS ONE</i> , 2017, 12, e0177952.   | 1.1 | 22        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Hypoxia-inducible factor-1 $\beta$ plays roles in Epstein-Barr virus's natural life cycle and tumorigenesis by inducing lytic infection through direct binding to the immediate-early BZLF1 gene promoter. PLoS Pathogens, 2017, 13, e1006404. | 2.1 | 55        |
| 56 | The full transcription map of mouse papillomavirus type 1 (MmuPV1) in mouse wart tissues. PLoS Pathogens, 2017, 13, e1006715.  | 2.1 | 47        |
| 57 | The HPV16 E7 Oncoprotein Disrupts Dendritic Cell Function and Induces the Systemic Expansion of CD11b+Gr1+Cells in a Transgenic Mouse Model. BioMed Research International, 2016, 2016, 1-9.   | 0.9 | 3         |
| 58 | Role of Ultraviolet Radiation in Papillomavirus-Induced Disease. PLoS Pathogens, 2016, 12, e1005664.   | 2.1 | 68        |
| 59 | Using Organotypic Epithelial Tissue Culture to Study the Human Papillomavirus Life Cycle. Current Protocols in Microbiology, 2016, 41, 14B.8.1-14B.8.19.   | 6.5 | 14        |
| 60 | Human papillomavirus promotes Epstein-Barr virus maintenance and lytic reactivation in immortalized oral keratinocytes. Virology, 2016, 495, 52-62.  | 1.1 | 50        |
| 61 | Loss of Dependence on Continued Expression of the Human Papillomavirus 16 E7 Oncogene in Cervical Cancers and Precancerous Lesions Arising in Fanconi Anemia Pathway-Deficient Mice. MBio, 2016, 7, .  | 1.8 | 16        |
| 62 | The Hidden Conundrum of Phosphoinositide Signaling in Cancer. Trends in Cancer, 2016, 2, 378-390.  | 3.8 | 32        |
| 63 | The HPV16 E7 oncoprotein increases the expression of Oct3/4 and stemness-related genes and augments cell self-renewal. Virology, 2016, 499, 230-242.   | 1.1 | 20        |
| 64 | The expression of miR-21 and miR-143 is deregulated by the HPV16 E7 oncoprotein and 17 $\beta$ -estradiol. International Journal of Oncology, 2016, 49, 549-558.   | 1.4 | 16        |
| 65 | A Mouse Model of Hyperproliferative Human Epithelium Validated by Keratin Profiling Shows an Aberrant Cytoskeletal Response to Injury. EBioMedicine, 2016, 9, 314-323.   | 2.7 | 27        |
| 66 | Transgenic Mouse Models of Tumor Virus Action. Annual Review of Virology, 2016, 3, 473-489.  | 3.0 | 28        |
| 67 | Functional variants of human papillomavirus type 16 demonstrate host genome integration and transcriptional alterations corresponding to their unique cancer epidemiology. BMC Genomics, 2016, 17, 851.  | 1.2 | 34        |
| 68 | Identifying the Target Cells and Mechanisms of Merkel Cell Polyomavirus Infection. Cell Host and Microbe, 2016, 19, 775-787.   | 5.1 | 133       |
| 69 | Defects in the Fanconi Anemia Pathway in Head and Neck Cancer Cells Stimulate Tumor Cell Invasion through DNA-PK and Rac1 Signaling. Clinical Cancer Research, 2016, 22, 2062-2073.  | 3.2 | 30        |
| 70 | Stress-Induced EGFR Trafficking: Mechanisms, Functions, and Therapeutic Implications. Trends in Cell Biology, 2016, 26, 352-366.   | 3.6 | 148       |
| 71 | Dysregulation of Autophagy Contributes to Anal Carcinogenesis. PLoS ONE, 2016, 11, e0164273.   | 1.1 | 27        |
| 72 | Xenograft assessment of predictive biomarkers for standard head and neck cancer therapies. Cancer Medicine, 2015, 4, 699-712.  | 1.3 | 18        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | The Hippo/ <scp>YAP</scp> pathway interacts with <scp>EGFR</scp> signaling and <scp>HPV</scp> oncoproteins to regulate cervical cancer progression. <i>EMBO Molecular Medicine</i> , 2015, 7, 1426-1449.  | 3.3 | 221       |
| 74 | The <scp>HPV</scp> 16 E6 oncoprotein and <scp>UVB</scp> irradiation inhibit the tumor suppressor <scp>TGF</scp> $\beta$ 2 pathway in the epidermis of the <scp>K</scp>14E6 transgenic mouse. <i>Experimental Dermatology</i> , 2015, 24, 430-435. | 1.4 | 3         |
| 75 | 5-hydroxymethylation of the EBV genome regulates the latent to lytic switch. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E7257-65.  | 3.3 | 28        |
| 76 | DEK over-expression promotes mitotic defects and micronucleus formation. <i>Cell Cycle</i> , 2015, 14, 3939-3953.   | 1.3 | 22        |
| 77 | Tumorigenic Activity of Merkel Cell Polyomavirus T Antigens Expressed in the Stratified Epithelium of Mice. <i>Cancer Research</i> , 2015, 75, 1068-1079.   | 0.4 | 65        |
| 78 | Human papillomavirus type 16 E7 oncoprotein upregulates the retinoic acid receptor-beta expression in cervical cancer cell lines and K14E7 transgenic mice. <i>Molecular and Cellular Biochemistry</i> , 2015, 408, 261-272.                      | 1.4 | 9         |
| 79 | APOBEC3A Functions as a Restriction Factor of Human Papillomavirus. <i>Journal of Virology</i> , 2015, 89, 688-702.   | 1.5 | 160       |
| 80 | Differentiation-Dependent KLF4 Expression Promotes Lytic Epstein-Barr Virus Infection in Epithelial Cells. <i>PLoS Pathogens</i> , 2015, 11, e1005195.  | 2.1 | 79        |
| 81 | Tumourigenesis Driven by the Human Papillomavirus Type 16 Asian-American E6 Variant in a Three-Dimensional Keratinocyte Model. <i>PLoS ONE</i> , 2014, 9, e101540.  | 1.1 | 26        |
| 82 | Human Papillomavirus E6 Triggers Upregulation of the Antiviral and Cancer Genomic DNA Deaminase APOBEC3B. <i>MBio</i> , 2014, 5, .  | 1.8 | 172       |
| 83 | Human papillomavirus type 16 E7 oncoprotein causes a delay in repair of DNA damage. <i>Radiotherapy and Oncology</i> , 2014, 113, 337-344.  | 0.3 | 84        |
| 84 | Recurrence of Cervical Cancer in Mice after Selective Estrogen Receptor Modulator Therapy. <i>American Journal of Pathology</i> , 2014, 184, 530-540.   | 1.9 | 33        |
| 85 | Epigenetics of human papillomaviruses. <i>Virology</i> , 2013, 445, 205-212.  | 1.1 | 95        |
| 86 | Requirement for Stromal Estrogen Receptor Alpha in Cervical Neoplasia. <i>Hormones and Cancer</i> , 2013, 4, 50-59.   | 4.9 | 57        |
| 87 | Pocket Proteins Suppress Head and Neck Cancer. <i>Cancer Research</i> , 2012, 72, 1280-1289.  | 0.4 | 24        |
| 88 | Novel antivirals inhibit early steps in HPV infection. <i>Antiviral Research</i> , 2012, 93, 280-287.   | 1.9 | 6         |
| 89 | Enhanced apoptosis and altered DNA repair underlie improved outcomes in HPV $\alpha$ -positive head and neck cancer. <i>FASEB Journal</i> , 2012, 26, 537.2.  | 0.2 | 0         |
| 90 | Human papillomavirus type 16 E6 and E7 oncoproteins act synergistically to cause head and neck cancer in mice. <i>Virology</i> , 2010, 407, 60-67.  | 1.1 | 60        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Inhibition of gamma secretase blocks HPV infection. <i>Virology</i> , 2010, 407, 391-396.  | 1.1 | 34        |
| 92  | Rapamycin Inhibits Anal Carcinogenesis in Two Preclinical Animal Models. <i>Cancer Prevention Research</i> , 2010, 3, 1542-1551.   | 0.7 | 44        |
| 93  | A Mouse Model for Human Anal Cancer. <i>Cancer Prevention Research</i> , 2010, 3, 1534-1541.   | 0.7 | 56        |
| 94  | Establishment of Human Papillomavirus Infection Requires Cell Cycle Progression. <i>PLoS Pathogens</i> , 2009, 5, e1000318.  | 2.1 | 271       |
| 95  | Persistence of High-Grade Cervical Dysplasia and Cervical Cancer Requires the Continuous Expression of the Human Papillomavirus Type 16 <i>E7</i> Oncogene. <i>Cancer Research</i> , 2009, 69, 4407-4414.  | 0.4 | 81        |
| 96  | Effects of cellular differentiation, chromosomal integration and 5-aza-2'-deoxycytidine treatment on human papillomavirus-16 DNA methylation in cultured cell lines. <i>Virology</i> , 2008, 374, 292-303.   | 1.1 | 50        |
| 97  | The Human Papillomavirus Type 16 <i>E7</i> Oncoprotein Activates the Fanconi Anemia (FA) Pathway and Causes Accelerated Chromosomal Instability in FA Cells. <i>Journal of Virology</i> , 2007, 81, 13265-13270.   | 1.5 | 89        |
| 98  | ALTERATIONS OF TRANSFORMING GROWTH FACTOR $\beta$ PATHWAY IN CERVICAL CANCER. <i>FASEB Journal</i> , 2007, 21, A31.  | 0.2 | 0         |
| 99  | Identification of biomarkers that distinguish human papillomavirus (HPV)-positive versus HPV-negative head and neck cancers in a mouse model. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 14152-14157.   | 3.3 | 129       |
| 100 | Estrogen contributes to the onset, persistence, and malignant progression of cervical cancer in a human papillomavirus-transgenic mouse model. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 2490-2495.    | 3.3 | 202       |
| 101 | Production of infectious human papillomavirus independently of viral replication and epithelial cell differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 9311-9316.                             | 3.3 | 109       |
| 102 | Using an Immortalized Cell Line to Study the HPV Life Cycle in Organotypic. , 2005, 119, 141-156.  |     | 52        |
| 103 | The PDZ Ligand Domain of the Human Papillomavirus Type 16 <i>E6</i> Protein Is Required for <i>E6</i> 's Induction of Epithelial Hyperplasia In Vivo. <i>Journal of Virology</i> , 2003, 77, 6957-6964.  | 1.5 | 203       |
| 104 | Dissection of human papillomavirus <i>E6</i> and <i>E7</i> function in transgenic mouse models of cervical carcinogenesis. <i>Cancer Research</i> , 2003, 63, 4862-71.   | 0.4 | 235       |
| 105 | Comparative analysis of cervical cancer in women and in a human papillomavirus-transgenic mouse model: identification of minichromosome maintenance protein 7 as an informative biomarker for human cervical cancer. <i>Cancer Research</i> , 2003, 63, 8173-80. | 0.4 | 93        |
| 106 | Human Papillomavirus Types 16 <i>E6</i> and <i>E7</i> Contribute Differently to Carcinogenesis. <i>Virology</i> , 2000, 267, 141-150.  | 1.1 | 167       |
| 107 | Establishment of the Human Papillomavirus Type 16 (HPV-16) Life Cycle in an Immortalized Human Foreskin Keratinocyte Cell Line. <i>Virology</i> , 1999, 262, 344-354.  | 1.1 | 159       |
| 108 | The Human Papillomavirus Type 16 <i>E6</i> Gene Alone Is Sufficient To Induce Carcinomas in Transgenic Animals. <i>Journal of Virology</i> , 1999, 73, 5887-5893.  | 1.5 | 218       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Human Papillomavirus Type 16 E7 Oncoprotein Expressed in Peripheral Epithelium Tolerizes E7-Directed Cytotoxic T-Lymphocyte Precursors Restricted through Human (and Mouse) Major Histocompatibility Complex Class I Alleles. <i>Journal of Virology</i> , 1999, 73, 6166-6170. | 1.5 | 35        |
| 110 | Mice Expressing the E7 Oncogene of HPV16 in Epithelium Show Central Tolerance, and Evidence of Peripheral Anergising Tolerance, to E7-Encoded Cytotoxic T-Lymphocyte Epitopes. <i>Virology</i> , 1998, 244, 352-364.  | 1.1 | 43        |
| 111 | Role of Papillomavirus Oncogenes in Human Cervical Cancer: Transgenic Animal Studies. <i>Experimental Biology and Medicine</i> , 1994, 206, 24-34.  | 1.1 | 22        |