## Andrea A Putnam

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1429993/publications.pdf Version: 2024-02-01



ΔΝΠΟΕΛ Δ ΡΗΤΝΑΜ

#	Article	IF	CITATIONS
1	Cell-free reconstitution of multi-condensate assemblies. Methods in Enzymology, 2021, 646, 83-113.	0.4	3
2	G-quadruplex DNA inhibits unwinding activity but promotes liquid–liquid phase separation by the DEAD-box helicase Ded1p. Chemical Communications, 2021, 57, 7445-7448.	2.2	9
3	Protein-based condensation mechanisms drive the assembly of RNA-rich P granules. ELife, 2021, 10, .	2.8	16
4	Regulation of biomolecular condensates by interfacial protein clusters. Science, 2021, 373, 1218-1224.	6.0	104
5	A comparative study of small molecules targeting eIF4A. Rna, 2020, 26, 541-549.	1.6	27
6	Recruitment of mRNAs to P granules by condensation with intrinsically-disordered proteins. ELife, 2020, 9, .	2.8	96
7	A gel phase promotes condensation of liquid P granules in Caenorhabditis elegans embryos. Nature Structural and Molecular Biology, 2019, 26, 220-226.	3.6	184
8	Biochemical Differences and Similarities between the DEAD-Box Helicase Orthologs DDX3X and Ded1p. Journal of Molecular Biology, 2017, 429, 3730-3742.	2.0	36
9	Coupling between the DEAD-box RNA helicases Ded1p and elF4A. ELife, 2016, 5, .	2.8	55
10	Division of Labor in an Oligomer of the DEAD-Box RNA Helicase Ded1p. Molecular Cell, 2015, 59, 541-552.	4.5	60
11	DEAD-Box Helicases Form Nucleotide-Dependent, Long-Lived Complexes with RNA. Biochemistry, 2014, 53, 423-433.	1.2	43
12	Angiogenin-Cleaved tRNA Halves Interact with Cytochrome <i>c</i> , Protecting Cells from Apoptosis during Osmotic Stress. Molecular and Cellular Biology, 2014, 34, 2450-2463.	1.1	236
13	An Arabidopsis ATP-Dependent, DEAD-Box RNA Helicase Loses Activity upon IsoAsp Formation but Is Restored by PROTEIN ISOASPARTYL METHYLTRANSFERASE. Plant Cell, 2013, 25, 2573-2586.	3.1	25
14	AMP Sensing by DEAD-Box RNA Helicases. Journal of Molecular Biology, 2013, 425, 3839-3845.	2.0	28
15	DEAD-box helicases as integrators of RNA, nucleotide and protein binding. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2013, 1829, 884-893.	0.9	164
16	Mutational analysis of the yeast RNA helicase Sub2p reveals conserved domains required for growth, mRNA export, and genomic stability. Rna, 2013, 19, 1363-1371.	1.6	21
17	Analysis of Duplex Unwinding by RNA Helicases Using Stopped-Flow Fluorescence Spectroscopy. Methods in Enzymology, 2012, 511, 1-27.	0.4	8
18	Duplex Unwinding with DEAD-Box Proteins. Methods in Molecular Biology, 2009, 587, 245-264.	0.4	34

#	Article	IF	CITATIONS
19	ATP hydrolysis is required for DEAD-box protein recycling but not for duplex unwinding. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 20209-20214.	3.3	213