

# Camilla Taxvig

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1430049/camilla-taxvig-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

29  
papers

1,806  
citations

19  
h-index

37  
g-index

37  
ext. papers

2,058  
ext. citations

4.5  
avg, IF

4.43  
L-index

| #  | Paper  | IF  | Citations |
|----|--|-----|-----------|
| 29 | Possible endocrine disrupting effects of parabens and their metabolites. <i>Reproductive Toxicology</i> , <b>2010</b> , 30, 301-12   | 3.4 | 330       |
| 28 | Are structural analogues to bisphenol a safe alternatives?. <i>Toxicological Sciences</i> , <b>2014</b> , 139, 35-47   | 4.4 | 282       |
| 27 | Endocrine-disrupting activities in vivo of the fungicides tebuconazole and epoxiconazole. <i>Toxicological Sciences</i> , <b>2007</b> , 100, 464-73  | 4.4 | 178       |
| 26 | Differential effects of environmental chemicals and food contaminants on adipogenesis, biomarker release and PPAR $\alpha$ activation. <i>Molecular and Cellular Endocrinology</i> , <b>2012</b> , 361, 106-15 | 4.4 | 126       |
| 25 | Endocrine disrupting effects in vitro of conazole antifungals used as pesticides and pharmaceuticals. <i>Reproductive Toxicology</i> , <b>2010</b> , 30, 573-82  | 3.4 | 116       |
| 24 | Do parabens have the ability to interfere with steroidogenesis?. <i>Toxicological Sciences</i> , <b>2008</b> , 106, 206-13   | 4.4 | 103       |
| 23 | Effects of prenatal exposure to diesel exhaust particles on postnatal development, behavior, genotoxicity and inflammation in mice. <i>Particle and Fibre Toxicology</i> , <b>2008</b> , 5, 3                  | 8.4 | 91        |
| 22 | Adverse effects on sexual development in rat offspring after low dose exposure to a mixture of endocrine disrupting pesticides. <i>Reproductive Toxicology</i> , <b>2012</b> , 34, 261-74                      | 3.4 | 72        |
| 21 | Concentration addition, independent action and generalized concentration addition models for mixture effect prediction of sex hormone synthesis in vitro. <i>PLoS ONE</i> , <b>2013</b> , 8, e70490            | 3.7 | 61        |
| 20 | Endocrine potency of wastewater: contents of endocrine disrupting chemicals and effects measured by in vivo and in vitro assays. <i>Environmental Toxicology and Chemistry</i> , <b>2011</b> , 30, 413-26      | 3.8 | 57        |
| 19 | Higher levels of ethyl paraben and butyl paraben in rat amniotic fluid than in maternal plasma after subcutaneous administration. <i>Toxicological Sciences</i> , <b>2008</b> , 106, 376-83                    | 4.4 | 49        |
| 18 | Late-life effects on rat reproductive system after developmental exposure to mixtures of endocrine disrupters. <i>Reproduction</i> , <b>2014</b> , 147, 465-76   | 3.8 | 45        |
| 17 | In vitro-in vivo correlations for endocrine activity of a mixture of currently used pesticides. <i>Toxicology and Applied Pharmacology</i> , <b>2013</b> , 272, 757-66   | 4.6 | 36        |
| 16 | CBLB variants in type 1 diabetes and their genetic interaction with CTLA4. <i>Journal of Leukocyte Biology</i> , <b>2005</b> , 77, 579-85  | 6.5 | 33        |
| 15 | An effect-directed strategy for characterizing emerging chemicals in food contact materials made from paper and board. <i>Food and Chemical Toxicology</i> , <b>2017</b> , 106, 250-259                        | 4.7 | 30        |
| 14 | Enniatin B and beauvericin are common in Danish cereals and show high hepatotoxicity on a high-content imaging platform. <i>Environmental Toxicology</i> , <b>2017</b> , 32, 1658-1664                         | 4.2 | 28        |
| 13 | Effects of nutrition relevant mixtures of phytoestrogens on steroidogenesis, aromatase, estrogen, and androgen activity. <i>Nutrition and Cancer</i> , <b>2010</b> , 62, 122-31                                | 2.8 | 22        |

|    |  |     |    |
|----|--|-----|----|
| 12 | In Vitro and in Vivo endocrine disrupting effects of the azole fungicides triticonazole and flusilazole. <i>Environmental Pollution</i> , <b>2019</b> , 255, 113309  | 9.3 | 21 |
| 11 | Bisphenols B, E, F, and S and 4-cumylphenol induce lipid accumulation in mouse adipocytes similarly to bisphenol A. <i>Environmental Toxicology</i> , <b>2020</b> , 35, 543-552  | 4.2 | 19 |
| 10 | Predictive value of cell assays for developmental toxicity and embryotoxicity of conazole fungicides. <i>ALTEX: Alternatives To Animal Experimentation</i> , <b>2013</b> , 30, 319-30  | 4.3 | 18 |
| 9  | Polyfluorinated alkyl phosphate ester surfactants - current knowledge and knowledge gaps. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>2014</b> , 115, 41-4  | 3.1 | 15 |
| 8  | Levels of pesticides and their metabolites in Wistar rat amniotic fluids and maternal urine upon gestational exposure. <i>International Journal of Environmental Research and Public Health</i> , <b>2013</b> , 10, 2271-81                      | 4.6 | 15 |
| 7  | Dietary relevant mixtures of phytoestrogens inhibit adipocyte differentiation in vitro. <i>Food and Chemical Toxicology</i> , <b>2013</b> , 55, 265-71   | 4.7 | 14 |
| 6  | A novel human pluripotent stem cell-based assay to predict developmental toxicity. <i>Archives of Toxicology</i> , <b>2020</b> , 94, 3831-3846   | 5.8 | 10 |
| 5  | Use of external metabolizing systems when testing for endocrine disruption in the T-screen assay. <i>Toxicology and Applied Pharmacology</i> , <b>2011</b> , 250, 263-9  | 4.6 | 8  |
| 4  | Evaluation of endocrine disrupting effects of nitrate after in utero exposure in rats and of nitrate and nitrite in the H295R and T-screen assay. <i>Toxicological Sciences</i> , <b>2009</b> , 108, 437-44                                      | 4.4 | 8  |
| 3  | Quantitative to Extrapolation (QIVIVE) for Predicting Reduced Anogenital Distance Produced by Anti-Androgenic Pesticides in a Rodent Model for Male Reproductive Disorders. <i>Environmental Health Perspectives</i> , <b>2020</b> , 128, 117005 | 8.4 | 7  |
| 2  | Creating a human-induced pluripotent stem cell-based NKX2.5 reporter gene assay for developmental toxicity testing. <i>Archives of Toxicology</i> , <b>2021</b> , 95, 1659-1670  | 5.8 | 2  |
| 1  | Effects of the Hedgehog Signaling Inhibitor Itraconazole on Developing Rat Ovaries. <i>Toxicological Sciences</i> , <b>2021</b> , 182, 60-69   | 4.4 | 1  |