
Els Siebelink

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1430652/publications.pdf Version: 2024-02-01



FIS SIERFLINK

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Self-reported energy intake by FFQ compared with actual energy intake to maintain body weight in 516 adults. British Journal of Nutrition, 2011, 106, 274-281. | 2.3 | 195 |
| 2 | Protein status elicits compensatory changes in food intake and food preferences. American Journal of Clinical Nutrition, 2012, 95, 32-38. | 4.7 | 130 |
| 3 | Bioavailability of food folates is 80% of that of folic acid. American Journal of Clinical Nutrition, 2007, 85, 465-473. | 4.7 | 84 |
| 4 | Effect of a High Intake of Conjugated Linoleic Acid on Lipoprotein Levels in Healthy Human Subjects. PLoS ONE, 2010, 5, e9000. | 2.5 | 68 |
| 5 | Partly Replacing Meat Protein with Soy Protein Alters Insulin Resistance and Blood Lipids in Postmenopausal Women with Abdominal Obesity. Journal of Nutrition, 2014, 144, 1423-1429. | 2.9 | 67 |
| 6 | Identification of biomarkers for intake of protein from meat, dairy products and grains: a controlled dietary intervention study. British Journal of Nutrition, 2013, 110, 810-822. | 2.3 | 46 |
| 7 | Evaluation of dietary intake assessed by the Dutch self-administered web-based dietary 24-h recall tool (Compl-eatâ,,¢) against interviewer-administered telephone-based 24-h recalls. Journal of Nutritional Science, 2017, 6, e49. | 1.9 | 39 |
| 8 | Flow-mediated vasodilation is not impaired when HDL-cholesterol is lowered by substituting carbohydrates for monounsaturated fat. British Journal of Nutrition, 2001, 86, 181-188. | 2.3 | 34 |
| 9 | The Availability of Slow and Fast Calories in the Dutch Diet: The Current Situation and Opportunities for Interventions. Foods, 2017, 6, 87. | 4.3 | 33 |
| 10 | Increasing Protein Intake Modulates Lipid Metabolism in Healthy Young Men and Women Consuming a High-Fat Hypercaloric Diet. Journal of Nutrition, 2014, 144, 1174-1180. | 2.9 | 29 |
| 11 | Similar taste-nutrient relationships in commonly consumed Dutch and Malaysian foods. Appetite, 2018, 125, 32-41. | 3.7 | 25 |
| 12 | Training of a Dutch and Malaysian sensory panel to assess intensities of basic tastes and fat sensation of commonly consumed foods. Food Quality and Preference, 2018, 65, 49-59. | 4.6 | 21 |
| 13 | Vitamin A equivalency of β-carotene in healthy adults: limitation of the extrinsic dual-isotope dilution technique to measure matrix effect. British Journal of Nutrition, 2009, 101, 1837-1845. | 2.3 | 19 |
| 14 | Diverging metabolic effects of 2 energy-restricted diets differing in nutrient quality: a 12-week randomized controlled trial in subjects with abdominal obesity. American Journal of Clinical Nutrition, 2022, 116, 132-150. | 4.7 | 15 |
| 15 | The PERSonalized Glucose Optimization Through Nutritional Intervention (PERSON) Study: Rationale, Design and Preliminary Screening Results. Frontiers in Nutrition, 2021, 8, 694568. | 3.7 | 13 |
| 16 | Dietary Intake Assessment: From Traditional Paper-Pencil Questionnaires to Technology-Based Tools. IFIP Advances in Information and Communication Technology, 2020, , 7-23. | 0.7 | 13 |
| 17 | A 2 Week Cross-over Intervention with a Low Carbohydrate, High Fat Diet Compared to a High Carbohydrate Diet Attenuates Exercise-Induced Cortisol Response, but Not the Reduction of Exercise Capacity, in Recreational Athletes. Nutrients, 2021, 13, 157. | 4.1 | 11 |
| 18 | Extrinsic wheat fibre consumption enhances faecal bulk and stool frequency; a randomized controlled trial. Food and Function, 2019, 10, 646-651. | 4.6 | 9 |

ELS SIEBELINK

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Design aspects of 24 h recall assessments may affect the estimates of protein and potassium intake in dietary surveys. Public Health Nutrition, 2012, 15, 1196-1200. | 2.2 | 8 |
| 20 | Iterative Development of an Innovative Smartphone-Based Dietary Assessment Tool: Traqq. Journal of Visualized Experiments, 2021, , . | 0.3 | 8 |
| 21 | Daily Intake of Lemna minor or Spinach as Vegetable Does Not Show Significant Difference on Health Parameters and Taste Preference. Plant Foods for Human Nutrition, 2022, 77, 121-127. | 3.2 | 6 |
| 22 | Urinary Medium-Chained Acyl-Carnitines Sign High Caloric Intake whereas Short-Chained Acyl-Carnitines Sign High -Protein Diet within a High-Fat, Hypercaloric Diet in a Randomized Crossover Design Dietary Trial. Nutrients, 2021, 13, 1191. | 4.1 | 5 |
| 23 | Concept Development and Use of an Automated Food Intake and Eating Behavior Assessment Method. Journal of Visualized Experiments, 2021, , . | 0.3 | 1 |
| 24 | High dietary protein intake results in lower intra hepatic lipid content in healthy humans on a hypercaloric highâ€fat diet. FASEB Journal, 2013, 27, 361.1. | 0.5 | 1 |
| 25 | Effect of high dietary protein intake on body fat mass and subcutaneous adipose tissue gene expression in humans. FASEB Journal, 2013, 27, 857.2. | 0.5 | 0 |