Els Siebelink

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1430652/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Diverging metabolic effects of 2 energy-restricted diets differing in nutrient quality: a 12-week randomized controlled trial in subjects with abdominal obesity. American Journal of Clinical Nutrition, 2022, 116, 132-150.	4.7	15
2	Daily Intake of Lemna minor or Spinach as Vegetable Does Not Show Significant Difference on Health Parameters and Taste Preference. Plant Foods for Human Nutrition, 2022, 77, 121-127.	3.2	6
3	A 2 Week Cross-over Intervention with a Low Carbohydrate, High Fat Diet Compared to a High Carbohydrate Diet Attenuates Exercise-Induced Cortisol Response, but Not the Reduction of Exercise Capacity, in Recreational Athletes. Nutrients, 2021, 13, 157.	4.1	11
4	Concept Development and Use of an Automated Food Intake and Eating Behavior Assessment Method. Journal of Visualized Experiments, 2021, , .	0.3	1
5	lterative Development of an Innovative Smartphone-Based Dietary Assessment Tool: Traqq. Journal of Visualized Experiments, 2021, , .	0.3	8
6	Urinary Medium-Chained Acyl-Carnitines Sign High Caloric Intake whereas Short-Chained Acyl-Carnitines Sign High -Protein Diet within a High-Fat, Hypercaloric Diet in a Randomized Crossover Design Dietary Trial. Nutrients, 2021, 13, 1191.	4.1	5
7	The PERSonalized Glucose Optimization Through Nutritional Intervention (PERSON) Study: Rationale, Design and Preliminary Screening Results. Frontiers in Nutrition, 2021, 8, 694568.	3.7	13
8	Dietary Intake Assessment: From Traditional Paper-Pencil Questionnaires to Technology-Based Tools. IFIP Advances in Information and Communication Technology, 2020, , 7-23.	0.7	13
9	Extrinsic wheat fibre consumption enhances faecal bulk and stool frequency; a randomized controlled trial. Food and Function, 2019, 10, 646-651.	4.6	9
10	Similar taste-nutrient relationships in commonly consumed Dutch and Malaysian foods. Appetite, 2018, 125, 32-41.	3.7	25
11	Training of a Dutch and Malaysian sensory panel to assess intensities of basic tastes and fat sensation of commonly consumed foods. Food Quality and Preference, 2018, 65, 49-59.	4.6	21
12	Evaluation of dietary intake assessed by the Dutch self-administered web-based dietary 24-h recall tool (Compl-eatâ,,¢) against interviewer-administered telephone-based 24-h recalls. Journal of Nutritional Science, 2017, 6, e49.	1.9	39
13	The Availability of Slow and Fast Calories in the Dutch Diet: The Current Situation and Opportunities for Interventions. Foods, 2017, 6, 87.	4.3	33
14	Partly Replacing Meat Protein with Soy Protein Alters Insulin Resistance and Blood Lipids in Postmenopausal Women with Abdominal Obesity. Journal of Nutrition, 2014, 144, 1423-1429.	2.9	67
15	Increasing Protein Intake Modulates Lipid Metabolism in Healthy Young Men and Women Consuming a High-Fat Hypercaloric Diet. Journal of Nutrition, 2014, 144, 1174-1180.	2.9	29
16	Identification of biomarkers for intake of protein from meat, dairy products and grains: a controlled dietary intervention study. British Journal of Nutrition, 2013, 110, 810-822.	2.3	46
17	High dietary protein intake results in lower intra hepatic lipid content in healthy humans on a hypercaloric highâ€fat diet. FASEB Journal, 2013, 27, 361.1.	0.5	1
18	Effect of high dietary protein intake on body fat mass and subcutaneous adipose tissue gene expression in humans. FASEB Journal, 2013, 27, 857.2.	0.5	0

ELS SIEBELINK

#	Article	IF	CITATIONS
19	Protein status elicits compensatory changes in food intake and food preferences. American Journal of Clinical Nutrition, 2012, 95, 32-38.	4.7	130
20	Design aspects of 24 h recall assessments may affect the estimates of protein and potassium intake in dietary surveys. Public Health Nutrition, 2012, 15, 1196-1200.	2.2	8
21	Self-reported energy intake by FFQ compared with actual energy intake to maintain body weight in 516 adults. British Journal of Nutrition, 2011, 106, 274-281.	2.3	195
22	Effect of a High Intake of Conjugated Linoleic Acid on Lipoprotein Levels in Healthy Human Subjects. PLoS ONE, 2010, 5, e9000.	2.5	68
23	Vitamin A equivalency of β-carotene in healthy adults: limitation of the extrinsic dual-isotope dilution technique to measure matrix effect. British Journal of Nutrition, 2009, 101, 1837-1845.	2.3	19
24	Bioavailability of food folates is 80% of that of folic acid. American Journal of Clinical Nutrition, 2007, 85, 465-473.	4.7	84
25	Flow-mediated vasodilation is not impaired when HDL-cholesterol is lowered by substituting carbohydrates for monounsaturated fat. British Journal of Nutrition, 2001, 86, 181-188.	2.3	34