

Gregory J Norman

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1432234/gregory-j-norman-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

7,787
citations

49
h-index

85
g-index

132
ext. papers

8,680
ext. citations

4
avg, IF

5.6
L-index

#	Paper	IF	Citations
132	A text message-based intervention for weight loss: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2009 , 11, e1	7.6	475
131	A review of eHealth interventions for physical activity and dietary behavior change. <i>American Journal of Preventive Medicine</i> , 2007 , 33, 336-345	6.1	457
130	Development and evaluation of the conceptual inventory of natural selection. <i>Journal of Research in Science Teaching</i> , 2002 , 39, 952-978	3.4	341
129	Diet, physical activity, and sedentary behaviors as risk factors for overweight in adolescence. <i>JAMA Pediatrics</i> , 2004 , 158, 385-90		291
128	SAFETY study: alanine aminotransferase cutoff values are set too high for reliable detection of pediatric chronic liver disease. <i>Gastroenterology</i> , 2010 , 138, 1357-64, 1364.e1-2	13.3	287
127	Reliability and validity of the Sedentary Behavior Questionnaire (SBQ) for adults. <i>Journal of Physical Activity and Health</i> , 2010 , 7, 697-705	2.5	235
126	Community Design and Access to Recreational Facilities as Correlates of Adolescent Physical Activity and Body-Mass Index. <i>Journal of Physical Activity and Health</i> , 2006 , 3, S118-S128	2.5	218
125	Neighborhood Environment Walkability Scale for Youth (NEWS-Y): reliability and relationship with physical activity. <i>Preventive Medicine</i> , 2009 , 49, 213-8	4.3	200
124	Where are youth active? Roles of proximity, active transport, and built environment. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, 2071-9	1.2	194
123	Classification accuracies of physical activities using smartphone motion sensors. <i>Journal of Medical Internet Research</i> , 2012 , 14, e130	7.6	183
122	Randomized controlled trial of a primary care and home-based intervention for physical activity and nutrition behaviors: PACE+ for adolescents. <i>JAMA Pediatrics</i> , 2006 , 160, 128-36		158
121	Usability and Feasibility of PmEB: A Mobile Phone Application for Monitoring Real Time Caloric Balance. <i>Mobile Networks and Applications</i> , 2007 , 12, 173-184	2.9	156
120	A lifestyle intervention for older schizophrenia patients with diabetes mellitus: a randomized controlled trial. <i>Schizophrenia Research</i> , 2006 , 86, 36-44	3.6	148
119	Preparing adolescents with chronic disease for transition to adult care: a technology program. <i>Pediatrics</i> , 2014 , 133, e1639-46	7.4	140
118	Patterns and correlates of physical activity and nutrition behaviors in adolescents. <i>American Journal of Preventive Medicine</i> , 2007 , 32, 124-30	6.1	136
117	Psychosocial and environmental correlates of adolescent sedentary behaviors. <i>Pediatrics</i> , 2005 , 116, 908-16	7.4	135
116	Testing 40 predictions from the transtheoretical model. <i>Addictive Behaviors</i> , 1999 , 24, 455-69	4.2	123

115	Attrition and adherence rates of sustained vs. intermittent exercise interventions. <i>Annals of Behavioral Medicine</i> , 2011 , 42, 197-209	4.5	117
114	Community food environment, home food environment, and fruit and vegetable intake of children and adolescents. <i>Journal of Nutrition Education and Behavior</i> , 2012 , 44, 634-8	2	111
113	Assessment of physical activity in middle-aged and older adults with schizophrenia. <i>Schizophrenia Research</i> , 2008 , 104, 294-301	3.6	111
112	Evaluating a brief self-report measure of neighborhood environments for physical activity research and surveillance: Physical Activity Neighborhood Environment Scale (PANES). <i>Journal of Physical Activity and Health</i> , 2010 , 7, 533-40	2.5	106
111	Validation of the Neighborhood Environment Walkability Scale (NEWS) items using geographic information systems. <i>Journal of Physical Activity and Health</i> , 2009 , 6 Suppl 1, S113-23	2.5	100
110	An adaptive physical activity intervention for overweight adults: a randomized controlled trial. <i>PLoS ONE</i> , 2013 , 8, e82901	3.7	98
109	Using social and mobile tools for weight loss in overweight and obese young adults (Project SMART): a 2 year, parallel-group, randomised, controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2016 , 4, 747-755	18.1	87
108	Adolescent screen time and rules to limit screen time in the home. <i>Journal of Adolescent Health</i> , 2011 , 48, 379-85	5.8	87
107	Outcomes of a 12-month web-based intervention for overweight and obese men. <i>Annals of Behavioral Medicine</i> , 2011 , 42, 391-401	4.5	78
106	Psychosocial correlates of fruit, vegetable, and dietary fat intake among adolescent boys and girls. <i>Journal of the American Dietetic Association</i> , 2006 , 106, 814-21		78
105	Body image and self-esteem among adolescents undergoing an intervention targeting dietary and physical activity behaviors. <i>Journal of Adolescent Health</i> , 2007 , 40, 245-51	5.8	74
104	Television viewing and hypertension in obese children. <i>American Journal of Preventive Medicine</i> , 2007 , 33, 439-43	6.1	71
103	The development of a stress survey schedule for persons with autism and other developmental disabilities. <i>Journal of Autism and Developmental Disorders</i> , 2001 , 31, 207-17	4.6	71
102	Self-efficacy, psychosocial factors, and exercise behavior in traditional versus modified cardiac rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2001 , 21, 363-73		71
101	Reliability and validity of child/adolescent food frequency questionnaires that assess foods and/or food groups. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 55, 4-13	2.8	69
100	Dietary fiber and nutrient density are inversely associated with the metabolic syndrome in US adolescents. <i>Journal of the American Dietetic Association</i> , 2011 , 111, 1688-95		67
99	Perceived neighborhood environment and physical activity in 11 countries: do associations differ by country?. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013 , 10, 57	8.4	66
98	Neighborhood environment profiles related to physical activity and weight status: a latent profile analysis. <i>Preventive Medicine</i> , 2011 , 52, 326-31	4.3	65

97	Patterns of sedentary behavior among adolescents. <i>Health Psychology</i> , 2007 , 26, 113-20	5	65
96	Click "like" to change your behavior: a mixed methods study of college students' exposure to and engagement with Facebook content designed for weight loss. <i>Journal of Medical Internet Research</i> , 2014 , 16, e158	7.6	65
95	Construct validity of the stages of change of exercise adoption for different intensities of physical activity in four samples of differing age groups. <i>American Journal of Health Promotion</i> , 2002 , 16, 280-7	2.5	64
94	Brief scales to assess physical activity and sedentary equipment in the home. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010 , 7, 10	8.4	61
93	Comparability and reliability of paper- and computer-based measures of psychosocial constructs for adolescent physical activity and sedentary behaviors. <i>Research Quarterly for Exercise and Sport</i> , 2005 , 76, 315-23	1.9	60
92	Reliability and validity of destination-specific barriers to walking and cycling for youth. <i>Preventive Medicine</i> , 2008 , 46, 311-6	4.3	59
91	Dynamic typology clustering within the stages of change for smoking cessation. <i>Addictive Behaviors</i> , 1998 , 23, 139-53	4.2	57
90	Cluster subtypes within stage of change in a representative sample of smokers. <i>Addictive Behaviors</i> , 2000 , 25, 183-204	4.2	57
89	Efficacy of Integrated Exposure Therapy vs Integrated Coping Skills Therapy for Comorbid Posttraumatic Stress Disorder and Alcohol Use Disorder: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2019 , 76, 791-799	14.5	56
88	Neighborhood environment and physical activity among older adults: do the relationships differ by driving status?. <i>Journal of Aging and Physical Activity</i> , 2014 , 22, 421-31	1.6	54
87	Patterns and correlates of multiple risk behaviors in overweight women. <i>Preventive Medicine</i> , 2008 , 46, 196-202	4.3	54
86	Outcomes of a 12-month technology-based intervention to promote weight loss in adolescents at risk for type 2 diabetes. <i>Journal of Diabetes Science and Technology</i> , 2013 , 7, 759-70	4.1	53
85	Relation of school environment and policy to adolescent physical activity. <i>Journal of School Health</i> , 2009 , 79, 153-9; quiz 205-6	2.1	50
84	Fruit and vegetable intake and eating behaviors mediate the effect of a randomized text-message based weight loss program. <i>Preventive Medicine</i> , 2013 , 56, 3-7	4.3	49
83	Fit4Life: a weight loss intervention for children who have survived childhood leukemia. <i>Pediatric Blood and Cancer</i> , 2014 , 61, 894-900	3	49
82	Clinical trial management of participant recruitment, enrollment, engagement, and retention in the SMART study using a Marketing and Information Technology (MARKIT) model. <i>Contemporary Clinical Trials</i> , 2015 , 42, 185-95	2.3	45
81	Do neighborhood environments moderate the effect of physical activity lifestyle interventions in adults?. <i>Health and Place</i> , 2010 , 16, 903-8	4.6	44
80	Socioeconomic disparities in elementary school practices and children's physical activity during school. <i>American Journal of Health Promotion</i> , 2014 , 28, S47-53	2.5	42

79	Youths' exposure to environmental tobacco smoke (ETS): associations with health beliefs and social pressure. <i>Addictive Behaviors</i> , 2003 , 28, 39-53	4.2	42
78	A randomized trial of a multicomponent intervention for adolescent sun protection behaviors. <i>JAMA Pediatrics</i> , 2007 , 161, 146-52		41
77	Reliability and validity of brief psychosocial measures related to dietary behaviors. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2010 , 7, 56	8.4	40
76	A practice-sponsored Web site to help patients pursue healthy behaviors: an ACORN study. <i>Annals of Family Medicine</i> , 2006 , 4, 148-52	2.9	39
75	Physical activity and dietary behavior change in Internet-based weight loss interventions: comparing two multiple-behavior change indices. <i>Preventive Medicine</i> , 2012 , 54, 50-4	4.3	38
74	A latent profile analysis of neighborhood recreation environments in relation to adolescent physical activity, sedentary time, and obesity. <i>Journal of Public Health Management and Practice</i> , 2010 , 16, 411-9	1.9	38
73	Brief physical activity-related psychosocial measures: reliability and construct validity. <i>Journal of Physical Activity and Health</i> , 2012 , 9, 1178-86	2.5	36
72	Sun-protection behaviors among African Americans. <i>American Journal of Preventive Medicine</i> , 2010 , 38, 288-95	6.1	35
71	Translating physical activity recommendations for overweight adolescents to steps per day. <i>American Journal of Preventive Medicine</i> , 2009 , 37, 137-40	6.1	35
70	Correlates of park-based physical activity among children in diverse communities: results from an observational study in two cities. <i>American Journal of Health Promotion</i> , 2011 , 25, e1-9	2.5	34
69	Adults' physical activity patterns across life domains: cluster analysis with replication. <i>Health Psychology</i> , 2010 , 29, 496-505	5	34
68	Psychosocial Correlates of Dietary Intake Among Overweight and Obese Men. <i>American Journal of Health Behavior</i> , 2007 , 31, 3-12	1.9	34
67	Elementary school practices and children's objectively measured physical activity during school. <i>Preventive Medicine</i> , 2013 , 57, 591-5	4.3	31
66	Promoting walking among older adults living in retirement communities. <i>Journal of Aging and Physical Activity</i> , 2012 , 20, 379-94	1.6	31
65	Comparability and reliability of paper- and computer-based measures of psychosocial constructs for adolescent fruit and vegetable and dietary fat intake. <i>Journal of the American Dietetic Association</i> , 2005 , 105, 1758-64		30
64	An examination of multilevel factors that may explain gender differences in children's physical activity. <i>Journal of Physical Activity and Health</i> , 2013 , 10, 982-92	2.5	29
63	Examining the role of perceived susceptibility on colorectal cancer screening intention and behavior. <i>Annals of Behavioral Medicine</i> , 2010 , 40, 205-17	4.5	29
62	Does the transtheoretical model need an attitude adjustment?. <i>Psychology of Sport and Exercise</i> , 2002 , 3, 65-83	4.2	29

61	Residential proximity to major roadways and prevalent hypertension among postmenopausal women: results from the Women@ Health Initiative San Diego Cohort. <i>Journal of the American Heart Association</i> , 2014 , 3, e000727	6	28
60	Development of decisional balance and self-efficacy measures for adolescent sedentary behaviors. <i>Psychology and Health</i> , 2004 , 19, 561-575	2.9	28
59	Project FIT: A School, Community and Social Marketing Intervention Improves Healthy Eating Among Low-Income Elementary School Children. <i>Journal of Community Health</i> , 2015 , 40, 815-26	4	27
58	Home, school, and neighborhood environment factors and youth physical activity. <i>Pediatric Exercise Science</i> , 2011 , 23, 487-503	2	27
57	Reconceptualizing decisional balance in an adolescent sun protection intervention: mediating effects and theoretical interpretations. <i>Health Psychology</i> , 2009 , 28, 217-25	5	27
56	Accumulation of behavioral validation evidence for physical activity stage of change. <i>Health Psychology</i> , 2008 , 27, S43-53	5	26
55	Neighborhood preference, walkability and walking in overweight/obese men. <i>American Journal of Health Behavior</i> , 2013 , 37, 277-82	1.9	24
54	Role of risk factors proximate to time of trauma in the course of PTSD and MDD symptoms following traumatic injury. <i>Journal of Traumatic Stress</i> , 2011 , 24, 390-8	3.8	24
53	A theory-based framework for evaluating exergames as persuasive technology 2009 ,		24
52	Exercise aids, neighborhood safety, and physical activity in adolescents and parents. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, 1244-8	1.2	24
51	Covariation of adolescent physical activity and dietary behaviors over 12 months. <i>Journal of Adolescent Health</i> , 2007 , 41, 472-8	5.8	24
50	Latent growth curve modeling of adolescent physical activity: testing parallel process and mediation models. <i>Journal of Health Psychology</i> , 2009 , 14, 313-25	3.1	23
49	Environmental and safety barriers to youth physical activity in neighborhood parks and streets: reliability and validity. <i>Pediatric Exercise Science</i> , 2009 , 21, 86-99	2	23
48	Answering the "what works?". Question in health behavior change. <i>American Journal of Preventive Medicine</i> , 2008 , 34, 449-50	6.1	23
47	A framework for modeling health behavior protocols and their linkage to behavioral theory. <i>Journal of Biomedical Informatics</i> , 2005 , 38, 270-80	10.2	23
46	A randomized trial of a brief mental health intervention for primary care patients. <i>Journal of Consulting and Clinical Psychology</i> , 2006 , 74, 1173-9	6.5	22
45	Influence of specific individual and environmental variables on the relationship between body mass index and health-related quality of life in overweight and obese adolescents. <i>Quality of Life Research</i> , 2015 , 24, 251-61	3.7	21
44	Is fear of strangers related to physical activity among youth?. <i>American Journal of Health Promotion</i> , 2012 , 26, 189-95	2.5	19

43	Text messaging and brief phone calls for weight loss in overweight and obese English- and Spanish-speaking adults: A 1-year, parallel-group, randomized controlled trial. <i>PLoS Medicine</i> , 2019 , 16, e1002917	11.6	17
42	Measuring immigration stress of first-generation female Korean immigrants in California: psychometric evaluation of Demand of Immigration Scale. <i>Ethnicity and Health</i> , 2011 , 16, 11-24	2.2	17
41	Intervention-mediated effects for adult physical activity: A latent growth curve analysis. <i>Social Science and Medicine</i> , 2010 , 71, 494-501	5.1	17
40	Examining the structure of physical self-description using an American university sample. <i>Research Quarterly for Exercise and Sport</i> , 2001 , 72, 78-83	1.9	17
39	Sedentary Behavior and Cardiometabolic Health Associations in Obese 11-13-Year Olds. <i>Childhood Obesity</i> , 2017 , 13, 425-432	2.5	16
38	Psychosocial correlates of dietary intake among overweight and obese men. <i>American Journal of Health Behavior</i> , 2007 , 31, 3-12	1.9	16
37	Guided self-help for the treatment of pediatric obesity. <i>Pediatrics</i> , 2013 , 131, e1435-42	7.4	15
36	Feasibility and effectiveness of an automated bilingual text message intervention for weight loss: pilot study. <i>JMIR Research Protocols</i> , 2013 , 2, e48	2	14
35	Compliance with behavioral guidelines for diet, physical activity and sedentary behaviors is related to insulin resistance among overweight and obese youth. <i>BMC Research Notes</i> , 2011 , 4, 29	2.3	13
34	A pilot study to assess the feasibility and acceptability of a community based physical activity intervention (involving internet, telephone, and pedometer support), integrated with medication and mood management for depressed patients. <i>Mental Health and Physical Activity</i> , 2008 , 1, 40-45	5	13
33	Identifying high- and low-success smoking cessation subgroups using signal detection analysis. <i>Addictive Behaviors</i> , 2006 , 31, 31-41	4.2	13
32	Construct validity of physical activity and sedentary behaviors staging measures for adolescents. <i>Annals of Behavioral Medicine</i> , 2006 , 31, 186-93	4.5	13
31	Developing an empirical typology for regular exercise. <i>Preventive Medicine</i> , 2003 , 37, 635-45	4.3	12
30	Operation and challenges of home-based medical practices in the US: findings from six aggregated case studies. <i>BMC Health Services Research</i> , 2018 , 18, 45	2.9	11
29	Keeping it simple: encouraging walking as a means to active living. <i>Annals of Behavioral Medicine</i> , 2004 , 28, 149-51	4.5	11
28	Longitudinal measurement invariance of psychosocial measures in physical activity research: An application to adolescent data. <i>Journal of Applied Social Psychology</i> , 2013 , 43, 721-729	2.1	10
27	Usability and Feasibility of PmEB: A Mobile Phone Application for Monitoring Real Time Caloric Balance 2006 ,		9
26	Walking mediates associations between neighborhood activity supportiveness and BMI in the Women@ Health Initiative San Diego cohort. <i>Health and Place</i> , 2016 , 38, 48-53	4.6	9

25	Employee Use of a Wireless Physical Activity Tracker Within Two Incentive Designs at One Company. <i>Population Health Management</i> , 2016 , 19, 88-94	1.8	8
24	Not Yet Ready for Prime Time: Video Visits in a Home-Based Primary Care Program. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 2202-2204	5.6	8
23	The role of motivation in family-based guided self-help treatment for pediatric obesity. <i>Childhood Obesity</i> , 2014 , 10, 392-9	2.5	8
22	Sedentary behavior and food cravings in diverse overweight women: a pilot study. <i>Women and Health</i> , 2013 , 53, 405-18	1.7	7
21	Effects of Behavioral Contingencies on Adolescent Active Videogame Play and Overall Activity: A Randomized Trial. <i>Games for Health Journal</i> , 2013 , 2, 158-65	4.2	7
20	Exploratory and confirmatory factor analyses and demographic correlate models of the strategies for weight management measure for overweight or obese adults. <i>American Journal of Health Promotion</i> , 2015 , 29, e147-57	2.5	6
19	A clinical trial comparing trauma-informed guilt reduction therapy (TriGR), a brief intervention for trauma-related guilt, to supportive care therapy.. <i>Depression and Anxiety</i> , 2022 ,	8.4	5
18	Care Team Perspectives and Acceptance of Telehealth in Scaling a Home-Based Primary Care Program: Qualitative Study. <i>JMIR Aging</i> , 2019 , 2, e12415	4.8	5
17	Weight and weight control behaviors of Latinas and their social ties. <i>Health Psychology</i> , 2018 , 37, 318-325		5
16	Measurement properties of the sedentary behavior strategy self-management instrument in African-American breast cancer survivors. <i>American Journal of Health Behavior</i> , 2015 , 39, 175-82	1.9	4
15	Compliance with smoke-free policies in korean bars and restaurants in california: a descriptive analysis. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015 , 16, 1083-9	1.7	4
14	Neighborhoods, Social and Cultural Correlates of Obesity Risk among Latinos living on the U.S.-Mexico border in Southern California. <i>Journal of Health Care for the Poor and Underserved</i> , 2016 , 27, 700-21	1.4	3
13	Reliability and concurrent and construct validity of the Strategies for Weight Management measure for adults. <i>Obesity Research and Clinical Practice</i> , 2016 , 10, 291-303	5.4	3
12	Associations of soluble fiber, whole fruits/vegetables, and juice with plasma Beta-carotene concentrations in a free-living population of breast cancer survivors. <i>Women and Health</i> , 2012 , 52, 731-43	1.7	3
11	Relationship between maternal parenting and eating self-efficacy in overweight children when stressed. <i>Eating and Weight Disorders</i> , 2013 , 18, 283-8	3.6	3
10	Indicators of potential health-related social needs and the association with perceived health and well-being outcomes among community-dwelling medicare beneficiaries. <i>Quality of Life Research</i> , 2020 , 29, 1685-1696	3.7	3
9	Neighborhoods, Social and Cultural Correlates of Obesity Risk among Latinos living on the U.S.-Mexico border in Southern California. <i>Journal of Health Care for the Poor and Underserved</i> , 2016 , 27, 1934-1955	1.4	3
8	Strategies that predict weight loss among overweight/obese young adults. <i>American Journal of Health Behavior</i> , 2014 , 38, 871-80	1.9	2

7	Examining incentive design strategies for worksite wellness program engagement. <i>Population Health Management</i> , 2014 , 17, 324-31	1.8	2
6	Two-Year Outcomes of a Primary Care- and Home-Based Intervention for Physical Activity, Sedentary Behavior, and Diet in Adolescents. <i>ICAN: Infant, Child, & Adolescent Nutrition</i> , 2014 , 6, 44-51		2
5	Planned care for obesity and cardiovascular risk reduction using a stepped-down approach: A randomized-controlled trial. <i>Preventive Medicine</i> , 2018 , 114, 223-231	4.3	1
4	Comparability and Reliability of Paper- and Computer-Based Measures of Psychosocial Constructs for Adolescent Physical Activity and Sedentary Behaviors		1
3	Subgroups of comorbid PTSD and AUD in U.S. military veterans predict differential responsiveness to two integrated treatments: A latent class analysis. <i>Journal of Psychiatric Research</i> , 2021 , 137, 342-350 ^{5.2}		1
2	Including Continuous Glucose Monitoring to Provide Personalized Glycemic Profiles as Part of a Pilot Worksite Health Screening. <i>Journal of Diabetes Science and Technology</i> , 2021 , 15, 515-516	4.1	0
1	A national survey of caregiver's own experiences and perceptions of U.S. health care system when addressing their health and caring for an older adult. <i>BMC Health Services Research</i> , 2021 , 21, 101	2.9	0