

# Huilin Pan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1432788/publications.pdf>

Version: 2024-02-01

68  
papers

25,973  
citations

36271

51  
h-index

102432

66  
g-index

69  
all docs

69  
docs citations

69  
times ranked

17722  
citing authors

#	ARTICLE	IF	CITATIONS
1	Electrochemical Energy Storage for Green Grid. <i>Chemical Reviews</i> , 2011, 111, 3577-3613.	23.0	4,276
2	Room-temperature stationary sodium-ion batteries for large-scale electric energy storage. <i>Energy and Environmental Science</i> , 2013, 6, 2338.	15.6	2,799
3	Reversible aqueous zinc/manganese oxide energy storage from conversion reactions. <i>Nature Energy</i> , 2016, 1, .	19.8	2,186
4	Sodium Ion Insertion in Hollow Carbon Nanowires for Battery Applications. <i>Nano Letters</i> , 2012, 12, 3783-3787.	4.5	1,552
5	A Soft Approach to Encapsulate Sulfur: Polyaniline Nanotubes for Lithium-Sulfur Batteries with Long Cycle Life. <i>Advanced Materials</i> , 2012, 24, 1176-1181.	11.1	959
6	High-Voltage Lithium-Metal Batteries Enabled by Localized High-Concentration Electrolytes. <i>Advanced Materials</i> , 2018, 30, e1706102.	11.1	761
7	Carbon coated Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> as novel electrode material for sodium ion batteries. <i>Electrochemistry Communications</i> , 2012, 14, 86-89.	2.3	693
8	Manipulating Adsorption-Insertion Mechanisms in Nanostructured Carbon Materials for High-Efficiency Sodium Ion Storage. <i>Advanced Energy Materials</i> , 2017, 7, 1700403.	10.2	662
9	Reversible Sodium Ion Insertion in Single Crystalline Manganese Oxide Nanowires with Long Cycle Life. <i>Advanced Materials</i> , 2011, 23, 3155-3160.	11.1	638
10	Direct atomic-scale confirmation of three-phase storage mechanism in Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> anodes for room-temperature sodium-ion batteries. <i>Nature Communications</i> , 2013, 4, 1870.	5.8	628
11	Lewis Acid-Base Interactions between Polysulfides and Metal Organic Framework in Lithium Sulfur Batteries. <i>Nano Letters</i> , 2014, 14, 2345-2352.	4.5	623
12	Monolithic solid-electrolyte interphases formed in fluorinated orthoformate-based electrolytes minimize Li depletion and pulverization. <i>Nature Energy</i> , 2019, 4, 796-805.	19.8	621
13	Enabling High-Voltage Lithium-Metal Batteries under Practical Conditions. <i>Joule</i> , 2019, 3, 1662-1676.	11.7	598
14	Materials Science and Materials Chemistry for Large Scale Electrochemical Energy Storage: From Transportation to Electrical Grid. <i>Advanced Functional Materials</i> , 2013, 23, 929-946.	7.8	590
15	High capacity, reversible alloying reactions in SnSb/C nanocomposites for Na-ion battery applications. <i>Chemical Communications</i> , 2012, 48, 3321.	2.2	566
16	Non-flammable electrolytes with high salt-to-solvent ratios for Li-ion and Li-metal batteries. <i>Nature Energy</i> , 2018, 3, 674-681.	19.8	557
17	High-energy lithium metal pouch cells with limited anode swelling and long stable cycles. <i>Nature Energy</i> , 2019, 4, 551-559.	19.8	492
18	High Energy Density Lithium-Sulfur Batteries: Challenges of Thick Sulfur Cathodes. <i>Advanced Energy Materials</i> , 2015, 5, 1402290.	10.2	483

#	ARTICLE	IF	CITATIONS
19	Sodium Storage and Transport Properties in Layered $\text{Na}_2\text{Ti}_3\text{O}_7$ for Room-Temperature Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2013, 3, 1186-1194.	10.2	456
20	Bridging the academic and industrial metrics for next-generation practical batteries. <i>Nature Nanotechnology</i> , 2019, 14, 200-207.	15.6	420
21	Low-Defect and Low-Porosity Hard Carbon with High Coulombic Efficiency and High Capacity for Practical Sodium Ion Battery Anode. <i>Advanced Energy Materials</i> , 2018, 8, 1703238.	10.2	414
22	Critical Parameters for Evaluating Coin Cells and Pouch Cells of Rechargeable Li-Metal Batteries. <i>Joule</i> , 2019, 3, 1094-1105.	11.7	358
23	Sandwich-type functionalized graphene sheet-sulfur nanocomposite for rechargeable lithium batteries. <i>Physical Chemistry Chemical Physics</i> , 2011, 13, 7660.	1.3	347
24	Hard carbon nanoparticles as high-capacity, high-stability anodic materials for Na-ion batteries. <i>Nano Energy</i> , 2016, 19, 279-288.	8.2	341
25	Non-encapsulation approach for high-performance $\text{Li-S}$ batteries through controlled nucleation and growth. <i>Nature Energy</i> , 2017, 2, 813-820.	19.8	326
26	Joint Charge Storage for High-Rate Aqueous Zinc-Manganese Dioxide Batteries. <i>Advanced Materials</i> , 2019, 31, e1900567.	11.1	299
27	Electrospun $\text{Na}_3\text{V}_2(\text{PO}_4)_3/\text{C}$ nanofibers as stable cathode materials for sodium-ion batteries. <i>Nanoscale</i> , 2014, 6, 5081.	2.8	266
28	A Size-Dependent Sodium Storage Mechanism in $\text{Li}_4\text{Ti}_5\text{O}_{12}$ Investigated by a Novel Characterization Technique Combining in Situ X-ray Diffraction and Chemical Sodiation. <i>Nano Letters</i> , 2013, 13, 4721-4727.	4.5	212
29	Stabilizing Zinc Anode Reactions by Polyethylene Oxide Polymer in Mild Aqueous Electrolytes. <i>Advanced Functional Materials</i> , 2020, 30, 2003932.	7.8	210
30	How to Obtain Reproducible Results for Lithium Sulfur Batteries?. <i>Journal of the Electrochemical Society</i> , 2013, 160, A2288-A2292.	1.3	149
31	Addressing Passivation in Lithium-Sulfur Battery Under Lean Electrolyte Condition. <i>Advanced Functional Materials</i> , 2018, 28, 1707234.	7.8	143
32	On the Way Toward Understanding Solution Chemistry of Lithium Polysulfides for High Energy $\text{Li-S}$ Redox Flow Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1500113.	10.2	142
33	Low-solvation electrolytes for high-voltage sodium-ion batteries. <i>Nature Energy</i> , 2022, 7, 718-725.	19.8	137
34	Reaction heterogeneity in practical high-energy lithium-sulfur pouch cells. <i>Energy and Environmental Science</i> , 2020, 13, 3620-3632.	15.6	127
35	Tailoring the Stability and Kinetics of Zn Anodes through Trace Organic Polymer Additives in Dilute Aqueous Electrolyte. <i>ACS Energy Letters</i> , 2021, 6, 3236-3243.	8.8	124
36	Improving Lithium-Sulfur Battery Performance under Lean Electrolyte through Nanoscale Confinement in Soft Swellable Gels. <i>Nano Letters</i> , 2017, 17, 3061-3067.	4.5	122

#	ARTICLE	IF	CITATIONS
37	Elucidating the Solvation Structure and Dynamics of Lithium Polysulfides Resulting from Competitive Salt and Solvent Interactions. <i>Chemistry of Materials</i> , 2017, 29, 3375-3379.	3.2	117
38	Manipulating Zn anode reactions through salt anion involving hydrogen bonding network in aqueous electrolytes with PEO additive. <i>Nano Energy</i> , 2021, 82, 105739.	8.2	115
39	Following the Transient Reactions in Lithium-Sulfur Batteries Using an In Situ Nuclear Magnetic Resonance Technique. <i>Nano Letters</i> , 2015, 15, 3309-3316.	4.5	107
40	Highly Reversible Sodium Ion Batteries Enabled by Stable Electrolyte-Electrode Interphases. <i>ACS Energy Letters</i> , 2020, 5, 3212-3220.	8.8	97
41	Engineering Solid Electrolyte Interface at Nano-Scale for High-Performance Hard Carbon in Sodium-Ion Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2100278.	7.8	90
42	Controlled Nucleation and Growth Process of $\text{Li}_2\text{S}_2/\text{Li}_2\text{S}$ in Lithium-Sulfur Batteries. <i>Journal of the Electrochemical Society</i> , 2013, 160, A1992-A1996.	1.3	89
43	Detrimental Effects of Chemical Crossover from the Lithium Anode to Cathode in Rechargeable Lithium Metal Batteries. <i>ACS Energy Letters</i> , 2018, 3, 2921-2930.	8.8	89
44	Direct Observation of the Redistribution of Sulfur and Polysulfides in Li-S Batteries During the First Cycle by In Situ X-Ray Fluorescence Microscopy. <i>Advanced Energy Materials</i> , 2015, 5, 1500072.	10.2	84
45	Cathodes for Aqueous Zn-Ion Batteries: Materials, Mechanisms, and Kinetics. <i>Chemistry - A European Journal</i> , 2021, 27, 830-860.	1.7	84
46	Ammonium Additives to Dissolve Lithium Sulfide through Hydrogen Binding for High-Energy Lithium-Sulfur Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 4290-4295.	4.0	74
47	Restricting the Solubility of Polysulfides in Li-S Batteries Via Electrolyte Salt Selection. <i>Advanced Energy Materials</i> , 2016, 6, 1600160.	10.2	66
48	Tunable Oxygen Functional Groups as Electrocatalysts on Graphite Felt Surfaces for All-Vanadium Flow Batteries. <i>ChemSusChem</i> , 2016, 9, 1455-1461.	3.6	66
49	Towards the practical application of Zn metal anodes for mild aqueous rechargeable Zn batteries. <i>Chemical Science</i> , 2022, 13, 8243-8252.	3.7	63
50	Excellent Cycling Stability of Sodium Anode Enabled by a Stable Solid Electrolyte Interphase Formed in Ether-Based Electrolytes. <i>Advanced Functional Materials</i> , 2020, 30, 2001151.	7.8	60
51	Tailored Reaction Route by Micropore Confinement for Li-S Batteries Operating under Lean Electrolyte Conditions. <i>Advanced Energy Materials</i> , 2018, 8, 1800590.	10.2	55
52	Improved Li-S Storage Performance of $\text{Li}_4\text{Ti}_5\text{O}_{12}$ Coated with $\text{C}_i\text{N}$ Compounds Derived from Pyrolysis of Urea through a Low-Temperature Approach. <i>ChemSusChem</i> , 2012, 5, 526-529.	3.6	52
53	Advanced Buffering Acidic Aqueous Electrolytes for Ultra-Long Life Aqueous Zinc-Ion Batteries. <i>Small</i> , 2022, 18, e2200742.	5.2	49
54	Multinuclear NMR Study of the Solid Electrolyte Interface Formed in Lithium Metal Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 14741-14748.	4.0	47

#	ARTICLE	IF	CITATIONS
55	Electrolyte Effect on the Electrochemical Performance of Mild Aqueous Zinc-Electrolytic Manganese Dioxide Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 37524-37530.	4.0	47
56	Effects of water-based binders on electrochemical performance of manganese dioxide cathode in mild aqueous zinc batteries. , 2021, 3, 473-481.		44
57	The Quest for Stable Potassium-Ion Battery Chemistry. <i>Advanced Materials</i> , 2022, 34, e2106876.	11.1	41
58	Effects of Anion Mobility on Electrochemical Behaviors of Lithium-Sulfur Batteries. <i>Chemistry of Materials</i> , 2017, 29, 9023-9029.	3.2	35
59	Origin of Air-Stability for Transition Metal Oxide Cathodes in Sodium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 5338-5345.	4.0	32
60	Surface/Interface Structure and Chemistry of Lithium-Sulfur Batteries: From Density Functional Theory Calculations Perspective. <i>Advanced Energy and Sustainability Research</i> , 2021, 2, 2100007.	2.8	27
61	A lithium-sulfur battery with a solution-mediated pathway operating under lean electrolyte conditions. <i>Nano Energy</i> , 2020, 76, 105041.	8.2	25
62	Monitoring the State-of-Charge of a Vanadium Redox Flow Battery with the Acoustic Attenuation Coefficient: An In Operando Noninvasive Method. <i>Small Methods</i> , 2019, 3, 1900494.	4.6	14
63	Rechargeable Mild Aqueous Zinc Batteries for Grid Storage. <i>Advanced Energy and Sustainability Research</i> , 2020, 1, 2000026.	2.8	10
64	Adjusting the local solvation structures and hydrogen bonding networks for stable aqueous batteries with reduced cost. <i>Journal of Energy Chemistry</i> , 2022, 68, 411-419.	7.1	6
65	Alkali-Ion Storage Behaviour in Spinel Lithium Titanate Electrodes. <i>ChemElectroChem</i> , 2015, 2, 1678-1681.	1.7	5
66	Lean Electrolyte Batteries: Addressing Passivation in Lithium-Sulfur Battery Under Lean Electrolyte Condition ( <i>Adv. Funct. Mater.</i> 38/2018). <i>Advanced Functional Materials</i> , 2018, 28, 1870275.	7.8	5
67	Value personal growth. <i>Nature Energy</i> , 2021, 6, 4-4.	19.8	0
68	Rechargeable Lithium Metal Batteries. , 2019, , 147-203.		0