Morag C Farquhar

List of Publications by Citations

Source: https://exaly.com/author-pdf/1433132/morag-c-farquhar-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers3,146
citations32
h-index54
g-index111
ext. papers3,623
ext. citations4
avg, IF5.32
L-index

#	Paper	IF	Citations
103	Elderly people's definitions of quality of life. Social Science and Medicine, 1995, 41, 1439-46	5.1	368
102	Definitions of quality of life: a taxonomy. <i>Journal of Advanced Nursing</i> , 1995 , 22, 502-8	3.1	206
101	Evaluating complex interventions in end of life care: the MORECare statement on good practice generated by a synthesis of transparent expert consultations and systematic reviews. <i>BMC Medicine</i> , 2013 , 11, 111	11.4	196
100	Measurement of breathlessness in advanced disease: a systematic review. <i>Respiratory Medicine</i> , 2007 , 101, 399-410	4.6	187
99	Is a specialist breathlessness service more effective and cost-effective for patients with advanced cancer and their carers than standard care? Findings of a mixed-method randomised controlled trial. <i>BMC Medicine</i> , 2014 , 12, 194	11.4	120
98	Effect of ambulatory oxygen on quality of life for patients with fibrotic lung disease (AmbOx): a prospective, open-label, mixed-method, crossover randomised controlled trial. <i>Lancet Respiratory Medicine, the</i> , 2018 , 6, 759-770	35.1	92
97	Using mixed methods to develop and evaluate complex interventions in palliative care research. <i>Palliative Medicine</i> , 2011 , 25, 748-57	5.5	74
96	Researching breathlessness in palliative care: consensus statement of the National Cancer Research Institute Palliative Care Breathlessness Subgroup. <i>Palliative Medicine</i> , 2009 , 23, 213-27	5.5	71
95	The impact of a breathlessness intervention service (BIS) on the lives of patients with intractable dyspnea: a qualitative phase 1 study. <i>Palliative and Supportive Care</i> , 2006 , 4, 287-93	2.5	69
94	The clinical and cost effectiveness of a Breathlessness Intervention Service for patients with advanced non-malignant disease and their informal carers: mixed findings of a mixed method randomised controlled trial. <i>Trials</i> , 2016 , 17, 185	2.8	66
93	Caregiver Bereavement Outcome: Relationship with Hospice at Home, Satisfaction with Care, and Home Death. <i>Journal of Palliative Care</i> , 2004 , 20, 69-77	1.8	66
92	Death and the Oldest Old: Attitudes and Preferences for End-of-Life CareQualitative Research within a Population-Based Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0150686	3.7	62
91	Holistic services for people with advanced disease and chronic breathlessness: a systematic review and meta-analysis. <i>Thorax</i> , 2019 , 74, 270-281	7.3	61
90	Changes in life satisfaction over a two and a half year period among very elderly people living in London. <i>Social Science and Medicine</i> , 1993 , 36, 641-55	5.1	60
89	Life satisfaction and associations with social network and support variables in three samples of elderly people. <i>International Journal of Geriatric Psychiatry</i> , 1991 , 6, 549-566	3.9	57
88	Perspectives of patients, family caregivers and physicians about the use of opioids for refractory dyspnea in advanced chronic obstructive pulmonary disease. <i>Cmaj</i> , 2012 , 184, E497-504	3.5	56
87	The influence of patient and carer age in access to palliative care services. <i>Age and Ageing</i> , 2006 , 35, 26	57 ₃ 73	52

(1996-1991)

86	Use of services in old age: data from three surveys of elderly people. <i>Social Science and Medicine</i> , 1991 , 33, 689-700	5.1	52	
85	Barriers to effective communication across the primary/secondary interface: examples from the ovarian cancer patient journey (a qualitative study). <i>European Journal of Cancer Care</i> , 2005 , 14, 359-66	2.4	51	
84	Using opioids to treat dyspnea in advanced COPD: attitudes and experiences of family physicians and respiratory therapists. <i>Canadian Family Physician</i> , 2012 , 58, e401-7	0.9	49	
83	The oldest old in the last year of life: population-based findings from Cambridge city over-75s cohort study participants aged 85 and older at death. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 1-11	5.6	39	
82	Contributions of a hand-held fan to self-management of chronic breathlessness. <i>European Respiratory Journal</i> , 2017 , 50,	13.6	38	
81	Place of death and end-of-life transitions experienced by very old people with differing cognitive status: retrospective analysis of a prospective population-based cohort aged 85 and over. <i>Palliative Medicine</i> , 2014 , 28, 220-33	5.5	38	
80	Associations with social networks, social support, health status and psychiatric morbidity in three samples of elderly people. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1991 , 26, 115-26	4.5	38	
79	Defining patients as palliative: hospital doctors' versus general practitioners' perceptions. <i>Palliative Medicine</i> , 2002 , 16, 247-50	5.5	37	
78	Health beliefs: a cultural division?. Journal of Advanced Nursing, 1992, 17, 1447-54	3.1	37	
77	Support needs of patients with COPD: a systematic literature search and narrative review. <i>International Journal of COPD</i> , 2018 , 13, 1021-1035	3	36	
76	Use of the modified Borg scale and numerical rating scale to measure chronic breathlessness: a pooled data analysis. <i>European Respiratory Journal</i> , 2016 , 47, 1861-4	13.6	35	
75	Quality of life measures (EORTC QLQ-C30 and SF-36) as predictors of survival in palliative colorectal and lung cancer patients. <i>Palliative and Supportive Care</i> , 2009 , 7, 289-97	2.5	35	
74	The feasibility of a single-blinded fast-track pragmatic randomised controlled trial of a complex intervention for breathlessness in advanced disease. <i>BMC Palliative Care</i> , 2009 , 8, 9	3	35	
73	Study protocol: Phase III single-blinded fast-track pragmatic randomised controlled trial of a complex intervention for breathlessness in advanced disease. <i>Trials</i> , 2011 , 12, 130	2.8	34	
72	Team midwifery: the views and job satisfaction of midwives. <i>Midwifery</i> , 1998 , 14, 214-24	2.8	32	
71	Results of a pilot investigation into a complex intervention for breathlessness in advanced chronic obstructive pulmonary disease (COPD): brief report. <i>Palliative and Supportive Care</i> , 2010 , 8, 143-9	2.5	30	
7º	Six key topics informal carers of patients with breathlessness in advanced disease want to learn about and why: MRC phase I study to inform an educational intervention. <i>PLoS ONE</i> , 2017 , 12, e017708	1 ^{3.7}	29	
69	ASSOCIATIONS WITH CHANGES IN LIFE SATISFACTION AMONG THREE SAMPLES OF ELDERLY PEOPLE LIVING AT HOME 1996 , 11, 1077-1087		28	

68	The need to research refractory breathlessness. European Respiratory Journal, 2016, 47, 342-3	13.6	27
67	Mixed methods research in the development and evaluation of complex interventions in palliative and end-of-life care: report on the MORECare consensus exercise. <i>Journal of Palliative Medicine</i> , 2013 , 16, 1550-60	2.2	27
66	The TEAM Approach to Improving Oncology Outcomes by Incorporating Palliative Care in Practice. Journal of Oncology Practice, 2017 , 13, 557-566	3.1	26
65	Changes in network composition among the very old living in inner London. <i>Journal of Cross-Cultural Gerontology</i> , 1995 , 10, 331-47	2	24
64	Delivering palliative care in an acute hospital setting: views of referrers and specialist providers. Journal of Pain and Symptom Management, 2009 , 38, 327-40	4.8	23
63	Place of death for the 'oldest old': > or =85-year-olds in the CC75C population-based cohort. <i>British Journal of General Practice</i> , 2010 , 60, 171-9	1.6	23
62	Continuity of care in maternity services: women's views of one team midwifery scheme. <i>Midwifery</i> , 2000 , 16, 35-47	2.8	23
61	Dying comfortably in very old age with or without dementia in different care settings - a representative "older old" population study. <i>BMC Geriatrics</i> , 2017 , 17, 222	4.1	19
60	Assessing carer needs in chronic obstructive pulmonary disease. <i>Chronic Respiratory Disease</i> , 2018 , 15, 26-35	3	18
59	Strategies designed to help healthcare professionals to recruit participants to research studies. <i>The Cochrane Library</i> , 2016 , 2016,	5.2	17
58	The Effects of a Video Intervention on Posthospitalization Pulmonary Rehabilitation Uptake. A Randomized Controlled Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 201, 151	7-1524	1 ¹⁶
57	Carers and breathlessness. Current Opinion in Supportive and Palliative Care, 2017, 11, 165-173	2.6	16
56	Ambulatory oxygen in fibrotic lung disease (AmbOx): study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 201	2.8	16
55	Sharing news of a lung cancer diagnosis with adult family members and friends: a qualitative study to inform a supportive intervention. <i>Patient Education and Counseling</i> , 2016 , 99, 378-385	3.1	15
54	Fast-track trials in palliative care: an alternative randomized controlled trial design. <i>Journal of Palliative Medicine</i> , 2009 , 12, 213	2.2	15
53	The experience of using the SEIQoL-DW with patients with advanced chronic obstructive pulmonary disease (COPD): issues of process and outcome. <i>Quality of Life Research</i> , 2010 , 19, 619-29	3.7	14
52	Developing a breathlessness intervention service for patients with palliative and supportive care needs, irrespective of diagnosis. <i>Journal of Palliative Care</i> , 2011 , 27, 28-36	1.8	14
51	Associations between the psychological health of patients and carers in advanced COPD. <i>International Journal of COPD</i> , 2017 , 12, 2813-2821	3	13

50	Associations with Changes in Level of Functional Ability. Results from a Follow-up Survey at Two and a Half Years of People Aged 85 Years and Over at Baseline Interview. <i>Ageing and Society</i> , 1994 , 14, 53-73	1.7	13
49	What Are the Key Elements of Educational Interventions for Lay Carers of Patients With Advanced Disease? A Systematic Literature Search and Narrative Review of Structural Components, Processes and Modes of Delivery. <i>Journal of Pain and Symptom Management</i> , 2016 , 52, 117-130.e27	4.8	12
48	General practitioners' and district nurses' views of hospital at home for palliative care. <i>Palliative Medicine</i> , 2002 , 16, 251-4	5.5	11
47	Clinicians' Views of Educational Interventions for Carers of Patients With Breathlessness Due to Advanced Disease: Findings From an Online Survey. <i>Journal of Pain and Symptom Management</i> , 2017 , 53, 265-271	4.8	10
46	Changes in network composition among older people living in inner London and Essex. <i>Health and Place</i> , 1995 , 1, 149-166	4.6	10
45	The Health and Well-being of Jewish People Aged 65 to 85 Years Living at Home in the East End of London. <i>Ageing and Society</i> , 1993 , 13, 213-244	1.7	10
44	Psychiatric morbidity among people aged 85+ in 1987. A follow-up study at two and a half years: Associations with changes in psychiatric morbidity. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 307-321	3.9	10
43	Enabling patients with advanced chronic obstructive pulmonary disease to identify and express their support needs to health care professionals: A qualitative study to develop a tool. <i>Palliative Medicine</i> , 2019 , 33, 663-675	5.5	8
42	Experiences of Pulmonary Rehabilitation in People Living with Chronic Obstructive Pulmonary Disease and Frailty. A Qualitative Interview Study. <i>Annals of the American Thoracic Society</i> , 2020 , 17, 12	21 3 :722	21 ⁸
41	Association of Descriptors of Breathlessness With Diagnosis and Self-Reported Severity of Breathlessness in Patients With Advanced Chronic Obstructive Pulmonary Disease or Cancer. Journal of Pain and Symptom Management, 2016 , 52, 259-64	4.8	8
40	Are within-person Numerical Rating Scale (NRS) ratings of breathlessness 'on average' valid in advanced disease for patients and for patients' informal carers?. <i>BMJ Open Respiratory Research</i> , 2017 , 4, e000235	5.6	8
39	Caregivers' perceived adequacy of support in end-stage lung disease: results of a population survey. <i>BMC Pulmonary Medicine</i> , 2011 , 11, 55	3.5	8
38	Outcome of anxiety and depression at two and a half years after baseline interview: associations with changes in psychiatric morbidity among three samples of elderly people living at home 1996 , 11, 119-129		8
37	Sharing bad news of a lung cancer diagnosis: understanding through communication privacy management theory. <i>Psycho-Oncology</i> , 2016 , 25, 913-8	3.9	8
36	Who are the consistently high users of health and social services? A follow-up study two and a half years later of people aged 85+ at baseline. <i>Health and Social Care in the Community</i> , 2007 , 1, 277-287	2.6	7
35	Does the carer support needs assessment tool cover the established support needs of carers of patients with chronic obstructive pulmonary disease? A systematic literature search and narrative review. <i>Palliative Medicine</i> , 2020 , 34, 1305-1315	5.5	7
34	Predicting outcomes following holistic breathlessness services: A pooled analysis of individual patient data. <i>Palliative Medicine</i> , 2019 , 33, 462-466	5.5	7
33	Do patients and carers agree on symptom burden in advanced COPD?. <i>International Journal of COPD</i> , 2018 , 13, 969-977	3	7

32	Recommendations for services for people living with chronic breathlessness in advanced disease: Results of a transparent expert consultation. <i>Chronic Respiratory Disease</i> , 2019 , 16, 1479973118816448	3	6
31	Working with team midwifery: health visitors' views of one team midwifery scheme. <i>Journal of Advanced Nursing</i> , 1998 , 27, 546-52	3.1	6
30	Supporting informal carers51-69		6
29	Cost-effectiveness of ambulatory oxygen in improving quality of life in fibrotic lung disease: preliminary evidence from the AmbOx Trial. <i>European Respiratory Journal</i> , 2020 , 55,	13.6	5
28	Comparison of respiratory health-related quality of life in patients with intractable breathlessness due to advanced cancer or advanced COPD. <i>BMJ Supportive and Palliative Care</i> , 2016 , 6, 105-8	2.2	5
27	Support Needs Approach for Patients (SNAP) tool: a validation study. <i>BMJ Open</i> , 2019 , 9, e032028	3	5
26	Non-pharmacological interventions for breathlessness in people with cancer. <i>Expert Review of Quality of Life in Cancer Care</i> , 2018 , 1-15		5
25	The experience of transitions in care in very old age: implications for general practice. <i>Family Practice</i> , 2019 , 36, 778-784	1.9	4
24	When Frail Older People Relocate in Very Old Age, Who Makes the Decision?. <i>Innovation in Aging</i> , 2019 , 3, igz030	0.1	4
23	Internet-delivered guided self-help acceptance and commitment therapy for family carers of people with dementia (iACT4CARERS): a feasibility study. <i>Aging and Mental Health</i> , 2021 , 1-9	3.5	4
22	COPD discharge bundle and pulmonary rehabilitation referral and uptake following hospitalisation for acute exacerbation of COPD. <i>Thorax</i> , 2021 ,	7.3	4
21	PREPAREDNESS TO CARE IN ADVANCED COPD: HOW PREPARED ARE INFORMAL CARERS OF PATIENTS WITH ADVANCED COPD AND WHAT ARE THEIR SUPPORT NEEDS? BASELINE DATA FROM AN ONGOING LONGITUDINAL STUDY. <i>BMJ Supportive and Palliative Care</i> , 2014 , 4, A8.3-A9	2.2	3
20	Holistic services for people with advanced disease and chronic or refractory breathlessness: a mixed-methods evidence synthesis. <i>Health Services and Delivery Research</i> , 2019 , 7, 1-104	1.5	3
19	The impact of providing end-of-life care during a pandemic on the mental health and wellbeing of health and social care staff: Systematic review and meta-synthesis. <i>Social Science and Medicine</i> , 2021 , 287, 114397	5.1	2
18	Therapeutic thoracentesis symptoms and activity: a qualitative study. <i>BMJ Supportive and Palliative Care</i> , 2021 ,	2.2	2
17	ENABLING PATIENT-CENTRED CARE IN ADVANCED COPD: IDENTIFYING CARE AND SUPPORT NEEDS. <i>BMJ Supportive and Palliative Care</i> , 2015 , 5, 114.1-114	2.2	1
16	Therapists perceptions and acceptability of providing internet-delivered guided self-help acceptance and commitment therapy (ACT) for family carers of people with dementia (iACT4CARERS): a qualitative study. <i>The Cognitive Behaviour Therapist</i> , 2021 , 14,	2.9	1
15	Integrating Home-Based Exercise Training with a Hospital at Home Service for Patients Hospitalised with Acute Exacerbations of COPD: Developing the Model Using Accelerated Experience-Based Co-Design. <i>International Journal of COPD</i> , 2021 , 16, 1035-1049	3	1

LIST OF PUBLICATIONS

2020, 15, e0239181

Occupational therapy interventions for adult informal carers and implications for intervention 14 design, delivery and evaluation: A systematic review. British Journal of Occupational Therapy,0308022622107921 Understanding how the Support Needs Approach for Patients (SNAP) enables identification, 13 expression and discussion of patient support needs: A qualitative study. Chronic Illness, 2021, 17423953214047840 Supportive and palliative care of adults with respiratory problems experiencing structural vulnerability from homelessness, prison or other criminal justice system involvement. Current 2.6 О 12 Opinion in Supportive and Palliative Care, 2020, 14, 197-205 Face and content validity of the Carer Support Needs Assessment Tool (CSNAT), and feasibility of the CSNAT intervention, for carers of patients with chronic obstructive pulmonary disease. Chronic 11 1.4 Illness, **2021**, 1742395321999433 Communicating uncertainty: contrasting the communication experiences of patients with advanced 10 1.9 Ο COPD and incurable lung cancer. Family Practice, 2021, 38, 637-643 Internet-delivered guided self-help Acceptance and Commitment Therapy for family carers of people with dementia (iACT4CARERS): a qualitative study of carer views and acceptability.. 2 9 International Journal of Qualitative Studies on Health and Well-being, 2022, 17, 2066255 Commentary: Palliative care for people with non-malignant respiratory disease and their carers: a 8 0.9 review of the current evidence. Journal of Research in Nursing, 2019, 24, 431-432 Quality of life measures (EORTC QLQ-C30 and SF-36) as predictors of survival in palliative 2.5 colorectal and lung cancer patients - ERRATUM. Palliative and Supportive Care, 2009, 7, 533-533 Implementation of a complex intervention to improve care for patients whose situations are clinically uncertain in hospital settings: A multi-method study using normalisation process theory. 6 3.7 PLoS ONE, 2020, 15, e0239181 'I'm fine!': Assertions of lack of support need among patients with chronic obstructive pulmonary 5 1.4 disease: A mixed-methods study. Chronic Illness, 2021, 17423953211000386 Implementation of a complex intervention to improve care for patients whose situations are clinically uncertain in hospital settings: A multi-method study using normalisation process theory 4 2020, 15, e0239181 Implementation of a complex intervention to improve care for patients whose situations are clinically uncertain in hospital settings: A multi-method study using normalisation process theory 2020, 15, e0239181 Implementation of a complex intervention to improve care for patients whose situations are clinically uncertain in hospital settings: A multi-method study using normalisation process theory 2 2020, 15, e0239181

Implementation of a complex intervention to improve care for patients whose situations are clinically uncertain in hospital settings: A multi-method study using normalisation process theory