

Morag C Farquhar

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1433132/morag-c-farquhar-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers

3,146
citations

32
h-index

54
g-index

111
ext. papers

3,623
ext. citations

4
avg, IF

5.32
L-index

#	Paper	IF	Citations
103	Internet-delivered guided self-help Acceptance and Commitment Therapy for family carers of people with dementia (iACT4CARERS): a qualitative study of carer views and acceptability.. <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2022 , 17, 2066255	2	0
102	Therapists' perceptions and acceptability of providing internet-delivered guided self-help acceptance and commitment therapy (ACT) for family carers of people with dementia (iACT4CARERS): a qualitative study. <i>The Cognitive Behaviour Therapist</i> , 2021 , 14,	2.9	1
101	Understanding how the Support Needs Approach for Patients (SNAP) enables identification, expression and discussion of patient support needs: A qualitative study. <i>Chronic Illness</i> , 2021 , 17423953211047840	1.4	0
100	Internet-delivered guided self-help acceptance and commitment therapy for family carers of people with dementia (iACT4CARERS): a feasibility study. <i>Aging and Mental Health</i> , 2021 , 1-9	3.5	4
99	Face and content validity of the Carer Support Needs Assessment Tool (CSNAT), and feasibility of the CSNAT intervention, for carers of patients with chronic obstructive pulmonary disease. <i>Chronic Illness</i> , 2021 , 1742395321999433	1.4	0
98	'I'm fine!': Assertions of lack of support need among patients with chronic obstructive pulmonary disease: A mixed-methods study. <i>Chronic Illness</i> , 2021 , 17423953211000386	1.4	
97	COPD discharge bundle and pulmonary rehabilitation referral and uptake following hospitalisation for acute exacerbation of COPD. <i>Thorax</i> , 2021 ,	7.3	4
96	Communicating uncertainty: contrasting the communication experiences of patients with advanced COPD and incurable lung cancer. <i>Family Practice</i> , 2021 , 38, 637-643	1.9	0
95	Integrating Home-Based Exercise Training with a Hospital at Home Service for Patients Hospitalised with Acute Exacerbations of COPD: Developing the Model Using Accelerated Experience-Based Co-Design. <i>International Journal of COPD</i> , 2021 , 16, 1035-1049	3	1
94	The impact of providing end-of-life care during a pandemic on the mental health and wellbeing of health and social care staff: Systematic review and meta-synthesis. <i>Social Science and Medicine</i> , 2021 , 287, 114397	5.1	2
93	Therapeutic thoracentesis symptoms and activity: a qualitative study. <i>BMJ Supportive and Palliative Care</i> , 2021 ,	2.2	2
92	The Effects of a Video Intervention on Posthospitalization Pulmonary Rehabilitation Uptake. A Randomized Controlled Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 201, 1517-1524	10.3	16
91	Experiences of Pulmonary Rehabilitation in People Living with Chronic Obstructive Pulmonary Disease and Frailty. A Qualitative Interview Study. <i>Annals of the American Thoracic Society</i> , 2020 , 17, 1213-1221	4.7	8
90	Cost-effectiveness of ambulatory oxygen in improving quality of life in fibrotic lung disease: preliminary evidence from the AmbOx Trial. <i>European Respiratory Journal</i> , 2020 , 55,	13.6	5
89	Does the carer support needs assessment tool cover the established support needs of carers of patients with chronic obstructive pulmonary disease? A systematic literature search and narrative review. <i>Palliative Medicine</i> , 2020 , 34, 1305-1315	5.5	7
88	Supportive and palliative care of adults with respiratory problems experiencing structural vulnerability from homelessness, prison or other criminal justice system involvement. <i>Current Opinion in Supportive and Palliative Care</i> , 2020 , 14, 197-205	2.6	0
87	Implementation of a complex intervention to improve care for patients whose situations are clinically uncertain in hospital settings: A multi-method study using normalisation process theory. <i>PLoS ONE</i> , 2020 , 15, e0239181	3.7	

86	Implementation of a complex intervention to improve care for patients whose situations are clinically uncertain in hospital settings: A multi-method study using normalisation process theory 2020 , 15, e0239181		
85	Implementation of a complex intervention to improve care for patients whose situations are clinically uncertain in hospital settings: A multi-method study using normalisation process theory 2020 , 15, e0239181		
84	Implementation of a complex intervention to improve care for patients whose situations are clinically uncertain in hospital settings: A multi-method study using normalisation process theory 2020 , 15, e0239181		
83	Implementation of a complex intervention to improve care for patients whose situations are clinically uncertain in hospital settings: A multi-method study using normalisation process theory 2020 , 15, e0239181		
82	Commentary: Palliative care for people with non-malignant respiratory disease and their carers: a review of the current evidence. <i>Journal of Research in Nursing</i> , 2019 , 24, 431-432	0.9	
81	Enabling patients with advanced chronic obstructive pulmonary disease to identify and express their support needs to health care professionals: A qualitative study to develop a tool. <i>Palliative Medicine</i> , 2019 , 33, 663-675	5.5	8
80	Recommendations for services for people living with chronic breathlessness in advanced disease: Results of a transparent expert consultation. <i>Chronic Respiratory Disease</i> , 2019 , 16, 1479973118816448	3	6
79	The experience of transitions in care in very old age: implications for general practice. <i>Family Practice</i> , 2019 , 36, 778-784	1.9	4
78	When Frail Older People Relocate in Very Old Age, Who Makes the Decision?. <i>Innovation in Aging</i> , 2019 , 3, igz030	0.1	4
77	Holistic services for people with advanced disease and chronic or refractory breathlessness: a mixed-methods evidence synthesis. <i>Health Services and Delivery Research</i> , 2019 , 7, 1-104	1.5	3
76	Predicting outcomes following holistic breathlessness services: A pooled analysis of individual patient data. <i>Palliative Medicine</i> , 2019 , 33, 462-466	5.5	7
75	Support Needs Approach for Patients (SNAP) tool: a validation study. <i>BMJ Open</i> , 2019 , 9, e032028	3	5
74	Holistic services for people with advanced disease and chronic breathlessness: a systematic review and meta-analysis. <i>Thorax</i> , 2019 , 74, 270-281	7.3	61
73	Support needs of patients with COPD: a systematic literature search and narrative review. <i>International Journal of COPD</i> , 2018 , 13, 1021-1035	3	36
72	Assessing carer needs in chronic obstructive pulmonary disease. <i>Chronic Respiratory Disease</i> , 2018 , 15, 26-35	3	18
71	Non-pharmacological interventions for breathlessness in people with cancer. <i>Expert Review of Quality of Life in Cancer Care</i> , 2018 , 1-15		5
70	Effect of ambulatory oxygen on quality of life for patients with fibrotic lung disease (AmbOx): a prospective, open-label, mixed-method, crossover randomised controlled trial. <i>Lancet Respiratory Medicine</i> , 2018 , 6, 759-770	35.1	92
69	Do patients and carers agree on symptom burden in advanced COPD?. <i>International Journal of COPD</i> , 2018 , 13, 969-977	3	7

68	Six key topics informal carers of patients with breathlessness in advanced disease want to learn about and why: MRC phase I study to inform an educational intervention. <i>PLoS ONE</i> , 2017 , 12, e0177081	3.7	29
67	Clinicians' Views of Educational Interventions for Carers of Patients With Breathlessness Due to Advanced Disease: Findings From an Online Survey. <i>Journal of Pain and Symptom Management</i> , 2017 , 53, 265-271	4.8	10
66	Dying comfortably in very old age with or without dementia in different care settings - a representative "older old" population study. <i>BMC Geriatrics</i> , 2017 , 17, 222	4.1	19
65	Associations between the psychological health of patients and carers in advanced COPD. <i>International Journal of COPD</i> , 2017 , 12, 2813-2821	3	13
64	The TEAM Approach to Improving Oncology Outcomes by Incorporating Palliative Care in Practice. <i>Journal of Oncology Practice</i> , 2017 , 13, 557-566	3.1	26
63	Contributions of a hand-held fan to self-management of chronic breathlessness. <i>European Respiratory Journal</i> , 2017 , 50,	13.6	38
62	Carers and breathlessness. <i>Current Opinion in Supportive and Palliative Care</i> , 2017 , 11, 165-173	2.6	16
61	Ambulatory oxygen in fibrotic lung disease (AmbOx): study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 201	2.8	16
60	Are within-person Numerical Rating Scale (NRS) ratings of breathlessness 'on average' valid in advanced disease for patients and for patients' informal carers?. <i>BMJ Open Respiratory Research</i> , 2017 , 4, e000235	5.6	8
59	Strategies designed to help healthcare professionals to recruit participants to research studies. <i>The Cochrane Library</i> , 2016 , 2016,	5.2	17
58	Association of Descriptors of Breathlessness With Diagnosis and Self-Reported Severity of Breathlessness in Patients With Advanced Chronic Obstructive Pulmonary Disease or Cancer. <i>Journal of Pain and Symptom Management</i> , 2016 , 52, 259-64	4.8	8
57	What Are the Key Elements of Educational Interventions for Lay Carers of Patients With Advanced Disease? A Systematic Literature Search and Narrative Review of Structural Components, Processes and Modes of Delivery. <i>Journal of Pain and Symptom Management</i> , 2016 , 52, 117-130.e27	4.8	12
56	The clinical and cost effectiveness of a Breathlessness Intervention Service for patients with advanced non-malignant disease and their informal carers: mixed findings of a mixed method randomised controlled trial. <i>Trials</i> , 2016 , 17, 185	2.8	66
55	Use of the modified Borg scale and numerical rating scale to measure chronic breathlessness: a pooled data analysis. <i>European Respiratory Journal</i> , 2016 , 47, 1861-4	13.6	35
54	Sharing news of a lung cancer diagnosis with adult family members and friends: a qualitative study to inform a supportive intervention. <i>Patient Education and Counseling</i> , 2016 , 99, 378-385	3.1	15
53	The need to research refractory breathlessness. <i>European Respiratory Journal</i> , 2016 , 47, 342-3	13.6	27
52	Death and the Oldest Old: Attitudes and Preferences for End-of-Life Care--Qualitative Research within a Population-Based Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0150686	3.7	62
51	Sharing bad news of a lung cancer diagnosis: understanding through communication privacy management theory. <i>Psycho-Oncology</i> , 2016 , 25, 913-8	3.9	8

50	Comparison of respiratory health-related quality of life in patients with intractable breathlessness due to advanced cancer or advanced COPD. <i>BMJ Supportive and Palliative Care</i> , 2016 , 6, 105-8	2.2	5
49	ENABLING PATIENT-CENTRED CARE IN ADVANCED COPD: IDENTIFYING CARE AND SUPPORT NEEDS. <i>BMJ Supportive and Palliative Care</i> , 2015 , 5, 114.1-114	2.2	1
48	Place of death and end-of-life transitions experienced by very old people with differing cognitive status: retrospective analysis of a prospective population-based cohort aged 85 and over. <i>Palliative Medicine</i> , 2014 , 28, 220-33	5.5	38
47	Is a specialist breathlessness service more effective and cost-effective for patients with advanced cancer and their carers than standard care? Findings of a mixed-method randomised controlled trial. <i>BMC Medicine</i> , 2014 , 12, 194	11.4	120
46	PREPAREDNESS TO CARE IN ADVANCED COPD: HOW PREPARED ARE INFORMAL CARERS OF PATIENTS WITH ADVANCED COPD AND WHAT ARE THEIR SUPPORT NEEDS? BASELINE DATA FROM AN ONGOING LONGITUDINAL STUDY. <i>BMJ Supportive and Palliative Care</i> , 2014 , 4, A8.3-A9	2.2	3
45	Evaluating complex interventions in end of life care: the MORECare statement on good practice generated by a synthesis of transparent expert consultations and systematic reviews. <i>BMC Medicine</i> , 2013 , 11, 111	11.4	196
44	Mixed methods research in the development and evaluation of complex interventions in palliative and end-of-life care: report on the MORECare consensus exercise. <i>Journal of Palliative Medicine</i> , 2013 , 16, 1550-60	2.2	27
43	Perspectives of patients, family caregivers and physicians about the use of opioids for refractory dyspnea in advanced chronic obstructive pulmonary disease. <i>Cmaj</i> , 2012 , 184, E497-504	3.5	56
42	Using opioids to treat dyspnea in advanced COPD: attitudes and experiences of family physicians and respiratory therapists. <i>Canadian Family Physician</i> , 2012 , 58, e401-7	0.9	49
41	Study protocol: Phase III single-blinded fast-track pragmatic randomised controlled trial of a complex intervention for breathlessness in advanced disease. <i>Trials</i> , 2011 , 12, 130	2.8	34
40	Caregivers' perceived adequacy of support in end-stage lung disease: results of a population survey. <i>BMC Pulmonary Medicine</i> , 2011 , 11, 55	3.5	8
39	Using mixed methods to develop and evaluate complex interventions in palliative care research. <i>Palliative Medicine</i> , 2011 , 25, 748-57	5.5	74
38	Developing a breathlessness intervention service for patients with palliative and supportive care needs, irrespective of diagnosis. <i>Journal of Palliative Care</i> , 2011 , 27, 28-36	1.8	14
37	Results of a pilot investigation into a complex intervention for breathlessness in advanced chronic obstructive pulmonary disease (COPD): brief report. <i>Palliative and Supportive Care</i> , 2010 , 8, 143-9	2.5	30
36	Place of death for the 'oldest old': > or =85-year-olds in the CC75C population-based cohort. <i>British Journal of General Practice</i> , 2010 , 60, 171-9	1.6	23
35	The experience of using the SEIQoL-DW with patients with advanced chronic obstructive pulmonary disease (COPD): issues of process and outcome. <i>Quality of Life Research</i> , 2010 , 19, 619-29	3.7	14
34	The oldest old in the last year of life: population-based findings from Cambridge city over-75s cohort study participants aged 85 and older at death. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 1-11	5.6	39
33	Fast-track trials in palliative care: an alternative randomized controlled trial design. <i>Journal of Palliative Medicine</i> , 2009 , 12, 213	2.2	15

32	Quality of life measures (EORTC QLQ-C30 and SF-36) as predictors of survival in palliative colorectal and lung cancer patients. <i>Palliative and Supportive Care</i> , 2009 , 7, 289-97	2.5	35
31	Delivering palliative care in an acute hospital setting: views of referrers and specialist providers. <i>Journal of Pain and Symptom Management</i> , 2009 , 38, 327-40	4.8	23
30	The feasibility of a single-blinded fast-track pragmatic randomised controlled trial of a complex intervention for breathlessness in advanced disease. <i>BMC Palliative Care</i> , 2009 , 8, 9	3	35
29	Researching breathlessness in palliative care: consensus statement of the National Cancer Research Institute Palliative Care Breathlessness Subgroup. <i>Palliative Medicine</i> , 2009 , 23, 213-27	5.5	71
28	Quality of life measures (EORTC QLQ-C30 and SF-36) as predictors of survival in palliative colorectal and lung cancer patients - ERRATUM. <i>Palliative and Supportive Care</i> , 2009 , 7, 533-533	2.5	
27	Who are the consistently high users of health and social services? A follow-up study two and a half years later of people aged 85+ at baseline. <i>Health and Social Care in the Community</i> , 2007 , 1, 277-287	2.6	7
26	Measurement of breathlessness in advanced disease: a systematic review. <i>Respiratory Medicine</i> , 2007 , 101, 399-410	4.6	187
25	The influence of patient and carer age in access to palliative care services. <i>Age and Ageing</i> , 2006 , 35, 267-73		52
24	The impact of a breathlessness intervention service (BIS) on the lives of patients with intractable dyspnea: a qualitative phase 1 study. <i>Palliative and Supportive Care</i> , 2006 , 4, 287-93	2.5	69
23	Barriers to effective communication across the primary/secondary interface: examples from the ovarian cancer patient journey (a qualitative study). <i>European Journal of Cancer Care</i> , 2005 , 14, 359-66	2.4	51
22	Caregiver Bereavement Outcome: Relationship with Hospice at Home, Satisfaction with Care, and Home Death. <i>Journal of Palliative Care</i> , 2004 , 20, 69-77	1.8	66
21	General practitioners' and district nurses' views of hospital at home for palliative care. <i>Palliative Medicine</i> , 2002 , 16, 251-4	5.5	11
20	Defining patients as palliative: hospital doctors' versus general practitioners' perceptions. <i>Palliative Medicine</i> , 2002 , 16, 247-50	5.5	37
19	Continuity of care in maternity services: women's views of one team midwifery scheme. <i>Midwifery</i> , 2000 , 16, 35-47	2.8	23
18	Working with team midwifery: health visitors' views of one team midwifery scheme. <i>Journal of Advanced Nursing</i> , 1998 , 27, 546-52	3.1	6
17	Team midwifery: the views and job satisfaction of midwives. <i>Midwifery</i> , 1998 , 14, 214-24	2.8	32
16	Outcome of anxiety and depression at two and a half years after baseline interview: associations with changes in psychiatric morbidity among three samples of elderly people living at home 1996 , 11, 119-129		8
15	ASSOCIATIONS WITH CHANGES IN LIFE SATISFACTION AMONG THREE SAMPLES OF ELDERLY PEOPLE LIVING AT HOME 1996 , 11, 1077-1087		28

14	Changes in network composition among the very old living in inner London. <i>Journal of Cross-Cultural Gerontology</i> , 1995 , 10, 331-47	2	24
13	Definitions of quality of life: a taxonomy. <i>Journal of Advanced Nursing</i> , 1995 , 22, 502-8	3.1	206
12	Elderly people's definitions of quality of life. <i>Social Science and Medicine</i> , 1995 , 41, 1439-46	5.1	368
11	Changes in network composition among older people living in inner London and Essex. <i>Health and Place</i> , 1995 , 1, 149-166	4.6	10
10	Associations with Changes in Level of Functional Ability. Results from a Follow-up Survey at Two and a Half Years of People Aged 85 Years and Over at Baseline Interview. <i>Ageing and Society</i> , 1994 , 14, 53-73	1.7	13
9	The Health and Well-being of Jewish People Aged 65 to 85 Years Living at Home in the East End of London. <i>Ageing and Society</i> , 1993 , 13, 213-244	1.7	10
8	Changes in life satisfaction over a two and a half year period among very elderly people living in London. <i>Social Science and Medicine</i> , 1993 , 36, 641-55	5.1	60
7	Health beliefs: a cultural division?. <i>Journal of Advanced Nursing</i> , 1992 , 17, 1447-54	3.1	37
6	Psychiatric morbidity among people aged 85+ in 1987. A follow-up study at two and a half years: Associations with changes in psychiatric morbidity. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 307-321	3.9	10
5	Use of services in old age: data from three surveys of elderly people. <i>Social Science and Medicine</i> , 1991 , 33, 689-700	5.1	52
4	Life satisfaction and associations with social network and support variables in three samples of elderly people. <i>International Journal of Geriatric Psychiatry</i> , 1991 , 6, 549-566	3.9	57
3	Associations with social networks, social support, health status and psychiatric morbidity in three samples of elderly people. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1991 , 26, 115-26	4.5	38
2	Supporting informal carers51-69		6
1	Occupational therapy interventions for adult informal carers and implications for intervention design, delivery and evaluation: A systematic review. <i>British Journal of Occupational Therapy</i> ,0308022622110792 ¹		