

List of Publications by Citations

Source: <https://exaly.com/author-pdf/143489/ian-d-small-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164 papers	17,197 citations	69 h-index	130 g-index
179 ext. papers	21,048 ext. citations	8.7 avg, IF	6.7 L-index

#	Paper	IF	Citations
164	Shifting the limits in wheat research and breeding using a fully annotated reference genome. <i>Science</i> , 2018 , 361,	33.3	1296
163	Genome-wide analysis of Arabidopsis pentatricopeptide repeat proteins reveals their essential role in organelle biogenesis. <i>Plant Cell</i> , 2004 , 16, 2089-103	11.6	956
162	Predotar: A tool for rapidly screening proteomes for N-terminal targeting sequences. <i>Proteomics</i> , 2004 , 4, 1581-90	4.8	725
161	Pentatricopeptide repeat proteins: a socket set for organelle gene expression. <i>Trends in Plant Science</i> , 2008 , 13, 663-70	13.1	644
160	The PPR motif - a TPR-related motif prevalent in plant organellar proteins. <i>Trends in Biochemical Sciences</i> , 2000 , 25, 46-7	10.3	642
159	Pentatricopeptide repeat proteins in plants. <i>Annual Review of Plant Biology</i> , 2014 , 65, 415-42	30.7	584
158	The transcriptional landscape of polyploid wheat. <i>Science</i> , 2018 , 361,	33.3	368
157	SUBA: the Arabidopsis Subcellular Database. <i>Nucleic Acids Research</i> , 2007 , 35, D213-8	20.1	364
156	A combinatorial amino acid code for RNA recognition by pentatricopeptide repeat proteins. <i>PLoS Genetics</i> , 2012 , 8, e1002910	6	347
155	Plastid signalling to the nucleus and beyond. <i>Trends in Plant Science</i> , 2008 , 13, 602-9	13.1	316
154	On the expansion of the pentatricopeptide repeat gene family in plants. <i>Molecular Biology and Evolution</i> , 2008 , 25, 1120-8	8.3	283
153	Versatile gene-specific sequence tags for Arabidopsis functional genomics: transcript profiling and reverse genetics applications. <i>Genome Research</i> , 2004 , 14, 2176-89	9.7	265
152	Identification of the fertility restoration locus, Rfo, in radish, as a member of the pentatricopeptide-repeat protein family. <i>EMBO Reports</i> , 2003 , 4, 588-94	6.5	264
151	SUBA3: a database for integrating experimentation and prediction to define the SUBcellular location of proteins in Arabidopsis. <i>Nucleic Acids Research</i> , 2013 , 41, D1185-91	20.1	243
150	Genome-wide analysis of mRNA decay rates and their determinants in Arabidopsis thaliana. <i>Plant Cell</i> , 2007 , 19, 3418-36	11.6	239
149	Evolution of plant mitochondrial genomes via substoichiometric intermediates. <i>Cell</i> , 1989 , 58, 69-76	56.2	235
148	Remodeled respiration in ndufs4 with low phosphorylation efficiency suppresses Arabidopsis germination and growth and alters control of metabolism at night. <i>Plant Physiology</i> , 2009 , 151, 603-19	6.6	216

147	The pentatricopeptide repeat gene OTP43 is required for trans-splicing of the mitochondrial nad1 Intron 1 in Arabidopsis thaliana. <i>Plant Cell</i> , 2007 , 19, 3256-65	11.6	214
146	CLB19, a pentatricopeptide repeat protein required for editing of rpoA and clpP chloroplast transcripts. <i>Plant Journal</i> , 2008 , 56, 590-602	6.9	212
145	The evolution of RNA editing and pentatricopeptide repeat genes. <i>New Phytologist</i> , 2011 , 191, 37-47	9.8	206
144	Dual targeting to mitochondria and chloroplasts. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2001 , 1541, 54-63	4.9	203
143	Dual targeting is the rule for organellar aminoacyl-tRNA synthetases in Arabidopsis thaliana. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 16484-9	11.5	195
142	Pentatricopeptide repeat (PPR) proteins as sequence-specificity factors in post-transcriptional processes in organelles. <i>Biochemical Society Transactions</i> , 2007 , 35, 1643-7	5.1	193
141	Selection patterns on restorer-like genes reveal a conflict between nuclear and mitochondrial genomes throughout angiosperm evolution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 1723-8	11.5	190
140	A hypothesis on the identification of the editing enzyme in plant organelles. <i>FEBS Letters</i> , 2007 , 581, 4132-8	3.8	185
139	Pentatricopeptide repeat proteins with the DYW motif have distinct molecular functions in RNA editing and RNA cleavage in Arabidopsis chloroplasts. <i>Plant Cell</i> , 2009 , 21, 146-56	11.6	184
138	Rampant gene loss in the underground orchid <i>Rhizanthella gardneri</i> highlights evolutionary constraints on plastid genomes. <i>Molecular Biology and Evolution</i> , 2011 , 28, 2077-86	8.3	181
137	Multiple wheat genomes reveal global variation in modern breeding. <i>Nature</i> , 2020 , 588, 277-283	50.4	180
136	Redefining the structural motifs that determine RNA binding and RNA editing by pentatricopeptide repeat proteins in land plants. <i>Plant Journal</i> , 2016 , 85, 532-47	6.9	176
135	Fern genomes elucidate land plant evolution and cyanobacterial symbioses. <i>Nature Plants</i> , 2018 , 4, 460-472	11.5	176
134	Systems-based analysis of Arabidopsis leaf growth reveals adaptation to water deficit. <i>Molecular Systems Biology</i> , 2012 , 8, 606	12.2	163
133	Novel proteins, putative membrane transporters, and an integrated metabolic network are revealed by quantitative proteomic analysis of Arabidopsis cell culture peroxisomes. <i>Plant Physiology</i> , 2008 , 148, 1809-29	6.6	156
132	The Arabidopsis gene YS1 encoding a DYW protein is required for editing of rpoB transcripts and the rapid development of chloroplasts during early growth. <i>Plant Journal</i> , 2009 , 58, 82-96	6.9	155
131	Stoichiometric differences in DNA molecules containing the atpA gene suggest mechanisms for the generation of mitochondrial genome diversity in maize. <i>EMBO Journal</i> , 1987 , 6, 865-869	13	149
130	A study of new Arabidopsis chloroplast RNA editing mutants reveals general features of editing factors and their target sites. <i>Plant Cell</i> , 2009 , 21, 3686-99	11.6	148

129	Sequence and transcript analysis of the Nco2.5 Ogura-specific fragment correlated with cytoplasmic male sterility in Brassica cybrids. <i>Molecular Genetics and Genomics</i> , 1992 , 235, 340-8		148
128	A rapid high-throughput method for the detection and quantification of RNA editing based on high-resolution melting of amplicons. <i>Nucleic Acids Research</i> , 2007 , 35, e114	20.1	141
127	Recent surprises in protein targeting to mitochondria and plastids. <i>Current Opinion in Plant Biology</i> , 2006 , 9, 610-5	9.9	131
126	Approaches to defining dual-targeted proteins in Arabidopsis. <i>Plant Journal</i> , 2009 , 57, 1128-39	6.9	121
125	Plant RNA editing. <i>RNA Biology</i> , 2010 , 7, 213-9	4.8	119
124	Phage-type RNA polymerase RPOTmp performs gene-specific transcription in mitochondria of Arabidopsis thaliana. <i>Plant Cell</i> , 2009 , 21, 2762-79	11.6	116
123	The pentatricopeptide repeat gene OTP51 with two LAGLIDADG motifs is required for the cis-splicing of plastid ycf3 intron 2 in Arabidopsis thaliana. <i>Plant Journal</i> , 2008 , 56, 157-68	6.9	113
122	SUBAcon: a consensus algorithm for unifying the subcellular localization data of the Arabidopsis proteome. <i>Bioinformatics</i> , 2014 , 30, 3356-64	7.2	112
121	RNAi for revealing and engineering plant gene functions. <i>Current Opinion in Biotechnology</i> , 2007 , 18, 148-53	11.4	111
120	A reevaluation of dual-targeting of proteins to mitochondria and chloroplasts. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013 , 1833, 253-9	4.9	105
119	Identification of a pentatricopeptide repeat protein implicated in splicing of intron 1 of mitochondrial nad7 transcripts. <i>Journal of Biological Chemistry</i> , 2010 , 285, 32192-9	5.4	103
118	Two birds with one stone: genes that encode products targeted to two or more compartments. <i>Plant Molecular Biology</i> , 1998 , 38, 265-277	4.6	102
117	Nuclearly encoded splicing factors implicated in RNA splicing in higher plant organelles. <i>Molecular Plant</i> , 2010 , 3, 691-705	14.4	97
116	Small kernel 1 encodes a pentatricopeptide repeat protein required for mitochondrial nad7 transcript editing and seed development in maize (Zea mays) and rice (Oryza sativa). <i>Plant Journal</i> , 2014 , 79, 797-809	6.9	94
115	Chloroplast ribonucleoprotein CP31A is required for editing and stability of specific chloroplast mRNAs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 6002-7	11.5	91
114	OTP70 is a pentatricopeptide repeat protein of the E subgroup involved in splicing of the plastid transcript rpoC1. <i>Plant Journal</i> , 2011 , 65, 532-42	6.9	90
113	nMAT1, a nuclear-encoded maturase involved in the trans-splicing of nad1 intron 1, is essential for mitochondrial complex I assembly and function. <i>Plant Journal</i> , 2012 , 71, 413-26	6.9	89
112	Two interacting proteins are necessary for the editing of the NdhD-1 site in Arabidopsis plastids. <i>Plant Cell</i> , 2012 , 24, 3684-94	11.6	89

111	The multifarious roles of PPR proteins in plant mitochondrial gene expression. <i>Physiologia Plantarum</i> , 2007 , 129, 14-22	4.6	89
110	Pentatricopeptide repeat proteins in <i>Trypanosoma brucei</i> function in mitochondrial ribosomes. <i>Molecular and Cellular Biology</i> , 2007 , 27, 6876-88	4.8	87
109	Arabidopsis chloroplast RNA binding proteins CP31A and CP29A associate with large transcript pools and confer cold stress tolerance by influencing multiple chloroplast RNA processing steps. <i>Plant Cell</i> , 2012 , 24, 4266-80	11.6	84
108	The pentatricopeptide repeat protein OTP82 is required for RNA editing of plastid <i>ndhB</i> and <i>ndhG</i> transcripts. <i>Plant Journal</i> , 2010 , 61, 339-49	6.9	82
107	Complex I dysfunction redirects cellular and mitochondrial metabolism in Arabidopsis. <i>Plant Physiology</i> , 2008 , 148, 1324-41	6.6	82
106	An Arabidopsis dual-localized pentatricopeptide repeat protein interacts with nuclear proteins involved in gene expression regulation. <i>Plant Cell</i> , 2011 , 23, 730-40	11.6	80
105	Nucleotide and RNA metabolism prime translational initiation in the earliest events of mitochondrial biogenesis during Arabidopsis germination. <i>Plant Physiology</i> , 2012 , 158, 1610-27	6.6	79
104	Mutations in an Arabidopsis mitochondrial transcription termination factor-related protein enhance thermotolerance in the absence of the major molecular chaperone HSP101. <i>Plant Cell</i> , 2012 , 24, 3349-65	11.6	77
103	Plant organellar RNA editing: what 30 years of research has revealed. <i>Plant Journal</i> , 2020 , 101, 1040-1056	6.9	77
102	Is agriculture driving the diversification of the <i>Bemisia tabaci</i> species complex (Hemiptera: Sternorrhyncha: Aleyrodidae)? Dating, diversification and biogeographic evidence revealed. <i>BMC Evolutionary Biology</i> , 2013 , 13, 228	3	76
101	A PORR domain protein required for <i>rpl2</i> and <i>ccmF(C)</i> intron splicing and for the biogenesis of c-type cytochromes in Arabidopsis mitochondria. <i>Plant Journal</i> , 2012 , 69, 996-1005	6.9	75
100	mCSF1, a nucleus-encoded CRM protein required for the processing of many mitochondrial introns, is involved in the biogenesis of respiratory complexes I and IV in Arabidopsis. <i>New Phytologist</i> , 2013 , 199, 379-394	9.8	74
99	The cytidine deaminase signature HxE(x)n CxxC of DYW1 binds zinc and is necessary for RNA editing of <i>ndhD-1</i> . <i>New Phytologist</i> , 2014 , 203, 1090-1095	9.8	73
98	A single base change prevents import of cytosolic tRNA(Ala) into mitochondria in transgenic plants. <i>Plant Journal</i> , 1996 , 10, 913-8	6.9	72
97	Duplication and quadruplication of Arabidopsis thaliana cysteinyl- and asparaginyl-tRNA synthetase genes of organellar origin. <i>Journal of Molecular Evolution</i> , 2000 , 50, 413-23	3.1	69
96	Editing and import: strategies for providing plant mitochondria with a complete set of functional transfer RNAs. <i>Biochimie</i> , 1996 , 78, 518-29	4.6	68
95	The plastid redox insensitive 2 mutant of Arabidopsis is impaired in PEP activity and high light-dependent plastid redox signalling to the nucleus. <i>Plant Journal</i> , 2012 , 70, 279-91	6.9	67
94	The pentatricopeptide repeat protein OTP87 is essential for RNA editing of <i>nad7</i> and <i>atp1</i> transcripts in Arabidopsis mitochondria. <i>Journal of Biological Chemistry</i> , 2011 , 286, 21361-71	5.4	66

93	nMAT4, a maturase factor required for nad1 pre-mRNA processing and maturation, is essential for holocomplex I biogenesis in Arabidopsis mitochondria. <i>Plant Journal</i> , 2014 , 78, 253-68	6.9	64
92	Albinism in Plants: A Major Bottleneck in Wide Hybridization, Androgenesis and Doubled Haploid Culture. <i>Critical Reviews in Plant Sciences</i> , 2009 , 28, 393-409	5.6	63
91	Potential dual targeting of an Arabidopsis archaeobacterial-like histidyl-tRNA synthetase to mitochondria and chloroplasts. <i>FEBS Letters</i> , 1998 , 431, 39-44	3.8	63
90	The Pentatricopeptide Repeat Proteins TANG2 and ORGANELLE TRANSCRIPT PROCESSING439 Are Involved in the Splicing of the Multipartite nad5 Transcript Encoding a Subunit of Mitochondrial Complex I. <i>Plant Physiology</i> , 2014 , 165, 1409-1416	6.6	61
89	Large scale genome skimming from herbarium material for accurate plant identification and phylogenomics. <i>Plant Methods</i> , 2020 , 16, 1	5.8	61
88	The cytoskeleton and the peroxisomal-targeted snowy cotyledon3 protein are required for chloroplast development in Arabidopsis. <i>Plant Cell</i> , 2010 , 22, 3423-38	11.6	59
87	Arabidopsis tRNA adenosine deaminase arginine edits the wobble nucleotide of chloroplast tRNA ^{Arg} (ACG) and is essential for efficient chloroplast translation. <i>Plant Cell</i> , 2009 , 21, 2058-71	11.6	59
86	The nuclear and organellar tRNA-derived RNA fragment population in Arabidopsis thaliana is highly dynamic. <i>Nucleic Acids Research</i> , 2017 , 45, 3460-3472	20.1	57
85	Predictable alteration of sequence recognition by RNA editing factors from Arabidopsis. <i>Plant Cell</i> , 2015 , 27, 403-16	11.6	55
84	AEF1/MPR25 is implicated in RNA editing of plastid atpF and mitochondrial nad5, and also promotes atpF splicing in Arabidopsis and rice. <i>Plant Journal</i> , 2015 , 81, 661-9	6.9	54
83	Surveillance and cleavage of eukaryotic tRNAs. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 1878-93	9.3	51
82	Overlapping destinations for two dual targeted glycyl-tRNA synthetases in Arabidopsis thaliana and Phaseolus vulgaris. <i>Journal of Biological Chemistry</i> , 2001 , 276, 15275-83	5.4	51
81	The E domains of pentatricopeptide repeat proteins from different organelles are not functionally equivalent for RNA editing. <i>Plant Journal</i> , 2013 , 74, 935-45	6.9	50
80	The potential for manipulating RNA with pentatricopeptide repeat proteins. <i>Plant Journal</i> , 2014 , 78, 772-82	6.9	50
79	Organellar RNA editing. <i>Wiley Interdisciplinary Reviews RNA</i> , 2011 , 2, 493-506	9.3	48
78	SOT1, a pentatricopeptide repeat protein with a small MutS-related domain, is required for correct processing of plastid 23S-4.5S rRNA precursors in Arabidopsis thaliana. <i>Plant Journal</i> , 2016 , 85, 607-21	6.9	48
77	Integration of complete chloroplast genome sequences with small amplicon datasets improves phylogenetic resolution in Acacia. <i>Molecular Phylogenetics and Evolution</i> , 2016 , 96, 1-8	4.1	46
76	The SCO2 protein disulphide isomerase is required for thylakoid biogenesis and interacts with LHCb1 chlorophyll a/b binding proteins which affects chlorophyll biosynthesis in Arabidopsis seedlings. <i>Plant Journal</i> , 2012 , 69, 743-54	6.9	46

75	Organelle transcriptomes: products of a deconstructed genome. <i>Current Opinion in Microbiology</i> , 2013 , 16, 652-8	7.9	45
74	Transfer RNA import into plant mitochondria. <i>Methods in Enzymology</i> , 1995 , 260, 310-27	1.7	45
73	MRPS27 is a pentatricopeptide repeat domain protein required for the translation of mitochondrially encoded proteins. <i>FEBS Letters</i> , 2012 , 586, 3555-61	3.8	43
72	The gene encoding <i>Arabidopsis thaliana</i> mitochondrial ribosomal protein S13 is a recent duplication of the gene encoding plastid S13. <i>Current Genetics</i> , 2002 , 40, 405-9	2.9	43
71	Surrogate mutants for studying mitochondrially encoded functions. <i>Biochimie</i> , 2014 , 100, 234-42	4.6	42
70	Quantitative analysis of motifs contributing to the interaction between PLS-subfamily members and their target RNA sequences in plastid RNA editing. <i>Plant Journal</i> , 2014 , 80, 870-82	6.9	42
69	<i>Arabidopsis</i> CSP41 proteins form multimeric complexes that bind and stabilize distinct plastid transcripts. <i>Journal of Experimental Botany</i> , 2012 , 63, 1251-70	7	42
68	Role of editing in plant mitochondrial transfer RNAs. <i>Gene</i> , 2002 , 286, 21-4	3.8	42
67	The solution structure of the pentatricopeptide repeat protein PPR10 upon binding atpH RNA. <i>Nucleic Acids Research</i> , 2015 , 43, 1918-26	20.1	40
66	European consortia building integrated resources for <i>Arabidopsis</i> functional genomics. <i>Current Opinion in Plant Biology</i> , 2003 , 6, 426-9	9.9	40
65	The mitochondrial pentatricopeptide repeat protein PPR19 is involved in the stabilization of NADH dehydrogenase 1 transcripts and is crucial for mitochondrial function and <i>Arabidopsis thaliana</i> development. <i>New Phytologist</i> , 2017 , 215, 202-216	9.8	39
64	PPR-SMRs: ancient proteins with enigmatic functions. <i>RNA Biology</i> , 2013 , 10, 1501-10	4.8	39
63	The TATA motif, the CAA motif and the poly(T) transcription termination motif are all important for transcription re-initiation on plant tRNA genes. <i>Plant Journal</i> , 2000 , 22, 439-47	6.9	39
62	Fluorescent protein tagging as a tool to define the subcellular distribution of proteins in plants. <i>Frontiers in Plant Science</i> , 2013 , 4, 214	6.2	38
61	Mitochondrial Defects Confer Tolerance against Cellulose Deficiency. <i>Plant Cell</i> , 2016 , 28, 2276-2290	11.6	35
60	The Complete Sequence of the <i>Acacia ligulata</i> Chloroplast Genome Reveals a Highly Divergent clpP1 Gene. <i>PLoS ONE</i> , 2015 , 10, e0125768	3.7	35
59	Chromosome-scale genome assembly provides insights into rye biology, evolution and agronomic potential. <i>Nature Genetics</i> , 2021 , 53, 564-573	36.3	35
58	A DYW-protein knockout in <i>Physcomitrella</i> affects two closely spaced mitochondrial editing sites and causes a severe developmental phenotype. <i>Plant Journal</i> , 2013 , 76, 420-32	6.9	34

57	Evolutionary plasticity of restorer-of-fertility-like proteins in rice. <i>Scientific Reports</i> , 2016 , 6, 35152	4.9	32
56	Mitochondrial biogenesis and function in Arabidopsis. <i>The Arabidopsis Book</i> , 2008 , 6, e0111	3	32
55	Characterization of some major identity elements in plant alanine and phenylalanine transfer RNAs. <i>Plant Molecular Biology</i> , 1994 , 26, 1843-53	4.6	32
54	A comparison of cytoplasmic revertants to fertility from different CMS-S maize sources. <i>Theoretical and Applied Genetics</i> , 1988 , 76, 609-18	6	31
53	Transfer RNA-mediated suppression of stop codons in protoplasts and transgenic plants. <i>Plant Molecular Biology</i> , 1993 , 22, 681-90	4.6	29
52	The design and structural characterization of a synthetic pentatricopeptide repeat protein. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2015 , 71, 196-208		28
51	The Expansion and Diversification of Pentatricopeptide Repeat RNA-Editing Factors in Plants. <i>Molecular Plant</i> , 2020 , 13, 215-230	14.4	28
50	The Pentatricopeptide Repeat Protein EMB2654 Is Essential for Trans-Splicing of a Chloroplast Small Ribosomal Subunit Transcript. <i>Plant Physiology</i> , 2017 , 173, 1164-1176	6.6	26
49	Establishment of Photosynthesis through Chloroplast Development Is Controlled by Two Distinct Regulatory Phases. <i>Plant Physiology</i> , 2018 , 176, 1199-1214	6.6	25
48	Implication of 5'flanking sequence elements in expression of a plant tRNA(Leu) gene. <i>Plant Molecular Biology</i> , 1998 , 36, 113-23	4.6	25
47	Discrete mutations in the presequence of potato formate dehydrogenase inhibit the in vivo targeting of GFP fusions into mitochondria. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 311, 966-71	3.4	24
46	Plastome-Wide Rearrangements and Gene Losses in Carnivorous Droseraceae. <i>Genome Biology and Evolution</i> , 2019 , 11, 472-485	3.9	23
45	Genome-scale transfer of mitochondrial DNA from legume hosts to the holoparasite Lophophytum mirabile (Balanophoraceae). <i>Molecular Phylogenetics and Evolution</i> , 2019 , 132, 243-250	4.1	23
44	Targeted cleavage of mRNA induced by a modified pentatricopeptide repeat protein in plant mitochondria. <i>Communications Biology</i> , 2018 , 1, 166	6.7	23
43	Transactivation of a target gene using a suppressor tRNA in transgenic tobacco plants. <i>Plant Journal</i> , 1997 , 11, 597-604	6.9	21
42	Plastid tRNA genes trnC-GCA and trnN-GUU are essential for plant cell development. <i>Plant Journal</i> , 2007 , 51, 751-62	6.9	21
41	The genetic basis of cytoplasmic male sterility and fertility restoration in wheat. <i>Nature Communications</i> , 2021 , 12, 1036	17.4	20
40	In Silico Identification of Candidate Genes for Fertility Restoration in Cytoplasmic Male Sterile Perennial Ryegrass (<i>Lolium perenne</i> L.). <i>Genome Biology and Evolution</i> , 2017 , 9, 351-362	3.9	17

39	Complete Chloroplast Genome Sequences of Four Meliaceae Species and Comparative Analyses. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	17
38	The strange evolutionary history of plant mitochondrial tRNAs and their aminoacyl-tRNA synthetases 1999 , 90, 333-337		17
37	Towards a plant model for enigmatic U-to-C RNA editing: the organelle genomes, transcriptomes, editomes and candidate RNA editing factors in the hornwort <i>Anthoceros agrestis</i> . <i>New Phytologist</i> , 2020 , 225, 1974-1992	9.8	17
36	High intraspecific diversity of Restorer-of-fertility-like genes in barley. <i>Plant Journal</i> , 2019 , 97, 281-295	6.9	17
35	Editing of Chloroplast by PPR Editing Factor EMB2261 Is Essential for Development. <i>Frontiers in Plant Science</i> , 2018 , 9, 841	6.2	16
34	GeneFarm, structural and functional annotation of Arabidopsis gene and protein families by a network of experts. <i>Nucleic Acids Research</i> , 2005 , 33, D641-6	20.1	15
33	The E domain of CRR2 participates in sequence-specific recognition of RNA in plastids. <i>New Phytologist</i> , 2019 , 222, 218-229	9.8	15
32	Expression of Arabidopsis thaliana mitochondrial alanyl-tRNA synthetase is not sufficient to trigger mitochondrial import of tRNA ^{Ala} in yeast. <i>Journal of Biological Chemistry</i> , 2000 , 275, 13291-6	5.4	14
31	The coordinated action of PPR4 and EMB2654 on each intron half mediates trans-splicing of rps12 transcripts in plant chloroplasts. <i>Plant Journal</i> , 2019 , 100, 1193-1207	6.9	13
30	Using the SUBcellular database for Arabidopsis proteins to localize the Deg protease family. <i>Frontiers in Plant Science</i> , 2014 , 5, 396	6.2	13
29	Albinism does not correlate with biparental inheritance of plastid DNA in interspecific hybrids in Cicer species. <i>Plant Science</i> , 2011 , 180, 628-33	5.3	12
28	Recent range expansion in Australian hummock grasses () inferred using genotyping-by-sequencing. <i>AoB PLANTS</i> , 2019 , 11, plz017	2.9	10
27	Mitochondrial genomes as living fossils <i>BMC Biology</i> , 2013 , 11, 30	7.3	10
26	The Same Arabidopsis Gene Encodes Both Cytosolic and Mitochondrial Alanyl-tRNA Synthetases. <i>Plant Cell</i> , 1996 , 8, 1027	11.6	10
25	Purification of mitochondria and mitochondrial nucleic acids from embryogenic suspension cultures of a gymnosperm, <i>Larix x leptoeuropaea</i> . <i>Plant Cell Reports</i> , 1995 , 14, 534-8	5.1	10
24	Chromosome-scale genome assembly provides insights into rye biology, evolution, and agronomic potential		10
23	A PPR protein involved in regulating nuclear genes encoding mitochondrial proteins?. <i>Plant Signaling and Behavior</i> , 2011 , 6, 748-50	2.5	9
22	Structure and expression of several bean (<i>Phaseolus vulgaris</i>) nuclear transfer RNA genes: relevance to the process of tRNA import into plant mitochondria. <i>Plant Molecular Biology</i> , 1998 , 36, 613-25	4.6	9

21	Characterization of the nuclear gene encoding chloroplast ribosomal protein S13 from <i>Arabidopsis thaliana</i> . <i>Current Genetics</i> , 1995 , 28, 346-52	2.9	9
20	Optimizing Swathing and Chemical Desiccant Timing to Accelerate Winter Carinata Maturation. <i>Agronomy Journal</i> , 2018 , 110, 1379-1389	2.2	9
19	Protein Complexes Implicated in RNA Editing in Plant Organelles. <i>Molecular Plant</i> , 2017 , 10, 1255-1257	14.4	8
18	Simulation of heterosis in a genome-scale metabolic network provides mechanistic explanations for increased biomass production rates in hybrid plants. <i>Npj Systems Biology and Applications</i> , 2019 , 5, 24	5	7
17	In silico methods for identifying organellar and suborganellar targeting peptides in <i>Arabidopsis</i> chloroplast proteins and for predicting the topology of membrane proteins. <i>Methods in Molecular Biology</i> , 2011 , 774, 243-80	1.4	6
16	Evolutionary Model of Plastidial RNA Editing in Angiosperms Presumed from Genome-Wide Analysis of <i>Amborella trichopoda</i> . <i>Plant and Cell Physiology</i> , 2019 , 60, 2141-2151	4.9	5
15	Resolving intergeneric relationships in the aervoid clade and the backbone of <i>Ptilotus</i> (Amaranthaceae): Evidence from whole plastid genomes and morphology. <i>Taxon</i> , 2019 , 68, 297-314	0.8	5
14	Plant cytosolic tRNA ^{His} possesses an exceptional C54 in the canonical TPsiC loop. <i>Nucleic Acids Research</i> , 1998 , 26, 2708-14	20.1	5
13	A synthetic RNA editing factor edits its target site in chloroplasts and bacteria. <i>Communications Biology</i> , 2021 , 4, 545	6.7	4
12	In <i>Arabidopsis thaliana</i> distinct alleles encoding mitochondrial RNA PROCESSING FACTOR 4 support the generation of additional 5' termini of ccmB transcripts. <i>Plant Molecular Biology</i> , 2017 , 93, 659-668	4.6	3
11	Plant biotechnology 2007: all three genomes make contributions to progress. <i>Current Opinion in Biotechnology</i> , 2007 , 18, 97-99	11.4	3
10	Adapting the CROPGRO model to simulate growth and production of <i>Brassica carinata</i> , a bio-fuel crop. <i>GCB Bioenergy</i> , 2021 , 13, 1134-1148	5.6	3
9	Deepred-Mt: Deep representation learning for predicting C-to-U RNA editing in plant mitochondria. <i>Computers in Biology and Medicine</i> , 2021 , 136, 104682	7	3
8	Transplastomic <i>Arabidopsis</i> plants at last. <i>Nature Plants</i> , 2019 , 5, 249-250	11.5	2
7	Two birds with one stone: genes that encode products targeted to two or more compartments 1998 , 265-277		2
6	The Pentatricopeptide Repeat Protein MEF100 Is Required for the Editing of Four Mitochondrial Editing Sites in. <i>Cells</i> , 2021 , 10,	7.9	1
5	Cofactor-independent RNA editing by a synthetic S-type PPR protein.. <i>Synthetic Biology</i> , 2021 , 7, ysab0343	3.3	1
4	Triticeae genome sequences reveal huge expansions of gene families implicated in fertility restoration.. <i>Current Opinion in Plant Biology</i> , 2022 , 66, 102166	9.9	0

- | | | | |
|---|--|-----|---|
| 3 | The effects of sulfur fertility on yield and seed components in oilseed Brassica carinata. <i>Crop Science</i> , 2021 , 61, 4229 | 2.4 | ○ |
| 2 | Import and editing of plant mitochondrial transfer RNAs 1998 , 113-124 | | |
| 1 | Nitrogen calibration strip: An on-farm tool to further reduce N requirements in cotton on an integrated crop-livestock rotation system. <i>Agronomy Journal</i> , 2021 , 113, 3615-3627 | 2.2 | |