

Gaia Spinetti

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1435433/gaia-spinetti-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

3,943
citations

35
h-index

62
g-index

107
ext. papers

4,492
ext. citations

7.7
avg, IF

4.87
L-index

#	Paper	IF	Citations
91	Hematopoietic progenitor cell liabilities and alarmins S100A8/A9-related inflammaging associate with frailty and predict poor cardiovascular outcomes in older adults.. <i>Aging Cell</i> , 2022 , e13545	9.9	3
90	When a Friend Becomes Your Enemy: Natural Killer Cells in Atherosclerosis and Atherosclerosis-Associated Risk Factors.. <i>Frontiers in Immunology</i> , 2021 , 12, 798155	8.4	2
89	Activation of Bone Marrow Adaptive Immunity in Type 2 Diabetes: Rescue by Co-stimulation Modulator Abatacept. <i>Frontiers in Immunology</i> , 2021 , 12, 609406	8.4	3
88	Cell Therapy for Critical Limb Ischemia: Advantages, Limitations, and New Perspectives for Treatment of Patients with Critical Diabetic Vasculopathy. <i>Current Diabetes Reports</i> , 2021 , 21, 11	5.6	3
87	Hypoxia-induced miR-210 modulates the inflammatory response and fibrosis upon acute ischemia. <i>Cell Death and Disease</i> , 2021 , 12, 435	9.8	1
86	Treatment of COVID-19 by stage: any space left for mesenchymal stem cell therapy?. <i>Regenerative Medicine</i> , 2021 , 16, 477-494	2.5	1
85	Targeting fibrosis in the failing heart with nanoparticles. <i>Advanced Drug Delivery Reviews</i> , 2021 , 174, 461-481	18.5	5
84	Commentary: Mending a broken heart: The ongoing quest for mesenchymal stem cell therapy for ischemic cardiomyopathy. <i>JTCVS Open</i> , 2021 ,	0.2	
83	Modulation of soluble receptor for advanced glycation end[products]isoforms and advanced glycation end[products] in long-living[individuals]. <i>Biomarkers in Medicine</i> , 2021 , 15, 785-796	2.3	0
82	Adventitial and Skeletal Muscle Pericytes in Health and Ischemic Tissue Regeneration. <i>Pancreatic Islet Biology</i> , 2021 , 245-273	0.4	
81	MicroRNA-21/PDCD4 Proapoptotic Signaling From Circulating CD34 Cells to Vascular Endothelial Cells: A Potential Contributor to Adverse Cardiovascular Outcomes in Patients With Critical Limb Ischemia. <i>Diabetes Care</i> , 2020 , 43, 1520-1529	14.6	10
80	Circulating MicroRNA-15a Associates With Retinal Damage in Patients With Early Stage Type 2 Diabetes. <i>Frontiers in Endocrinology</i> , 2020 , 11, 254	5.7	5
79	Transfer of a human gene variant associated with exceptional longevity improves cardiac function in obese type 2 diabetic mice through induction of the SDF-1/CXCR4 signalling pathway. <i>European Journal of Heart Failure</i> , 2020 , 22, 1568-1581	12.3	13
78	Multi-Omics Analysis of Diabetic Heart Disease in the Model Reveals Potential Targets for Treatment by a Longevity-Associated Gene. <i>Cells</i> , 2020 , 9,	7.9	4
77	Coronary artery mechanics induces human saphenous vein remodelling recruitment of adventitial myofibroblast-like cells mediated by Thrombospondin-1. <i>Theranostics</i> , 2020 , 10, 2597-2611	12.1	10
76	Bone marrow fat: friend or foe in people with diabetes mellitus?. <i>Clinical Science</i> , 2020 , 134, 1031-1048	6.5	6
75	Bone marrow as a target and accomplice of vascular complications in diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2020 , 36 Suppl 1, e3240	7.5	6

74	Dimethyl-2-oxoglutarate improves redox balance and mitochondrial function in muscle pericytes of individuals with diabetes mellitus. <i>Diabetologia</i> , 2020 , 63, 2205-2217	10.3	7
73	Microfluidic Synthesis of Hybrid TiO-Anisotropic Gold Nanoparticles with Visible and Near-Infrared Activity. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 38522-38529	9.5	10
72	Impaired Regeneration Contributes to Poor Outcomes in Diabetic Peripheral Artery Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020 , 40, 34-44	9.4	19
71	Role of TPBG (Trophoblast Glycoprotein) Antigen in Human Pericyte Migratory and Angiogenic Activity. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019 , 39, 1113-1124	9.4	5
70	Bone marrow pericyte dysfunction in individuals with type 2 diabetes. <i>Diabetologia</i> , 2019 , 62, 1275-1290	10.3	15
69	Circulating microRNA-21 is an early predictor of ROS-mediated damage in subjects with high risk of developing diabetes and in drug-naïve T2D. <i>Cardiovascular Diabetology</i> , 2019 , 18, 18	8.7	40
68	MicroRNAs orchestrating senescence of endothelial and vascular smooth muscle cells. <i>Vascular Biology (Bristol, England)</i> , 2019 , 1, H75-H81	2.9	6
67	621-P: Cardiovascular Mortality and Orthostatic Hypotension in Type 2 Diabetic Patients (T2D) with Lower Limb Lesions Italian Diabetic Patients Association-Section of Treviso Project. <i>Diabetes</i> , 2019 , 68, 621-P	0.9	
66	Personalized Cardiovascular Regenerative Medicine: Targeting the Extreme Stages of Life. <i>Frontiers in Cardiovascular Medicine</i> , 2019 , 6, 177	5.4	3
65	MCP-1 Feedback Loop Between Adipocytes and Mesenchymal Stromal Cells Causes Fat Accumulation and Contributes to Hematopoietic Stem Cell Rarefaction in the Bone Marrow of Patients With Diabetes. <i>Diabetes</i> , 2018 , 67, 1380-1394	0.9	36
64	miR-210 Enhances the Therapeutic Potential of Bone-Marrow-Derived Circulating Proangiogenic Cells in the Setting of Limb Ischemia. <i>Molecular Therapy</i> , 2018 , 26, 1694-1705	11.7	18
63	Oxidative Stress in Mesenchymal Stem Cell Senescence: Regulation by Coding and Noncoding RNAs. <i>Antioxidants and Redox Signaling</i> , 2018 , 29, 864-879	8.4	47
62	MicroRNA-532-5p Regulates Pericyte Function by Targeting the Transcription Regulator BACH1 and Angiotensin-1. <i>Molecular Therapy</i> , 2018 , 26, 2823-2837	11.7	18
61	Human Pericardial Fluid Contains Exosomes Enriched with Cardiovascular-Expressed MicroRNAs and Promotes Therapeutic Angiogenesis. <i>Molecular Therapy</i> , 2017 , 25, 679-693	11.7	122
60	MicroRNAs in Diabetes and Its Vascular Complications. <i>Cardiac and Vascular Biology</i> , 2017 , 39-59	0.2	
59	Overexpression of miR-210 and its significance in ischemic tissue damage. <i>Scientific Reports</i> , 2017 , 7, 9563	4.9	28
58	Contribution of pericyte paracrine regulation of the endothelium to angiogenesis. <i>Pharmacology & Therapeutics</i> , 2017 , 171, 56-64	13.9	44
57	The expression of the BPIFB4 and CXCR4 associates with sustained health in long-living individuals from Cilento-Italy. <i>Aging</i> , 2017 , 9, 370-380	5.6	23

56	A unique plasma microRNA profile defines type 2 diabetes progression. <i>PLoS ONE</i> , 2017 , 12, e0188980	3.7	56
55	Central role of the p53 pathway in the noncoding-RNA response to oxidative stress. <i>Aging</i> , 2017 , 9, 2559-2586	5.2	39
54	The genetics of exceptional longevity identifies new druggable targets for vascular protection and repair. <i>Pharmacological Research</i> , 2016 , 114, 169-174	10.2	4
53	Design, fabrication and perivascular implantation of bioactive scaffolds engineered with human adventitial progenitor cells for stimulation of arteriogenesis in peripheral ischemia. <i>Biofabrication</i> , 2016 , 8, 015020	10.5	18
52	The Peter Principle in Cardiovascular Cell Therapy: The Decline of a Theory or the Theory of a Decline. <i>Circulation Research</i> , 2016 , 119, 1283-1285	15.7	1
51	Activation of the Pro-Oxidant PKC β -p66Shc Signaling Pathway Contributes to Pericyte Dysfunction in Skeletal Muscles of Patients With Diabetes With Critical Limb Ischemia. <i>Diabetes</i> , 2016 , 65, 3691-3704	0.9	35
50	Epigenetic profile of human adventitial progenitor cells correlates with therapeutic outcomes in a mouse model of limb ischemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 675-88	9.4	35
49	Recombinant filgrastim (BK0023) pharmacodynamics and pharmacokinetics after single and multiple escalating doses in an equivalence study in healthy men. <i>Clinical Drug Investigation</i> , 2015 , 35, 533-45	3.2	1
48	Enhancing Stem Cell Mobility: New Hope for Treatment of Cardiovascular Complications in Patients With Diabetes?. <i>Diabetes</i> , 2015 , 64, 2704-7	0.9	3
47	Genetic Analysis Reveals a Longevity-Associated Protein Modulating Endothelial Function and Angiogenesis. <i>Circulation Research</i> , 2015 , 117, 333-45	15.7	61
46	High-level expression of a recombinant active microbial transglutaminase in Escherichia coli. <i>BMC Biotechnology</i> , 2015 , 15, 84	3.5	20
45	Migration towards SDF-1 selects angiogenin-expressing bone marrow monocytes endowed with cardiac reparative activity in patients with previous myocardial infarction. <i>Stem Cell Research and Therapy</i> , 2015 , 6, 53	8.3	9
44	Sensory neuropathy hampers nociception-mediated bone marrow stem cell release in mice and patients with diabetes. <i>Diabetologia</i> , 2015 , 58, 2653-62	10.3	26
43	Oxidative stress-dependent activation of collagen synthesis is induced in human pulmonary smooth muscle cells by sera from patients with scleroderma-associated pulmonary hypertension. <i>Orphanet Journal of Rare Diseases</i> , 2014 , 9, 123	4.2	26
42	Preclinical and clinical phase I studies of a new recombinant Filgrastim (BK0023) in comparison with Neupogen \square . <i>BMC Pharmacology & Toxicology</i> , 2014 , 15, 7	2.6	17
41	Migratory activity of circulating mononuclear cells is associated with cardiovascular mortality in type 2 diabetic patients with critical limb ischemia. <i>Diabetes Care</i> , 2014 , 37, 1410-7	14.6	10
40	Increased antioxidant defense mechanism in human adventitia-derived progenitor cells is associated with therapeutic benefit in ischemia. <i>Antioxidants and Redox Signaling</i> , 2014 , 21, 1591-604	8.4	26
39	3D hydrogel environment rejuvenates aged pericytes for skeletal muscle tissue engineering. <i>Frontiers in Physiology</i> , 2014 , 5, 203	4.6	77

38	Reactive oxygen species adversely impacts bone marrow microenvironment in diabetes. <i>Antioxidants and Redox Signaling</i> , 2014 , 21, 1620-33	8.4	18
37	Global remodeling of the vascular stem cell niche in bone marrow of diabetic patients: implication of the microRNA-155/FOXO3a signaling pathway. <i>Circulation Research</i> , 2013 , 112, 510-22	15.7	106
36	Migratory activity of circulating progenitor cells and serum SDF-1 β predict adverse events in patients with myocardial infarction. <i>Cardiovascular Research</i> , 2013 , 100, 192-200	9.9	25
35	MicroRNA-15a and microRNA-16 impair human circulating proangiogenic cell functions and are increased in the proangiogenic cells and serum of patients with critical limb ischemia. <i>Circulation Research</i> , 2013 , 112, 335-46	15.7	151
34	What's new in regenerative medicine: split up of the mesenchymal stem cell family promises new hope for cardiovascular repair. <i>Journal of Cardiovascular Translational Research</i> , 2012 , 5, 689-99	3.3	15
33	Soluble ST2 is regulated by p75 neurotrophin receptor and predicts mortality in diabetic patients with critical limb ischemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012 , 32, e149-60	9.4	33
32	Role for substance p-based nociceptive signaling in progenitor cell activation and angiogenesis during ischemia in mice and in human subjects. <i>Circulation</i> , 2012 , 125, 1774-86, S1-19	16.7	77
31	A local proinflammatory signalling loop facilitates adverse age-associated arterial remodeling. <i>PLoS ONE</i> , 2011 , 6, e16653	3.7	43
30	Nitric oxide-donating statin improves multiple functions of circulating angiogenic cells. <i>British Journal of Pharmacology</i> , 2011 , 164, 570-83	8.6	17
29	Targeting stem cell niches and trafficking for cardiovascular therapy. <i>Pharmacology & Therapeutics</i> , 2011 , 129, 62-81	13.9	37
28	Deregulation of microRNA-503 contributes to diabetes mellitus-induced impairment of endothelial function and reparative angiogenesis after limb ischemia. <i>Circulation</i> , 2011 , 123, 282-91	16.7	322
27	Tissue kallikrein is essential for invasive capacity of circulating proangiogenic cells. <i>Circulation Research</i> , 2011 , 108, 284-93	15.7	39
26	Close encounters of the third kind: progenitor cells land on the platelet-enriched vascular surface. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 243-4	9.4	1
25	Role of human tissue kallikrein in gastrointestinal stromal tumour invasion. <i>British Journal of Cancer</i> , 2010 , 103, 1422-31	8.7	9
24	Elevated mineralocorticoid receptor activity in aged rat vascular smooth muscle cells promotes a proinflammatory phenotype via extracellular signal-regulated kinase 1/2 mitogen-activated protein kinase and epidermal growth factor receptor-dependent pathways. <i>Hypertension</i> , 2010 , 55, 1476-83	8.5	88
23	Diabetes mellitus induces bone marrow microangiopathy. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 498-508	9.4	167
22	Milk fat globule protein epidermal growth factor-8: a pivotal relay element within the angiotensin II and monocyte chemoattractant protein-1 signaling cascade mediating vascular smooth muscle cells invasion. <i>Circulation Research</i> , 2009 , 104, 1337-46	15.7	80
21	Diabetes and vessel wall remodelling: from mechanistic insights to regenerative therapies. <i>Cardiovascular Research</i> , 2008 , 78, 265-73	9.9	110

20	Neurotrophin p75 receptor (p75NTR) promotes endothelial cell apoptosis and inhibits angiogenesis: implications for diabetes-induced impaired neovascularization in ischemic limb muscles. <i>Circulation Research</i> , 2008 , 103, e15-26	15.7	78
19	Role of kinin B2 receptor signaling in the recruitment of circulating progenitor cells with neovascularization potential. <i>Circulation Research</i> , 2008 , 103, 1335-43	15.7	90
18	Increased aortic calpain-1 activity mediates age-associated angiotensin II signaling of vascular smooth muscle cells. <i>PLoS ONE</i> , 2008 , 3, e2231	3.7	79
17	Proinflammatory profile within the grossly normal aged human aortic wall. <i>Hypertension</i> , 2007 , 50, 219-27.5	27.5	204
16	Matrix metalloproteinase 2 activation of transforming growth factor-beta1 (TGF-beta1) and TGF-beta1-type II receptor signaling within the aged arterial wall. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 1503-9	9.4	199
15	Angiotensin II activates matrix metalloproteinase type II and mimics age-associated carotid arterial remodeling in young rats. <i>American Journal of Pathology</i> , 2005 , 167, 1429-42	5.8	153
14	Laminar shear stress inhibits CXCR4 expression on endothelial cells: functional consequences for atherogenesis. <i>FASEB Journal</i> , 2005 , 19, 629-31	0.9	41
13	Rat aortic MCP-1 and its receptor CCR2 increase with age and alter vascular smooth muscle cell function. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004 , 24, 1397-402	9.4	149
12	In vitro and in vivo models to study chemokine regulation of angiogenesis. <i>Methods in Molecular Biology</i> , 2004 , 239, 223-32	1.4	3
11	Analysis of the role of chemokines in angiogenesis. <i>Journal of Immunological Methods</i> , 2003 , 273, 83-101.5	101.5	161
10	The chemokine receptor CCR8 mediates rescue from dexamethasone-induced apoptosis via an ERK-dependent pathway. <i>Journal of Leukocyte Biology</i> , 2003 , 73, 201-7	6.5	39
9	Adenovirus-mediated VEGF(165) gene transfer enhances wound healing by promoting angiogenesis in CD1 diabetic mice. <i>Gene Therapy</i> , 2002 , 9, 1271-7	4	101
8	The chemokine CXCL13 (BCA-1) inhibits FGF-2 effects on endothelial cells. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 289, 19-24	3.4	38
7	I-309 binds to and activates endothelial cell functions and acts as an angiogenic molecule in vivo. <i>Blood</i> , 2000 , 96, 4039-4045	2.2	80
6	I-309 binds to and activates endothelial cell functions and acts as an angiogenic molecule in vivo. <i>Blood</i> , 2000 , 96, 4039-4045	2.2	1
5	I-309 binds to and activates endothelial cell functions and acts as an angiogenic molecule in vivo. <i>Blood</i> , 2000 , 96, 4039-45	2.2	30
4	The equine herpesvirus 2 E1 open reading frame encodes a functional chemokine receptor. <i>Journal of Virology</i> , 1999 , 73, 9843-8	6.6	27
3	Identification of the CC chemokines TARC and macrophage inflammatory protein-1 beta as novel functional ligands for the CCR8 receptor. <i>European Journal of Immunology</i> , 1998 , 28, 582-8	6.1	98

- | | | | |
|---|--|----|----|
| 2 | Molecular cloning of TER1, a chemokine receptor-like gene expressed by lymphoid tissues. <i>Journal of Immunology</i> , 1996 , 157, 2759-63 | 53 | 47 |
| 1 | Activation of bone marrow adaptive immunity in type 2 diabetes: rescue by co-stimulation modulator Abatacept | | 1 |