Laila Staerk

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1437939/publications.pdf

Version: 2024-02-01

361413 434195 1,182 34 20 31 citations h-index g-index papers 34 34 34 2137 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	All-cause mortality, stroke, and bleeding in patients with atrial fibrillation and valvular heart disease. European Heart Journal - Cardiovascular Pharmacotherapy, 2021, 7, f93-f100.	3.0	16
2	Switching from vitamin K antagonist to dabigatran in atrial fibrillation: differences according to dose. European Heart Journal - Cardiovascular Pharmacotherapy, 2021, 7, 20-30.	3.0	4
3	Risk of gastrointestinal bleeding associated with oral anticoagulation and non-steroidal anti-inflammatory drugs in patients with atrial fibrillation: a nationwide study. European Heart Journal - Cardiovascular Pharmacotherapy, 2020, 6, 292-300.	3.0	20
4	Rivaroxaban Versus Apixaban for Stroke Prevention in Atrial Fibrillation. Circulation: Cardiovascular Quality and Outcomes, 2020, 13, e006058.	2.2	21
5	On the estimation of average treatment effects with rightâ€censored time to event outcome and competing risks. Biometrical Journal, 2020, 62, 751-763.	1.0	42
6	Osteoporotic Fractures in Patients With Atrial Fibrillation Treated With Conventional Versus Direct Anticoagulants. Journal of the American College of Cardiology, 2019, 74, 2150-2158.	2.8	37
7	Non-vitamin K antagonist oral anticoagulants vs. vitamin-K antagonists in patients with atrial fibrillation and chronic kidney disease: a nationwide cohort study. Thrombosis Journal, 2019, 17, 21.	2.1	14
8	Oral anticoagulation among atrial fibrillation patients with anaemia: an observational cohort study. European Heart Journal, 2019, 40, 3782-3790.	2.2	29
9	3154The incidence of atrial fibrillation continues to increase across all socioeconomic subgroups: 30-year time trends from a Nationwide cohort. European Heart Journal, 2019, 40, .	2.2	O
10	Resumption of oral anticoagulation following traumatic injury and risk of stroke and bleeding in patients with atrial fibrillation: a nationwide cohort study. European Heart Journal, 2018, 39, 1698-1705a.	2.2	28
11	Shifting to a non-vitamin K antagonist oral anticoagulation agent from vitamin K antagonist in atrial fibrillation. Europace, 2018, 20, e78-e86.	1.7	22
12	Use of oral anticoagulants in combination with antiplatelet(s) in atrial fibrillation. Heart, 2018, 104, 912-920.	2.9	16
13	Standard and reduced doses of dabigatran, rivaroxaban and apixaban for stroke prevention in atrial fibrillation: a nationwide cohort study. Journal of Internal Medicine, 2018, 283, 45-55.	6.0	83
14	P6073Increased major bleeding risk with use of topical miconazole agents among users of oral anticoagulation: A population-level safety study. European Heart Journal, 2018, 39, .	2.2	0
15	Combining Oral Anticoagulants With Platelet Inhibitors in Patients With AtrialÂFibrillation and Coronary Disease. Journal of the American College of Cardiology, 2018, 72, 1790-1800.	2.8	41
16	Outcomes Among Patients With AtrialÂFibrillation and Appropriate Anticoagulation Control. Journal of the American College of Cardiology, 2018, 72, 1357-1365.	2.8	18
17	Safety and effectiveness of rivaroxaban and apixaban in patients with venous thromboembolism: a nationwide study. European Heart Journal - Cardiovascular Pharmacotherapy, 2018, 4, 220-227.	3.0	20
18	Major Bleeding Complications and Persistence With Oral Anticoagulation in Nonâ€Valvular Atrial Fibrillation: Contemporary Findings in Realâ€Life Danish Patients. Journal of the American Heart Association, 2017, 6, .	3.7	109

#	Article	IF	CITATIONS
19	Initiation of anticoagulation in atrial fibrillation: which factors are associated with choice of anticoagulant?. Journal of Internal Medicine, 2017, 282, 164-174.	6.0	21
20	Predicted risk of stroke and bleeding and use of oral anticoagulants in atrial fibrillation: Danish nationwide temporal trends 2011–2016. Thrombosis Research, 2017, 160, 19-26.	1.7	3
21	Association Between Leukocyte Telomere Length and the Risk of Incident Atrial Fibrillation: The Framingham Heart Study. Journal of the American Heart Association, 2017, 6, .	3.7	14
22	Increased use of oral anticoagulants in patients with atrial fibrillation: temporal trends from 2005 to 2015 in Denmark. European Heart Journal, 2017, 38, ehw658.	2.2	142
23	Temporal trends in initiation of VKA, rivaroxaban, apixaban and dabigatran for the treatment of venous thromboembolism - A Danish nationwide cohort study. Scientific Reports, 2017, 7, 3347.	3.3	36
24	Renal Function, Time in Therapeutic Range and Outcomes in Warfarin-Treated Atrial Fibrillation Patients: A Retrospective Analysis of Nationwide Registries. Thrombosis and Haemostasis, 2017, 117, 2291-2299.	3.4	21
25	Comparative safety and effectiveness of rivaroxaban versus VKAs in patients with venous thromboembolism. Thrombosis and Haemostasis, 2017, 117, 1182-1191.	3.4	35
26	Outcomes Associated With Familial Versus Nonfamilial Atrial Fibrillation: A Matched Nationwide Cohort Study. Journal of the American Heart Association, 2016, 5, .	3.7	10
27	Renal Function and the Risk of Stroke and Bleeding in Patients With Atrial Fibrillation. Stroke, 2016, 47, 2707-2713.	2.0	45
28	Ischaemic and haemorrhagic stroke associated with non-vitamin K antagonist oral anticoagulants and warfarin use in patients with atrial fibrillation: a nationwide cohort study. European Heart Journal, 2016, 38, ehw496.	2.2	74
29	Non-vitamin K antagonist oral anticoagulation usage according to age among patients with atrial fibrillation: Temporal trends 2011–2015 in Denmark. Scientific Reports, 2016, 6, 31477.	3.3	80
30	Risk of Ischemic Stroke, Hemorrhagic Stroke, Bleeding, and Death in Patients Switching from Vitamin K Antagonist to Dabigatran after an Ablation. PLoS ONE, 2016, 11, e0161768.	2.5	2
31	Authors' reply to Beales. BMJ, The, 2016, 532, i266.	6.0	0
32	Cardioversion and Risk of Adverse Events with Dabigatran versus Warfarin—A Nationwide Cohort Study. PLoS ONE, 2015, 10, e0141377.	2.5	31
33	Risk of gastrointestinal adverse effects of dabigatran compared with warfarin among patients with atrial fibrillation: a nationwide cohort study. Europace, 2015, 17, 1215-1222.	1.7	28
34	Stroke and recurrent haemorrhage associated with antithrombotic treatment after gastrointestinal bleeding in patients with atrial fibrillation: nationwide cohort study. BMJ, The, 2015, 351, h5876.	6.0	120