

Roberto RomÃ¡n Pujana

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1440135/publications.pdf>

Version: 2024-02-01

36
papers

609
citations

623734

14
h-index

642732

23
g-index

36
all docs

36
docs citations

36
times ranked

373
citing authors

#	ARTICLE	IF	CITATIONS
1	Which name(s) should be used for Araucaria-like fossil wood? Results of a poll. <i>Taxon</i> , 2014, 63, 177-184.	0.7	69
2	Araucariaceae macrofossil record from South America and Antarctica. <i>Alcheringa</i> , 2012, 36, 1-22.	1.2	62
3	Conifer fossil woods from the La Meseta Formation (Eocene of Western Antarctica): Evidence of Podocarpaceae-dominated forests. <i>Review of Palaeobotany and Palynology</i> , 2014, 200, 122-137.	1.5	55
4	Use of UV-curable acrylates gels as mounting media for palynological samples. <i>Revista Del Museo Argentino De Ciencias Naturales, Nueva Serie</i> , 2017, 19, 19-23.	0.2	33
5	Evidence of fungal activity in silicified gymnosperm wood from the Eocene of southern Patagonia (Argentina). <i>Geobios</i> , 2009, 42, 639-647.	1.4	31
6	Proposals for quantifying two characteristics of tracheid pitting arrangement in gymnosperm woods. <i>Revista Del Museo Argentino De Ciencias Naturales, Nueva Serie</i> , 2016, 18, 117-124.	0.2	25
7	Fossil woods from the Cross Valley Formation (Paleocene of Western Antarctica): Araucariaceae-dominated forests. <i>Review of Palaeobotany and Palynology</i> , 2015, 222, 56-66.	1.5	23
8	Podocarpylon Gothan reviewed in the light of a new species from the Eocene of Patagonia. <i>IAWA Journal</i> , 2017, 38, 220-244.	2.7	22
9	Conifer fossil woods from the Santa Marta Formation (Upper Cretaceous), Brandy Bay, James Ross Island, Antarctica. <i>Cretaceous Research</i> , 2017, 77, 28-38.	1.4	22
10	The late Oligocene flora from the Río Leona Formation, Argentinian Patagonia. <i>Review of Palaeobotany and Palynology</i> , 2015, 216, 143-158.	1.5	21
11	New fossil woods of Proteaceae from the Oligocene of southern Patagonia. <i>Australian Systematic Botany</i> , 2007, 20, 119.	0.9	19
12	The fossil wood record of Leguminosae from South America. <i>Revista Del Museo Argentino De Ciencias Naturales, Nueva Serie</i> , 2011, 13, 183-194.	0.2	18
13	A New Megaflora (Fossil Woods and Leaves) From the Miocene of Southwestern Patagonia. <i>Ameghiniana</i> , 2015, 52, 350-366.	0.7	16
14	Conifer Fossil Woods from the Sobral Formation (Lower Paleocene, Western Antarctica). <i>Ameghiniana</i> , 2018, 55, 91-108.	0.7	16
15	Angiosperm fossil woods from the Upper Cretaceous of Western Antarctica (Santa Marta Formation). <i>Cretaceous Research</i> , 2018, 90, 349-362.	1.4	16
16	Brachyoxylon fossil woods with traumatic resin canals from the Upper Cretaceous Cerro Fortaleza Formation, southern Patagonia (Santa Cruz Province, Argentina). <i>Cretaceous Research</i> , 2022, 130, 105065.	1.4	15
17	A new species of Carlquistoxylon from the Early Cretaceous of Patagonia (Chubut province). <i>Tj ETQq1</i> 1 0.784314 rgBT /Overlock 10 Tf 406-426.	2.7	14
18	Early Cretaceous Brachyoxylon woods from Argentinean Patagonia and comments on the Cheirolepidiaceae distribution. <i>Journal of South American Earth Sciences</i> , 2021, 106, 103050.	1.4	14

#	ARTICLE	IF	CITATIONS
19	Fossil woods from the Lower Cretaceous Tres Lagunas Formation of central Patagonia (Chubut) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.4	13
20	FOSSIL WOODS IN INTERGLACIAL SEDIMENTS FROM THE CARBONIFEROUS HOYADA VERDE FORMATION, SAN JUAN PROVINCE, ARGENTINA. <i>Palaeontology</i> , 2008, 51, 163-171.	2.2	10
21	Conifer wood assemblage dominated by Podocarpaceae, early Eocene of Laguna del Hunco, central Argentinean Patagonia. <i>PhytoKeys</i> , 2020, 156, 81-102.	1.0	10
22	Fungal wood-decay strategies in Nothofagaceae woods from Miocene deposits in southern Patagonia, Argentina. <i>Alcheringa</i> , 2018, 42, 427-440.	1.2	9
23	Fossil woods from the Eocene–Oligocene (Río Turbio Formation) of southwestern Patagonia (Santa Cruz) Tj ETQq1 1 0.784314 rgBT /Overlock 10	2.7	9
24	Paleocene Las Violetas Fossil Forest: Wood anatomy and paleoclimatology. <i>Journal of South American Earth Sciences</i> , 2020, 98, 102414.	1.4	9
25	Legume (Mimosoideae) fossil woods from the Late Miocene (Salicas Formation) of northwestern Argentina. <i>Revista Brasileira De Paleontologia</i> , 2014, 17, 317-326.	0.4	9
26	Silicified Termite Coprolites in Mesquite-Like Wood from the Miocene of La Rioja, Argentina. <i>International Journal of Plant Sciences</i> , 2013, 174, 585-591.	1.3	8
27	Saproxylic arthropod borings in Nothofagoxylon woods from the Miocene of Patagonia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 571, 110369.	2.3	8
28	Sobre la presencia de Resinaxylon schinusoides Pujana en la Formación San Julián (Oligoceno), Santa Cruz, Patagonia argentina. <i>Ameghiniana</i> , 2010, 47, 535-539.	0.7	7
29	Fossil woods with evidence of wood-decay by fungi from the Upper Cretaceous (Bajo Barreal) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.4	6
30	Pollen Grain Morphology of Selected Allergenic Species Native to Southern South America. <i>Journal of the Torrey Botanical Society</i> , 2007, 134, 527-533.	0.3	5
31	The micro- and megafossil record of Nothofagaceae from South America. <i>Botanical Journal of the Linnean Society</i> , 2021, 196, 1-20.	1.6	4
32	Revision of Frenguelli's (1941) Patagonian Angiosperm Fossil Leaf Collection with Comments on the Original Localities (Eocene–Miocene). <i>Ameghiniana</i> , 2020, 57, .	0.7	3
33	Fossil Woods from the Middle Miocene (Río Correntoso Formation) of Patagonia (Northern Santa Cruz) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.7	3
34	Cupressaceous woods in the Upper Cretaceous Cabullona Group in Fronteras, Sonora, Mexico. <i>Journal of South American Earth Sciences</i> , 2020, 104, 102756.	1.4	2
35	Early Miocene paleoclimate in southern Patagonia inferred from fossil woods. <i>Review of Palaeobotany and Palynology</i> , 2021, 290, 104429.	1.5	2
36	A new megaflora (leaves and reproductive structures) from the Huancan Formation (Lower Cretaceous) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	1.4	1