

Cuie Wen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1441064/publications.pdf>

Version: 2024-02-01

324
papers

15,958
citations

17405

63
h-index

24179

110
g-index

327
all docs

327
docs citations

327
times ranked

13648
citing authors

#	ARTICLE	IF	CITATIONS
1	Surface modification of additively manufactured metallic biomaterials with active antipathogenic properties. , 2023, 1, 100001.		10
2	Biodegradable PLA-ZnO nanocomposite biomaterials with antibacterial properties, tissue engineering viability, and enhanced biocompatibility. , 2023, 1, 100004.		11
3	Biodegradable metallic suture anchors: A review. , 2023, 1, 100005.		4
4	Mechanical and corrosion properties of graphene nanoplateletâ€“reinforced Mgâ€“Zr and Mgâ€“Zrâ€“Zn matrix nanocomposites for biomedical applications. Journal of Magnesium and Alloys, 2022, 10, 458-477.	5.5	33
5	Mechanical and corrosion properties of extruded Mgâ€“Zrâ€“Sr alloys for biodegradable implant applications. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2022, 831, 142192.	2.6	24
6	In silico and in vivo studies of the effect of surface curvature on the osteoconduction of porous scaffolds. Biotechnology and Bioengineering, 2022, 119, 591-604.	1.7	8
7	In vitro and in vivo assessment of the effect of biodegradable magnesium alloys on osteogenesis. Acta Biomaterialia, 2022, 141, 454-465.	4.1	47
8	Impact of gadolinium on mechanical properties, corrosion resistance, and biocompatibility of Zn-1Mg-xGd alloys for biodegradable bone-implant applications. Acta Biomaterialia, 2022, 142, 361-373.	4.1	27
9	A biodegradable Fe/Znâ€“3Cu composite with requisite properties for orthopedic applications. Acta Biomaterialia, 2022, 146, 506-521.	4.1	12
10	A biodegradable in situ Znâ€“Mg2Ge composite for bone-implant applications. Acta Biomaterialia, 2022, 146, 478-494.	4.1	16
11	Recent Progress on Nanocrystalline Metallic Materials for Biomedical Applications. Nanomaterials, 2022, 12, 2111.	1.9	15
12	Fatigue and corrosion fatigue behaviors of biodegradable Zn-Li and Zn-Cu-Li under physiological conditions. Journal of Materials Science and Technology, 2022, 131, 48-59.	5.6	7
13	Mechanical, corrosion, nanotribological, and biocompatibility properties of equal channel angular pressed Ti-28Nb-35.4Zr alloys for biomedical applications. Acta Biomaterialia, 2022, 149, 387-398.	4.1	10
14	Additive manufacturing of functionally graded porous titanium scaffolds for dental applications. , 2022, 139, 213018.		13
15	Zinc phosphate, zinc oxide, and their dual-phase coatings on pure Zn foam with good corrosion resistance, cytocompatibility, and antibacterial ability for potential biodegradable bone-implant applications. Chemical Engineering Journal, 2022, 450, 137946.	6.6	22
16	A Review of Metal Silicides for Lithium-Ion Battery Anode Application. Acta Metallurgica Sinica (English Letters), 2021, 34, 291-308.	1.5	24
17	Biodegradable Znâ€“3Cu and Znâ€“3Cuâ€“0.2Ti alloys with ultrahigh ductility and antibacterial ability for orthopedic applications. Journal of Materials Science and Technology, 2021, 68, 76-90.	5.6	38
18	Recent research and progress of biodegradable zinc alloys and composites for biomedical applications: Biomechanical and biocorrosion perspectives. Bioactive Materials, 2021, 6, 836-879.	8.6	192

#	ARTICLE	IF	CITATIONS
19	High strength porous PLA gyroid scaffolds manufactured via fused deposition modeling for tissue-engineering applications. <i>Smart Materials in Medicine</i> , 2021, 2, 15-25.	3.7	72
20	The influence of Ca and Cu additions on the microstructure, mechanical and degradation properties of Zn-Ca-Cu alloys for absorbable wound closure device applications. <i>Bioactive Materials</i> , 2021, 6, 1436-1451.	8.6	42
21	Improvement of corrosion resistance of H59 brass through fabricating superhydrophobic surface using laser ablation and heating treatment. <i>Corrosion Science</i> , 2021, 180, 109186.	3.0	54
22	Binary Zn-Ti alloys for orthopedic applications: Corrosion and degradation behaviors, friction and wear performance, and cytotoxicity. <i>Journal of Materials Science and Technology</i> , 2021, 74, 216-229.	5.6	46
23	Biodegradable alloys. , 2021, , 189-228.		0
24	Titanium alloys. , 2021, , 157-187.		3
25	Biodegradable Zn ³ Mg ^{0.7} Mg ₂ Si composite fabricated by high-pressure solidification for bone implant applications. <i>Acta Biomaterialia</i> , 2021, 123, 407-417.	4.1	30
26	Development of beta-type Ti-Nb-Zr-Mo alloys for orthopedic applications. <i>Applied Materials Today</i> , 2021, 22, 100968.	2.3	15
27	Individual layer thickness-dependent nanoindentation and nanotribological behaviors of Ta/Co nanolaminates. <i>Tribology International</i> , 2021, 156, 106845.	3.0	7
28	Surface Characterization and Biocompatibility of Hydroxyapatite Coating on Anodized TiO ₂ Nanotubes via PVD Magnetron Sputtering. <i>Langmuir</i> , 2021, 37, 4984-4996.	1.6	18
29	Structural and electrochemical characterization of vanadium-excess Li ₃ V ₂ (PO ₄) ₃ -LiVOPO ₄ /C composite cathode material synthesized by sol-gel method. <i>Journal of Solid State Electrochemistry</i> , 2021, 25, 2127-2137.	1.2	2
30	Ultra-strong and ductile Ta/Co nanolaminates strengthened via grain-boundary expanding and interfacial sliding. <i>Applied Materials Today</i> , 2021, 23, 100983.	2.3	2
31	Impact of scandium on mechanical properties, corrosion behavior, friction and wear performance, and cytotoxicity of a β -type Ti-24Nb-38Zr-2Mo alloy for orthopedic applications. <i>Acta Biomaterialia</i> , 2021, 134, 791-803.	4.1	19
32	A review of the physiological impact of rare earth elements and their uses in biomedical Mg alloys. <i>Acta Biomaterialia</i> , 2021, 130, 80-97.	4.1	65
33	Disparate micro-mechanical behaviors of adjacent bone lamellae through in situ SEM micropillar compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 825, 141903.	2.6	5
34	Aggravated stress fluctuation and mechanical size effects of nanoscale lamellar bone pillars. <i>NPG Asia Materials</i> , 2021, 13, .	3.8	6
35	Additive manufacturing of metallic and polymeric load-bearing biomaterials using laser powder bed fusion: A review. <i>Journal of Materials Science and Technology</i> , 2021, 94, 196-215.	5.6	101
36	Microstructure, mechanical and corrosion properties of hot-pressed graphene nanoplatelets-reinforced Mg matrix nanocomposites for biomedical applications. <i>Journal of Alloys and Compounds</i> , 2021, 887, 161379.	2.8	14

#	ARTICLE	IF	CITATIONS
37	Recent Progress in Capacity Enhancement of LiFePO ₄ Cathode for Li-Ion Batteries. Journal of Electrochemical Energy Conversion and Storage, 2021, 18, .	1.1	25
38	Nutrient alloying elements in biodegradable metals: a review. Journal of Materials Chemistry B, 2021, 9, 9806-9825.	2.9	8
39	The Application of the Rare Earths to Magnesium and Titanium Metallurgy in Australia. Advanced Materials, 2020, 32, e1901715.	11.1	24
40	Microstructure, wear resistance, and corrosion performance of Ti ₃₅ Zr ₂₈ Nb alloy fabricated by powder metallurgy for orthopedic applications. Journal of Materials Science and Technology, 2020, 41, 191-198.	5.6	51
41	Impact of the rare earth elements scandium and yttrium on beta-type Ti-24Nb-38Zr-2Mo-base alloys for orthopedic applications. Materialia, 2020, 9, 100586.	1.3	11
42	Prospects and strategies for magnesium alloys as biodegradable implants from crystalline to bulk metallic glasses and compositesâ€”A review. Acta Biomaterialia, 2020, 103, 1-23.	4.1	95
43	High electrochemical stability Al-doped spinel LiMn ₂ O ₄ cathode material for Li-ion batteries. Journal of Energy Storage, 2020, 27, 101036.	3.9	98
44	Degradation behavior, cytotoxicity, hemolysis, and antibacterial properties of electro-deposited Znâ€”Cu metal foams as potential biodegradable bone implants. Acta Biomaterialia, 2020, 102, 481-492.	4.1	102
45	Mechanical, corrosion, and biocompatibility properties of Mg-Zr-Sr-Sc alloys for biodegradable implant applications. Acta Biomaterialia, 2020, 102, 493-507.	4.1	93
46	Biodegradable ternary Znâ€”3Geâ€”0.5X (X=Cu, Mg, and Fe) alloys for orthopedic applications. Acta Biomaterialia, 2020, 115, 432-446.	4.1	42
47	Development of biodegradable Znâ€”1Mgâ€”0.1RE (RE=Er, Dy, and Ho) alloys for biomedical applications. Acta Biomaterialia, 2020, 117, 384-399.	4.1	57
48	Powder metallurgy in manufacturing of medical devices. , 2020, , 159-190.		2
49	Nano-tribological behavior of graphene nanoplateletâ€”reinforced magnesium matrix nanocomposites. Journal of Magnesium and Alloys, 2020, 9, 895-895.	5.5	23
50	Selective laser melting in biomedical manufacturing. , 2020, , 235-269.		19
51	Introduction to biomedical manufacturing. , 2020, , 3-29.		2
52	Material selection for medical devices. , 2020, , 31-94.		8
53	Surface modifications of metallic biomaterials. , 2020, , 387-424.		3
54	Microstructure, mechanical properties, degradation behavior, and biocompatibility of porous Fe-Mn alloys fabricated by sponge impregnation and sintering techniques. Acta Biomaterialia, 2020, 114, 485-496.	4.1	29

#	ARTICLE	IF	CITATIONS
55	Study of TiO ₂ -Coated Î±-Fe ₂ O ₃ Composites and the Oxygen-Defects Effect on the Application as the Anode Materials of High-Performance Li-Ion Batteries. ACS Applied Energy Materials, 2020, 3, 11666-11673.	2.5	19
56	Length-scale dependent deformation, strengthening, and ductility of fcc/fcc Ni/Al nanolaminates using micropillar compression testing. Acta Materialia, 2020, 193, 318-328.	3.8	24
57	A review of high-strength nanolaminates and evaluation of their properties. Journal of Materials Science and Technology, 2020, 50, 215-244.	5.6	47
58	Impact of rare earth elements on nanohardness and nanowear properties of beta-type Ti-24Nb-38Zr-2Mo alloy for medical applications. Materialia, 2020, 12, 100772.	1.3	8
59	HA coating on Mg alloys for biomedical applications: A review. Journal of Magnesium and Alloys, 2020, 8, 929-943.	5.5	104
60	Machinability of titanium matrix composites (TMC) reinforced with multi-walled carbon nanotubes. Journal of Manufacturing Processes, 2020, 56, 131-146.	2.8	24
61	Thermodynamic analysis on wetting states and wetting state transitions of rough surfaces. Advances in Colloid and Interface Science, 2020, 278, 102136.	7.0	31
62	Realization and characterization of double-layer Ca-P coating on WE43 Mg alloy for biomedical applications. Surface and Coatings Technology, 2020, 398, 126091.	2.2	28
63	Titanium Alloys, Including Nitinol. , 2020, , 229-247.		4
64	Graphene nanoplatelets-reinforced magnesium metal matrix nanocomposites with superior mechanical and corrosion performance for biomedical applications. Journal of Magnesium and Alloys, 2020, 8, 269-290.	5.5	87
65	Magnesium-based composites reinforced with graphene nanoplatelets as biodegradable implant materials. Journal of Alloys and Compounds, 2020, 828, 154461.	2.8	52
66	A biodegradable Zn-1Cu-0.1Ti alloy with antibacterial properties for orthopedic applications. Acta Biomaterialia, 2020, 106, 410-427.	4.1	117
67	Effect of Anodized TiO ₂ -Nb ₂ O ₅ -ZrO ₂ Nanotubes with Different Nanoscale Dimensions on the Biocompatibility of a Ti35Zr28Nb Alloy. ACS Applied Materials & Interfaces, 2020, 12, 6776-6787.	4.0	19
68	Cold rolling deformation and annealing behavior of a Î²-type Ti-34Nb-25Zr titanium alloy for biomedical applications. Journal of Materials Research and Technology, 2020, 9, 2308-2318.	2.6	35
69	Enhanced corrosion resistance via phosphate conversion coating on pure Zn for medical applications. Corrosion Science, 2020, 169, 108602.	3.0	34
70	The manufacturing and the application of polycrystalline diamond tools – A comprehensive review. Journal of Manufacturing Processes, 2020, 56, 400-416.	2.8	56
71	Characterization techniques for metallic biomaterials. , 2020, , 517-545.		0
72	Fabrication and properties of newly developed Ti35Zr28Nb scaffolds fabricated by powder metallurgy for bone-tissue engineering. Journal of Materials Research and Technology, 2019, 8, 3696-3704.	2.6	31

#	ARTICLE	IF	CITATIONS
73	Novel porous Ti35Zr28Nb scaffolds fabricated by powder metallurgy with excellent osteointegration ability for bone-tissue engineering applications. <i>Materials Science and Engineering C</i> , 2019, 105, 110015.	3.8	44
74	Phase field simulation of spinodal decomposition in Zr-Nb alloys for implant materials. <i>Journal of Applied Physics</i> , 2019, 126, 085102.	1.1	6
75	A comparative study on the nanoindentation behavior, wear resistance and in vitro biocompatibility of SLM manufactured CP-Ti and EBM manufactured Ti64 gyroid scaffolds. <i>Acta Biomaterialia</i> , 2019, 97, 587-596.	4.1	71
76	Novel β -Ti35Zr28Nb alloy scaffolds manufactured using selective laser melting for bone implant applications. <i>Acta Biomaterialia</i> , 2019, 87, 273-284.	4.1	85
77	Influence of Heat Treatments on Microstructure and Mechanical Properties of Ti-26Nb Alloy Elaborated In Situ by Laser Additive Manufacturing with Ti and Nb Mixed Powder. <i>Materials</i> , 2019, 12, 61.	1.3	12
78	Porous Ti-10Mo alloy fabricated by powder metallurgy for promoting bone regeneration. <i>Science China Materials</i> , 2019, 62, 1053-1064.	3.5	37
79	Reversible wettability transition between superhydrophilicity and superhydrophobicity through alternate heating-reheating cycle on laser-ablated brass surface. <i>Applied Surface Science</i> , 2019, 492, 349-361.	3.1	52
80	Biocompatibility of Nanoscale Hydroxyapatite Coating on TiO ₂ Nanotubes. <i>Materials</i> , 2019, 12, 1979.	1.3	7
81	Magnesium matrix nanocomposites for orthopedic applications: A review from mechanical, corrosion, and biological perspectives. <i>Acta Biomaterialia</i> , 2019, 96, 1-19.	4.1	113
82	Morphology and phase structure of nanosized Co powders prepared by one-step reduction combined with high-energy ball milling. <i>Journal of Alloys and Compounds</i> , 2019, 800, 490-497.	2.8	4
83	Optimized Fabrication and Characterization of TiO ₂ -Nb ₂ O ₅ -ZrO ₂ Nanotubes on β -Phase TiZr ₃₅ Nb ₂₈ Alloy for Biomedical Applications via the Taguchi Method. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 2750-2761.	2.6	12
84	Individual layer thickness-dependent microstructures and mechanical properties of fcc/fcc Ni/Al nanolaminates and their strengthening mechanisms. <i>Materialia</i> , 2019, 6, 100347.	1.3	13
85	Effects of selected metallic and interstitial elements on the microstructure and mechanical properties of beta titanium alloys for orthopedic applications. <i>Materialia</i> , 2019, 6, 100323.	1.3	46
86	Quantitative analysis of cooling and lubricating effects of graphene oxide nanofluids in machining titanium alloy Ti6Al4V. <i>Journal of Materials Processing Technology</i> , 2019, 271, 584-598.	3.1	58
87	Exploring the Role of Manganese on the Microstructure, Mechanical Properties, Biodegradability, and Biocompatibility of Porous Iron-Based Scaffolds. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 1686-1702.	2.6	62
88	Ion-substituted calcium phosphate coatings by physical vapor deposition magnetron sputtering for biomedical applications: A review. <i>Acta Biomaterialia</i> , 2019, 89, 14-32.	4.1	118
89	Carbon Nanotubes and Graphene as Nanoreinforcements in Metallic Biomaterials: a Review. <i>Advanced Biology</i> , 2019, 3, e1800212.	3.0	66
90	High-strength Ni/Al nanolaminates fabricated by magnetron sputtering and their nanoindentation and nanowear behaviors. <i>Materialia</i> , 2019, 6, 100263.	1.3	14

#	ARTICLE	IF	CITATIONS
91	Effect of thermomechanical treatment on the mechanical and microstructural evolution of a β -type Ti-40.7Zr-24.8Nb alloy. <i>Bioactive Materials</i> , 2019, 4, 303-311.	8.6	24
92	Corrosion of porous Ti35Zr28Nb in Hanks™ solution and 3.5% NaCl. <i>Materials and Corrosion - Werkstoffe Und Korrosion</i> , 2019, 70, 529-536.	0.8	6
93	Additive manufacturing technology for porous metal implant applications and triple minimal surface structures: A review. <i>Bioactive Materials</i> , 2019, 4, 56-70.	8.6	348
94	Investigating Mg Biocorrosion In Vitro: Lessons Learned and Recommendations. <i>Jom</i> , 2019, 71, 1406-1413.	0.9	34
95	A comprehensive review of biodegradable synthetic polymer-ceramic composites and their manufacture for biomedical applications. <i>Bioactive Materials</i> , 2019, 4, 22-36.	8.6	208
96	Bioengineering International joins the Family of Platinum Open Access Journals. <i>Bioengineering International</i> , 2019, 1, 001-001.	0.0	0
97	An investigation of the mechanical and microstructural evolution of a TiNbZr alloy with varied ageing time. <i>Scientific Reports</i> , 2018, 8, 5737.	1.6	32
98	Microstructural evolution and its influence on the mechanical properties of a thermomechanically processed β Ti-32Zr-30Nb alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 719, 112-123.	2.6	21
99	Deformation mechanism and mechanical properties of a thermomechanically processed β Ti-28Nb-35.4Zr alloy. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2018, 78, 224-234.	1.5	75
100	Preface to SPECIAL ISSUE: Advances in Metallic Biomaterials. <i>Science China Materials</i> , 2018, 61, 439-439.	3.5	0
101	Improvement on electrochemical performances of nanoporous titania as anode of lithium-ion batteries through annealing of pure titanium foils. <i>Journal of Energy Chemistry</i> , 2018, 27, 250-263.	7.1	8
102	Anisotropic Ti-6Al-4V gyroid scaffolds manufactured by electron beam melting (EBM) for bone implant applications. <i>Materials and Design</i> , 2018, 137, 345-354.	3.3	257
103	Calcium Phosphate-Based Composite Coating by Micro-Arc Oxidation (MAO) for Biomedical Application: A Review. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2018, 43, 392-416.	6.8	55
104	Corrosion of Ti35Zr28Nb in Hanks™ solution and 3.5% NaCl solution. <i>Materials and Corrosion - Werkstoffe Und Korrosion</i> , 2018, 69, 197-206.	0.8	12
105	Strain rate dependence of tensile strength and ductility of nano and ultrafine grained coppers. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 712, 341-349.	2.6	16
106	Mechanical properties, corrosion, and biocompatibility of Mg-Zr-Sr-Cd alloys for biodegradable implant applications. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2018, 106, 2425-2434.	1.6	24
107	Mechanical properties of electrodeposited nanocrystalline and ultrafine-grained Zn-Sn coatings. <i>Surface and Coatings Technology</i> , 2018, 333, 71-80.	2.2	16
108	Investigation and modeling of flank wear process of different PCD tools in cutting titanium alloy Ti6Al4V. <i>International Journal of Advanced Manufacturing Technology</i> , 2018, 95, 719-733.	1.5	26

#	ARTICLE	IF	CITATIONS
109	Microstructure, mechanical properties, biocompatibility, and in vitro corrosion and degradation behavior of a new Zn-5Ge alloy for biodegradable implant materials. <i>Acta Biomaterialia</i> , 2018, 82, 197-204.	4.1	134
110	Wear Mechanism and Modeling of Tribological Behavior of Polycrystalline Diamond Tools When Cutting Ti6Al4V. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2018, 140, .	1.3	35
111	Investigation on Composition, Mechanical Properties, and Corrosion Resistance of Mg-0.5Ca-X(Sr, Zr). <i>Tj ETQq1 1 0.784314 rgBT /Ov</i>	0.7	4
112	In Vitro Degradation Behaviors of Manganese-Calcium Phosphate Coatings on an Mg-Ca-Zn Alloy. <i>Scanning</i> , 2018, 2018, 1-9.	0.7	4
113	Microstructures and mechanical properties of in situ Ti-Nb composites with ultrafine grains fabricated by high-pressure sintering. <i>Scientific Reports</i> , 2018, 8, 9496.	1.6	10
114	Ultra-high-strength titanium gyroid scaffolds manufactured by selective laser melting (SLM) for bone implant applications. <i>Acta Materialia</i> , 2018, 158, 354-368.	3.8	259
115	The Mechanical Properties and In Vitro Biocompatibility of PM-Fabricated Ti-28Nb-35.4Zr Alloy for Orthopedic Implant Applications. <i>Materials</i> , 2018, 11, 531.	1.3	17
116	Microstructure and mechanical properties of high-pressure-assisted solidification of in situ Al-Mg ₂ Si composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 733, 9-15.	2.6	28
117	Interdependencies between graphitization of carbon nanotubes and strengthening mechanisms in titanium matrix composites. <i>Materialia</i> , 2018, 3, 122-138.	1.3	41
118	Impact of ruthenium on mechanical properties, biological response and thermal processing of β -type Ti-Nb-Ru alloys. <i>Acta Biomaterialia</i> , 2017, 48, 461-467.	4.1	17
119	Extraordinary high strength Ti-Zr-Ta alloys through nanoscaled, dual-cubic spinodal reinforcement. <i>Acta Biomaterialia</i> , 2017, 53, 549-558.	4.1	50
120	Microstructure and mechanical properties of carbon nanotubes reinforced titanium matrix composites fabricated via spark plasma sintering. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 688, 505-523.	2.6	123
121	Effects of solution treatment and aging on the microstructure, mechanical properties, and corrosion resistance of a β type Ti-Ta-Hf-Zr alloy. <i>RSC Advances</i> , 2017, 7, 12309-12317.	1.7	37
122	Improving the strengthening efficiency of carbon nanotubes in titanium metal matrix composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 696, 10-25.	2.6	87
123	Structural and mechanical properties of magnetron-sputtered Al-Au thin films. <i>Applied Physics A: Materials Science and Processing</i> , 2017, 123, 1.	1.1	3
124	Manufacturing of graded titanium scaffolds using a novel space holder technique. <i>Bioactive Materials</i> , 2017, 2, 248-252.	8.6	21
125	New Ti-Ta-Zr-Nb alloys with ultrahigh strength for potential orthopedic implant applications. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2017, 75, 119-127.	1.5	67
126	Cellular responses of osteoblast-like cells to 17 elemental metals. <i>Journal of Biomedical Materials Research - Part A</i> , 2017, 105, 148-158.	2.1	59

#	ARTICLE	IF	CITATIONS
127	The bioactivity and bone cell attachment of nanotubular layers anodized in aqueous and nonaqueous electrolytes. , 2017, , 217-239.		0
128	Metal scaffolds processed by electron beam melting for biomedical applications. , 2017, , 83-110.		11
129	Nanotopography and surface chemistry of TiO ₂ â€“ZrO ₂ â€“ZrTiO ₄ nanotubular surfaces and the influence on their bioactivity and cell responses. , 2017, , 181-202.		1
130	Production methods and characterization of porous Mg and Mg alloys for biomedical applications. , 2017, , 25-82.		16
131	Metallic scaffolds manufactured by selective laser melting for biomedical applications. , 2017, , 1-23.		13
132	Role of Process Control Agent in the Synthesis of Multiâ€“Walled Carbon Nanotubes Reinforced Titanium Metal Matrix Powder Mixtures. Advanced Engineering Materials, 2016, 18, 294-303.	1.6	27
133	Novel Ti-Ta-Hf-Zr alloys with promising mechanical properties for prospective stent applications. Scientific Reports, 2016, 6, 37901.	1.6	46
134	Investigations into Tiâ€“(Nb,Ta)â€“Fe alloys for biomedical applications. Acta Biomaterialia, 2016, 32, 336-347.	4.1	61
135	Deterioration of the Strong sp ² Carbon Network in Carbon Nanotubes during the Mechanical Dispersion Processingâ€“A Review. Critical Reviews in Solid State and Materials Sciences, 2016, 41, 347-366.	6.8	42
136	Effect of ultrasonic stirring on the microstructure and mechanical properties of in situ Mg ₂ Si/Al composite. Materials Chemistry and Physics, 2016, 178, 112-118.	2.0	14
137	Microstructure and superelasticity of a biomedical Î²-type titanium alloy under various processing routes. Applied Materials Today, 2016, 5, 41-51.	2.3	4
138	Flexible Superhydrophobic and Superoleophilic MoS ₂ Sponge for Highly Efficient Oil-Water Separation. Scientific Reports, 2016, 6, 27207.	1.6	84
139	Titanium-niobium pentoxide composites for biomedical applications. Bioactive Materials, 2016, 1, 127-131.	8.6	32
140	Mechanical properties, in vitro corrosion and biocompatibility of newly developed biodegradable Mg-Zr-Sr-Ho alloys for biomedical applications. Scientific Reports, 2016, 6, 31990.	1.6	36
141	Nanostructured Silicon Anodes for Highâ€“Performance Lithiumâ€“Ion Batteries. Advanced Functional Materials, 2016, 26, 647-678.	7.8	261
142	Effects of Mg ₁₇ Sr ₂ Phase on the Bioâ€“Corrosion Behavior of Mgâ€“Zrâ€“Sr Alloys. Advanced Engineering Materials, 2016, 18, 259-268.	1.6	23
143	Strontium content and collagenâ€“ coating of Magnesiumâ€“Zirconiaâ€“Strontium implants influence osteogenesis and bone resorption. Clinical Oral Implants Research, 2016, 27, e15-24.	1.9	13
144	Identifying and understanding the effect of milling energy on the synthesis of carbon nanotubes reinforced titanium metal matrix composites. Carbon, 2016, 99, 384-397.	5.4	77

#	ARTICLE	IF	CITATIONS
145	Effects of the addition of lanthanum and ultrasonic stirring on the microstructure and mechanical properties of the in situ Mg 2 Si/Al composites. <i>Materials and Design</i> , 2016, 90, 424-432.	3.3	37
146	Wear behaviour of DMD-generated high-strength steels using multi-factor experiment design on a pin-on-disc apparatus. <i>International Journal of Advanced Manufacturing Technology</i> , 2016, 87, 461-477.	1.5	8
147	A study of the capacity fade of porous NiO/Ni foam as negative electrode for lithium-ion batteries. <i>Ionics</i> , 2016, 22, 173-184.	1.2	16
148	The role of temperature in the strengthening of Cu-Al alloys processed by surface mechanical attrition treatment. <i>Journal of Materials Research</i> , 2015, 30, 1670-1677.	1.2	3
149	Quantitative Analyses of MWCNT-Ti Powder Mixtures using Raman Spectroscopy: The Influence of Milling Parameters on Nanostructural Evolution. <i>Advanced Engineering Materials</i> , 2015, 17, 1660-1669.	1.6	78
150	Nanogravel structured NiO/Ni foam as electrode for high-performance lithium-ion batteries. <i>Ionics</i> , 2015, 21, 2709-2723.	1.2	23
151	Fabrication and Characterization of Nanoporous Niobia, and Nanotubular Tantala, Titania and Zirconia via Anodization. <i>Journal of Functional Biomaterials</i> , 2015, 6, 153-170.	1.8	40
152	Ultrahigh Strength Copper Obtained by Surface Mechanical Attrition Treatment at Cryogenic Temperature. <i>Journal of Materials Engineering and Performance</i> , 2015, 24, 5058-5064.	1.2	16
153	The impact of Co/La ratios on microstructure and magnetic properties of the Sr _{0.75} Ca _{0.25} La Fe ₁₂ O ₁₉ hexaferrites. <i>Journal of Magnetism and Magnetic Materials</i> , 2015, 384, 64-69.	1.0	19
154	Development of Surface Nano-Crystallization in Alloys by Surface Mechanical Attrition Treatment (SMAT). <i>Critical Reviews in Solid State and Materials Sciences</i> , 2015, 40, 164-181.	6.8	85
155	Processing and Characterization of SrTiO ₃ -TiO ₂ Nanoparticle-Nanotube Heterostructures on Titanium for Biomedical Applications. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 16018-16026.	4.0	41
156	A review on porous negative electrodes for high performance lithium-ion batteries. <i>Journal of Porous Materials</i> , 2015, 22, 1313-1343.	1.3	52
157	Enhanced electrochemical performance of Li-ion batteries with nanoporous titania as negative electrodes. <i>Journal of Energy Chemistry</i> , 2015, 24, 157-170.	7.1	14
158	Cell response and bioactivity of titania-zirconia-zirconium titanate nanotubes with different nanoscale topographies fabricated in a non-aqueous electrolyte. <i>Biomaterials Science</i> , 2015, 3, 636-644.	2.6	14
159	Effects of zirconium and strontium on the biocorrosion of Mg-Zr-Sr alloys for biodegradable implant applications. <i>Journal of Materials Chemistry B</i> , 2015, 3, 3714-3729.	2.9	34
160	Experimental investigation of the mechanical behavior of aluminum honeycombs under quasi-static and dynamic indentation. <i>Materials & Design</i> , 2015, 74, 138-149.	5.1	55
161	Development of Ti-Nb-Zr alloys with high elastic admissible strain for temporary orthopedic devices. <i>Acta Biomaterialia</i> , 2015, 20, 176-187.	4.1	165
162	Effect of dispersion method on the deterioration, interfacial interactions and re-agglomeration of carbon nanotubes in titanium metal matrix composites. <i>Materials and Design</i> , 2015, 88, 138-148.	3.3	73

#	ARTICLE	IF	CITATIONS
163	The influence of titania/zirconia/zirconium titanate nanotube characteristics on osteoblast cell adhesion. <i>Acta Biomaterialia</i> , 2015, 12, 281-289.	4.1	56
164	Carbon Nanotube Reinforced Titanium Metal Matrix Composites Prepared by Powder Metallurgy—A Review. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2015, 40, 38-55.	6.8	137
165	Role of stacking fault energy and strain rate in strengthening of Cu and Cu–Al alloys. <i>Journal of Materials Research</i> , 2014, 29, 1747-1754.	1.2	6
166	Dynamic behaviour of high strength steel parts developed through laser assisted direct metal deposition. <i>Materials & Design</i> , 2014, 64, 650-659.	5.1	24
167	A review of high energy density lithium–air battery technology. <i>Journal of Applied Electrochemistry</i> , 2014, 44, 5-22.	1.5	172
168	Improvement of the biomedical properties of titanium using SMAT and thermal oxidation. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014, 116, 658-665.	2.5	55
169	A review on hybrid nanolaminate materials synthesized by deposition techniques for energy storage applications. <i>Journal of Materials Chemistry A</i> , 2014, 2, 3695-3708.	5.2	96
170	Impact of ruthenium on microstructure and corrosion behavior of β -type Ti–Nb–Ru alloys for biomedical applications. <i>Materials & Design</i> , 2014, 59, 303-309.	5.1	45
171	Biocompatibility of TiO ₂ nanotubes with different topographies. <i>Journal of Biomedical Materials Research - Part A</i> , 2014, 102, 743-751.	2.1	89
172	Surfactants in Mechanical Alloying/Milling: A Catch-22 Situation. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2014, 39, 81-108.	6.8	91
173	Effects of alloying elements on the corrosion behavior and biocompatibility of biodegradable magnesium alloys: a review. <i>Journal of Materials Chemistry B</i> , 2014, 2, 1912-1933.	2.9	382
174	Fabrication and characterization of TiO ₂ –ZrO ₂ –ZrTiO ₄ nanotubes on TiZr alloy manufactured via anodization. <i>Journal of Materials Chemistry B</i> , 2014, 2, 71-83.	2.9	33
175	Collagen type-I leads to in vivo matrix mineralization and secondary stabilization of Mg–Zr–Ca alloy implants. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014, 122, 719-728.	2.5	41
176	Influences of recovery and recrystallization on the superelastic behavior of a β titanium alloy made by suction casting. <i>Journal of Materials Chemistry B</i> , 2014, 2, 5972.	2.9	7
177	Ti–SrO metal matrix composites for bone implant materials. <i>Journal of Materials Chemistry B</i> , 2014, 2, 5854-5861.	2.9	5
178	Investigation of bacterial attachment on hydroxyapatite-coated titanium and tantalum. <i>International Journal of Surface Science and Engineering</i> , 2014, 8, 255.	0.4	15
179	Effect of thermomechanical treatment on the superelasticity of Ti–7.5Nb–4Mo–2Sn biomedical alloy. <i>Materials Science and Engineering C</i> , 2014, 44, 76-86.	3.8	14
180	Biocompatibility of transition metal-substituted cobalt ferrite nanoparticles. <i>Journal of Nanoparticle Research</i> , 2014, 16, 1.	0.8	48

#	ARTICLE	IF	CITATIONS
181	Corrosion protection of mesoporous bioactive glass coating on biodegradable magnesium. <i>Applied Surface Science</i> , 2014, 303, 196-204.	3.1	30
182	Fabrication of Ti-Nb-Ag alloy via powder metallurgy for biomedical applications. <i>Materials & Design</i> , 2014, 56, 629-634.	5.1	59
183	Cell biological responses of osteoblasts on anodized nanotubular surface of a titanium-zirconium alloy. <i>Journal of Biomedical Materials Research - Part A</i> , 2013, 101, 3416-3430.	2.1	42
184	Transition metal-substituted cobalt ferrite nanoparticles for biomedical applications. <i>Acta Biomaterialia</i> , 2013, 9, 5830-5837.	4.1	284
185	A Review on Li-S Batteries as a High Efficiency Rechargeable Lithium Battery. <i>Journal of the Electrochemical Society</i> , 2013, 160, A1256-A1263.	1.3	251
186	Expression of cell adhesion and differentiation related genes in MC3T3 osteoblasts plated on titanium alloys: role of surface properties. <i>Materials Science and Engineering C</i> , 2013, 33, 1573-1582.	3.8	40
187	High Energy Density Metal-Air Batteries: A Review. <i>Journal of the Electrochemical Society</i> , 2013, 160, A1759-A1771.	1.3	569
188	Microstructures, mechanical properties and in vitro corrosion behaviour of biodegradable Mg-Zr-Ca alloys. <i>Journal of Materials Science</i> , 2013, 48, 1632-1639.	1.7	24
189	The defect structures and mechanical properties of Cu and Cu-Al alloys processed by split Hopkinson pressure bar. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 580, 406-409.	2.6	10
190	Influence of stacking fault energy and strain rate on the mechanical properties in Cu and Cu-Al-Zn alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 585, 174-177.	2.6	11
191	The influence of strain rate, deformation temperature and stacking fault energy on the mechanical properties of Cu alloys. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 583, 199-204.	2.6	40
192	Simultaneously enhanced strength and ductility of Cu-xGe alloys through manipulating the stacking fault energy (SFE). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 569, 144-149.	2.6	33
193	Cell response of anodized nanotubes on titanium and titanium alloys. <i>Journal of Biomedical Materials Research - Part A</i> , 2013, 101A, 2726-2739.	2.1	159
194	Effect of stacking fault energy and strain rate on the mechanical properties of Cu and Cu alloys. <i>Journal of Alloys and Compounds</i> , 2013, 573, 1-5.	2.8	11
195	Microstructural characteristics of a nanoeutectic Ag-Cu alloy processed by surface mechanical attrition treatment. <i>Scripta Materialia</i> , 2013, 68, 499-502.	2.6	14
196	Zirconium, calcium, and strontium contents in magnesium based biodegradable alloys modulate the efficiency of implant-induced osseointegration. <i>International Journal of Nanomedicine</i> , 2013, 8, 2887.	3.3	21
197	Impact Response and Energy Absorption of Aluminium Foam-Filled Tubes. <i>Applied Mechanics and Materials</i> , 2012, 152-154, 436-439.	0.2	4
198	Nanoscale SiO ₂ /ZrO ₂ Particulate-Reinforced Titanium Composites for Bone Implant Materials. <i>Key Engineering Materials</i> , 2012, 520, 242-247.	0.4	0

#	ARTICLE	IF	CITATIONS
199	Biological Performances of Titanium Scaffolds: A Review. <i>Advanced Materials Research</i> , 2012, 535-537, 1634-1637.	0.3	0
200	Microstructures and Various Properties of Hot-Extruded Mg-Zr-Ca Alloys for Biomedical Applications. <i>Applied Mechanics and Materials</i> , 2012, 232, 162-166.	0.2	1
201	Microstructures and mechanical properties of as cast Mg-Zr-Ca alloys for biomedical applications. <i>Materials Technology</i> , 2012, 27, 52-54.	1.5	18
202	Biodegradable Mg-Zr-Ca alloys for bone implant materials. <i>Materials Technology</i> , 2012, 27, 49-51.	1.5	19
203	Mg-Zr-Sr alloys as biodegradable implant materials. <i>Acta Biomaterialia</i> , 2012, 8, 3177-3188.	4.1	251
204	Thermal oxidation behaviour of bulk titanium with nanocrystalline surface layer. <i>Corrosion Science</i> , 2012, 59, 352-359.	3.0	58
205	Investigation of cell shape effect on the mechanical behaviour of open-cell metal foams. <i>Computational Materials Science</i> , 2012, 55, 1-9.	1.4	34
206	Influence of Titanium Alloying Element Substrata on Bacterial Adhesion. <i>Advanced Materials Research</i> , 2012, 535-537, 992-995.	0.3	1
207	A review of the application of anodization for the fabrication of nanotubes on metal implant surfaces. <i>Acta Biomaterialia</i> , 2012, 8, 2875-2888.	4.1	359
208	A new look at biomedical Ti-based shape memory alloys. <i>Acta Biomaterialia</i> , 2012, 8, 1661-1669.	4.1	519
209	Tribological Behaviour of Pure Ti with a Nanocrystalline Surface Layer Under Different Loads. <i>Tribology Letters</i> , 2012, 45, 59-66.	1.2	31
210	Osteoblast cell response to nanoscale SiO ₂ /ZrO ₂ particulate-reinforced titanium composites and scaffolds by powder metallurgy. <i>Journal of Materials Science</i> , 2012, 47, 4410-4414.	1.7	10
211	Microstructures and Mechanical Properties of Hot-Rolled Mg-Zr-Ca Alloys for Biomedical Applications. <i>Advanced Science Letters</i> , 2012, 5, 898-900.	0.2	1
212	Phase transformation in oil-quenched Ni ₂₁ Al ₂₀ Fe alloy. <i>Journal of Alloys and Compounds</i> , 2011, 509, 1644-1647.	2.8	3
213	Fabrication and characterisation of microporous titanium. <i>Powder Metallurgy</i> , 2011, 54, 56-58.	0.9	3
214	In vitro behavior of human osteoblast-like cells (SaOS2) cultured on surface modified titanium and titanium-zirconium alloy. <i>Materials Science and Engineering C</i> , 2011, 31, 1545-1552.	3.8	12
215	The effects of calcium and yttrium additions on the microstructure, mechanical properties and biocompatibility of biodegradable magnesium alloys. <i>Journal of Materials Science</i> , 2011, 46, 365-371.	1.7	70
216	The influence of surface energy of titanium-zirconium alloy on osteoblast cell functions <i>in vitro</i> . <i>Journal of Biomedical Materials Research - Part A</i> , 2011, 97A, 27-36.	2.1	107

#	ARTICLE	IF	CITATIONS
217	Effect of ball-milling time on the structural characteristics of biomedical porous Tiâ€“Snâ€“Nb alloy. Materials Science and Engineering C, 2011, 31, 921-928.	3.8	67
218	Synthesis and characterization of nanostructured Ag on porous titania. Applied Surface Science, 2011, 257, 4836-4843.	3.1	9
219	Numerical investigation of the effect of porous titanium femoral prosthesis on bone remodeling. Materials & Design, 2011, 32, 1776-1782.	5.1	41
220	Sound absorption characteristics of aluminum foam with spherical cells. Journal of Applied Physics, 2011, 110, .	1.1	35
221	BIODEGRADABLE Mg-Zr-Ca ALLOYS FOR BONE IMPLANT MATERIALS. , 2011, , .		1
222	Microstructural Characterization and Mechanical Properties of Mg-Zr-Ca Alloys Prepared by Hot-Extrusion for Biomedical Applications. Advanced Science Letters, 2011, 4, 2860-2863.	0.2	7
223	SHEAR BAND EVOLUTION AND NANOSTRUCTURE FORMATION IN TITANIUM BY COLD ROLLING. , 2011, , .		0
224	Effects of Deformation-Induced Heating on Bond Strength of Rolled Metal Multilayer. Materials Science Forum, 2010, 654-656, 2579-2582.	0.3	0
225	Microstructure evolution and nanograin formation during shear localization in cold-rolled titanium. Acta Materialia, 2010, 58, 4536-4548.	3.8	96
226	Nanohydroxyapatite coating on a titaniumâ€“niobium alloy by a hydrothermal process. Acta Biomaterialia, 2010, 6, 1584-1590.	4.1	43
227	Study on the Role of Stearic Acid and Ethylene-bis-stearamide on the Mechanical Alloying of a Biomedical Titanium Based Alloy. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2010, 41, 1409-1420.	1.1	28
228	Ultrafine equiaxed-grain Ti/Al composite produced by accumulative roll bonding. Scripta Materialia, 2010, 62, 321-324.	2.6	138
229	Simultaneously enhanced strength and ductility of titanium via multimodal grain structure. Scripta Materialia, 2010, 63, 941-944.	2.6	99
230	<i>In vitro</i> osteoblastâ€“like cell proliferation on nanoâ€“hydroxyapatite coatings with different morphologies on a titaniumâ€“niobium shape memory alloy. Journal of Biomedical Materials Research - Part A, 2010, 95A, 766-773.	2.1	28
231	Effect of process control agent on the porous structure and mechanical properties of a biomedical Tiâ€“Snâ€“Nb alloy produced by powder metallurgy. Acta Biomaterialia, 2010, 6, 1630-1639.	4.1	103
232	Low frequency damping capacity in a strained Feâ€“Mnâ€“Si alloy. Physica Status Solidi (A) Applications and Materials Science, 2010, 207, 338-343.	0.8	1
233	Bone Formation Following Implantation of Titanium Sponge Rods into Humeral Osteotomies in Dogs: A Histological and Histometrical Study. Clinical Implant Dentistry and Related Research, 2010, 12, 72-79.	1.6	26
234	Design of a New Biocompatible Ti-Based Shape Memory Alloy and Its Superelastic Deformation Behaviour. Materials Science Forum, 2010, 654-656, 2087-2090.	0.3	4

#	ARTICLE	IF	CITATIONS
235	Effect of Pore Size on Mechanical Properties of Titanium Foams. Materials Science Forum, 2010, 654-656, 827-830.	0.3	5
236	Compressive deformation and damage of Mg-based metallic glass interpenetrating phase composite containing 30%–70 vol% titanium. Journal of Materials Research, 2010, 25, 2192-2196.	1.2	8
237	Biomimetic Modification of Porous TiNbZr Alloy Scaffold for Bone Tissue Engineering. Tissue Engineering - Part A, 2010, 16, 309-316.	1.6	58
238	Cytotoxicity of Titanium and Titanium Alloying Elements. Journal of Dental Research, 2010, 89, 493-497.	2.5	222
239	Theoretical study on behaviour of superplastic forming/diffusion bonding of bulk metallic glasses. Materials Science and Technology, 2010, 26, 361-366.	0.8	10
240	Effects of structural property and surface modification of Ti6Ta4Sn scaffolds on the response of SaOS2 cells for bone tissue engineering. Journal of Alloys and Compounds, 2010, 494, 323-329.	2.8	32
241	Thermal stability of the Al70Ni10Ti10Zr5Ta5 amorphous alloy powder fabricated by mechanical alloying. Journal of Alloys and Compounds, 2010, 496, 313-316.	2.8	15
242	Fabrication of Al-based bulk metallic glass by mechanical alloying and vacuum hot consolidation. Journal of Alloys and Compounds, 2010, 501, 164-167.	2.8	34
243	Porous shape memory alloy scaffolds for biomedical applications: a review. Physica Scripta, 2010, T139, 014070.	1.2	32
244	Mg-based metallic glass/titanium interpenetrating phase composite with high mechanical performance. Applied Physics Letters, 2009, 95, .	1.5	28
245	Preparation of Bioactive Porous Titanium-Molybdenum Alloy through Powder Metallurgy. Materials Science Forum, 2009, 620-622, 745-748.	0.3	0
246	Ti6Ta4Sn Alloy and Subsequent Scaffolding for Bone Tissue Engineering. Tissue Engineering - Part A, 2009, 15, 3151-3159.	1.6	58
247	Biomimetic Coating on Pure Titanium Submitted to Different Surface Treatments. Materials Science Forum, 2009, 618-619, 311-314.	0.3	1
248	Extrusion properties of a Zr-based bulk metallic glass. Materials Letters, 2009, 63, 1317-1319.	1.3	5
249	Influence of deformation-induced heating on the bond strength of rolled metal multilayers. Materials Letters, 2009, 63, 2300-2302.	1.3	17
250	Influence of calcium ion deposition on apatite-inducing ability of porous titanium for biomedical applications. Acta Biomaterialia, 2009, 5, 1808-1820.	4.1	90
251	Microstructures and bond strengths of the calcium phosphate coatings formed on titanium from different simulated body fluids. Materials Science and Engineering C, 2009, 29, 165-171.	3.8	59
252	The importance of particle size in porous titanium and nonporous counterparts for surface energy and its impact on apatite formation. Acta Biomaterialia, 2009, 5, 2290-2302.	4.1	61

#	ARTICLE	IF	CITATIONS
253	Porous TiNbZr alloy scaffolds for biomedical applications. <i>Acta Biomaterialia</i> , 2009, 5, 3616-3624.	4.1	157
254	The kinetics of two-stage formation of TiAl ₃ in multilayered Ti/Al foils prepared by accumulative roll bonding. <i>Intermetallics</i> , 2009, 17, 727-732.	1.8	60
255	Plastic deformation in the annealed Zr ₄₁ Ti ₁₄ Cu _{12.5} Ni ₁₀ Be _{22.5} bulk metal glass under indenter. <i>Journal of Alloys and Compounds</i> , 2009, 475, 501-505.	2.8	10
256	Degradation of the strength of porous titanium after alkali and heat treatment. <i>Journal of Alloys and Compounds</i> , 2009, 485, 316-319.	2.8	24
257	Plastic deformation in a partially crystallized Zr-based BMG under Vickers indenter. <i>Journal of Alloys and Compounds</i> , 2009, 484, 886-890.	2.8	5
258	Mechanical properties and bioactive surface modification via alkali-heat treatment of a porous Ti-18Nb-4Sn alloy for biomedical applications. <i>Acta Biomaterialia</i> , 2008, 4, 1963-1968.	4.1	95
259	Effect of surface roughness of Ti, Zr, and TiZr on apatite precipitation from simulated body fluid. <i>Biotechnology and Bioengineering</i> , 2008, 101, 378-387.	1.7	109
260	Synthesis of Ti-Sn-Nb alloy by powder metallurgy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 485, 562-570.	2.6	52
261	Titanium-nickel shape memory alloy foams for bone tissue engineering. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2008, 1, 269-273.	1.5	89
262	In vitro bioactivity evaluation of titanium and niobium metals with different surface morphologies. <i>Acta Biomaterialia</i> , 2008, 4, 1530-1535.	4.1	82
263	Effect of heat-treatment atmosphere on the bond strength of apatite layer on Ti substrate. <i>Dental Materials</i> , 2008, 24, 1549-1555.	1.6	32
264	Plastic deformation in Zr ₄₁ Ti ₁₄ Cu _{12.5} Ni ₁₀ Be _{22.5} bulk metal glass under Vickers indenter. <i>Journal of Alloys and Compounds</i> , 2008, 461, 173-177.	2.8	8
265	INFLUENCE OF POROSITY ON SHAPE MEMORY BEHAVIOR OF POROUS TiNi SHAPE MEMORY ALLOY. <i>Functional Materials Letters</i> , 2008, 01, 215-219.	0.7	5
266	Apatite-inducing ability of titanium oxide layer on titanium surface: The effect of surface energy. <i>Journal of Materials Research</i> , 2008, 23, 1682-1688.	1.2	48
267	Damping properties of open cell microcellular pure Al foams. <i>Materials Science and Technology</i> , 2007, 23, 1336-1340.	0.8	1
268	Crushing Simulation of Foam-Filled Aluminium Tubes. <i>Materials Transactions</i> , 2007, 48, 1901-1906.	0.4	22
269	Composition dependency of the glass forming ability (GFA) in Mg-Ni-Si system by mechanical alloying. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 459, 35-39.	2.6	7
270	Effect of relaxation on pressure sensitivity index in a Zr-based metallic glass. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 460-461, 58-62.	2.6	28

#	ARTICLE	IF	CITATIONS
271	Hydroxyapatite/titania sol-gel coatings on titanium-zirconium alloy for biomedical applications†. Acta Biomaterialia, 2007, 3, 403-410.	4.1	145
272	Sol-gel derived HA/TiO ₂ double coatings on Ti scaffolds for orthopaedic applications. Transactions of Nonferrous Metals Society of China, 2006, 16, s209-s216.	1.7	27
273	Elastic modulus and hardness of cortical and trabecular bovine bone measured by nanoindentation. Transactions of Nonferrous Metals Society of China, 2006, 16, s744-s748.	1.7	45
274	Phase formation and physical properties of mechanically alloyed amorphous 55Mg35Ni10Si. Journal of Non-Crystalline Solids, 2006, 352, 3244-3248.	1.5	5
275	Fabrication of novel TiZr alloy foams for biomedical applications. Materials Science and Engineering C, 2006, 26, 1439-1444.	3.8	90
276	Sol-gel derived hydroxyapatite/titania biocoatings on titanium substrate. Materials Letters, 2006, 60, 1575-1578.	1.3	64
277	Preparation of Mg 55 Ni 35 Si 10 Amorphous Powders by Mechanical Alloying and Consolidation by Vacuum Hot Pressing. Chinese Physics Letters, 2006, 23, 2161-2164.	1.3	2
278	Energy Absorption and Crushing Behaviour of Foam-Filled Aluminium Tubes. Materials Transactions, 2005, 46, 2633-2636.	0.4	24
279	Compressibility of porous magnesium foam: dependency on porosity and pore size. Materials Letters, 2004, 58, 357-360.	1.3	245
280	Effects of the Density on Compressive Properties in Cellular Aluminum Produced by the Sintering Method. Materials Transactions, 2004, 45, 327-329.	0.4	6
281	Processing of fine-grained aluminum foam by spark plasma sintering. Journal of Materials Science Letters, 2003, 22, 1407-1409.	0.5	55
282	Fabrication of nanoscale Ti honeycombs by focused ion beam. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2003, 344, 365-367.	2.6	21
283	Corrosion and Mechanical Properties of Recycled 5083 Aluminum Alloy by Solid State Recycling. Materials Transactions, 2003, 44, 1284-1289.	0.4	23
284	Mechanical Properties and Blow Forming of Rolled AZ31 Mg Alloy Sheet. Materials Transactions, 2003, 44, 484-489.	0.4	16
285	Fabrication of Porous TiAl Intermetallic Compound by Self-propagating High Temperature Synthesis. Funtai Oyobi Fumatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 2003, 50, 848-850.	0.1	1
286	Compressive Deformation Characteristics of Open-Cell Mg Alloys with Controlled Cell Structure. Materials Transactions, 2002, 43, 1298-1305.	0.4	35
287	Superplasticity and Cavitation of Recycled AZ31 Magnesium Alloy Fabricated by Solid Recycling Process. Materials Transactions, 2002, 43, 2437-2442.	0.4	54
288	Mechanical Properties and Press Formability at Room Temperature of AZ31 Mg Alloy Processed by Single Roller Drive Rolling. Materials Transactions, 2002, 43, 2554-2560.	0.4	110

#	ARTICLE	IF	CITATIONS
289	Solid-state recycling from machined scraps to a cellular solid. Journal of Materials Research, 2002, 17, 2783-2786.	1.2	2
290	Novel titanium foam for bone tissue engineering. Journal of Materials Research, 2002, 17, 2633-2639.	1.2	182
291	Processing and mechanical properties of autogenous titanium implant materials. Journal of Materials Science: Materials in Medicine, 2002, 13, 397-401.	1.7	225
292	Focused ion beam fabrication of amorphous and polycrystalline Fe ₇₈ B ₁₃ Si ₉ alloys. Journal of Materials Science Letters, 2002, 21, 837-839.	0.5	5
293	Title is missing!. Journal of Materials Science Letters, 2002, 21, 1695-1697.	0.5	6
294	Microstructure and Mechanical Properties of AZ31 and ZK60 Magnesium Alloys Processed by Open Die Forging.. Zairyo/Journal of the Society of Materials Science, Japan, 2001, 50, 1228-1232.	0.1	2
295	Corrosion and Mechanical Properties of AZ91D Magnesium Alloy Fabricated by Solid Recycling Process. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2001, 65, 621-626.	0.2	23
296	Forging Characteristics of AZ31 Mg Alloy. Materials Transactions, 2001, 42, 414-417.	0.4	34
297	Fabrication of TiAl by blended elemental powder semisolid forming. Journal of Materials Science, 2001, 36, 1741-1745.	1.7	28
298	Processing of biocompatible porous Ti and Mg. Scripta Materialia, 2001, 45, 1147-1153.	2.6	600
299	Effects of Cell Geometry on the Compressive Properties of Nickel Foams. Materials Transactions, JIM, 2000, 41, 1136-1138.	0.9	15
300	Effects of Heat Treatment on the Compressive Properties of AZ91 Mg Foam. Materials Transactions, JIM, 2000, 41, 1192-1195.	0.9	16
301	Title is missing!. Journal of Materials Science, 2000, 35, 2099-2105.	1.7	20
302	Elemental blended powders semisolid forming of Ti-Al based alloys. Journal of Materials Science, 2000, 35, 5927-5932.	1.7	10
303	The effect of lamellar spacing on the creep behavior of a fully lamellar TiAl alloy. Intermetallics, 2000, 8, 525-529.	1.8	53
304	XAFS and XRD studies on local and long-range structures of mechanically alloyed Al _x Ti _{1-x} solid solutions. Journal of Synchrotron Radiation, 1999, 6, 725-727.	1.0	2
305	Diffusion ledge mechanism of massive β transformation in quenched TiAl alloys. Journal of Materials Science Letters, 1999, 18, 927-929.	0.5	5
306	Metastable structures of immiscible system induced by mechanical alloying. Journal of Physics Condensed Matter, 1997, 9, 11077-11083.	0.7	12

#	ARTICLE	IF	CITATIONS
307	Consolidation of Titanium Tri-aluminide using by Spark Plasma Sintering.. Funtai Oyobi Fummatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy, 1997, 44, 554-559.	0.1	1
308	New microstructure-property approach: Quenching/tempering treatment in gamma TiAl alloy. Scripta Metallurgica Et Materialia, 1995, 33, 1283-1288.	1.0	10
309	<i>In Vitro&/i> Cytotoxicity of Binary Ti Alloys for Bone Implants. Materials Science Forum, 0, 618-619, 295-298.	0.3	3
310	Nucleation and Growth during Reactions in Accumulative Roll Bonding of Ti/Al Multilayers. Materials Science Forum, 0, 618-619, 429-432.	0.3	0
311	Bioactive Hydroxyapatite Coating on Titanium-Niobium Alloy through a Sol-Gel Process. Materials Science Forum, 0, 618-619, 325-328.	0.3	6
312	Apatite Formation on Nano-Structured Titanium and Niobium Surface. Materials Science Forum, 0, 614, 85-92.	0.3	6
313	Effect of Structure Relaxation on the Plastic Deformation Behaviour in a Zr-Based BMG under Indenter. Materials Science Forum, 0, 618-619, 437-441.	0.3	0
314	Bioactivating the Surfaces of Titanium by Sol-Gel Process. Materials Science Forum, 0, 614, 67-71.	0.3	8
315	Biodegradable Mg-Ca and Mg-Ca-Y Alloys for Regenerative Medicine. Materials Science Forum, 0, 654-656, 2192-2195.	0.3	36
316	Wear Behaviour of Pure Ti with a Nanocrystalline Surface Layer. Applied Mechanics and Materials, 0, 66-68, 1500-1504.	0.2	5
317	Mechanical Property and Microstructure of Ti-Ta-Ag Alloy for Biomedical Applications. Key Engineering Materials, 0, 520, 254-259.	0.4	2
318	A Brief Review of Biomedical Shape Memory Alloys by Powder Metallurgy. Key Engineering Materials, 0, 520, 195-200.	0.4	4
319	Fabrication of Ti14Nb4Sn Alloys for Bone Tissue Engineering Applications. Key Engineering Materials, 0, 520, 214-219.	0.4	1
320	Development of Bio-Compatible Metallic Structures Using Direct Metal Deposition Process. Advanced Materials Research, 0, 576, 141-145.	0.3	0
321	A Newly Developed Biocompatible Titanium Alloy and its Scaffolding by Powder Metallurgy. Key Engineering Materials, 0, 520, 201-207.	0.4	2
322	Preparation of Titanium/Strontia Composite by Powder Metallurgy for Biomedical Application. Key Engineering Materials, 0, 520, 248-253.	0.4	0
323	Biomimetic Creation of Surfaces on Porous Titanium for Biomedical Applications. Advanced Materials Research, 0, 896, 259-262.	0.3	2
324	Compressive Properties of Solid and Porous Parts Made from High Strength Steel Alloys by Direct Metal Deposition. Advanced Materials Research, 0, 974, 141-146.	0.3	0