## Pieter J Visser

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1441385/publications.pdf

Version: 2024-02-01

439 papers

34,114 citations

71 h-index 175 g-index

485 all docs 485 docs citations

485 times ranked 25504 citing authors

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Mild cognitive impairment – beyond controversies, towards a consensus: report of the International Working Group on Mild Cognitive Impairment. Journal of Internal Medicine, 2004, 256, 240-246.   | 6.0  | 4,039     |
| 2  | Research criteria for the diagnosis of Alzheimer's disease: revising the NINCDS–ADRDA criteria. Lancet Neurology, The, 2007, 6, 734-746.   | 10.2 | 3,755     |
| 3  | Advancing research diagnostic criteria for Alzheimer's disease: the IWG-2 criteria. Lancet Neurology, The, 2014, 13, 614-629.  | 10.2 | 2,657     |
| 4  | A conceptual framework for research on subjective cognitive decline in preclinical Alzheimer's disease. Alzheimer's and Dementia, 2014, 10, 844-852.   | 0.8  | 1,863     |
| 5  | Prevalence of Cerebral Amyloid Pathology in Persons Without Dementia. JAMA - Journal of the American Medical Association, 2015, 313, 1924.   | 7.4  | 1,166     |
| 6  | CSF Biomarkers and Incipient Alzheimer Disease in Patients With Mild Cognitive Impairment. JAMA - Journal of the American Medical Association, 2009, 302, 385.   | 7.4  | 1,009     |
| 7  | Prevalence and prognostic value of CSF markers of Alzheimer's disease pathology in patients with subjective cognitive impairment or mild cognitive impairment in the DESCRIPA study: a prospective cohort study. Lancet Neurology, The, 2009, 8, 619-627.                    | 10.2 | 542       |
| 8  | Mild cognitive impairment (MCI) in medical practice: a critical review of the concept and new diagnostic procedure. Report of the MCI Working Group of the European Consortium on Alzheimer's Disease. Journal of Neurology, Neurosurgery and Psychiatry, 2006, 77, 714-718. | 1.9  | 539       |
| 9  | Global and local gray matter loss in mild cognitive impairment and Alzheimer's disease. NeuroImage, 2004, 23, 708-716.   | 4.2  | 522       |
| 10 | Prevalence of Amyloid PET Positivity in Dementia Syndromes. JAMA - Journal of the American Medical Association, 2015, 313, 1939.   | 7.4  | 501       |
| 11 | Preclinical Alzheimer's disease and its outcome: a longitudinal cohort study. Lancet Neurology, The, 2013, 12, 957-965.  | 10.2 | 471       |
| 12 | Strategic roadmap for an early diagnosis of Alzheimer's disease based on biomarkers. Lancet Neurology, The, 2017, 16, 661-676.   | 10.2 | 464       |
| 13 | Diagnostic Value of Cerebrospinal Fluid Neurofilament Light Protein in Neurology. JAMA Neurology, 2019, 76, 1035.  | 9.0  | 455       |
| 14 | Medial temporal lobe atrophy on MRI predicts dementia in patients with mild cognitive impairment. Neurology, 2004, 63, 94-100.   | 1.1  | 307       |
| 15 | Optimizing Patient Care and Research: The Amsterdam Dementia Cohort. Journal of Alzheimer's Disease, 2014, 41, 313-327.  | 2.6  | 307       |
| 16 | Medial temporal lobe atrophy and memory dysfunction as predictors for dementia in subjects with mild cognitive impairment. Journal of Neurology, 1999, 246, 477-485.   | 3.6  | 298       |
| 17 | Duration of preclinical, prodromal, and dementia stages of Alzheimer's disease in relation to age, sex, and <i>APOE</i> genotype. Alzheimer's and Dementia, 2019, 15, 888-898.   | 0.8  | 290       |
| 18 | Prevalence and prognosis of Alzheimer's disease at the mild cognitive impairment stage. Brain, 2015, 138, 1327-1338.   | 7.6  | 284       |

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Recommendations to standardize preanalytical confounding factors in Alzheimer's and Parkinson's disease cerebrospinal fluid biomarkers: an update. Biomarkers in Medicine, 2012, 6, 419-430.   | 1.4  | 280       |
| 20 | Medial temporal lobe atrophy predicts Alzheimer's disease in patients with minor cognitive impairment. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 72, 491-7.   | 1.9  | 259       |
| 21 | The cerebrospinal fluid "Alzheimer profile― Easily said, but what does it mean?. Alzheimer's and Dementia, 2014, 10, 713.  | 0.8  | 249       |
| 22 | Epigenetic regulation in the pathophysiology of Alzheimer's disease. Progress in Neurobiology, 2010, 90, 498-510.  | 5.7  | 237       |
| 23 | Subjective cognitive decline and rates of incident Alzheimer's disease and non–Alzheimer's disease dementia. Alzheimer's and Dementia, 2019, 15, 465-476.  | 0.8  | 232       |
| 24 | Suspected non-Alzheimer disease pathophysiology â€" concept and controversy. Nature Reviews Neurology, 2016, 12, 117-124.  | 10.1 | 230       |
| 25 | Cerebrospinal fluid and blood biomarkers for neurodegenerative dementias: An update of the Consensus of the Task Force on Biological Markers in Psychiatry of the World Federation of Societies of Biological Psychiatry. World Journal of Biological Psychiatry, 2018, 19, 244-328. | 2.6  | 215       |
| 26 | Consensus guidelines for lumbar puncture in patients with neurological diseases. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 8, 111-126.   | 2.4  | 197       |
| 27 | Ten-year risk of dementia in subjects with mild cognitive impairment. Neurology, 2006, 67, 1201-1207.  | 1.1  | 191       |
| 28 | Increased risk of mortality associated with social isolation in older men: only when feeling lonely? Results from the Amsterdam Study of the Elderly (AMSTEL). Psychological Medicine, 2012, 42, 843-853.  | 4.5  | 186       |
| 29 | 24-month intervention with a specific multinutrient in people with prodromal Alzheimer's disease (LipiDiDiet): a randomised, double-blind, controlled trial. Lancet Neurology, The, 2017, 16, 965-975.   | 10.2 | 175       |
| 30 | Hippocampal atrophy on MRI in frontotemporal lobar degeneration and Alzheimer's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2006, 77, 439-442.   | 1.9  | 165       |
| 31 | Cerebrospinal fluid $\hat{A}^2$ 42 is the best predictor of clinical progression in patients with subjective complaints. Alzheimer's and Dementia, 2013, 9, 481-487.   | 0.8  | 164       |
| 32 | Predictive Accuracy of MCI Subtypes for Alzheimer's Disease and Vascular Dementia in Subjects with Mild Cognitive Impairment: A 2-Year Follow-Up Study. Dementia and Geriatric Cognitive Disorders, 2005, 19, 113-119.   | 1.5  | 162       |
| 33 | Age and diagnostic performance of Alzheimer disease CSF biomarkers. Neurology, 2012, 78, 468-476.  | 1.1  | 154       |
| 34 | Retinal thickness in Alzheimer's disease: A systematic review andÂmetaâ€analysis. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 6, 162-170.  | 2.4  | 152       |
| 35 | Cerebrospinal fluid biomarkers in trials for Alzheimer and Parkinson diseases. Nature Reviews<br>Neurology, 2015, 11, 41-55.   | 10.1 | 144       |
| 36 | Tau and p-tau as CSF biomarkers in dementia: a meta-analysis. Clinical Chemistry and Laboratory Medicine, 2011, 49, 353-366.   | 2.3  | 140       |

| #  | Article  | IF   | Citations |
|----|--|------|-----------|
| 37 | Predictive value of APOE-Â4 allele for progression from MCI to AD-type dementia: a meta-analysis. Journal of Neurology, Neurosurgery and Psychiatry, 2011, 82, 1149-1156.                              | 1.9  | 136       |
| 38 | Inflammatory biomarkers in Alzheimer's disease plasma. Alzheimer's and Dementia, 2019, 15, 776-787.  | 0.8  | 134       |
| 39 | Association of Cerebral Amyloid- $\hat{l}^2$ Aggregation With Cognitive Functioning in Persons Without Dementia. JAMA Psychiatry, 2018, 75, 84.  | 11.0 | 133       |
| 40 | Prevalence of amyloidâ€Î² pathology in distinct variants of primary progressive aphasia. Annals of Neurology, 2018, 84, 729-740.   | 5.3  | 132       |
| 41 | Thalamic volume predicts performance on tests of cognitive speed and decreases in healthy aging. Cognitive Brain Research, 2001, 11, 377-385.  | 3.0  | 131       |
| 42 | Biomarkers as Predictors for Conversion from Mild Cognitive Impairment to Alzheimer-Type Dementia: Implications for Trial Design. Journal of Alzheimer's Disease, 2010, 20, 881-891.                   | 2.6  | 130       |
| 43 | Injury markers predict time to dementia in subjects with MCI and amyloid pathology. Neurology, 2012, 79, 1809-1816.  | 1.1  | 129       |
| 44 | Current Developments in Dementia Risk Prediction Modelling: An Updated Systematic Review. PLoS ONE, 2015, 10, e0136181.  | 2.5  | 129       |
| 45 | Atrophy in the parahippocampal gyrus as an early biomarker of Alzheimer's disease. Brain Structure and Function, 2011, 215, 265-271.   | 2.3  | 126       |
| 46 | Unbiased Approach to Counteract Upward Drift in Cerebrospinal Fluid Amyloid-β 1–42 Analysis Results. Clinical Chemistry, 2018, 64, 576-585.  | 3.2  | 126       |
| 47 | New MRI Markers for Alzheimer's Disease: A Meta-Analysis of Diffusion Tensor Imaging and a<br>Comparison with Medial Temporal Lobe Measurements. Journal of Alzheimer's Disease, 2012, 29,<br>405-429. | 2.6  | 125       |
| 48 | The relation between global and limbic brain volumes on MRI and cognitive performance in healthy individuals across the age range. Neurobiology of Aging, 2000, 21, 569-576.                           | 3.1  | 123       |
| 49 | Preclinical AD predicts decline in memory and executive functions in subjective complaints.<br>Neurology, 2013, 81, 1409-1416.   | 1.1  | 122       |
| 50 | Hippocampal volume change measurement: Quantitative assessment of the reproducibility of expert manual outlining and the automated methods FreeSurfer and FIRST. NeuroImage, 2014, 92, 169-181.        | 4.2  | 117       |
| 51 | Recommendations for CSF AD biomarkers in the diagnostic evaluation of dementia. Alzheimer's and Dementia, 2017, 13, 274-284.   | 0.8  | 113       |
| 52 | Prediction of Alzheimer disease in subjects with amnestic and nonamnestic MCI. Neurology, 2013, 80, 1124-1132.   | 1.1  | 110       |
| 53 | Distinction Between Preclinical Alzheimer's Disease and Depression. Journal of the American<br>Geriatrics Society, 2000, 48, 479-484.  | 2.6  | 108       |
| 54 | Recommendations for cerebrospinal fluid Alzheimer's disease biomarkers in the diagnostic evaluation of mild cognitive impairment. Alzheimer's and Dementia, 2017, 13, 285-295.                         | 0.8  | 108       |

| #  | Article   | IF   | Citations |
|----|---|------|-----------|
| 55 | Do MCI criteria in drug trials accurately identify subjects with predementia Alzheimer's disease?. Journal of Neurology, Neurosurgery and Psychiatry, 2005, 76, 1348-1354.                        | 1.9  | 107       |
| 56 | Atrophy subtypes in prodromal Alzheimer's disease are associated with cognitive decline. Brain, 2018, 141, 3443-3456.   | 7.6  | 102       |
| 57 | Cortical sources of resting EEG rhythms in mild cognitive impairment and subjective memory complaint. Neurobiology of Aging, 2010, 31, 1787-1798.   | 3.1  | 97        |
| 58 | ATN classification and clinical progression in subjective cognitive decline. Neurology, 2020, 95, e46-e58.  | 1.1  | 97        |
| 59 | Prevalence Estimates of Amyloid Abnormality Across the Alzheimer Disease Clinical Spectrum. JAMA Neurology, 2022, 79, 228.  | 9.0  | 97        |
| 60 | Modifiable Risk Factors for Prevention ofÂDementia in Midlife, Late Life and the Oldest-Old: Validation of the LIBRA Index. Journal of Alzheimer's Disease, 2017, 58, 537-547.                    | 2.6  | 95        |
| 61 | Optical coherence tomography angiography in preclinical Alzheimer's disease. British Journal of Ophthalmology, 2020, 104, 157-161.  | 3.9  | 95        |
| 62 | Anxiety is related to Alzheimer cerebrospinal fluid markers in subjects with mild cognitive impairment. Psychological Medicine, 2013, 43, 911-920.  | 4.5  | 93        |
| 63 | Cerebrospinal fluid biomarkers of neurodegeneration, synaptic integrity, and astroglial activation across the clinical Alzheimer's disease spectrum. Alzheimer's and Dementia, 2019, 15, 644-654. | 0.8  | 90        |
| 64 | Pathophysiological subtypes of Alzheimer's disease based on cerebrospinal fluid proteomics. Brain, 2020, 143, 3776-3792.  | 7.6  | 89        |
| 65 | Development of Screening Guidelines and Clinical Criteria for Predementia Alzheimer's Disease.<br>Neuroepidemiology, 2008, 30, 254-265.   | 2.3  | 86        |
| 66 | Measurements of medial temporal lobe atrophy for prediction of Alzheimer's disease in subjects with mild cognitive impairment. Neurobiology of Aging, 2013, 34, 2003-2013.                        | 3.1  | 86        |
| 67 | Longitudinal reproducibility of default-mode network connectivity in healthy elderly participants: A multicentric resting-state fMRI study. Neurolmage, 2016, 124, 442-454.                       | 4.2  | 85        |
| 68 | Age dependency of risk factors for cognitive decline. BMC Geriatrics, 2018, 18, 187.  | 2.7  | 85        |
| 69 | Biomarker-based prognosis for people with mild cognitive impairment (ABIDE): a modelling study. Lancet Neurology, The, 2019, 18, 1034-1044.   | 10.2 | 85        |
| 70 | Longitudinal cerebrospinal fluid biomarker trajectories along the Alzheimer's disease continuum in the BIOMARKAPD study. Alzheimer's and Dementia, 2019, 15, 742-753.                             | 0.8  | 82        |
| 71 | NIA-AA staging of preclinical Alzheimer disease: discordance and concordance of CSF and imaging biomarkers. Neurobiology of Aging, 2016, 44, 1-8.   | 3.1  | 80        |
| 72 | 36â€month LipiDiDiet multinutrient clinical trial in prodromal Alzheimer's disease. Alzheimer's and Dementia, 2021, 17, 29-40.  | 0.8  | 77        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Test sequence of CSF and MRI biomarkers for prediction of AD in subjects with MCI. Neurobiology of Aging, 2012, 33, 2272-2281.  | 3.1  | 75        |
| 74 | Injury Markers but not Amyloid Markers are Associated with Rapid Progression from Mild Cognitive Impairment to Dementia in Alzheimer's Disease. Journal of Alzheimer's Disease, 2012, 29, 319-327.  | 2.6  | 73        |
| 75 | Variability of CSF Alzheimer's Disease Biomarkers: Implications for Clinical Practice. PLoS ONE, 2014, 9, e100784.  | 2.5  | 72        |
| 76 | Brain correlates of memory dysfunction in alcoholic Korsakoff's syndrome. Journal of Neurology, Neurosurgery and Psychiatry, 1999, 67, 774-778.   | 1.9  | 71        |
| 77 | A metaboliteâ€based machine learning approach to diagnose Alzheimerâ€type dementia in blood: Results from the European Medical Information Framework for Alzheimer disease biomarker discovery cohort. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2019, 5, 933-938. | 3.7  | 70        |
| 78 | The need for harmonisation and innovation of neuropsychological assessment in neurodegenerative dementias in Europe: consensus document of the Joint Program for Neurodegenerative Diseases Working Group. Alzheimer's Research and Therapy, 2017, 9, 27.   | 6.2  | 66        |
| 79 | Predictive Value of Mild Cognitive Impairment for Dementia. Dementia and Geriatric Cognitive Disorders, 2009, 27, 173-181.  | 1.5  | 65        |
| 80 | Clinical and biomarker profiling of prodromal Alzheimer's disease in workpackage 5 of the Innovative<br>Medicines Initiative PharmaCog project: a â€~European <scp>ADNI</scp> study'. Journal of Internal<br>Medicine, 2016, 279, 576-591.  | 6.0  | 64        |
| 81 | MRI predictors of amyloid pathology: results from the EMIF-AD Multimodal Biomarker Discovery study. Alzheimer's Research and Therapy, 2018, 10, 100.  | 6.2  | 64        |
| 82 | Heritability estimates for 361 blood metabolites across 40 genome-wide association studies. Nature Communications, 2020, $11$ , $39$ .  | 12.8 | 64        |
| 83 | Characteristics of helpâ€seeking behaviour in subjects with subjective memory complaints at a memory clinic: a caseâ€control study. International Journal of Geriatric Psychiatry, 2009, 24, 190-196.   | 2.7  | 63        |
| 84 | The EMIF-AD Multimodal Biomarker Discovery study: design, methods and cohort characteristics. Alzheimer's Research and Therapy, 2018, 10, 64.   | 6.2  | 62        |
| 85 | Primary fatty amides in plasma associated with brain amyloid burden, hippocampal volume, and memory in the European Medical Information Framework for Alzheimer's Disease biomarker discovery cohort. Alzheimer's and Dementia, 2019, 15, 817-827.  | 0.8  | 62        |
| 86 | Affective symptoms as predictors of Alzheimer's disease in subjects with mild cognitive impairment: a 10-year follow-up study. Psychological Medicine, 2010, 40, 1193-1201.   | 4.5  | 61        |
| 87 | Genetic Loci Associated with Alzheimer's Disease and Cerebrospinal Fluid Biomarkers in a Finnish<br>Case-Control Cohort. PLoS ONE, 2013, 8, e59676.   | 2.5  | 61        |
| 88 | Unbiased estimates of cerebrospinal fluid β-amyloid 1–42 cutoffs in a large memory clinic population. Alzheimer's Research and Therapy, 2017, 9, 8.   | 6.2  | 60        |
| 89 | Clinical validity of medial temporal atrophy as a biomarker for Alzheimer's disease in the context of a structured 5-phase development framework. Neurobiology of Aging, 2017, 52, 167-182.e1.  | 3.1  | 60        |
| 90 | Do Instrumental Activities of Daily Living Predict Dementia at 1―and 2‥ear Followâ€Up? Findings from the Development of Screening Guidelines and Diagnostic Criteria for Predementia <scp>A</scp> lzheimer's Disease Study. Journal of the American Geriatrics Society, 2011, 59, 2273-2281.          | 2.6  | 59        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Association between CSF biomarkers, hippocampal volume and cognitive function in patients with amnestic mild cognitive impairment (MCI). Neurobiology of Aging, 2017, 53, 1-10.  | 3.1 | 59        |
| 92  | The Association between APOE Genotype and Memory Dysfunction in Subjects with Mild Cognitive Impairment Is Related to Age and Alzheimer Pathology. Dementia and Geriatric Cognitive Disorders, 2008, 26, 101-108.                      | 1.5 | 58        |
| 93  | Prevalence of the apolipoprotein E $\hat{l}\mu4$ allele in amyloid $\hat{l}^2$ positive subjects across the spectrum of Alzheimer's disease. Alzheimer's and Dementia, 2018, 14, 913-924.  | 0.8 | 58        |
| 94  | Detecting functional decline from normal aging to dementia: Development and validation of a short version of the Amsterdam IADL Questionnaire. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 8, 26-35. | 2.4 | 58        |
| 95  | The use of biomarkers for the etiologic diagnosis of MCI in Europe: An EADC survey. Alzheimer's and Dementia, 2015, 11, 195.   | 0.8 | 56        |
| 96  | Temporal evolution of biomarkers and cognitive markers in the asymptomatic, MCI, and dementia stage of Alzheimer's disease. Alzheimer's and Dementia, 2015, 11, 511-522.   | 0.8 | 55        |
| 97  | Multitracer model for staging cortical amyloid deposition using PET imaging. Neurology, 2020, 95, e1538-e1553.   | 1.1 | 55        |
| 98  | Brain SPECT in subtypes of mild cognitive impairment. Journal of Neurology, 2008, 255, 1344-1353.  | 3.6 | 54        |
| 99  | Use of amyloid-PET to determine cutpoints for CSF markers. Neurology, 2016, 86, 50-58.   | 1.1 | 54        |
| 100 | Amyloid- $\hat{l}^2$ Oligomers Relate to Cognitive Decline in Alzheimer's Disease. Journal of Alzheimer's Disease, 2015, 45, 35-43.  | 2.6 | 52        |
| 101 | Diagnostic accuracy of the Preclinical AD Scale (PAS) in cognitively mildly impaired subjects. Journal of Neurology, 2002, 249, 312-319.   | 3.6 | 51        |
| 102 | The ICTUS Study: A Prospective Longitudinal Observational Study of 1,380 AD Patients in Europe. Neuroepidemiology, 2007, 29, 29-38.  | 2.3 | 51        |
| 103 | Gray matter network disruptions and amyloid beta in cognitively normal adults. Neurobiology of Aging, 2016, 37, 154-160.   | 3.1 | 51        |
| 104 | Mild cognitive impairment as predictor for Alzheimer's disease in clinical practice: effect of age and diagnostic criteria. Psychological Medicine, 2008, 38, 113-122.   | 4.5 | 50        |
| 105 | The association between white matter hyperintensities and executive decline in mild cognitive impairment is network dependent. Neurobiology of Aging, 2012, 33, 201.e1-201.e8.   | 3.1 | 48        |
| 106 | The EMIF-AD PreclinAD study: study design and baseline cohort overview. Alzheimer's Research and Therapy, 2018, 10, 75.  | 6.2 | 48        |
| 107 | Biomarker profiles and their relation to clinical variables in mild cognitive impairment. Neurocase, 2005, 11, 8-13.   | 0.6 | 47        |
| 108 | Symptoms of Preclinical Dementia in General Practice up to Five Years before Dementia Diagnosis. Dementia and Geriatric Cognitive Disorders, 2007, 24, 300-306.  | 1.5 | 47        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 109 | Comparison of International Working Group criteria and National Institute on Aging–Alzheimer's Association criteria for Alzheimer'sÂdisease. Alzheimer's and Dementia, 2012, 8, 560-563.                             | 0.8 | 47        |
| 110 | Assessing Amyloid Pathology in Cognitively Normal Subjects Using <sup>18</sup> F-Flutemetamol PET: Comparing Visual Reads and Quantitative Methods. Journal of Nuclear Medicine, 2019, 60, 541-547.                  | 5.0 | 47        |
| 111 | Secondary prevention of Alzheimer's dementia: neuroimaging contributions. Alzheimer's Research and Therapy, 2018, 10, 112.   | 6.2 | 46        |
| 112 | Discovery and validation of plasma proteomic biomarkers relating to brain amyloid burden by SOMAscan assay. Alzheimer's and Dementia, 2019, 15, 1478-1488.   | 0.8 | 46        |
| 113 | Course of objective memory impairment in non-demented subjects attending a memory clinic and predictors of outcome. International Journal of Geriatric Psychiatry, 2000, 15, 363-372.                                | 2.7 | 45        |
| 114 | Vascular risk factors are associated with longitudinal changes in cerebrospinal fluid tau markers and cognition in preclinical Alzheimer's disease. Alzheimer's and Dementia, 2019, 15, 1149-1159.                   | 0.8 | 45        |
| 115 | The Dementias Platform UK (DPUK) Data Portal. European Journal of Epidemiology, 2020, 35, 601-611.   | 5.7 | 45        |
| 116 | Dementia prevalence and incidence in a federation of European Electronic Health Record databases: The European Medical Informatics Framework resource. Alzheimer's and Dementia, 2018, 14, 130-139.                  | 0.8 | 44        |
| 117 | Time from diagnosis to institutionalization and death in people with dementia. Alzheimer's and Dementia, 2020, 16, 662-671.  | 0.8 | 44        |
| 118 | Application of the ATN classification scheme in a population without dementia: Findings from the EPAD cohort. Alzheimer's and Dementia, 2021, 17, 1189-1204.   | 0.8 | 44        |
| 119 | Cerebrovascular and amyloid pathology in predementia stages: the relationship with neurodegeneration and cognitive decline. Alzheimer's Research and Therapy, 2017, 9, 101.  | 6.2 | 43        |
| 120 | SPECT Predictors of Cognitive Decline and Alzheimer's Disease in Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2009, 17, 761-772.   | 2.6 | 42        |
| 121 | Genome-wide association study of Alzheimer's disease CSF biomarkers in the EMIF-AD Multimodal<br>Biomarker Discovery dataset. Translational Psychiatry, 2020, 10, 403.   | 4.8 | 42        |
| 122 | Single-Domain Amnestic Mild Cognitive Impairment Identified by Cluster Analysis Predicts Alzheimer's Disease in the European Prospective DESCRIPA Study. Dementia and Geriatric Cognitive Disorders, 2013, 36, 1-19. | 1.5 | 41        |
| 123 | Cerebrospinal fluid proteomics and biological heterogeneity in Alzheimer's disease: A literature review. Critical Reviews in Clinical Laboratory Sciences, 2020, 57, 86-98.  | 6.1 | 40        |
| 124 | Spatial-Temporal Patterns of β-Amyloid Accumulation. Neurology, 2022, 98, .  | 1.1 | 40        |
| 125 | White matter hyperintensities and medial temporal lobe atrophy in clinical subtypes of mild cognitive impairment: the DESCRIPA study. Journal of Neurology, Neurosurgery and Psychiatry, 2009, 80, 1069-1074.        | 1.9 | 39        |
| 126 | The trajectory of cognitive decline in the pre-dementia phase in memory clinic visitors: findings from the 4C-MCI study. Psychological Medicine, 2015, 45, 1509-1519.  | 4.5 | 39        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 127 | Test-retest reliability of the default mode network in a multi-centric fMRI study of healthy elderly: Effects of data-driven physiological noise correction techniques. Human Brain Mapping, 2016, 37, 2114-2132.   | 3.6 | 38        |
| 128 | Functional and effective whole brain connectivity using magnetoencephalography to identify monozygotic twin pairs. Scientific Reports, 2017, 7, 9685.   | 3.3 | 38        |
| 129 | Amygdalar nuclei and hippocampal subfields on MRI: Test-retest reliability of automated volumetry across different MRI sites and vendors. Neurolmage, 2020, 218, 116932.  | 4.2 | 38        |
| 130 | Impact of APOE-É>4 and family history of dementia on gray matter atrophy in cognitively healthy middle-aged adults. Neurobiology of Aging, 2016, 38, 14-20.   | 3.1 | 37        |
| 131 | Finding Treatment Effects in Alzheimer Trials in the Face of Disease Progression Heterogeneity.<br>Neurology, 2021, 96, e2673-e2684.  | 1.1 | 37        |
| 132 | The Central Biobank and Virtual Biobank of BIOMARKAPD: A Resource for Studies on Neurodegenerative Diseases. Frontiers in Neurology, 2015, 6, 216.  | 2.4 | 36        |
| 133 | Retinal layer thickness in preclinical Alzheimer's disease. Acta Ophthalmologica, 2019, 97, 798-804.  | 1.1 | 36        |
| 134 | Differential insular cortex sub-regional atrophy in neurodegenerative diseases: a systematic review and meta-analysis. Brain Imaging and Behavior, 2020, 14, 2799-2816.   | 2.1 | 36        |
| 135 | Normal Cognitive Performance in Patients With Chronic Alcoholism in Contrast to Patients With Korsakoff's Syndrome. Journal of Neuropsychiatry and Clinical Neurosciences, 2000, 12, 44-50.   | 1.8 | 34        |
| 136 | Longitudinal reproducibility of automatically segmented hippocampal subfields: A multisite <scp>E</scp> uropean 3T study on healthy elderly. Human Brain Mapping, 2015, 36, 3516-3527.  | 3.6 | 34        |
| 137 | Two-Year Longitudinal Monitoring of Amnestic Mild Cognitive Impairment Patients with Prodromal<br>Alzheimer's Disease Using Topographical Biomarkers Derived from Functional Magnetic Resonance<br>Imaging and Electroencephalographic Activity. Journal of Alzheimer's Disease, 2019, 69, 15-35. | 2.6 | 34        |
| 138 | Relation of Odor Identification with Alzheimer's Disease Markers in Cerebrospinal Fluid and Cognition. Journal of Alzheimer's Disease, 2017, 60, 1025-1034.   | 2.6 | 33        |
| 139 | Predicting progression to dementia in persons with mild cognitive impairment using cerebrospinal fluid markers. Alzheimer's and Dementia, 2017, 13, 903-912.  | 0.8 | 32        |
| 140 | Age and the association of dementia-related pathology with trajectories of cognitive decline. Neurobiology of Aging, 2018, 61, 138-145.   | 3.1 | 32        |
| 141 | Diagnosis of Preclinical Alzheimer's Disease in a Clinical Setting. International Psychogeriatrics, 2001, 13, 411-423.  | 1.0 | 31        |
| 142 | Consensus statement on dementia education and training in Europe. Journal of Nutrition, Health and Aging, 2010, 14, 131-135.  | 3.3 | 31        |
| 143 | Generalizability of the Disease State Index Prediction Model for Identifying Patients Progressing from Mild Cognitive Impairment to Alzheimer's Disease. Journal of Alzheimer's Disease, 2015, 44, 79-92.   | 2.6 | 31        |
| 144 | Cost-Utility of Using Alzheimer's Disease Biomarkers in Cerebrospinal Fluid to Predict Progression from Mild Cognitive Impairment to Dementia. Journal of Alzheimer's Disease, 2017, 60, 1477-1487.   | 2.6 | 31        |

| #   | Article  | IF   | Citations |
|-----|--|------|-----------|
| 145 | Cerebrospinal fluid tau levels are associated with abnormal neuronal plasticity markers in Alzheimer's disease. Molecular Neurodegeneration, 2022, 17, 27.   | 10.8 | 30        |
| 146 | Gray Matter Network Disruptions and Regional Amyloid Beta in Cognitively Normal Adults. Frontiers in Aging Neuroscience, 2018, 10, 67.   | 3.4  | 29        |
| 147 | Quantitative amyloid PET in Alzheimer's disease: the AMYPAD prognostic and natural history study. Alzheimer's and Dementia, 2020, 16, 750-758.   | 0.8  | 29        |
| 148 | Medial Temporal Lobe Atrophy and APOE Genotype Do Not Predict Cognitive Improvement upon Treatment with Rivastigmine in Alzheimer's Disease Patients. Dementia and Geriatric Cognitive Disorders, 2005, 19, 126-133. | 1.5  | 28        |
| 149 | Plasma Protein Biomarkers for the Prediction of CSF Amyloid and Tau and [18F]-Flutemetamol PET Scan Result. Frontiers in Aging Neuroscience, 2018, 10, 409.  | 3.4  | 28        |
| 150 | Use of mild cognitive impairment and prodromal AD/MCI due to AD in clinical care: a European survey. Alzheimer's Research and Therapy, 2019, $11,74$ .   | 6.2  | 28        |
| 151 | White Matter Hyperintensities and Hippocampal Atrophy in Relation to Cognition: The 90+ Study. Journal of the American Geriatrics Society, 2019, 67, 1827-1834.  | 2.6  | 28        |
| 152 | APOE ε4 genotype-dependent cerebrospinal fluid proteomic signatures in Alzheimer's disease.<br>Alzheimer's Research and Therapy, 2020, 12, 65.   | 6.2  | 28        |
| 153 | Remote monitoring technologies in Alzheimer's disease: design of the RADAR-AD study. Alzheimer's Research and Therapy, 2021, 13, 89.   | 6.2  | 28        |
| 154 | The influence of genetic variants in SORL1 gene on the manifestation of Alzheimer's disease. Neurobiology of Aging, 2015, 36, 1605.e13-1605.e20.   | 3.1  | 27        |
| 155 | The frequency and influence of dementia risk factors in prodromal Alzheimer's disease. Neurobiology of Aging, 2017, 56, 33-40.   | 3.1  | 27        |
| 156 | Memory Correlates of Alzheimer's Disease Cerebrospinal Fluid Markers: A Longitudinal Cohort Study. Journal of Alzheimer's Disease, 2017, 60, 1119-1128.  | 2.6  | 27        |
| 157 | Modeling grey matter atrophy as a function of time, aging or cognitive decline show different anatomical patterns in Alzheimer's disease. Neurolmage: Clinical, 2019, 22, 101786.                                    | 2.7  | 27        |
| 158 | A framework for assessing neuropsychiatric phenotypes by using smartphone-based location data. Translational Psychiatry, 2020, 10, 211.  | 4.8  | 27        |
| 159 | Association of tear fluid amyloid and tau levels with disease severity and neurodegeneration. Scientific Reports, 2021, 11, 22675.   | 3.3  | 27        |
| 160 | Alzheimer's Association Research Roundtable Meeting on Mild Cognitive Impairment: What have we learned?. Alzheimer's and Dementia, 2006, 2, 220-233.   | 0.8  | 25        |
| 161 | Relationship between genetic risk factors and markers for Alzheimer's disease pathology. Biomarkers in Medicine, 2012, 6, 477-495.   | 1.4  | 25        |
| 162 | Amyloid-independent atrophy patterns predict time to progression to dementia in mild cognitive impairment. Alzheimer's Research and Therapy, 2017, 9, 73.  | 6.2  | 25        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Resilience to cognitive impairment in the oldest-old: design of the EMIF-AD 90+ study. BMC Geriatrics, 2018, 18, 289.  | 2.7 | 25        |
| 164 | Retinal thickness as a potential biomarker in patients with amyloidâ€proven early―and lateâ€onset Alzheimer's disease. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 463-471.                      | 2.4 | 25        |
| 165 | Diagnostic and economic evaluation of new biomarkers for Alzheimer's disease: the research protocol of a prospective cohort study. BMC Neurology, 2012, 12, 72.  | 1.8 | 24        |
| 166 | Association Between Later Life Lifestyle Factors and Alzheimer's Disease Biomarkers in Non-Demented Individuals: A Longitudinal Descriptive Cohort Study. Journal of Alzheimer's Disease, 2017, 60, 1387-1395.                         | 2.6 | 24        |
| 167 | Challenges for Optimizing Real-World Evidence in Alzheimer's Disease: The ROADMAP Project. Journal of Alzheimer's Disease, 2019, 67, 495-501.  | 2.6 | 24        |
| 168 | Accuracy and reproducibility of automated white matter hyperintensities segmentation with lesion segmentation tool: A European multi-site 3T study. Magnetic Resonance Imaging, 2021, 76, 108-115.                                     | 1.8 | 24        |
| 169 | Harmonizing neuropsychological assessment for mild neurocognitive disorders in Europe.<br>Alzheimer's and Dementia, 2022, 18, 29-42.   | 0.8 | 24        |
| 170 | DNMT3A moderates cognitive decline in subjects with mild cognitive impairment: replicated evidence from two mild cognitive impairment cohorts. Epigenomics, 2015, 7, 533-537.  | 2.1 | 23        |
| 171 | Preâ€amyloid stage of Alzheimer's disease in cognitively normal individuals. Annals of Clinical and Translational Neurology, 2018, 5, 1037-1047.   | 3.7 | 23        |
| 172 | Plasma Al̂ <sup>2</sup> 42 as a Biomarker of Prodromal Alzheimer's Disease Progression in Patients with Amnestic Mild Cognitive Impairment: Evidence from the PharmaCog/E-ADNI Study. Journal of Alzheimer's Disease, 2019, 69, 37-48. | 2.6 | 23        |
| 173 | TMEM106B and CPOX are genetic determinants of cerebrospinal fluid Alzheimer's disease biomarker levels. Alzheimer's and Dementia, 2021, 17, 1628-1640.   | 0.8 | 23        |
| 174 | Predicting Progression from Cognitive Impairment to Alzheimer's Disease with the Disease State Index. Current Alzheimer Research, 2015, 12, 69-79.   | 1.4 | 22        |
| 175 | Characteristics of subjective cognitive decline associated with amyloid positivity. Alzheimer's and Dementia, 2022, 18, 1832-1845.   | 0.8 | 22        |
| 176 | Progression to dementia in memory clinic patients without dementia. Neurology, 2013, 81, 1342-1349.  | 1.1 | 21        |
| 177 | Disease trajectories in behavioural variant frontotemporal dementia, primary psychiatric and other neurodegenerative disorders presenting with behavioural change. Journal of Psychiatric Research, 2018, 104, 183-191.                | 3.1 | 21        |
| 178 | The Diagnostic and Prognostic Value ofÂNeuropsychological Assessment inÂMemory Clinic Patients.<br>Journal of Alzheimer's Disease, 2016, 55, 679-689.  | 2.6 | 20        |
| 179 | Reproducibility of hippocampal atrophy rates measured with manual, FreeSurfer, AdaBoost, FSL/FIRST and the MAPS-HBSI methods in Alzheimer's disease. Psychiatry Research - Neuroimaging, 2016, 252, 26-35.                             | 1.8 | 20        |
| 180 | Low normal cerebrospinal fluid ${\rm A\hat{l}}^2$ 42 levels predict clinical progression in nondemented subjects. Annals of Neurology, 2017, 81, 749-753.  | 5.3 | 20        |

| #   | Article  | IF          | CITATIONS |
|-----|--|-------------|-----------|
| 181 | White matter hyperintensities and vascular risk factors in monozygotic twins. Neurobiology of Aging, 2018, 66, 40-48.  | 3.1         | 20        |
| 182 | European Prevention of Alzheimer's Dementia Registry: Recruitment and prescreening approach for a longitudinal cohort and prevention trials. Alzheimer's and Dementia, 2018, 14, 837-842.  | 0.8         | 20        |
| 183 | The MOPEAD project: Advancing patient engagement for the detection of "hidden―undiagnosed cases of Alzheimer's disease in the community. , 2019, 15, 828-839.  |             | 20        |
| 184 | Plasma levels of soluble TREM2 and neurofilament light chain in TREM2 rare variant carriers. Alzheimer's Research and Therapy, 2019, 11, 94.   | 6.2         | 20        |
| 185 | The European medical information framework: A novel ecosystem for sharing healthcare data across Europe. Learning Health Systems, 2020, 4, e10214.   | 2.0         | 20        |
| 186 | Onset of Preclinical Alzheimer Disease in Monozygotic Twins. Annals of Neurology, 2021, 89, 987-1000.  | <b>5.</b> 3 | 20        |
| 187 | MCI is not a clinically useful concept. International Psychogeriatrics, 2006, 18, 402-9; discussion 409-14.  | 1.0         | 20        |
| 188 | Genome-Wide Association Study of Alzheimer's Disease Brain Imaging Biomarkers and<br>Neuropsychological Phenotypes in the European Medical Information Framework for Alzheimer's<br>Disease Multimodal Biomarker Discovery Dataset. Frontiers in Aging Neuroscience, 2022, 14, 840651. | 3.4         | 20        |
| 189 | Can novel therapeutics halt the amyloid cascade?. Alzheimer's Research and Therapy, 2010, 2, 5.  | 6.2         | 19        |
| 190 | Disclosure of Alzheimer's disease biomarker status in subjects with mild cognitive impairment. Biomarkers in Medicine, 2012, 6, 365-368.   | 1.4         | 19        |
| 191 | The association of vascular disorders with incident dementia in different age groups. Alzheimer's Research and Therapy, 2019, 11, 47.  | 6.2         | 19        |
| 192 | Plasma amyloid- $\hat{l}^2$ oligomerization assay as a pre-screening test for amyloid status. Alzheimer's Research and Therapy, 2021, 13, 133.   | 6.2         | 19        |
| 193 | Regional Differences in Effects of <i>APOE</i> $\hat{l}\mu 4$ on Cognitive Impairment in Non-Demented Subjects. Dementia and Geriatric Cognitive Disorders, 2011, 32, 135-142.   | 1.5         | 18        |
| 194 | Predicting and Tracking Short Term Disease Progression in Amnestic Mild Cognitive Impairment Patients with Prodromal Alzheimer's Disease: Structural Brain Biomarkers. Journal of Alzheimer's Disease, 2019, 69, 3-14.   | 2.6         | 18        |
| 195 | Four subgroups based on tau levels in Alzheimer's disease observed in two independent cohorts.<br>Alzheimer's Research and Therapy, 2021, 13, 2.   | 6.2         | 18        |
| 196 | The Effect of Psychological Distress and Personality Traits on Cognitive Performances and the Risk of Dementia in Patients with Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2015, 46, 805-812.  | 2.6         | 17        |
| 197 | The effect of diagnostic criteria on outcome measures in preclinical and prodromal Alzheimer's disease: Implications for trial design. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2017, 3, 513-523.  | 3.7         | 17        |
| 198 | Automatic temporal lobe atrophy assessment in prodromal AD: Data from the DESCRIPA study. Alzheimer's and Dementia, 2014, 10, 456-467.   | 0.8         | 16        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Genetic Risk as a Marker of Amyloid- $\hat{l}^2$ and Tau Burden in Cerebrospinal Fluid. Journal of Alzheimer's Disease, 2016, 55, 1417-1427.   | 2.6 | 16        |
| 200 | Amyloid- $\hat{l}^2$ , Tau, and Cognition in Cognitively Normal Older Individuals: Examining the Necessity to Adjust for Biomarker Status in Normative Data. Frontiers in Aging Neuroscience, 2018, 10, 193. | 3.4 | 16        |
| 201 | White matter microstructure disruption in early stage amyloid pathology. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2021, 13, e12124.   | 2.4 | 16        |
| 202 | Plasma Proteomic Biomarkers Relating to Alzheimer's Disease: A Meta-Analysis Based on Our Own Studies. Frontiers in Aging Neuroscience, 2021, 13, 712545.  | 3.4 | 16        |
| 203 | Course of minimal dementia and predictors of outcome. International Journal of Geriatric Psychiatry, 2002, 17, 835-841.  | 2.7 | 15        |
| 204 | Boosting translational research on Alzheimer's disease in Europe: The Innovative Medicine Initiative AD research platform. Alzheimer's and Dementia, 2015, 11, 1121-1122.                                    | 0.8 | 15        |
| 205 | Brain Amyloid Pathology and Cognitive Function. JAMA - Journal of the American Medical Association, 2017, 317, 2285.   | 7.4 | 15        |
| 206 | Retinal and Cerebral Microvasculopathy: Relationships and Their Genetic Contributions., 2018, 59, 5025.  |     | 15        |
| 207 | The Effect of the APOE-ε4 Allele and ACE-I/D Polymorphism on Cognition during a Two-Year Follow-Up in First-Ever Stroke Patients. Dementia and Geriatric Cognitive Disorders, 2010, 29, 534-542.             | 1.5 | 14        |
| 208 | Association of amyloid pathology with memory performance and cognitive complaints in cognitively normal older adults: a monozygotic twin study. Neurobiology of Aging, 2019, 77, 58-65.                      | 3.1 | 14        |
| 209 | Decision tree supports the interpretation of CSF biomarkers in Alzheimer's disease. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 1-9.                                   | 2.4 | 14        |
| 210 | What Determines Cognitive Functioning in the Oldest-Old? The EMIF-AD 90+ Study. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2021, 76, 1499-1511.                          | 3.9 | 14        |
| 211 | Decline in cognitively complex everyday activities accelerates along the Alzheimer's disease continuum. Alzheimer's Research and Therapy, 2020, 12, 138.   | 6.2 | 14        |
| 212 | Amyloid-driven disruption of default mode network connectivity in cognitively healthy individuals. Brain Communications, 2021, 3, fcab201.   | 3.3 | 14        |
| 213 | Amyloid imaging in the prediction of Alzheimer-type dementia in subjects with amnestic MCI.<br>Neurology, 2009, 73, 744-745.   | 1.1 | 13        |
| 214 | Realâ€world evidence in Alzheimer's disease: The ROADMAP Data Cube. Alzheimer's and Dementia, 2020, 16, 461-471.   | 0.8 | 13        |
| 215 | Longitudinal retinal layer changes in preclinical Alzheimer's disease. Acta Ophthalmologica, 2021, 99, 538-544.  | 1.1 | 13        |
| 216 | Validation of Plasma Proteomic Biomarkers Relating to Brain Amyloid Burden in the EMIF-Alzheimer's<br>Disease Multimodal Biomarker Discovery Cohort. Journal of Alzheimer's Disease, 2020, 74, 213-225.      | 2.6 | 13        |

| #   | Article  | IF        | CITATIONS |
|-----|--|-----------|-----------|
| 217 | Gait Disturbances are Associated with Increased Cognitive Impairment and Cerebrospinal Fluid Tau Levels in a Memory Clinic Cohort. Journal of Alzheimer's Disease, 2020, 76, 1061-1070.                                      | 2.6       | 13        |
| 218 | Replication study of plasma proteins relating to Alzheimer's pathology. Alzheimer's and Dementia, 2021, 17, 1452-1464.   | 0.8       | 13        |
| 219 | Early-Onset Dementia. Alzheimer Disease and Associated Disorders, 2017, 31, 146-151.   | 1.3       | 12        |
| 220 | Prescreening for European Prevention of Alzheimer Dementia (EPAD) trial-ready cohort: impact of AD risk factors and recruitment settings. Alzheimer's Research and Therapy, 2020, 12, 8.                                     | 6.2       | 12        |
| 221 | Vascular and metabolic risk factor differences prior to dementia diagnosis: a multidatabase case–control study using European electronic health records. BMJ Open, 2020, 10, e038753.  | 1.9       | 12        |
| 222 | Insights into the changes in the proteome of Alzheimer disease elucidated by a meta-analysis. Scientific Data, 2021, 8, 312.   | 5.3       | 12        |
| 223 | Genetically identical twins show comparable tau PET load and spatial distribution. Brain, 2022, 145, 3571-3581.  | 7.6       | 12        |
| 224 | Current Approaches and Clinician Attitudes to the Use of Cerebrospinal Fluid Biomarkers in Diagnostic Evaluation of Dementia in Europe. Journal of Alzheimer's Disease, 2017, 60, 201-210.                                   | 2.6       | 11        |
| 225 | CSF cutoffs for MCI due to AD depend on APOEε4 carrier status. Neurobiology of Aging, 2020, 89, 55-62.   | 3.1       | 11        |
| 226 | Single-subject grey matter network trajectories over the disease course of autosomal dominant Alzheimer's disease. Brain Communications, 2020, 2, fcaa102.   | 3.3       | 11        |
| 227 | The Predictive Value of Memory Strategies for Alzheimer's Disease in Subjects with Mild Cognitive Impairment. Archives of Clinical Neuropsychology, 2010, 25, 71-77.   | 0.5       | 10        |
| 228 | Improved Cerebrospinal Fluid-Based Discrimination between Alzheimer's Disease Patients and Controls after Correction for Ventricular Volumes. Journal of Alzheimer's Disease, 2017, 56, 543-555.                             | 2.6       | 10        |
| 229 | Cognitive functioning of individuals aged 90 years and older without dementia: A systematic review.<br>Ageing Research Reviews, 2017, 36, 42-49.   | 10.9      | 10        |
| 230 | Alzheimer disease biomarkers may aid in the prognosis of MCI cases initially reverted to normal. Neurology, 2019, 92, e2699-e2705.   | 1.1       | 10        |
| 231 | General practitioners' attitude toward early and preâ€dementia diagnosis of AD in five European countries—A MOPEAD project survey. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2021, 13, e12130. | 2.4       | 10        |
| 232 | ALZHEIMER'S DISEASE COMPOSITE SCORE: A POST-HOC ANALYSIS USING DATA FROM THE LIPIDIDIET TRIAL PRODROMAL ALZHEIMER'S DISEASE. journal of prevention of Alzheimer's disease, The, 2019, 6, 1-5.                                | IN<br>2.7 | 10        |
| 233 | Optimized sample preparation and data analysis for TMT proteomic analysis of cerebrospinal fluid applied to the identification of Alzheimer's disease biomarkers. Clinical Proteomics, 2022, 19, 13.                         | 2.1       | 10        |
| 234 | Amyloidâ€ <i>β</i> , cortical thickness, and subsequent cognitive decline in cognitively normal oldestâ€old. Annals of Clinical and Translational Neurology, 2021, 8, 348-358.   | 3.7       | 9         |

| #   | Article   | IF          | CITATIONS |
|-----|---|-------------|-----------|
| 235 | CSF Proteomic Alzheimer's Disease-Predictive Subtypes in Cognitively Intact Amyloid Negative Individuals. Proteomes, 2021, 9, 36.   | <b>3.</b> 5 | 9         |
| 236 | A methodology for cohort harmonisation in multicentre clinical research. Informatics in Medicine Unlocked, 2021, 27, 100760.  | 3.4         | 9         |
| 237 | Rare variants in IFFO1, DTNB, NLRC3 and SLC22A10 associate with Alzheimer's disease CSF profile of neuronal injury and inflammation. Molecular Psychiatry, 2022, 27, 1990-1999.   | 7.9         | 9         |
| 238 | Regional associations of white matter hyperintensities and early cortical amyloid pathology. Brain Communications, 2022, 4, .   | 3.3         | 9         |
| 239 | Characteristics of preclinical Alzheimer's disease. International Journal of Geriatric Psychiatry, 2002, 17, 88-89.   | 2.7         | 8         |
| 240 | CSF biomarker utilisation and ethical considerations of biomarker assisted diagnosis and research in dementia: perspectives from within the European Alzheimer's Disease Consortium (EADC). Journal of Neurology, Neurosurgery and Psychiatry, 2010, 81, 124-125. | 1.9         | 8         |
| 241 | Biomarkers for Alzheimer's disease: a controversial topic. Lancet Neurology, The, 2015, 14, 781-783.  | 10.2        | 8         |
| 242 | Added Prognostic Value of Cerebrospinal Fluid Biomarkers in Predicting Decline in Memory Clinic Patients in a Prospective Cohort. Journal of Alzheimer's Disease, 2016, 52, 875-885.  | 2.6         | 8         |
| 243 | Preclinical Alzheimer's Disease: Implications for Refinement of the Concept. Journal of Alzheimer's Disease, 2018, 64, S213-S227.   | 2.6         | 8         |
| 244 | Biomarker Matrix to Track Short Term Disease Progression in Amnestic Mild Cognitive Impairment Patients with Prodromal Alzheimer's Disease. Journal of Alzheimer's Disease, 2019, 69, 49-58.  | 2.6         | 8         |
| 245 | Ocular biomarkers for cognitive impairment in nonagenarians; a prospective cross-sectional study. BMC Geriatrics, 2020, 20, 155.  | 2.7         | 8         |
| 246 | Duration of Care Trajectories in Persons With Dementia Differs According to Demographic and Clinical Characteristics. Journal of the American Medical Directors Association, 2020, 21, 1102-1107.e6.  | 2.5         | 8         |
| 247 | Identification of undiagnosed dementia cases using a webâ€based preâ€screening tool: The MOPEAD project. Alzheimer's and Dementia, 2021, 17, 1307-1316.   | 0.8         | 8         |
| 248 | Social dysfunction is transdiagnostically associated with default mode network dysconnectivity in schizophrenia and Alzheimer's disease. World Journal of Biological Psychiatry, 2022, 23, 264-277.   | 2.6         | 8         |
| 249 | Role of cognitive testing in disease modifying AD trials. Journal of Nutrition, Health and Aging, 2006, 10, 131-2; discussion 132-3.  | 3.3         | 8         |
| 250 | Increased CSF-decorin predicts brain pathological changes driven by Alzheimer's Aβ amyloidosis. Acta<br>Neuropathologica Communications, 2022, 10, .  | 5.2         | 8         |
| 251 | The Association Between APOE $\hat{l}\mu 4$ and Alzheimer-type Dementia Among Memory Clinic Patients is Confined to those with a Higher Education. The DESCRIPA Study. Journal of Alzheimer's Disease, 2013, 35, 241-246.   | 2.6         | 7         |
| 252 | Associations of Brain Pathology Cognitive and Physical Markers With Age in Cognitively Normal Individuals Aged 60–102 Years. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 1609-1617.                                    | 3.6         | 7         |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 253 | Dickkopf-1 Overexpression in vitro Nominates Candidate Blood Biomarkers Relating to Alzheimer's Disease Pathology. Journal of Alzheimer's Disease, 2020, 77, 1353-1368.   | 2.6 | 7         |
| 254 | Degree of genetic liability for Alzheimer's disease associated with specific proteomic profiles in cerebrospinal fluid. Neurobiology of Aging, 2020, 93, 144.e1-144.e15.  | 3.1 | 7         |
| 255 | Regional amyloid accumulation predicts memory decline in initially cognitively unimpaired individuals. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2021, 13, e12216.                      | 2.4 | 7         |
| 256 | Sex-Specific Metabolic Pathways Were Associated with Alzheimer's Disease (AD) Endophenotypes in the European Medical Information Framework for AD Multimodal Biomarker Discovery Cohort. Biomedicines, 2021, 9, 1610. | 3.2 | 7         |
| 257 | Phenomenology of Depression in Dementia. International Psychogeriatrics, 2000, 12, 129-134.   | 1.0 | 6         |
| 258 | Amyloid Pathology, Cognitive Impairment, and Alzheimer Disease Riskâ€"Reply. JAMA - Journal of the American Medical Association, 2015, 314, 1177.   | 7.4 | 6         |
| 259 | Determinants of Cross-Sectional and Longitudinal Health-Related Quality of Life in Memory Clinic Patients Without Dementia. Journal of Geriatric Psychiatry and Neurology, 2020, 33, 256-264.                         | 2.3 | 6         |
| 260 | Research diagnostic criteria for Alzheimer's disease: findings from the LipiDiDiet randomized controlled trial. Alzheimer's Research and Therapy, 2021, 13, 64.   | 6.2 | 6         |
| 261 | Genome-wide association study of frontotemporal dementia identifies a C9ORF72 haplotype with a median of 12-G4C2 repeats that predisposes to pathological repeat expansions. Translational Psychiatry, 2021, 11, 451. | 4.8 | 6         |
| 262 | MILD COGNITIVE IMPAIRMENT SUBTYPES AND VASCULAR DEMENTIA. Journal of the American Geriatrics Society, 2006, 54, 1966-1967.  | 2.6 | 5         |
| 263 | Genetic overlap between Alzheimer's disease and blood lipid levels. Neurobiology of Aging, 2021, 108, 189-195.  | 3.1 | 5         |
| 264 | Magnetoencephalography Brain Signatures Relate to Cognition and Cognitive Reserve in the Oldest-Old: The EMIF-AD 90 + Study. Frontiers in Aging Neuroscience, 2021, 13, 746373.                                       | 3.4 | 5         |
| 265 | P-tau subgroups in AD relate to distinct amyloid production and synaptic integrity profiles. Alzheimer's Research and Therapy, 2022, $14$ , .   | 6.2 | 5         |
| 266 | Use of biomarkers to select the target population for clinical trials in subjects with mild cognitive impairment. Journal of Nutrition, Health and Aging, 2009, 13, 344-345.  | 3.3 | 4         |
| 267 | <i>APOE</i> -Î $\mu$ 4 allele for the diagnosis of Alzheimer's and other dementia disorders in people with mild cognitive impairment in a community setting. The Cochrane Library, 0, , .                             | 2.8 | 4         |
| 268 | <i>APOE</i> -Î $\mu$ 4 allele for the diagnosis of Alzheimer's and other dementia disorders in people with mild cognitive impairment in a primary care setting. The Cochrane Library, 0, , .                          | 2.8 | 4         |
| 269 | <i>APOE</i> -ε4 allele for the diagnosis of Alzheimer's and other dementia disorders in people with mild cognitive impairment in a secondary care setting. The Cochrane Library, 0, , .                               | 2.8 | 4         |
| 270 | [P4–157]: CSF BIOMARKERS AND EFFECT OF APOLIPOPROTEIN E GENOTYPE, AGE AND SEX ON CUTâ€OFF DERIVATION IN MILD COGNITIVE IMPAIRMENT. Alzheimer's and Dementia, 2017, 13, P1319.   | 0.8 | 4         |

| #   | Article   | IF                       | Citations |
|-----|---|--------------------------|-----------|
| 271 | [O2–12–03]: DURATION OF ALZHEIMER's DISEASE IN THE PRECLINICAL, PRODROMAL AND DEMENTIA STAGI<br>MULTI‧TATE MODEL ANALYSIS. Alzheimer's and Dementia, 2017, 13, P585.  | E: A<br>8.0 <sup>:</sup> | 4         |
| 272 | Capturing the Alzheimer's disease pathological cascade. Lancet Neurology, The, 2018, 17, 199-200.   | 10.2                     | 4         |
| 273 | A Cost-Consequence Analysis of Different Screening Procedures in Alzheimer's Disease: Results from the MOPEAD Project. Journal of Alzheimer's Disease, 2021, 83, 1149-1159.   | 2.6                      | 4         |
| 274 | Effects of age, amyloid, sex, and <i>APOE</i> $\hat{l}\mu 4$ on the CSF proteome in normal cognition. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2022, 14, e12286.   | 2.4                      | 4         |
| 275 | Cerebrospinal fluid proteomic profiling of individuals with mild cognitive impairment and suspected nonâ€Alzheimer's disease pathophysiology. Alzheimer's and Dementia, 2023, 19, 807-820.  | 0.8                      | 4         |
| 276 | Magnesium therapy in acute myocardial infarction. Netherlands Journal of Medicine, 1995, 46, 156-165.   | 0.5                      | 3         |
| 277 | P4â€224: Alzheimer's Disease Patients With Osas History Have Higher CSF Tau Levels. Alzheimer's and Dementia, 2016, 12, P1115.  | 0.8                      | 3         |
| 278 | Microvascular changes of the retina in ankylosing spondylitis, and the association with cardiovascular disease – the eye for a heart study. Seminars in Arthritis and Rheumatism, 2020, 50, 1535-1541.  | 3.4                      | 3         |
| 279 | Complementary preâ€screening strategies to uncover hidden prodromal and mild Alzheimer's disease: Results from the MOPEAD project. Alzheimer's and Dementia, 2021, , .  | 0.8                      | 3         |
| 280 | MCI Patients in Europe: Medication and Comorbidities. The DESCRIPA Study. Current Alzheimer Research, 2016, 13, 1407-1413.  | 1.4                      | 3         |
| 281 | CSF proteomic signature predicts progression to Alzheimer's disease dementia. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2022, 8, e12240.   | 3.7                      | 3         |
| 282 | Evaluating robustness of the Centiloid scale against variations in amyloid PET image resolution. Alzheimer's and Dementia, 2021, 17, .  | 0.8                      | 3         |
| 283 | P2-274: Risk score profiles for prediction of dementia in the general elderly population. , 2015, 11, P596-P596.  |                          | 2         |
| 284 | P2-188: Characterization of cognitive function with the cantab in individuals with amnestic mild cognitive impairment in relation to hippocampal volume, amyloid, and tau status: Preliminary baseline results from the PharmaCog/european-ADNI study. , 2015, 11, P564-P564. |                          | 2         |
| 285 | O3-05-03: Modifiable Risk Factors for Prevention of Dementia in Midlife and Late Life: The Libra Index. , 2016, 12, P295-P296.  |                          | 2         |
| 286 | ICâ€Pâ€120: Association Between Brain MRI Diffusion Alterations and CSF Biomarkers in Amnestic MCI. Alzheimer's and Dementia, 2016, 12, P89.  | 0.8                      | 2         |
| 287 | DTâ€01â€04: Effects of Fortasyn Connect (Souvenaid) on Longitudinal Brain Atrophy Measures in Prodromal Alzheimer's Disease: Results of the Doubleâ€Blind Randomised Controlled Lipididiet Trial. Alzheimer's and Dementia, 2016, 12, P1135.                                  | 0.8                      | 2         |
| 288 | ICâ€Pâ€039: Impairment of Restingâ€State Functional Connectivity in The Defaultâ€Mode Network Closely Tracks CSF Biomarkers In MCI. Alzheimer's and Dementia, 2016, 12, P34.  | 0.8                      | 2         |

| #   | Article  | IF       | CITATIONS |
|-----|--|----------|-----------|
| 289 | Chasing the start of sporadic Alzheimer's disease running in families. Brain, 2018, 141, 1589-1591.  | 7.6      | 2         |
| 290 | Pathophysiological subtypes of Alzheimer's disease based on cerebrospinal fluid proteomics. Alzheimer's and Dementia, 2020, 16, e037184.   | 0.8      | 2         |
| 291 | Proteomic correlates of cortical thickness in cognitively normal individuals with normal and abnormal cerebrospinal fluid beta-amyloid1-42. Neurobiology of Aging, 2021, 107, 42-52.   | 3.1      | 2         |
| 292 | Assessment of Social Behavior Using a Passive Monitoring App in Cognitively Normal and Cognitively Impaired Older Adults: Observational Study. JMIR Aging, 2022, 5, e33856.  | 3.0      | 2         |
| 293 | An app to measure functional decline in managing finances in Alzheimer's disease: Preliminary results of the RADARâ€AD study. Alzheimer's and Dementia, 2021, 17, .  | 0.8      | 2         |
| 294 | Dataâ $\in$ driven evidence for three distinct patterns of amyloidâ $\in$ $\hat{i}^2$ accumulation. Alzheimer's and Dementia, 2021, 17, .  | 0.8      | 2         |
| 295 | Ten-year risk of dementia in subjects with mild cognitive impairment. Neurology, 2007, 68, 1238-1239.  | 1.1      | 1         |
| 296 | Fluid biomarkers for Alzheimer's disease: standardization and recent developments. Biomarkers in Medicine, 2012, 6, 363-364.   | 1.4      | 1         |
| 297 | O3-08-01: The prevalence of amyloid pathology in healthy individuals and individuals with mild cognitive impairment: A meta-analysis of amyloid-PET studies. , 2013, 9, P533-P533.   |          | 1         |
| 298 | FTS-01-01: A european medical information framework for Alzheimer's disease (EMIF-AD)., 2015, 11, P120-P121.   |          | 1         |
| 299 | P1-115: Consensus guidelines to perform lumbar puncture for CSF sampling in patients with neurological conditions. , 2015, 11, P384-P384.  |          | 1         |
| 300 | P3â€315: Differential Effects of Apoe and CSF Amyloid on Memory Impairment in Individuals with Amnestic MCI Using the Cantab Cognitive Battery: Results from the Europeanâ€Adni Study. Alzheimer's and Dementia, 2016, 12, P964. | 0.8      | 1         |
| 301 | P4â€153: Subjective Cognitive Decline and Progression to Dementia Due to AD and Nonâ€AD in Memory Clinic and Communityâ€Based Cohorts. Alzheimer's and Dementia, 2016, 12, P1073.  | 0.8      | 1         |
| 302 | [P2–212]: EUROPEAN MEDICAL INFORMATION FRAMEWORK FOR ALZHEIMER's DISEASE (EMIFâ€AD): THE BIOMARKER DISCOVERY STUDY. Alzheimer's and Dementia, 2017, 13, P691.  | 0.8      | 1         |
| 303 | P4â€158: THE ASSOCIATION OF VASCULAR DISORDERS WITH INCIDENT DEMENTIA AND MORTALITY IN DIFFERENT AGE GROUPS IN A PRIMARY CARE DATABASE. Alzheimer's and Dementia, 2018, 14, P1499.   | 0.8      | 1         |
| 304 | ICâ€Pâ€182: EVENTâ€BASED MODELING OF THE TEMPORAL ORDERING OF REGIONAL βâ€AMYLOID DEPOSITIOI<br>BRAIN. Alzheimer's and Dementia, 2018, 14, P152.   | N IN THE | 1         |
| 305 | ICâ€Pâ€126: VOLUMETRIC ACCURACY OF A FULLY AUTOMATIC TOOL FOR WHITE MATTER HYPERINTENSITIES (WMHS) SEGMENTATION. Alzheimer's and Dementia, 2018, 14, P105.   | 0.8      | 1         |
| 306 | P2â€445: EVENTâ€BASED MODELING OF THE TEMPORAL ORDERING OF REGIONAL βâ€AMYLOID DEPOSITION IN BRAIN. Alzheimer's and Dementia, 2018, 14, P887.  | 1 P.'8   | 1         |

| #   | Article  | IF       | CITATIONS |
|-----|--|----------|-----------|
| 307 | P1â€247: CEREBROSPINAL FLUID NEUROFILAMENT LIGHT PROTEIN AS A DIFFERENTIAL DIAGNOSIS BIOMARKER II NEUROLOGICAL DISEASES: A SYSTEMATIC REVIEW AND METAANALYSIS. Alzheimer's and Dementia, 2018, 14, P373.                                 | N<br>0.8 | 1         |
| 308 | Predictors of preclinical Alzheimer's disease in persons with subjective cognitive decline. Alzheimer's and Dementia, 2020, 16, e042658.   | 0.8      | 1         |
| 309 | The IMIâ€EU H2020 project MOPEAD: Outcome of different screening methods to identify MCI/early AD. Alzheimer's and Dementia, 2020, 16, e044524.  | 0.8      | 1         |
| 310 | Trajectories of decline in cognitively complex everyday activities across the Alzheimer's disease continuum. Alzheimer's and Dementia, 2020, 16, e044787.  | 0.8      | 1         |
| 311 | Preâ€screening models for patient engagement: The MOPEAD project. Alzheimer's and Dementia, 2020, 16, e044796.   | 0.8      | 1         |
| 312 | Cerebrospinal fluid proteomic profiles predict progression to dementia in prodromal AD. Alzheimer's and Dementia, 2020, 16, e045230.   | 0.8      | 1         |
| 313 | Social behavior assessment in cognitively impaired older adults using a passive and remote smartphone application. Alzheimer's and Dementia, 2021, 17, e051698.  | 0.8      | 1         |
| 314 | Updated prevalence estimates of amyloid positivity from cognitively normal to clinical Alzheimer's disease dementia: The Amyloid Biomarker Study. Alzheimer's and Dementia, 2021, 17, .  | 0.8      | 1         |
| 315 | Augmented reality to detect subtle alterations in the early stages of Alzheimer's disease: Preliminary results of the RADARâ€AD study. Alzheimer's and Dementia, 2021, 17, .   | 0.8      | 1         |
| 316 | Gait characteristics in preclinical Alzheimer's disease: Preliminary results of the RADARâ€AD study. Alzheimer's and Dementia, 2021, 17, .   | 0.8      | 1         |
| 317 | S1-02-02: Clinical and neuropsychological features as predictors from MCI to Alzheimer's-type dementia., 2013, 9, P122-P122.   |          | O         |
| 318 | IC-P-224: THE HIPPOCAMPAL BOUNDARY SHIFT INTEGRAL IS 70% MORE REPRODUCIBLE THAN OTHER ATROPHY ALGORITHMS. , 2014, 10, P120-P121.   |          | 0         |
| 319 | O2-05-03: USE OF CSF AMYLOID FOR DETECTING CORTICAL AMYLOID DEPOSITION: A MULTICENTER STUDY. , 2014, 10, P173-P173.  |          | 0         |
| 320 | P3-158: Grey matter network disruptions are related to amyloid beta in cognitively healthy elderly. , 2015, 11, P689-P689.   |          | 0         |
| 321 | P4-040: Use of recent research criteria for inclusion and use of biomarkers as endpoint in preclinical and prodromal Alzheimer's disease (AD) trials: An Alzheimer's disease neuroimaging initiative (ADNI) study., 2015, 11, P780-P781. |          | O         |
| 322 | O1-03-03: Olfactory dysfunction may predict Alzheimer's disease related tau pathology in cerebrospinal fluid (CSF)., 2015, 11, P130-P130.  |          | 0         |
| 323 | O4-03-01: Early detection of Alzheimer's disease (AD)-related amyloid and tau pathology: A computerized versus a paper-and-pencil memory test., 2015, 11, P272-P272.   |          | O         |
| 324 | IC-04-03: Grey matter network disruptions are related to amyloid-beta in cognitively healthy elderly. , 2015, 11, P11-P11.   |          | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | O1-03-06: Creating normative values for cognitive tests in amyloid positive and amyloid negative cognitively normal subjects., 2015, 11, P131-P132.                                  |     | O         |
| 326 | IC-P-108: Impact of ApoE-Æ4 and family history of dementia on gray matter atrophy in cognitively healthy middle-aged adults., 2015, 11, P73-P73.                                     |     | 0         |
| 327 | P1-011: Prevalence of amyloid and neurodegeneration markers and effects on cognitive functioning in non-demented subjects., 2015, 11, P340-P341.                                     |     | O         |
| 328 | O2-09-01: Impact of ApoE-É>4 and family history of dementia on gray matter atrophy in cognitively healthy middle-aged adults. , 2015, 11, P194-P194.                                 |     | 0         |
| 329 | F3-02-03: Prevalence of snap in subjects with mild cognitive impairment and dementia. , 2015, 11, P213-P214.   |     | O         |
| 330 | O3-11-02: Prevalence and diagnostic procedures in early-onset dementia in tertiary referral center patients in denmark, sweden, and the netherlands. , 2015, 11, P244-P245.          |     | 0         |
| 331 | F4-02-02: The influence of severity of total comorbidity on cognitive decline and conversion to dementia in memory clinic visitors., 2015, 11, P260-P261.                            |     | o         |
| 332 | P3-031: EPAD Register: A Novel Tool for Pre-Screening Participants in the IMI European Prevention of Alzheimer's Dementia Project (EPAD). , 2016, 12, P828-P829.                     |     | 0         |
| 333 | P4â€122: Prevalence of Vascular Risk Factors in Different Stages of Prodromal Alzheimer's Disease and Its Influence on Cognitive Decline. Alzheimer's and Dementia, 2016, 12, P1059. | 0.8 | O         |
| 334 | ICâ€Pâ€017: Concordance of [18F]Flutemetamol Amyloid Deposition in Cognitively Healthy Elderly Monozygotic Twin Pairs. Alzheimer's and Dementia, 2016, 12, P23.                      | 0.8 | 0         |
| 335 | IC-02-04: Correlation of Cortical Thickness in Cognitively Healthy Elderly Monozygotic Twin Pairs. , 2016, 12, P7-P8.  |     | O         |
| 336 | P1â€264: Structural and Diffusion Tensor Imaging in MCI Subjects With Intermediate Risk of Alzheimer's Disease Based on CSF Profile. Alzheimer's and Dementia, 2016, 12, P514.       | 0.8 | 0         |
| 337 | P1-366: Subjective Versus Objective Cognitive Decline in Memory Clinic Visitors., 2016, 12, P571-P571.   |     | O         |
| 338 | P2-165: Resilience to Clinical Dementia at Old Age: The European Medical Information Framework (EMIF) 90+ Study., 2016, 12, P678-P678.   |     | 0         |
| 339 | P2-237: Concordance of [18F] Flutemetamol Amyloid Deposition in Cognitively Healthy Elderly Monozygotic Twin Pairs., 2016, 12, P714-P715.  |     | О         |
| 340 | ICâ€Pâ€122: Structural and Diffusion Tensor Imaging in MCI Subjects With Intermediate Risk of Alzheimer's Disease Based on CSF Profile. Alzheimer's and Dementia, 2016, 12, P90.     | 0.8 | 0         |
| 341 | ICâ€Pâ€147: Atrophy Patterns Predicting Cognitive Decline in Nonâ€Demented Subjects are Independent of Amyloid Pathology. Alzheimer's and Dementia, 2016, 12, P109.                  | 0.8 | О         |
| 342 | ICâ€Pâ€148: Association Between Volumes Alterations and CSF Biomarkers in Amnestic MCI. Alzheimer's and Dementia, 2016, 12, P110.  | 0.8 | 0         |

| #   | Article  | IF               | CITATIONS |
|-----|--|------------------|-----------|
| 343 | P3â€232: Association Between Brain MRI Diffusion Alterations and CSF Biomarkers in Amnestic MCI. Alzheimer's and Dementia, 2016, 12, P914.   | 0.8              | O         |
| 344 | P3â€⊋69: Correlation of Cortical Thickness in Cognitively Healthy Elderly Monozygotic Twin Pairs. Alzheimer's and Dementia, 2016, 12, P935.  | 0.8              | 0         |
| 345 | P4â€112: Amyloid Levels in the Normal Range are Predictive for Incident Dementia in Nonâ€Demented Elderly. Alzheimer's and Dementia, 2016, 12, P1055.                                | 0.8              | O         |
| 346 | P4â€146: Largeâ€Vessel Disease and [18F]Flutemetamolâ€Amyloid Deposition in Cognitively Healthy Elderly Twins. Alzheimer's and Dementia, 2016, 12, P1069.                            | 0.8              | 0         |
| 347 | P4-165: Association Between Volume Alterations and CSF Biomarkers in Amnestic MCI. , 2016, 12, P1080-P1080.  |                  | 0         |
| 348 | O1-11-03: Prevalence of Amyloid-b Pathology in Primary Progressive Aphasia Variants: A Multicenter Study., 2016, 12, P202-P203.  |                  | 0         |
| 349 | O2â€04â€01: Cognitive Composite Measures in Amnestic MCI by Different AMYLOID/TAU Pathology.<br>Alzheimer's and Dementia, 2016, 12, P229.  | 0.8              | O         |
| 350 | O2â€05â€02: Dementia Prevalence and Incidence in a Combination of European Electronic Health Records Databases: the EMIFâ€ad EHR Resource. Alzheimer's and Dementia, 2016, 12, P232. | 0.8              | 0         |
| 351 | O3â€05â€02: Relation Between Lifestyle Factors and Alzheimer's Disease Biomarkers in Subjects with SCI or MCI. Alzheimer's and Dementia, 2016, 12, P294.                             | 0.8              | 0         |
| 352 | O3-09-02: Cognitive Consequences of Cerebral Amyloid Pathology in Persons without Dementia. , 2016, 12, P307-P308.   |                  | 0         |
| 353 | O4â€02â€04: Atrophy Patterns Predicting Cognitive Decline in Nonâ€Demented Subjects are Independent of Amyloid Pathology. Alzheimer's and Dementia, 2016, 12, P335.                  | 0.8              | 0         |
| 354 | P1â€238: When Less is More: Detecting Functional Decline Using a Short Version of the Amsterdam ladl Questionnaire. Alzheimer's and Dementia, 2016, 12, P498.                        | 0.8              | 0         |
| 355 | P4â€350: Biomarkers of Short Term Disease Progression in Mild Cognitive Impairment Patients with ad Pathology. Alzheimer's and Dementia, 2016, 12, P1171.                            | 0.8              | O         |
| 356 | O4â€09â€05: Risk Factors for Cognitive Decline are Age Dependent. Alzheimer's and Dementia, 2016, 12, P356.  | 0.8              | 0         |
| 357 | [P2–399]: CORRELATION OF GREY MATTER NETWORK MEASURES IN COGNITIVELY HEALTHY ELDERLY MONOZYGOTIC TWIN PAIRS. Alzheimer's and Dementia, 2017, 13, P783.                               | 0.8              | 0         |
| 358 | [P3–062]: ACROSS‧ESSION REPRODUCIBILITY OF AUTOMATIC WHITE MATTER HYPERINTENSITIES SEGMENTATION: A EUROPEAN MULTI‧ITE 3T STUDY. Alzheimer's and Dementia, 2017, 13, P954.            | 0.8              | 0         |
| 359 | [P3–214]: ADFLAG <sup>®</sup> , A DIAGNOSTIC BLOOD TEST FOR PREâ€DEMENTIA STAGES OF ALZHEIMER'<br>DISEASE. Alzheimer's and Dementia, 2017, 13, P1019.                                | S <sub>0.8</sub> | O         |
| 360 | [P4â€"226]: BEST COMBINATORIAL LOWâ€COST MARKERS TO PREDICT MCI CONVERSION: AN EMIFâ€AD FEDERATION STUDY. Alzheimer's and Dementia, 2017, 13, P1356.                                 | 0.8              | 0         |

| #   | Article   | IF               | CITATIONS |
|-----|---|------------------|-----------|
| 361 | [ICâ€Pâ€036]: CORRELATION OF GREY MATTER NETWORK MEASURES IN COGNITIVELY HEALTHY ELDERLY MONOZYGOTIC TWIN PAIRS. Alzheimer's and Dementia, 2017, 13, P32.   | 0.8              | 0         |
| 362 | [ICâ€Pâ€053]: EARLY ALTERATIONS IN RESTING‧TATE FUNCTIONAL CONNECTIVITY IS ASSOCIATED WITH AMYI PATHOLOGY IN COGNITIVELY HEALTHY ELDERLY MONOZYGOTIC TWINS. Alzheimer's and Dementia, 2017, 13, P43.                                  | LOID<br>0.8      | 0         |
| 363 | [ICâ€Pâ€058]: TWIN CORRELATIONS FOR AMYLOID PATHOLOGY MEASURED WITH POSITRON EMISSION TOMOGRAPHY AND IN CEREBROSPINAL FLUID IN COGNITIVELY HEALTHY ELDERLY MONOZYGOTIC TWIN PAIRS. Alzheimer's and Dementia, 2017, 13, P47.           | 0.8              | O         |
| 364 | [ICâ€Pâ€065]: WHITE MATTER HYPERINTENSITIES AND VASCULAR RISK FACTORS IN COGNITIVELY HEALTHY ELDERLY MONOZYGOTIC TWIN PAIRS. Alzheimer's and Dementia, 2017, 13, P53.   | 0.8              | 0         |
| 365 | [ICâ€Pâ€167]: ACROSSâ€SESSION REPRODUCIBILITY OF AUTOMATIC WHITE MATTER HYPERINTENSITIES SEGMENTATION: A EUROPEAN MULTIâ€SITE 3T STUDY. Alzheimer's and Dementia, 2017, 13, P126.   | 0.8              | O         |
| 366 | [P1â€"250]: DECISION TREE ANALYSIS REVEALS TWO CUTâ€OFF LEVELS FOR AMYLOID BETA IN EARLY AD DIAGNOSIS. Alzheimer's and Dementia, 2017, 13, P342.  | 0.8              | 0         |
| 367 | [P1â€"289]: DISCOVERY, REPLICATION AND EXTENSION STUDY OF PLASMA PROTEOMIC BIOMARKERS RELATING TO BRAIN AMYLOID BURDEN (CSF Aβ OR AMYLOIDâ€PET) IN THE EMIFâ€AD BIOMARKER DISCOVERY COHORT. Alzheimer's and Dementia, 2017, 13, P361. | 0.8              | O         |
| 368 | [P1–387]: CHARACTERIZATION OF SUSPECTED NONâ€ALZHEIMER's DISEASE PATHOPHYSIOLOGY (SNAP) IN INDIVIDUALS WITH MILD COGNITIVE IMPAIRMENT USING NEUROIMAGING. Alzheimer's and Dementia, 2017, 13, P414.                                   | 0.8              | 0         |
| 369 | [P1–404]: EARLY ALTERATIONS IN RESTING‧TATE FUNCTIONAL CONNECTIVITY IS ASSOCIATED WITH AMYLO PATHOLOGY IN COGNITIVELY HEALTHY ELDERLY MONOZYGOTIC TWINS. Alzheimer's and Dementia, 2017, 13, P429.                                    | OID<br>0.8       | O         |
| 370 | [P1â€"411]: WHITE MATTER HYPERINTENSITIES AND VASCULAR RISK FACTORS IN COGNITIVELY HEALTHY ELDERI MONOZYGOTIC TWIN PAIRS. Alzheimer's and Dementia, 2017, 13, P433.   | - <sub>0.8</sub> | 0         |
| 371 | [P1–575]: PREVALENCE OF THE APOLIPOPROTEIN E ε4 ALLELE IN AMYLOIDâ€Î² POSITIVE SUBJECTS ACROSS T<br>SPECTRUM OF ALZHEIMER's DISEASE. Alzheimer's and Dementia, 2017, 13, P515.  | HE<br>0.8        | O         |
| 372 | [F1–04–02]: EPAD REGISTRY. Alzheimer's and Dementia, 2017, 13, P178.  | 0.8              | 0         |
| 373 | [F1–04–04]: EUROPEAN MEDICAL FRAMEWORK FOR ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 201<br>13, P178.  | 7<br>ბ.8         | O         |
| 374 | [O1â€"05â€"03]: CSF AMYLOID BETA 1â€"42 LEVELS OBTAINED OVER 15 YEARS SHOW A DIAGNOSISâ€DEPEND UPWARD DRIFT. Alzheimer's and Dementia, 2017, 13, P198.  | ENT<br>6.8       | 0         |
| 375 | [O2–05–01]: TWIN CORRELATIONS FOR AMYLOID PATHOLOGY MEASURED WITH POSITRON EMISSION TOMOGRAPHY AND IN CEREBROSPINAL FLUID IN COGNITIVELY HEALTHY ELDERLY MONOZYGOTIC TWIN PAIRS. Alzheimer's and Dementia, 2017, 13, P559.            | 0.8              | O         |
| 376 | [O3–06–03]: THE IMPACT OF AMYLOID AND TAU PATHOLOGY ON THE DEVELOPMENT OF SUBTLE COGNITIVE CHANGES IN PERSONS WITHOUT DEMENTIA. Alzheimer's and Dementia, 2017, 13, P912.   | Æ<br>0.8         | 0         |
| 377 | [P2–194]: USING EMERGING CEREBROSPINAL FLUID MARKERS TO CHARACTERIZE SUSPECTED NONâ€ALZHEIMER's DISEASE PATHOPHYSIOLOGY (SNAP) IN INDIVIDUALS WITH MILD COGNITIVE IMPAIRMENT. Alzheimer's and Dementia, 2017, 13, P680.               | 0.8              | O         |
| 378 | P3â€216: IS THE RELATION BETWEEN BLOOD PRESSURE AND COGNITION DEPENDENT ON AMYLOID PATHOLOGOR PHYSICAL PERFORMANCE? RESULTS OF THE EMIFâ€AD 90+ STUDY. Alzheimer's and Dementia, 2018, 14, P1153.                                     | Y<br>0.8         | 0         |

| #   | Article   | IF                | Citations |
|-----|---|-------------------|-----------|
| 379 | P3â€368: PREDICTING AND MONITORING SHORTâ€TERM DISEASE PROGRESSION IN Aâ€MCI PATIENTS WITH PRODROMAL AD USING MRI STRUCTURAL BRAIN BIOMARKERS. Alzheimer's and Dementia, 2018, 14, P1230.   | 0.8               | 0         |
| 380 | P2â€270: INCREASED CSF AMYLOIDâ€Î² 1â€38 AND 1â€40 CONCENTRATIONS IN INDIVIDUALS WITH MILD COGN<br>IMPAIRMENT WITH TAU BUT WITHOUT AMYLOID PATHOPHYSIOLOGY. Alzheimer's and Dementia, 2018, 14,<br>P780.                          | NITIVE<br>0.8     | О         |
| 381 | ICâ€Pâ€066: WHITE MATTER MICROSTRUCTURE AND AMYLOID AGGREGATION IN COGNITIVELY HEALTHY, ELDERI IDENTICAL TWINS. Alzheimer's and Dementia, 2018, 14, P59.  | - <del>ў</del> .8 | 0         |
| 382 | P3â€233: PLASMA PRIMARY FATTY AMIDES ASSOCIATE TO CSF AMYLOID LEVELS AND ALZHEIMER'S DISEASE PROGRESSION IN THE EMIFâ€AD BIOMARKER DISCOVERY COHORT. Alzheimer's and Dementia, 2018, 14, P1161.                                   | 0.8               | 0         |
| 383 | O1â€13â€01: ROLE OF THE INFLAMMASOME COMPLEX IN ADâ€RELATED HIPPOCAMPAL NEURODEGENERATION PATIENTS WITH AD PATHOLOGY. Alzheimer's and Dementia, 2018, 14, P251.   | IN MCI            | O         |
| 384 | P1â€418: WHITE MATTER MICROSTRUCTURE AND AMYLOID AGGREGATION IN COGNITIVELY HEALTHY, ELDERLY IDENTICAL TWINS. Alzheimer's and Dementia, 2018, 14, P465.   | 0.8               | 0         |
| 385 | P1â€525: AMYLOID AGGREGATION IS ASSOCIATED WITH DECLINE ON DIGIT SPAN BACKWARD IN COGNITIVELY NORMAL ELDERLY MONOZYGOTIC TWINS. Alzheimer's and Dementia, 2018, 14, P533.   | 0.8               | O         |
| 386 | F1â€02â€04: GENOMICS AND EPIGENOMICS ANALYSES IN THE EMIFâ€AD MULTIMODAL BIOMARKER DISCOVERY STUDY. Alzheimer's and Dementia, 2018, 14, P204.   | 0.8               | 0         |
| 387 | P3â€264: UNBIASED METHOD TO DETERMINE CUTâ€POINTS FOR CSF TOTAL TAU LEVELS REVEALS PRESENCE OF BIOLOGICAL SUBTYPES IN A LARGE ALZHEIMER'S DISEASE POPULATION. Alzheimer's and Dementia, 2018, 14, P1176.                          |                   | О         |
| 388 | O2â€09â€06: FREQUENCIES OF CEREBROSPINAL FLUID A/T/N BIOMARKER PROFILES AND THEIR ASSOCIATION WITH MEMORY FUNCTION IN PERSONS WITHOUT DEMENTIA. Alzheimer's and Dementia, 2018, 14, P643.   | 0.8               | 0         |
| 389 | O2â€09â€05: EXTENSION AND VALIDATION OF AN AMYLOID STAGING MODEL: ASSOCIATIONS WITH CLINICAL MEASURES. Alzheimer's and Dementia, 2018, 14, P643.  | 0.8               | O         |
| 390 | O2â€15â€04: ROBUST INDIVIDUALIZED PREDICTION MODELS WHICH ARE APPLICABLE ACROSS DIFFERENT COHORTS. Alzheimer's and Dementia, 2018, 14, P661.  | 0.8               | 0         |
| 391 | O5â€01â€03: ATROPHY SUBTYPES IN ALZHEIMER'S DISEASE IDENTIFIED THROUGH NONâ€NEGATIVE MATRIX FACTORIZATION. Alzheimer's and Dementia, 2018, 14, P1638.   | 0.8               | O         |
| 392 | ICâ€Pâ€005: ASSESSMENT OF EARLY AMYLOID PATHOLOGY USING [ <sup>18</sup> F]FLUTEMETAMOL POSITROI EMISSION TOMOGRAPHY: COMPARING VISUAL READ, SEMIâ€QUANTITATIVE AND QUANTITATIVE METHODS. Alzheimer's and Dementia, 2018, 14, P16. | N<br>0.8          | 0         |
| 393 | P3â€585: COGNITIVE RESERVE MODULATES THE ASSOCIATION OF CEREBRAL AMYLOID PATHOLOGY WITH COGNITIVE PERFORMANCE IN PERSONS WITH ALZHEIMER'S DISEASE DEMENTIA. Alzheimer's and Dementia, 2018, 14, P1349.                            | 0.8               | O         |
| 394 | P3â€568: PROGNOSIS OF INDIVIDUALS WITH MILD COGNITIVE IMPAIRMENT REVERTING TO NORMAL COGNITION Alzheimer's and Dementia, 2018, 14, P1341.   | 8.d <sup>l</sup>  | 0         |
| 395 | F1â€02â€02: DISCOVERY, REPLICATION AND EXTENSION STUDY OF PLASMA PROTEOMIC BIOMARKERS RELATING TO BRAIN AMYLOID BURDEN AND ALZHEIMER'S DISEASE PROGRESSION. Alzheimer's and Dementia, 2018, 14, P201.                             |                   | O         |
| 396 | P3â€355: ASSESSMENT OF EARLY AMYLOID PATHOLOGY USING [ <sup>18</sup> F]FLUTEMETAMOL POSITRON EMISSION TOMOGRAPHY: COMPARING VISUAL READ, SEMIâ€QUANTITATIVE AND QUANTITATIVE METHODS. Alzheimer's and Dementia, 2018, 14, P1221.  | 0.8               | О         |

| #   | Article  | IF         | CITATIONS |
|-----|--|------------|-----------|
| 397 | F1â€02â€01: RELATING CSF MARKERS NEUROGRANIN, NEUROFILAMENTâ€LIGHT AND YKLâ€40 TO Aβ, APOE ε4 COGNITION: RESULTS FROM THE EMIFâ€AD MULTIMODAL BIOMARKER DISCOVERY STUDY. Alzheimer's and Dementia, 2018, 14, P201. | AND<br>0.8 | O         |
| 398 | P2â€458: PREDICTING COGNITIVE DECLINE THROUGH STRUCTURAL MRI BIOMARKERS: RESULTS FROM THE EMIFâ€AD BIOMARKER DISCOVERY STUDY. Alzheimer's and Dementia, 2018, 14, P895.  | 0.8        | 0         |
| 399 | F1â€02â€03: MRI PREDICTORS OF AMYLOID PATHOLOGY: RESULTS FROM THE EMIFâ€AD BIOMARKER DISCOVEI<br>STUDY. Alzheimer's and Dementia, 2018, 14, P202.  | RY<br>0.8  | O         |
| 400 | P4â€077: BLOOD INFLAMMATORY PROFILES MEASURED BY THE ADFLAG <sup>®</sup> TEST ENABLE STRATIFICATION OF PREâ€DEMENTIA ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P1464.                               | 0.8        | 0         |
| 401 | Personality and Dementia. , 2018, , 83-110.  |            | O         |
| 402 | P4â€525: ASSOCIATION OF CSF TAU WITH HYPERPLASTICITY IN ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2019, 15, P1515.  | 0.8        | 0         |
| 403 | ICâ€Pâ€015: VOXELâ€BASED AMYLOID PET STAGING FOR THE WHOLE ALZHEIMER'S DISEASE <i>CONTINUUM</i> Alzheimer's and Dementia, 2019, 15, P24.   | i>o.8      | O         |
| 404 | Operationalization of the ATN classification scheme in preclinical AD: Findings from EPAD V500.0 data release. Alzheimer's and Dementia, 2020, 16, e037912.  | 0.8        | 0         |
| 405 | CSF proteomic changes in preâ€preclinical Alzheimer's disease: A monozygotic twin study. Alzheimer's and Dementia, 2020, 16, e038966.  | 0.8        | O         |
| 406 | The impact of a nutritional intervention in prodromal Alzheimer's disease: The LipiDiDiet clinical trial. Alzheimer's and Dementia, 2020, 16, e039846.   | 0.8        | 0         |
| 407 | Gait disturbances are associated with increased CSF tau levels in a memory clinic cohort. Alzheimer's and Dementia, 2020, 16, e040152.   | 0.8        | О         |
| 408 | Amygdalar nuclei and hippocampal subfields on MRI: Testâ€retest reliability of automated segmentation in old and young healthy volunteers. Alzheimer's and Dementia, 2020, 16, e040322.                            | 0.8        | 0         |
| 409 | General practitioners' opinion on early and preâ€dementia diagnosis of AD: A MOPEAD project survey in five European countries. Alzheimer's and Dementia, 2020, 16, e040357.  | 0.8        | O         |
| 410 | Functional interpretation of genetic risk loci for dementia using a protein quantitative trait loci (pQTLs) approach in cerebrospinal fluid. Alzheimer's and Dementia, 2020, 16, e040774.                          | 0.8        | 0         |
| 411 | Amyloidâ€Î² deposition in cognitively normal oldestâ€old is associated with cortical thinning and faster memory decline. Alzheimer's and Dementia, 2020, 16, e040991.  | 0.8        | O         |
| 412 | Research diagnostic criteria for Alzheimer's disease: Findings from the multinational LipiDiDiet Trial.<br>Alzheimer's and Dementia, 2020, 16, e042530.  | 0.8        | O         |
| 413 | Neurofilament light and cognitive performance: Associations with amyloid and vascular pathologies in individuals with mild cognitive impairment. Alzheimer's and Dementia, 2020, 16, e042739.                      | 0.8        | O         |
| 414 | Amyloidâ€Î² deposition in cognitively normal oldestâ€old is associated with cortical thinning and faster memory decline. Alzheimer's and Dementia, 2020, 16, e042768.  | 0.8        | O         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 415 | Amyloidâ€dependent association of grey matter network disruptions with phosphoâ€tau in preclinical Alzheimer's disease. Alzheimer's and Dementia, 2020, 16, e044739.  | 0.8 | O         |
| 416 | Amyloid aggregation and subsequent memory decline over time in cognitively intact older identical twins. Alzheimer's and Dementia, 2020, 16, e045112.   | 0.8 | 0         |
| 417 | Amyloid pathology, but not vascular pathology, is associated with risk of incident dementia in nonâ€demented memory clinic participants. Alzheimer's and Dementia, 2020, 16, e045196.                       | 0.8 | O         |
| 418 | Plasma biomarkers predict amyloid pathology in cognitively unimpaired individuals. Alzheimer's and Dementia, 2020, 16, e045470.   | 0.8 | 0         |
| 419 | Plasma amyloidâ $\hat{\epsilon}^2$ oligomerization assay as a screening test for abnormal amyloid status. Alzheimer's and Dementia, 2020, 16, e045754.  | 0.8 | 0         |
| 420 | DNA methylation differences associated with peripheral biomarkers in the EMIFâ€AD cohort. Alzheimer's and Dementia, 2020, 16, e045853.  | 0.8 | 0         |
| 421 | Regional distribution of tau pathology in cognitively unimpaired, genetically identical twins. Alzheimer's and Dementia, 2020, 16, e045876.   | 0.8 | О         |
| 422 | Synaptic proteins relate to memory scores in preclinical Alzheimer's disease and cognitively healthy controls depending on amyloid. Alzheimer's and Dementia, 2020, 16, e046102.                            | 0.8 | 0         |
| 423 | AB0728â€MICROVASCULAR CHANGES OF THE RETINA IN ANKYLOSING SPONDYLITIS, AND THE ASSOCIATION WITH CARDIOVASCULAR DISEASE – THE EYE FOR A HEART STUDY Annals of the Rheumatic Diseases, 2020, 79, 1658.2-1659. | 0.9 | O         |
| 424 | Decorin is an early CSF biomarker of Alzheimer's Aβ amyloidosis. Alzheimer's and Dementia, 2021, 17, .  | 0.8 | 0         |
| 425 | Associations between CSF proteins and medial temporal lobe atrophy across the AD continuum. Alzheimer's and Dementia, 2021, $17$ , .  | 0.8 | O         |
| 426 | The association between diabetes and Alzheimer's disease pathophysiology. Alzheimer's and Dementia, 2021, 17, .   | 0.8 | 0         |
| 427 | Mapping associations across multiple aspects of Alzheimer disease and the role of CSF biomarkers in individuals without dementia. Alzheimer's and Dementia, 2021, 17, .                                     | 0.8 | 0         |
| 428 | Amyloid discordance analysis in cognitively normal monozygotic twins demonstrates that the memory domain is affected first in preclinical AD. Alzheimer's and Dementia, 2021, 17, .                         | 0.8 | 0         |
| 429 | Is A+T―Alzheimer's disease or not? A combined CSF and pathology study. Alzheimer's and Dementia, 2021, 17, .  | 0.8 | O         |
| 430 | Associations of lifestyle factors with amyloid positivity in cognitively normal individuals at different levels of genetic risk: The amyloid biomarker study. Alzheimer's and Dementia, 2021, 17, .         | 0.8 | 0         |
| 431 | Regional amyloid accumulation predicts memory decline in initially cognitively unimpaired individuals. Alzheimer's and Dementia, 2021, 17, .  | 0.8 | О         |
| 432 | Genetically identical twins are highly similar in levels and spatial distribution of tau pathology: A [ <sup>18</sup> F]flortaucipir PET study. Alzheimer's and Dementia, 2021, 17, .                       | 0.8 | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 433 | Alzheimer's disease genetic risk variants show brain cell typeâ€specific associations with protein levels in cerebrospinal fluid. Alzheimer's and Dementia, 2021, 17, e049531.  | 0.8 | O         |
| 434 | Current status and quantitative results of the AMYPAD prognostic and natural history study. Alzheimer's and Dementia, $2021,17,.$   | 0.8 | 0         |
| 435 | Plasma Pâ€ŧau181 levels predict amyloid pathology in cognitively unimpaired individuals after 10 years.<br>Alzheimer's and Dementia, 2021, 17, .  | 0.8 | 0         |
| 436 | Differential gray matter connectivity correlates of CSF biomarkers: Results from the EPAD Cohort. Alzheimer's and Dementia, 2021, 17, .   | 0.8 | 0         |
| 437 | CSF protein panels reflecting multiple pathophysiological mechanisms for early and specific diagnosis of Alzheimer $\hat{a}\in \mathbb{R}$ s disease. Alzheimer's and Dementia, 2021, 17, .                                     | 0.8 | O         |
| 438 | Cerebrospinal fluid proteomic profiling of individuals with prodromal Alzheimer's disease classified using two different neurodegenerative biomarkers (N) in A/T/N classification. Alzheimer's and Dementia, 2021, 17, e053030. | 0.8 | 0         |
| 439 | Immune protein levels in cerebrospinal fluid: Associations with memory scores across the AD spectrum Alzheimer's and Dementia, 2021, 17 Suppl 3, e055451.   | 0.8 | 0         |