Hua Wen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1441562/publications.pdf Version: 2024-02-01



ΗΠΑ Μ/ΕΝ

#	Article	IF	CITATIONS
1	Dietary phosphorus requirement of red swamp crayfish (<i>Procambarus clarkia</i>). Aquaculture Research, 2022, 53, 1293-1303.	1.8	6
2	Role of creatine supplementation on the myofiber characteristics and muscle protein synthesis of grass carp (<i>Ctenopharyngodon idellus</i>). British Journal of Nutrition, 2022, , 1-45.	2.3	1
3	Generation of Knockout and Transgenic Zebrafish to Characterize Abcc4 Functions in Detoxification and Efflux of Lead. International Journal of Molecular Sciences, 2021, 22, 2054.	4.1	6
4	Effects of Dietary Protein Level on the Gut Microbiome and Nutrient Metabolism in Tilapia (Oreochromis niloticus). Animals, 2021, 11, 1024.	2.3	23
5	Adaptations of hepatic lipid and glucose metabolism in response to highâ€macronutrient diets in juvenile grass carp. Aquaculture Nutrition, 2021, 27, 1738-1749.	2.7	10
6	Creatine improves the flesh quality of Pacific white shrimp (Litopenaeus vannamei) reared in freshwater. Food Chemistry, 2021, 354, 129498.	8.2	41
7	Effect of lipid sources on growth performance, muscle composition, haemolymph biochemical indices and digestive enzyme activities of red swamp crayfish (<i>Procambarus clarkii</i>). Aquaculture Nutrition, 2021, 27, 1996-2006.	2.7	2
8	Synthesis and evaluation of acetylferulic paeonol ester and ferulic paeonol ester as potential antioxidants to inhibit fish oil oxidation. Food Chemistry, 2021, 365, 130384.	8.2	15
9	Dietary vitamin E requirement of subâ€adult genetically improved farmed tilapia strain of Nile tilapia (<i>Oreochromis niloticus</i>) reared in freshwater. Aquaculture Nutrition, 2020, 26, 233-241.	2.7	6
10	AMPK activation by dietary AICAR affects the growth performance and glucose and lipid metabolism in juvenile grass carp. Aquaculture Nutrition, 2020, 26, 3-14.	2.7	12
11	Beneficial effects of dietary exogenous protease on the growth, intestinal health and immunity of GIFT (<i>Oreochromis niloticus</i>) fed plantâ€based diets. Aquaculture Nutrition, 2020, 26, 1822-1834.	2.7	12
12	Determination of a novel parvovirus pathogen associated with massive mortality in adult tilapia. PLoS Pathogens, 2020, 16, e1008765.	4.7	36
13	Effects of ferulic acid on growth performance, immunity and antioxidant status in genetically improved farmed tilapia (<i>Oreochromis niloticus</i>) fed oxidized fish oil. Aquaculture Nutrition, 2020, 26, 1431-1442.	2.7	20
14	The effects of highâ€macronutrient (protein, fat and carbohydrate) diets on growth performance and muscular metabolic responses in grass carp. Aquaculture Nutrition, 2020, 26, 2135-2146.	2.7	6
15	A comparative study on proteinâ€sparing effects among juvenile <i>Erythroculter ilishaeformis</i> line, <i>Ancherythroculter nigrocauda</i> line and their hybrid F ₁ fed diets with different protein to carbohydrate ratios. Aquaculture Nutrition, 2020, 26, 993-1006.	2.7	6
16	Effects of dietary manipulation on compensatory growth of juvenile genetically improved farmed tilapia (Oreochromis niloticus). Fish Physiology and Biochemistry, 2019, 45, 21-32.	2.3	9
17	Dietary supplementation with <i>Bacillus subtilis</i> LT3â€l enhance the growth, immunity and disease resistance against <i>Streptococcus agalactiae</i> infection in genetically improved farmed tilapia, <i>Oreochromis niloticus</i> . Aquaculture Nutrition, 2019, 25, 1241-1249.	2.7	14
18	Microcystin-LR-regulated transcriptome dynamics in ZFL cells. Aquatic Toxicology, 2019, 212, 222-232.	4.0	11

HUA WEN

#	Article	IF	CITATIONS
19	Comparative analysis of growth performance and liver transcriptome response of juvenile Ancherythroculter nigrocauda fed diets with different protein levels. Comparative Biochemistry and Physiology Part D: Genomics and Proteomics, 2019, 31, 100592.	1.0	7
20	Dietary phosphatidylcholine impacts on growth performance and lipid metabolism in adult Genetically Improved Farmed Tilapia (GIFT) strain of Nile tilapia <i>Oreochromis niloticus</i> . British Journal of Nutrition, 2018, 119, 12-21.	2.3	16
21	Soybean saponin modulates nutrient sensing pathways and metabolism in zebrafish. General and Comparative Endocrinology, 2018, 257, 246-254.	1.8	28
22	Effect of dietary protein levels and feeding rates on the growth and health status of juvenile genetically improved farmed tilapia (Oreochromis niloticus). Aquaculture International, 2018, 26, 153-167.	2.2	20
23	Effect of stocking density on growth performance, serum biochemical parameters, and muscle texture properties of genetically improved farm tilapia, Oreochromis niloticus. Aquaculture International, 2018, 26, 1247-1259.	2.2	49
24	Dietary vitamin C requirement of juvenile Chinese sucker (<i>Myxocyprinus asiaticus</i>). Aquaculture Research, 2017, 48, 37-46.	1.8	21
25	Molecular cloning and gene/protein expression of FAT/CD36 from grass carp (Ctenopharyngodon) Tj ETQq1 1 0 43, 875-888.	.784314 r 2.3	gBT /Overlock 21
26	Semisynthetic ferulic acid derivative: an efficient feed additive for Genetically Improved Farmed Tilapia (<i>Oreochromis niloticus</i>). Aquaculture Research, 2017, 48, 5017-5028.	1.8	23
27	Dietary vitamin E effects on growth, fillet textural parameters, and antioxidant capacity of genetically improved farmed tilapia (CIFT), Oreochromis niloticus. Aquaculture International, 2017, 25, 991-1003.	2.2	17
28	Growth arrest specific gene 2 in tilapia (Oreochromis niloticus): molecular characterization and functional analysis under low-temperature stress. BMC Molecular Biology, 2017, 18, 18.	3.0	6
29	Identification of a C-type lectin from tilapia (Oreochromis niloticus) and its functional characterization under low-temperature stress. Fish and Shellfish Immunology, 2016, 58, 631-640.	3.6	9
30	Dietary vitamin C requirement of genetically improved farmed Tilapia, <i>Oreochromis Niloticus</i> . Aquaculture Research, 2016, 47, 689-697.	1.8	21
31	Vitamin C requirement of adult genetically improved farmed tilapia, Oreochromis niloticus. Aquaculture International, 2015, 23, 1203-1215.	2.2	9
32	Effect of soybean meal replacement by cottonseed meal on growth, feed utilization and some blood physiological/biochemical indices of juvenile black carp, <i>Mylopharyngodon piceus</i> . Aquaculture Research, 2015, 46, 2490-2500.	1.8	21
33	Analysis of differential gene expression under low-temperature stress in Nile tilapia (Oreochromis) Tj ETQq1 1 0	784314 rg 2.2	gBT_/Overlock
34	Dietary lipid levels impact lipoprotein lipase, hormone-sensitive lipase, and fatty acid synthetase gene expression in three tissues of adult GIFT strain of Nile tilapia, Oreochromis niloticus. Fish Physiology and Biochemistry, 2015, 41, 1-18.	2.3	54
35	Dietary Thiamin Requirement of Juvenile Grass Carp, <i>Ctenopharyngodon idella</i> . Journal of the World Aquaculture Society, 2014, 45, 461-468.	2.4	28
36	The complete mitochondrial genome of Aspiorhynchus laticeps and its phylogenetic analysis. Meta Gene. 2014. 2. 218-225.	0.6	7

HUA WEN

#	Article	IF	CITATIONS
37	Changes in the activities and mRNA expression levels of lipoprotein lipase (LPL), hormone-sensitive lipase (HSL) and fatty acid synthetase (FAS) of Nile tilapia (Oreochromis niloticus) during fasting and re-feeding. Aquaculture, 2013, 400-401, 29-35.	3.5	72
38	Effect of dietary chromium picolinate on growth performance and blood parameters in grass carp fingerling, Ctenopharyngodon idellus. Fish Physiology and Biochemistry, 2010, 36, 565-572.	2.3	45
39	Genome-wide identification and expression analysis of Bcl-2 gene family under low-temperature stress in tilapia (Oreochromis niloticus). Israeli Journal of Aquaculture - Bamidgeh, 0, 72, .	0.0	1