

Jenq-Wen Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1442468/publications.pdf>

Version: 2024-02-01

151
papers

3,723
citations

156536

32
h-index

206121

51
g-index

153
all docs

153
docs citations

153
times ranked

5383
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Lipid-Based Nanocarriers in Renal RNA Therapy. <i>Biomedicines</i> , 2022, 10, 283. | 1.4 | 9 |
| 2 | Frailty as an Independent Risk Factor for Depression in Patients With End-Stage Renal Disease: A Cross-Sectional Study. <i>Frontiers in Medicine</i> , 2022, 9, 799544. | 1.2 | 5 |
| 3 | New Mechanisms of Bromelain in Alleviating Non-Alcoholic Fatty Liver Disease-Induced Deregulation of Blood Coagulation. <i>Nutrients</i> , 2022, 14, 2329. | 1.7 | 2 |
| 4 | The down-regulation of XBP1, an unfolded protein response effector, promotes acute kidney injury to chronic kidney disease transition. <i>Journal of Biomedical Science</i> , 2022, 29, . | 2.6 | 6 |
| 5 | Gustatory Dysfunction Is Closely Associated With Frailty in Patients With Chronic Kidney Disease. , 2021, 31, 49-56. | | 11 |
| 6 | Circulating microRNA-125b Levels Are Associated With the Risk of Vascular Calcification in Healthy Community-Dwelling Older Adults. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 624313. | 1.1 | 11 |
| 7 | Frailty is associated with a higher risk of developing delirium and cognitive impairment among patients with diabetic kidney disease: A longitudinal population-based cohort study. <i>Diabetic Medicine</i> , 2021, 38, e14566. | 1.2 | 6 |
| 8 | Frailty increases the risk for developing urinary tract infection among 79,887 patients with diabetic mellitus and chronic kidney disease. <i>BMC Geriatrics</i> , 2021, 21, 349. | 1.1 | 23 |
| 9 | Gender-Related Differences in Chronic Kidney Disease-Associated Vascular Calcification Risk and Potential Risk Mediators: A Scoping Review. <i>Healthcare (Switzerland)</i> , 2021, 9, 979. | 1.0 | 6 |
| 10 | Muscle relaxant use and the associated risk of incident frailty in patients with diabetic kidney disease: a longitudinal cohort study. <i>Therapeutic Advances in Drug Safety</i> , 2021, 12, 2042098621110146. | 1.0 | 2 |
| 11 | LTBP4 affects renal fibrosis by influencing angiogenesis and altering mitochondrial structure. <i>Cell Death and Disease</i> , 2021, 12, 943. | 2.7 | 15 |
| 12 | Early elimination of uremic toxin ameliorates AKI-to-CKD transition. <i>Clinical Science</i> , 2021, 135, 2643-2658. | 1.8 | 14 |
| 13 | Applicability of laboratory deficit-based frailty index in predominantly older patients with end-stage renal disease under chronic dialysis: A pilot test of its correlation with survival and self-reported instruments. <i>Nephrology</i> , 2020, 25, 73-81. | 0.7 | 10 |
| 14 | Advanced Age and Chronic Kidney Disease Modify the Association Between Metabolic Syndrome and Frailty Among Community-Dwelling Elderly. <i>Rejuvenation Research</i> , 2020, 23, 333-340. | 0.9 | 11 |
| 15 | Heart Rhythm Complexity Predicts Long-Term Cardiovascular Outcomes in Peritoneal Dialysis Patients: A Prospective Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e013036. | 1.6 | 8 |
| 16 | Hypoglycemic episodes are associated with an increased risk of incident frailty among new onset diabetic patients. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107492. | 1.2 | 16 |
| 17 | Gustatory Function and the Uremic Toxin, Phosphate, Are Modulators of the Risk of Vascular Calcification among Patients with Chronic Kidney Disease: A Pilot Study. <i>Toxins</i> , 2020, 12, 420. | 1.5 | 7 |
| 18 | Astaxanthin Counteracts Vascular Calcification In Vitro Through an Early Up-Regulation of SOD2 Based on a Transcriptomic Approach. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8530. | 1.8 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Frailty predicts a higher risk of incident urolithiasis in 525 368 patients with diabetes mellitus: a population-based study. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000755. | 1.2 | 9 |
| 20 | SO082LATENT TRANSFORMING GROWTH FACTOR BETA BINDING PROTEIN (LTBP4) CAN REGULATE RENAL FIBROSIS AND ALTER INFLAMMATION AND MITOCHONDRIAL DYSFUNCTION IN CHRONIC KIDNEY DISEASE (CKD). <i>Nephrology Dialysis Transplantation</i> , 2020, 35, . | 0.4 | 0 |
| 21 | Vascular Calcification as an Underrecognized Risk Factor for Frailty in 1783 Communityâ€Dwelling Elderly Individuals. <i>Journal of the American Heart Association</i> , 2020, 9, e017308. | 1.6 | 21 |
| 22 | Determinants of circulating microRNAâ€125b, a risk predictor of vascular calcification, among communityâ€dwelling older adults[*]. <i>Clinical and Translational Medicine</i> , 2020, 10, e145. | 1.7 | 4 |
| 23 | RAPID-ADPKD (Retrospective epidemiological study of Asia-Pacific patients with rapld Disease) Tj ETQq1 1 0.784314 rgBT /Overlock 107 retrospective cohort study. <i>BMJ Open</i> , 2020, 10, e034103. | 0.8 | 5 |
| 24 | Integrating the Surprise Question, Palliative Care Screening Tool, and Clinical Risk Models to Identify Peritoneal Dialysis Patients With High One-Year Mortality. <i>Journal of Pain and Symptom Management</i> , 2020, 60, 613-621.e6. | 0.6 | 5 |
| 25 | Frailty modifies the association between opioid use and mortality in chronic kidney disease patients with diabetes: a population-based cohort study. <i>Aging</i> , 2020, 12, 21730-21746. | 1.4 | 10 |
| 26 | Cerebral Microbleeds in Autosomal Dominant Polycystic Kidney Disease. <i>Journal of Stroke</i> , 2020, 22, 153-156. | 1.4 | 3 |
| 27 | Is dialysis vintage a perioperative risk for end-stage renal disease patients receiving total knee and hip arthroplasty. <i>Journal of Orthopaedic Surgery</i> , 2019, 27, 230949901985388. | 0.4 | 5 |
| 28 | SP495TARGETING INTERLEUKIN 6 AND INTERLEUKIN 8: A NOVEL STRATEGY FOR PREVENTING THE PROGRESSION OF PERITONEAL CALCIFICATION. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, . | 0.4 | 0 |
| 29 | Contributors, risk associates, and complications of frailty in patients with chronic kidney disease: a scoping review. <i>Therapeutic Advances in Chronic Disease</i> , 2019, 10, 204062231988038. | 1.1 | 44 |
| 30 | Natural and non-natural antioxidative compounds: potential candidates for treatment of vascular calcification. <i>Cell Death Discovery</i> , 2019, 5, 145. | 2.0 | 46 |
| 31 | Icodextrin is Associated with a Lower Mortality Rate in Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2019, 39, 252-260. | 1.1 | 11 |
| 32 | Effects of Early Frequent Nephrology Care on Emergency Department Visits among Patients with End-stage Renal Disease. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1158. | 1.2 | 4 |
| 33 | Frailty Predicts an Increased Risk of End-Stage Renal Disease with Risk Competition by Mortality among 165,461 Diabetic Kidney Disease Patients. , 2019, 10, 1270. | | 31 |
| 34 | Risk Factors Associated With Altered Circulating MicroRNAâ€125b andÂTheir Influences on Uremic Vascular Calcification Among PatientsÂWith Endâ€Stage Renal Disease. <i>Journal of the American Heart Association</i> , 2019, 8, e010805. | 1.6 | 21 |
| 35 | Age modifies the risk factor profiles for acute kidney injury among recently diagnosed type 2 diabetic patients: a population-based study. <i>GeroScience</i> , 2018, 40, 201-217. | 2.1 | 31 |
| 36 | The doubleâ€edged sword of endoplasmic reticulum stress in uremic sarcopenia through myogenesis perturbation. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018, 9, 570-584. | 2.9 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Diabetes mellitus, superoxide dismutase and peroxisome proliferator activated receptor gamma polymorphisms modify the outcome of end-stage renal disease patients of Han Chinese origin. <i>Nephrology</i> , 2018, 23, 117-125. | 0.7 | 6 |
| 38 | Association between education level and potentially inappropriate medication among older patients. <i>Aging Clinical and Experimental Research</i> , 2018, 30, 101-103. | 1.4 | 1 |
| 39 | N-Terminal Pro-Brain Natriuretic Peptide Predicts Long-Term Technique Failure in Patients Undergoing Peritoneal Dialysis. <i>Journal of Clinical Medicine</i> , 2018, 7, 557. | 1.0 | 6 |
| 40 | Impact of Self-Report and eGFR-Based Chronic Kidney Disease on the Risk of Chronic Kidney Disease-Related Complications and Geriatric Syndromes in Community-Dwelling Older Adults. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 1908-1918. | 0.9 | 6 |
| 41 | The association between heart rhythm complexity and the severity of abdominal aorta calcification in peritoneal dialysis patients. <i>Scientific Reports</i> , 2018, 8, 15627. | 1.6 | 6 |
| 42 | Prognostic importance and determinants of uremic pruritus in patients receiving peritoneal dialysis: A prospective cohort study. <i>PLoS ONE</i> , 2018, 13, e0203474. | 1.1 | 24 |
| 43 | The Small Molecule Inhibitor QLT-0267 Decreases the Production of Fibrin-Induced Inflammatory Cytokines and Prevents Post-Surgical Peritoneal Adhesions. <i>Scientific Reports</i> , 2018, 8, 9481. | 1.6 | 24 |
| 44 | Acarbose Use and Liver Injury in Diabetic Patients With Severe Renal Insufficiency and Hepatic Diseases: A Propensity Score-Matched Cohort Study. <i>Frontiers in Pharmacology</i> , 2018, 9, 860. | 1.6 | 13 |
| 45 | Self-reported frailty among end-stage renal disease patients: A potential predictor of dialysis access outcomes. <i>Nephrology</i> , 2017, 22, 333-334. | 0.7 | 18 |
| 46 | Frequency of Early Predialysis Nephrology Care and Postdialysis Cardiovascular Events. <i>American Journal of Kidney Diseases</i> , 2017, 70, 164-172. | 2.1 | 19 |
| 47 | Thrombocytopenia on the first day of emergency department visit predicts higher risk of acute kidney injury among elderly patients. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2017, 25, 11. | 1.1 | 6 |
| 48 | Dipstick proteinuria level is significantly associated with pre-morbid and in-hospital functional status among hospitalized older adults: a preliminary study. <i>Scientific Reports</i> , 2017, 7, 42030. | 1.6 | 5 |
| 49 | Circulating MicroRNA-125b Predicts the Presence and Progression of Uremic Vascular Calcification. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 1402-1414. | 1.1 | 54 |
| 50 | Effects of atorvastatin treatment on left ventricular diastolic function in peritoneal dialysis patients—the ALEVENT clinical trial. <i>Journal of Clinical Lipidology</i> , 2017, 11, 657-666. | 0.6 | 8 |
| 51 | Frail Phenotype Might Be Associated With Higher Appendicular but Not Truncal Fat Among End-Stage Renal Disease Patients. <i>Journal of Pain and Symptom Management</i> , 2017, 53, e1-e4. | 0.6 | 8 |
| 52 | Factors associated with poor outcomes of continuous renal replacement therapy. <i>PLoS ONE</i> , 2017, 12, e0177759. | 1.1 | 27 |
| 53 | Frail phenotype is associated with distinct quantitative electroencephalographic findings among end-stage renal disease patients: an observational study. <i>BMC Geriatrics</i> , 2017, 17, 277. | 1.1 | 11 |
| 54 | Comparative effectiveness of angiotensin-converting enzyme inhibitors versus angiotensin II receptor blockers for major renal outcomes in patients with diabetes: A 15-year cohort study. <i>PLoS ONE</i> , 2017, 12, e0177654. | 1.1 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Frail phenotype might herald bone health worsening among end-stage renal disease patients. PeerJ, 2017, 5, e3542. | 0.9 | 6 |
| 56 | Interplay between Superoxide Dismutase, Glutathione Peroxidase, and Peroxisome Proliferator Activated Receptor Gamma Polymorphisms on the Risk of End-Stage Renal Disease among Han Chinese Patients. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-7. | 1.9 | 12 |
| 57 | Detrended Fluctuation Analysis of Heart Rate Dynamics Is an Important Prognostic Factor in Patients with End-Stage Renal Disease Receiving Peritoneal Dialysis. PLoS ONE, 2016, 11, e0147282. | 1.1 | 40 |
| 58 | Scenario of assessment might influence results using self-report frailty instrument in chronic dialysis patients. Nephrology, 2016, 21, 344-345. | 0.7 | 0 |
| 59 | Acute kidney injury as a risk factor for diagnostic discrepancy among geriatric patients: a pilot study. Scientific Reports, 2016, 6, 38549. | 1.6 | 1 |
| 60 | Proteinuria as a Therapeutic Target in Advanced Chronic Kidney Disease: a Retrospective Multicenter Cohort Study. Scientific Reports, 2016, 6, 26539. | 1.6 | 15 |
| 61 | Heart rhythm complexity impairment in patients undergoing peritoneal dialysis. Scientific Reports, 2016, 6, 28202. | 1.6 | 24 |
| 62 | Effect of Frail Phenotype on Bone Mass and Vertebral Compression Fracture in Individuals Undergoing Dialysis. Journal of the American Geriatrics Society, 2016, 64, e19-21. | 1.3 | 12 |
| 63 | A Simpler Creatinine Index Can Predict Long-Term Survival in Chinese Hemodialysis Patients. PLoS ONE, 2016, 11, e0165164. | 1.1 | 12 |
| 64 | Chemical chaperon 4-phenylbutyrate protects against the endoplasmic reticulum stress-mediated renal fibrosis <i>in vivo</i> and <i>in vitro</i> . Oncotarget, 2016, 7, 22116-22127. | 0.8 | 59 |
| 65 | Functional assessment of chronic illness therapy—the fatigue scale exhibits stronger associations with clinical parameters in chronic dialysis patients compared to other fatigue-assessing instruments. PeerJ, 2016, 4, e1818. | 0.9 | 21 |
| 66 | Geriatric syndromes are potential determinants of the medication adherence status in prevalent dialysis patients. PeerJ, 2016, 4, e2122. | 0.9 | 20 |
| 67 | Left Ventricular Diastolic Dysfunction in Peritoneal Dialysis. Medicine (United States), 2015, 94, e819. | 0.4 | 7 |
| 68 | Comparative Study of Outcomes among Patients with Polycystic Kidney Disease on Hemodialysis and Peritoneal Dialysis. Scientific Reports, 2015, 5, 12816. | 1.6 | 19 |
| 69 | Visceral fat area is associated with HbA1c but not dialysate-related glucose load in nondiabetic PD patients. Scientific Reports, 2015, 5, 12811. | 1.6 | 13 |
| 70 | Simple self-report <sc>FRAIL</sc> scale might be more closely associated with dialysis complications than other frailty screening instruments in rural chronic dialysis patients. Nephrology, 2015, 20, 321-328. | 0.7 | 78 |
| 71 | Intradialytic Hypotension and Cardiac Remodeling: A Vicious Cycle. BioMed Research International, 2015, 2015, 1-7. | 0.9 | 37 |
| 72 | Sequence Variants of Peroxisome Proliferator-Activated Receptor-Gamma Gene and the Clinical Courses of Patients with End-Stage Renal Disease. Disease Markers, 2015, 2015, 1-7. | 0.6 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Outcome Comparisons Between Patients on Peritoneal Dialysis With and Without Polycystic Kidney Disease. <i>Medicine (United States)</i> , 2015, 94, e2166. | 0.4 | 13 |
| 74 | Estimated Creatinine Clearance Rate Is Associated With the Treatment Effectiveness and Toxicity of Pemetrexed As Continuation Maintenance Therapy for Advanced Nonsquamous Non-small-Cell Lung Cancer. <i>Clinical Lung Cancer</i> , 2015, 16, e131-e140. | 1.1 | 10 |
| 75 | Latent transforming growth factor binding protein 4 regulates transforming growth factor beta receptor stability. <i>Human Molecular Genetics</i> , 2015, 24, 4024-4036. | 1.4 | 32 |
| 76 | Association of increased travel distance to dialysis units with the risk of anemia in rural chronic hemodialysis elderly. <i>Hemodialysis International</i> , 2015, 19, 44-53. | 0.4 | 11 |
| 77 | Vitamin D is closely linked to the clinical courses of herpes zoster: From pathogenesis to complications. <i>Medical Hypotheses</i> , 2015, 85, 452-457. | 0.8 | 14 |
| 78 | Ferritin heavy chain mediates the protective effect of heme oxygenase-1 against oxidative stress. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2015, 1850, 2506-2517. | 1.1 | 47 |
| 79 | Viridans Streptococci in Peritoneal Dialysis Peritonitis: Clinical Courses and Long-Term Outcomes. <i>Peritoneal Dialysis International</i> , 2015, 35, 333-341. | 1.1 | 24 |
| 80 | Identification of a novel FN1-FGFR1 genetic fusion as a frequent event in phosphaturic mesenchymal tumour. <i>Journal of Pathology</i> , 2015, 235, 539-545. | 2.1 | 120 |
| 81 | Serum free 1,25-dihydroxy-vitamin D is more closely associated with fibroblast growth factor 23 than other vitamin D forms in chronic dialysis patients. <i>Clinica Chimica Acta</i> , 2015, 439, 122-127. | 0.5 | 3 |
| 82 | Frailty severity is significantly associated with electrocardiographic QRS duration in chronic dialysis patients. <i>PeerJ</i> , 2015, 3, e1354. | 0.9 | 19 |
| 83 | Acinetobacter Peritoneal Dialysis Peritonitis: A Changing Landscape over Time. <i>PLoS ONE</i> , 2014, 9, e110315. | 1.1 | 17 |
| 84 | Diagnostic Performance of Random Urine Samples Using Albumin Concentration vs Ratio of Albumin to Creatinine for Microalbuminuria Screening in Patients With Diabetes Mellitus. <i>JAMA Internal Medicine</i> , 2014, 174, 1108. | 2.6 | 52 |
| 85 | Micrococcus species-related peritonitis in patients receiving peritoneal dialysis. <i>International Urology and Nephrology</i> , 2014, 46, 261-264. | 0.6 | 24 |
| 86 | Serum vitamin D levels are positively associated with varicella zoster immunity in chronic dialysis patients. <i>Scientific Reports</i> , 2014, 4, 7371. | 1.6 | 20 |
| 87 | Metabolic syndrome and abdominal fat are associated with inflammation, but not with clinical outcomes, in peritoneal dialysis patients. <i>Cardiovascular Diabetology</i> , 2013, 12, 86. | 2.7 | 14 |
| 88 | Accumulation of epicardial fat rather than visceral fat is an independent risk factor for left ventricular diastolic dysfunction in patients undergoing peritoneal dialysis. <i>Cardiovascular Diabetology</i> , 2013, 12, 127. | 2.7 | 36 |
| 89 | Withdrawal from long-term hemodialysis in patients with end-stage renal disease in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2013, 112, 589-599. | 0.8 | 39 |
| 90 | Peritoneal dialysis peritonitis by anaerobic pathogens: a retrospective case series. <i>BMC Nephrology</i> , 2013, 14, 111. | 0.8 | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | Microalbuminuria Screening for Detecting Chronic Kidney Disease in the General Population: A Systematic Review. <i>Renal Failure</i> , 2013, 35, 607-614. | 0.8 | 21 |
| 92 | Comparative effectiveness of renin-angiotensin system blockers and other antihypertensive drugs in patients with diabetes: systematic review and bayesian network meta-analysis. <i>BMJ, The</i> , 2013, 347, f6008-f6008. | 3.0 | 199 |
| 93 | <i>Citrobacter</i> Peritoneal Dialysis Peritonitis: Rare Occurrence with Poor Outcomes. <i>International Journal of Medical Sciences</i> , 2013, 10, 1092-1098. | 1.1 | 20 |
| 94 | Glycosylated Hemoglobin and Albumin-Corrected Fructosamine Are Good Indicators for Glycemic Control in Peritoneal Dialysis Patients. <i>PLoS ONE</i> , 2013, 8, e57762. | 1.1 | 27 |
| 95 | High Peritoneal KT/V and Peritonitis Rates Are Associated with Peritoneal Calcification. <i>PLoS ONE</i> , 2013, 8, e71636. | 1.1 | 6 |
| 96 | Lean Body Mass Predicts Long-Term Survival in Chinese Patients on Peritoneal Dialysis. <i>PLoS ONE</i> , 2013, 8, e54976. | 1.1 | 29 |
| 97 | Dissecting the Mechanisms of Left Ventricular Diastolic Dysfunction and Inflammation in Peritoneal Dialysis Patients. <i>PLoS ONE</i> , 2013, 8, e62722. | 1.1 | 10 |
| 98 | Women on hemodialysis have lower self-reported health-related quality of life scores but better survival than men. <i>Journal of Nephrology</i> , 2013, 26, 366-374. | 0.9 | 14 |
| 99 | Metabolic Syndrome and Insulin Resistance as Risk Factors for Development of Chronic Kidney Disease and Rapid Decline in Renal Function in Elderly. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1268-1276. | 1.8 | 111 |
| 100 | Asymptomatic Green Dialysate. <i>American Journal of the Medical Sciences</i> , 2012, 344, 227. | 0.4 | 3 |
| 101 | Increased Procollagen Type I C-Terminal Peptide Levels Indicate Diastolic Dysfunction in End-Stage Renal Disease Patients Undergoing Maintenance Dialysis Therapy. <i>Journal of the American Society of Echocardiography</i> , 2012, 25, 895-901. | 1.2 | 11 |
| 102 | Risk factors for herpes zoster reactivation in maintenance hemodialysis patients. <i>European Journal of Internal Medicine</i> , 2012, 23, 711-715. | 1.0 | 20 |
| 103 | U-Curve Association between Timing of Renal Replacement Therapy Initiation and In-Hospital Mortality in Postoperative Acute Kidney Injury. <i>PLoS ONE</i> , 2012, 7, e42952. | 1.1 | 40 |
| 104 | Fibrin-Induced Epithelial-to-Mesenchymal Transition of Peritoneal Mesothelial Cells as a Mechanism of Peritoneal Fibrosis: Effects of Pentoxifylline. <i>PLoS ONE</i> , 2012, 7, e44765. | 1.1 | 24 |
| 105 | Safety Issues of Long-Term Glucose Load in Patients on Peritoneal Dialysis—A 7-Year Cohort Study. <i>PLoS ONE</i> , 2012, 7, e30337. | 1.1 | 42 |
| 106 | Impact of timing of renal replacement therapy initiation on outcome of septic acute kidney injury. <i>Critical Care</i> , 2011, 15, R134. | 2.5 | 87 |
| 107 | Endoplasmic Reticulum Stress Implicated in the Development of Renal Fibrosis. <i>Molecular Medicine</i> , 2011, 17, 1295-1305. | 1.9 | 124 |
| 108 | Left Ventricular Systolic Strain in Chronic Kidney Disease and Hemodialysis Patients. <i>American Journal of Nephrology</i> , 2011, 33, 84-90. | 1.4 | 77 |

| # | ARTICLE | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | Preoperative Proteinuria Predicts Adverse Renal Outcomes after Coronary Artery Bypass Grafting. <i>Journal of the American Society of Nephrology</i> ; JASN, 2011, 22, 156-163. | 3.0 | 142 |
| 110 | Tamoxifen Downregulates Connective Tissue Growth Factor to Ameliorate Peritoneal Fibrosis. <i>Blood Purification</i> , 2011, 31, 252-258. | 0.9 | 23 |
| 111 | Application of Speckle-Tracking Echocardiography in Detecting Coronary Artery Disease in Patients with Maintenance Hemodialysis. <i>Blood Purification</i> , 2011, 32, 38-42. | 0.9 | 12 |
| 112 | A computer-aided method for automatic localization and thickness measurement of peritoneum in ultrasound images. , 2011, 2011, 8005-8. | | 1 |
| 113 | Development of Encapsulating Peritoneal Sclerosis Following Bacterial Peritonitis in a Peritoneal Dialysis Patient. <i>American Journal of Kidney Diseases</i> , 2010, 55, 198-202. | 2.1 | 9 |
| 114 | Risk Factors for High Dialysate Glucose use in PD Patients—A Retrospective 5-Year Cohort Study. <i>Peritoneal Dialysis International</i> , 2010, 30, 448-455. | 1.1 | 19 |
| 115 | Benefits of Sevelamer on Markers of Bone Turnover in Taiwanese Hemodialysis Patients. <i>Journal of the Formosan Medical Association</i> , 2010, 109, 663-672. | 0.8 | 11 |
| 116 | Skin Color is Associated with Insulin Resistance in Nondiabetic Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2009, 29, 458-464. | 1.1 | 7 |
| 117 | N-Acetylcysteine-Mediated Antioxidation Prevents Hyperglycemia-Induced Apoptosis and Collagen Synthesis in Rat Mesangial Cells. <i>American Journal of Nephrology</i> , 2009, 29, 192-202. | 1.4 | 12 |
| 118 | Intraperitoneal Vascular Endothelial Growth Factor C Level Is Related to Peritoneal Dialysis Ultrafiltration. <i>Blood Purification</i> , 2009, 28, 69-74. | 0.9 | 8 |
| 119 | Encapsulating peritoneal sclerosis. <i>Cmaj</i> , 2009, 181, 177-177. | 0.9 | 6 |
| 120 | Rate of decline of residual renal function is associated with all-cause mortality and technique failure in patients on long-term peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2909-2914. | 0.4 | 122 |
| 121 | Randomized Study of Darbepoetin Alfa and Recombinant Human Erythropoietin for Treatment of Renal Anemia in Chronic Renal Failure Patients Receiving Peritoneal Dialysis. <i>Journal of the Formosan Medical Association</i> , 2008, 107, 843-850. | 0.8 | 12 |
| 122 | Initial Glucose Load Predicts Technique Survival in Patients on Chronic Peritoneal Dialysis. <i>American Journal of Nephrology</i> , 2008, 28, 765-771. | 1.4 | 31 |
| 123 | Correlation of Metabolic Syndrome with Residual Renal Function, Solute Transport Rate and Peritoneal Solute Clearance in Chronic Peritoneal Dialysis Patients. <i>Blood Purification</i> , 2008, 26, 138-144. | 0.9 | 21 |
| 124 | Impact of Spiritual and Religious Activity on Quality of Sleep in Hemodialysis Patients. <i>Blood Purification</i> , 2008, 26, 221-225. | 0.9 | 12 |
| 125 | The Case of Ascites with oliguric acute renal failure. <i>Kidney International</i> , 2008, 74, 249-250. | 2.6 | 9 |
| 126 | Preservation of peritoneal morphology and function by pentoxifylline in a rat model of peritoneal dialysis: molecular studies. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3831-3840. | 0.4 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 127 | Early Initiation of Dialysis and Late Implantation of Catheters Adversely Affect Outcomes of Patients on Chronic Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2008, 28, 73-81. | 1.1 | 33 |
| 128 | Predictors of Faster Decline of Residual Renal Function in Taiwanese Peritoneal Dialysis Patients. <i>Peritoneal Dialysis International</i> , 2008, 28, 191-195. | 1.1 | 62 |
| 129 | Lysophosphatidic Acid and Renal Fibrosis. <i>Recent Patents on Endocrine, Metabolic & Immune Drug Discovery</i> , 2008, 2, 204-210. | 0.7 | 0 |
| 130 | Higher plasma interleukin-18 levels associated with poor quality of sleep in peritoneal dialysis patients. <i>Nephrology Dialysis Transplantation</i> , 2007, 22, 3606-3609. | 0.4 | 32 |
| 131 | One Man's Meat and Another's Poison: Adding Glucose in Dialysis Fluid. <i>Blood Purification</i> , 2007, 25, 420-421. | 0.9 | 0 |
| 132 | Factors associated with metabolic acidosis in patients receiving parenteral nutrition. <i>Nephrology</i> , 2007, 12, 3-7. | 0.7 | 17 |
| 133 | Human Immunodeficiency Virus-associated Nephropathy. <i>Journal of the Formosan Medical Association</i> , 2006, 105, 680-684. | 0.8 | 5 |
| 134 | Acute Renal Failure Caused by Mushroom Poisoning. <i>Journal of the Formosan Medical Association</i> , 2006, 105, 263-267. | 0.8 | 10 |
| 135 | Levamisole-Induced Multifocal Inflammatory Leukoencephalopathy. <i>Medicine (United States)</i> , 2006, 85, 203-213. | 0.4 | 47 |
| 136 | Clinical characteristics of patients with segmental renal infarction. <i>Nephrology</i> , 2006, 11, 336-340. | 0.7 | 51 |
| 137 | Spontaneous bilateral bacterial empyema in a patient with nephrotic syndrome. <i>Journal of Infection</i> , 2006, 53, e131-e134. | 1.7 | 23 |
| 138 | Renal hypouricemia is an ominous sign in patients with severe acute respiratory syndrome. <i>American Journal of Kidney Diseases</i> , 2005, 45, 88-95. | 2.1 | 34 |
| 139 | CAPD-Related Peritonitis due to <i>Salmonella enteritidis</i> in a Patient With SLE. <i>American Journal of Kidney Diseases</i> , 2005, 46, e21-e23. | 2.1 | 12 |
| 140 | Factors associated with increased plasma homocysteine in patients using an amino acid peritoneal dialysis fluid. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 161-166. | 0.4 | 14 |
| 141 | Peritoneal Fibrosing Syndrome: Pathogenetic Mechanism and Current Therapeutic Strategies. <i>Journal of the Chinese Medical Association</i> , 2005, 68, 401-405. | 0.6 | 7 |
| 142 | Acute renal failure in SARS patients: more than rhabdomyolysis. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 3180-3182. | 0.4 | 26 |
| 143 | Adiponectin in peritoneal dialysis patients: a comparison with hemodialysis patients and subjects with normal renal function. <i>American Journal of Kidney Diseases</i> , 2004, 43, 1047-1055. | 2.1 | 95 |
| 144 | Pentoxifylline modulates intracellular signalling of TGF- β in cultured human peritoneal mesothelial cells: implications for prevention of encapsulating peritoneal sclerosis. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 670-676. | 0.4 | 44 |

| # | ARTICLE | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 145 | Association between serum aspartate transaminase and homocysteine levels in hemodialysis patients. American Journal of Kidney Diseases, 2002, 40, 1195-1201. | 2.1 | 16 |
| 146 | Systemic Lupus Erythematosus and Peritoneal Dialysis: Outcomes and Infectious Complications. Peritoneal Dialysis International, 2001, 21, 143-148. | 1.1 | 35 |
| 147 | Dipyridamole inhibits TGF- β -induced collagen gene expression in human peritoneal mesothelial cells. Kidney International, 2001, 60, 1249-1257. | 2.6 | 49 |
| 148 | Chronic Fatigue in Long-Term Peritoneal Dialysis Patients. American Journal of Nephrology, 2001, 21, 479-485. | 1.4 | 44 |
| 149 | Trace Metals' Abnormalities in Hemodialysis Patients: Relationship with Medications. Artificial Organs, 2000, 24, 841-844. | 1.0 | 56 |
| 150 | Natural Changes in Peritoneal Equilibration Test Results in Continuous Ambulatory Peritoneal Dialysis Patients: A Retrospective, Seven Year Cohort Survey. Artificial Organs, 2000, 24, 261-264. | 1.0 | 23 |
| 151 | Clinical Findings and Outcomes of Intra-Hemodialysis Cardiopulmonary Resuscitation. American Journal of Nephrology, 1999, 19, 468-473. | 1.4 | 30 |