

# Leidjaira Lopes Juvanhol

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1443089/publications.pdf>

Version: 2024-02-01

38  
papers

300  
citations

1162889

8  
h-index

996849

15  
g-index

40  
all docs

40  
docs citations

40  
times ranked

441  
citing authors

#	ARTICLE	IF	CITATIONS
1	Using Google Trends Data to Study Public Interest in Breast Cancer Screening in Brazil: Why Not a Pink February?. <i>JMIR Public Health and Surveillance</i> , 2017, 3, e17.	1.2	54
2	Work-family Conflict and Self-Rated Health: the Role of Gender and Educational Level. Baseline Data from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>International Journal of Behavioral Medicine</i> , 2016, 23, 372-382.	0.8	44
3	Visceral adiposity index is a better predictor of unhealthy metabolic phenotype than traditional adiposity measures: results from a population-based study. <i>Public Health Nutrition</i> , 2019, 22, 1545-1554.	1.1	25
4	Work-family conflict, lack of time for personal care and leisure, and job strain in migraine: Results of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). <i>American Journal of Industrial Medicine</i> , 2016, 59, 987-1000.	1.0	20
5	Job strain and binge eating among Brazilian workers participating in the ELSA-Brasil study: does BMI matter?. <i>Journal of Occupational Health</i> , 2017, 59, 247-255.	1.0	14
6	Prevalence of processed and ultra-processed food intake in Brazilian children (6-24 months) is associated with maternal consumption and breastfeeding practices. <i>International Journal of Food Sciences and Nutrition</i> , 2021, 72, 978-988.	1.3	12
7	Calf circumference is an independent predictor of mortality in older adults: An approach with generalized additive models. <i>Nutrition in Clinical Practice</i> , 2022, 37, 1190-1198.	1.1	11
8	Job Strain and Casual Blood Pressure Distribution: Looking beyond the Adjusted Mean and Taking Gender, Age, and Use of Antihypertensives into Account. Results from ELSA-Brasil. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 451.	1.2	10
9	Increase in Protein Intake After 3 Months of RYGB Is an Independent Predictor for the Remission of Obesity in the First Year of Surgery. <i>Obesity Surgery</i> , 2019, 29, 3780-3785.	1.1	10
10	Dietary patterns and metabolic phenotypes in Brazilian adults: a population-based cross-sectional study. <i>Public Health Nutrition</i> , 2019, 22, 3377-3383.	1.1	9
11	Vitamin D and bone health in adults: a systematic review and meta-analysis. <i>Ciencia E Saude Coletiva</i> , 2021, 26, 3221-3244.	0.1	9
12	Association between perceived racial discrimination and hypertension: findings from the ELSA-Brasil study. <i>Cadernos De Saude Publica</i> , 2018, 34, e00050317.	0.4	7
13	Weight Loss After RYGB Is Associated with an Increase in Serum Vitamin D in a Population with Low Prevalence of Hypovitaminosis D at Low Latitude. <i>Obesity Surgery</i> , 2020, 30, 4187-4191.	1.1	6
14	Association between demand-control model components and blood pressure in the ELSA-Brasil study: exploring heterogeneity using quantile regression analyses. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 601-612.	1.7	6
15	Cutoff point estimation for serum vitamin D concentrations to predict cardiometabolic risk in Brazilian children. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 1698-1706.	1.3	5
16	Prevalence, diagnostic criteria, and factors associated with sarcopenic obesity in older adults from a low middle income country: A systematic review. <i>Clinical Nutrition ESPEN</i> , 2021, 41, 94-103.	0.5	5
17	Factors associated with bone mineral density in adults: a cross-sectional population-based study. <i>Revista Da Escola De Enfermagem Da U S P</i> , 2020, 54, e03572.	0.3	5
18	Interaction effect between breakfast skipping and sedentary behavior in the dietary inflammatory potential of Brazilian school-age children. <i>Nutrition</i> , 2022, 102, 111749.	1.1	5

#	ARTICLE	IF	CITATIONS
19	Factors associated with overweight: are the conclusions influenced by choice of the regression method?. BMC Public Health, 2016, 16, 642.	1.2	4
20	Using Gamma and Quantile Regressions to Explore the Association between Job Strain and Adiposity in the ELSA-Brasil Study: Does Gender Matter?. International Journal of Environmental Research and Public Health, 2017, 14, 1404.	1.2	4
21	Is work-family conflict a pathway between job strain components and binge eating? A cross-sectional analysis from the ELSA-Brasil study. Journal of Eating Disorders, 2022, 10, 16.	1.3	4
22	Body composition indices in Brazilian adults: age-specific and sex-specific percentile curves. Archives of Endocrinology and Metabolism, 2019, 63, 358-368.	0.3	3
23	Changes in oxidative stress markers and cardiometabolic risk factors among Roux-en-Y gastric bypass patients after 3- and 12-months postsurgery follow-up. Surgery for Obesity and Related Diseases, 2019, 15, 1738-1745.	1.0	3
24	Minimally processed versus processed and ultra-processed food in individuals at cardiometabolic risk. British Food Journal, 2022, 124, 811-832.	1.6	3
25	Dietary intake as a predictor for all-cause mortality in hemodialysis subjects (NUGE-HD study). PLoS ONE, 2019, 14, e0226568.	1.1	2
26	Identifying patterns of diurnal blood pressure variation among ELSA-Brasil participants. Journal of Clinical Hypertension, 2020, 22, 2315-2324.	1.0	2
27	Skeletal mass indices are inversely associated with metabolically unhealthy phenotype in overweight/obese and normal-weight men: a population-based cross-sectional study. British Journal of Nutrition, 2021, 126, 501-509.	1.2	2
28	The Preoperative Dietary Inflammatory Index Predicts Changes in Cardiometabolic Risk Factors After 12-Months of Roux-en-Y Gastric Bypass. Obesity Surgery, 2020, 30, 3932-3939.	1.1	2
29	The mediating role of visceral adiposity in the relationship among schooling, physical inactivity, and unhealthy metabolic phenotype. American Journal of Human Biology, 2020, 32, e23425.	0.8	2
30	Association between Skeletal Mass Indices and Metabolic Syndrome in Brazilian Adults. Journal of Clinical Densitometry, 2021, 24, 118-128.	0.5	2
31	Factors associated with bone mineral content in adults: a population-based study. Einstein (Sao Paulo), 2021, 17, e20201244.	0.3	2
32	Dietary intake, clinical-nutritional status, and homocysteine in hemodialysis subjects: the mediating role of inflammation (NUGE-HD study). Applied Physiology, Nutrition and Metabolism, 2020, 45, 845-850.	0.9	1
33	Vitamin D is associated with the hypertriglyceridemic waist phenotype in Brazilian children. Journal of Public Health, 2020, , .	1.0	1
34	Factors associated with alcohol, tobacco and illicit drug use among Brazilian undergraduate students. Revista Brasileira De Enfermagem, 2021, 74, e20201244.	0.2	1
35	Does the relationship between 25-hydroxyvitamin D status and bone mass vary according to skin color in adults? Results of a Brazilian population-based study. Archives of Osteoporosis, 2021, 16, 31.	1.0	1
36	General and Central Adiposity in Older Adults in Palmas (TO): Prevalence and Associated Factors. Journal of the American College of Nutrition, 2020, 39, 739-746.	1.1	0

#	ARTICLE	IF	CITATIONS
37	Equation of height estimation from knee height: Performance in the composition of body adiposity INDICES in older adults. Clinical Nutrition ESPEN, 2021, 41, 281-286.	0.5	0
38	Maternal overweight and its relation with child's anthropometric indices. Revista Brasileira De Saude Materno Infantil, 2021, 21, 379-388.	0.2	0