

Peter Faller

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1443316/publications.pdf>

Version: 2024-02-01

148
papers

11,808
citations

26630

56
h-index

29157

104
g-index

162
all docs

162
docs citations

162
times ranked

10133
citing authors

#	ARTICLE	IF	CITATIONS
1	Copper Induces Protein Aggregation, a Toxic Process Compensated by Molecular Chaperones. MBio, 2022, 13, e0325121.	4.1	38
2	Amyloid Oligomers: A Joint Experimental/Computational Perspective on Alzheimer's Disease, Parkinson's Disease, Type II Diabetes, and Amyotrophic Lateral Sclerosis. Chemical Reviews, 2021, 121, 2545-2647.	47.7	406
3	Extracellular Cu ²⁺ pools and their detection: From current knowledge to next-generation probes. Coordination Chemistry Reviews, 2021, 433, 213727.	18.8	45
4	Copper Imbalance in Alzheimer's Disease and Its Link with the Amyloid Hypothesis: Towards a Combined Clinical, Chemical, and Genetic Etiology. Journal of Alzheimer's Disease, 2021, 83, 23-41.	2.6	31
5	A luminescent ATCUN peptide variant with enhanced properties for copper(II) sensing in biological media. Journal of Inorganic Biochemistry, 2021, 221, 111478.	3.5	4
6	Acrolein and Copper as Competitive Effectors of β -Synuclein. Chemistry - A European Journal, 2020, 26, 1871-1879.	3.3	8
7	Copper-binding motifs Xxx-His or Xxx-Zzz-His (ATCUN) linked to an antimicrobial peptide: Cu-binding, antimicrobial activity and ROS production. Journal of Inorganic Biochemistry, 2020, 213, 111255.	3.5	7
8	How trimerization of CTR1 N-terminal model peptides tunes Cu-binding and redox-chemistry. Chemical Communications, 2020, 56, 12194-12197.	4.1	18
9	A terbium(III) luminescent ATCUN-based peptide sensor for selective and reversible detection of copper(II) in biological media. Chemical Communications, 2020, 56, 4797-4800.	4.1	18
10	The Glutathione/Metallothionein System Challenges the Design of Efficient O ₂ -Activating Copper Complexes. Angewandte Chemie, 2020, 132, 7904-7909.	2.0	4
11	The Glutathione/Metallothionein System Challenges the Design of Efficient O ₂ -Activating Copper Complexes. Angewandte Chemie - International Edition, 2020, 59, 7830-7835.	13.8	30
12	Reproducibility Problems of Amyloid- β Self-Assembly and How to Deal With Them. Frontiers in Chemistry, 2020, 8, 611227.	3.6	13
13	Reversible turn-on fluorescent Cu(II) sensors: rather dream than reality?. Dalton Transactions, 2019, 48, 14233-14237.	3.3	10
14	(Bio)chemical Strategies To Modulate Amyloid- β Self-Assembly. ACS Chemical Neuroscience, 2019, 10, 3366-3374.	3.5	21
15	Copper-Targeting Approaches in Alzheimer's Disease: How To Improve the Fallouts Obtained from in Vitro Studies. Inorganic Chemistry, 2019, 58, 13509-13527.	4.0	61
16	Triggering Cu-coordination change in Cu(II)-Ala-His-His by external ligands. Chemical Communications, 2019, 55, 8110-8113.	4.1	14
17	Cu(II) Binding to the N-Terminal Model Peptide of the Human Ctr2 Transporter at Lysosomal and Extracellular pH. Inorganic Chemistry, 2019, 58, 7488-7498.	4.0	5
18	Role of PTA in the prevention of Cu(amyloid- β) induced ROS formation and amyloid- β oligomerisation in the presence of Zn. Metallomics, 2019, 11, 1154-1161.	2.4	7

#	ARTICLE	IF	CITATIONS
19	Reactivity of Cu(II), Zn(II) and Fe(II)-thiosemicarbazone complexes with glutathione and metallothionein: from stability to dissociation to transmetallation. <i>Metallomics</i> , 2019, 11, 994-1004.	2.4	38
20	Switching on Endogenous Metal Binding Proteins in Parkinson's Disease. <i>Cells</i> , 2019, 8, 179.	4.1	24
21	Ascorbate Oxidation by Cu(Amyloid- β^2) Complexes: Determination of the Intrinsic Rate as a Function of Alterations in the Peptide Sequence Revealing Key Residues for Reactive Oxygen Species Production. <i>Analytical Chemistry</i> , 2018, 90, 5909-5915.	6.5	44
22	Measurement of Interpeptidic Cu(II) Exchange Rate Constants by Static Fluorescence Quenching of Tryptophan. <i>Inorganic Chemistry</i> , 2018, 57, 4791-4794.	4.0	14
23	Burning Amyloid- β^2 with a Near-Infrared Photosensitizer. <i>Chem</i> , 2018, 4, 663-665.	11.7	4
24	N-Terminal Cu-Binding Motifs (Xxx-Zzz-His, Xxx-His) and Their Derivatives: Chemistry, Biology and Medicinal Applications. <i>Chemistry - A European Journal</i> , 2018, 24, 8029-8041.	3.3	99
25	Oxidative stress and the amyloid beta peptide in Alzheimer's disease. <i>Redox Biology</i> , 2018, 14, 450-464.	9.0	1,411
26	Low catalytic activity of the Cu(II)-binding motif (Xxx-Zzz-His; ATCUN) in reactive oxygen species production and inhibition by the Cu(I)-chelator BCS. <i>Chemical Communications</i> , 2018, 54, 11945-11948.	4.1	22
27	Cu transfer from amyloid- β^2 to metallothionein-3: the role of the neurotransmitter glutamate and metallothionein-3 Zn(II)-load states. <i>Chemical Communications</i> , 2018, 54, 12634-12637.	4.1	20
28	The N-terminal 14-mer model peptide of human Ctr1 can collect Cu(II) from albumin. Implications for copper uptake by Ctr1. <i>Metallomics</i> , 2018, 10, 1723-1727.	2.4	37
29	Metal Binding to $\text{A}\beta^2$ Peptides Inhibits Interaction with Cytochrome <i>c</i> : Insights from Abiological Constructs. <i>ACS Omega</i> , 2018, 3, 13994-14003.	3.5	5
30	Amyloid- β^2 /Drug Interactions from Computer Simulations and Cell-Based Assays. <i>Journal of Alzheimer's Disease</i> , 2018, 64, S659-S672.	2.6	5
31	Mutations of Histidine...13 to Arginine and Arginine 5 to Glycine Are Responsible for Different Coordination Sites of Zinc(II) to Human and Murine Peptides. <i>Chemistry - A European Journal</i> , 2018, 24, 14233-14241.	3.3	4
32	Cu and Zn coordination to amyloid peptides: From fascinating chemistry to debated pathological relevance. <i>Coordination Chemistry Reviews</i> , 2018, 371, 38-55.	18.8	120
33	Frontispiece: N-Terminal Cu-Binding Motifs (Xxx-Zzz-His, Xxx-His) and Their Derivatives: Chemistry, Biology and Medicinal Applications. <i>Chemistry - A European Journal</i> , 2018, 24, .	3.3	0
34	Identification of key structural features of the elusive Cu(A β^2) complex that generates ROS in Alzheimer's disease. <i>Chemical Science</i> , 2017, 8, 5107-5118.	7.4	104
35	Why Is Research on Amyloid- β^2 Failing to Give New Drugs for Alzheimer's Disease?. <i>ACS Chemical Neuroscience</i> , 2017, 8, 1435-1437.	3.5	201
36	Similarities and differences of copper and zinc cations binding to biologically relevant peptides studied by vibrational spectroscopies. <i>Journal of Biological Inorganic Chemistry</i> , 2017, 22, 581-589.	2.6	16

#	ARTICLE	IF	CITATIONS
37	Cysteine and glutathione trigger the Cu ^{II} -Zn swap between Cu(II)-amyloid- β ₄₋₁₆ peptide and Zn ^{II} -metallothionein-3. <i>Chemical Communications</i> , 2017, 53, 11634-11637.	4.1	24
38	Cu(II) Binding to the Peptide Ala-His-His, a Chimera of the Canonical Cu(II)-Binding Motifs Xxx-His and Xxx-Zzz-His. <i>Inorganic Chemistry</i> , 2017, 56, 14870-14879.	4.0	23
39	Chemistry of mammalian metallothioneins and their interaction with amyloidogenic peptides and proteins. <i>Chemical Society Reviews</i> , 2017, 46, 7683-7693.	38.1	57
40	Metallothionein, Copper and Alpha-Synuclein in Alpha-Synucleinopathies. <i>Frontiers in Neuroscience</i> , 2017, 11, 114.	2.8	52
41	Metal-Binding to Amyloid- β Peptide: Coordination, Aggregation, and Reactive Oxygen Species Production. , 2017, , 265-281.		12
42	Free Superoxide is an Intermediate in the Production of H ₂ O ₂ by Copper(I)- β Peptide and O ₂ . <i>Angewandte Chemie</i> , 2016, 128, 1097-1101.	2.0	18
43	Free Superoxide is an Intermediate in the Production of H ₂ O ₂ by Copper(I)- β Peptide and O ₂ . <i>Angewandte Chemie - International Edition</i> , 2016, 55, 1085-1089.	13.8	95
44	Is ascorbate Dr Jekyll or Mr Hyde in the Cu(β) mediated oxidative stress linked to Alzheimer's disease?. <i>Dalton Transactions</i> , 2016, 45, 12627-12631.	3.3	32
45	How Zn can impede Cu detoxification by chelating agents in Alzheimer's disease: a proof-of-concept study. <i>Dalton Transactions</i> , 2016, 45, 15671-15678.	3.3	33
46	Zinc(II) Binding Site to the Amyloid- β Peptide: Insights from Spectroscopic Studies with a Wide Series of Modified Peptides. <i>Inorganic Chemistry</i> , 2016, 55, 10499-10509.	4.0	74
47	Impact of Cu(II) Binding on Structures and Dynamics of β ₄₂ Monomer and Dimer: Molecular Dynamics Study. <i>ACS Chemical Neuroscience</i> , 2016, 7, 1348-1363.	3.5	62
48	Metal-catalyzed oxidation of β and the resulting reorganization of Cu binding sites promote ROS production. <i>Metallomics</i> , 2016, 8, 1081-1089.	2.4	55
49	Coordination complexes and biomolecules: A wise wedding for catalysis upgrade. <i>Coordination Chemistry Reviews</i> , 2016, 308, 445-459.	18.8	58
50	A Robust and Efficient Production and Purification Procedure of Recombinant Alzheimers Disease Methionine-Modified Amyloid- β Peptides. <i>PLoS ONE</i> , 2016, 11, e0161209.	2.5	8
51	Copper(I/II), β -Synuclein and Amyloid- β : Menage À Trois?. <i>ChemBioChem</i> , 2015, 16, 2319-2328.	2.6	38
52	Aggregation-Prone Amyloid- β ...Cu ^{II} Species Formed on the Millisecond Timescale under Mildly Acidic Conditions. <i>ChemBioChem</i> , 2015, 16, 1293-1297.	2.6	26
53	Combined Experimental and Simulation Studies Suggest a Revised Mode of Action of the Anti-Alzheimer Disease Drug NQx-Trp. <i>Chemistry - A European Journal</i> , 2015, 21, 12657-12666.	3.3	20
54	Learning chemistry with multiple first-principles simulations. <i>Molecular Simulation</i> , 2015, 41, 780-787.	2.0	3

#	ARTICLE	IF	CITATIONS
55	Remote His50 Acts as a Coordination Switch in the High-Affinity N-Terminal Centered Copper(II) Site of β -Synuclein. <i>Inorganic Chemistry</i> , 2015, 54, 4744-4751.	4.0	35
56	Amyloid β Protein and Alzheimer's Disease: When Computer Simulations Complement Experimental Studies. <i>Chemical Reviews</i> , 2015, 115, 3518-3563.	47.7	530
57	Copper(Cu^{II}) targeting in the Alzheimer's disease context: a first example using the biocompatible PTA ligand. <i>Metallomics</i> , 2015, 7, 1229-1232.	2.4	35
58	The Na ⁺ /K ⁺ -ATPase and the amyloid-beta peptide β 1-40 control the cellular distribution, abundance and activity of TRPC6 channels. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 2957-2965.	4.1	5
59	Molecular structure of the NQTrp inhibitor with the Alzheimer β 1-28 monomer. <i>European Journal of Medicinal Chemistry</i> , 2015, 91, 43-50.	5.5	32
60	A Cu-amyloid β complex activating Fenton chemistry in Alzheimer's disease: Learning with multiple first-principles simulations. <i>AIP Conference Proceedings</i> , 2014, , .	0.4	4
61	Metal Ions and Intrinsically Disordered Proteins and Peptides: From Cu/Zn Amyloid- β to General Principles. <i>Accounts of Chemical Research</i> , 2014, 47, 2252-2259.	15.6	221
62	Concept for Simultaneous and Specific in Situ Monitoring of Amyloid Oligomers and Fibrils via Förster Resonance Energy Transfer. <i>Analytical Chemistry</i> , 2014, 86, 11877-11882.	6.5	26
63	Platinoid complexes to target monomeric disordered peptides: a forthcoming solution against amyloid diseases?. <i>Dalton Transactions</i> , 2014, 43, 4233.	3.3	20
64	Use of a new water-soluble Zn sensor to determine Zn affinity for the amyloid- β peptide and relevant mutants. <i>Metallomics</i> , 2014, 6, 1220.	2.4	36
65	Binding of transition metal ions to albumin: Sites, affinities and rates. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013, 1830, 5444-5455.	2.4	350
66	Zn impacts Cu coordination to amyloid- β , the Alzheimer's peptide, but not the ROS production and the associated cell toxicity. <i>Chemical Communications</i> , 2013, 49, 1214.	4.1	58
67	Pt(II) compounds interplay with Cu(II) and Zn(II) coordination to the amyloid- β peptide has metal specific consequences on deleterious processes associated to Alzheimer's disease. <i>Chemical Communications</i> , 2013, 49, 2130.	4.1	58
68	Cu(II) Affinity for the Alzheimer's Peptide: Tyrosine Fluorescence Studies Revisited. <i>Analytical Chemistry</i> , 2013, 85, 1501-1508.	6.5	148
69	Coordination of Metal Ions to β -Amyloid Peptide: Impact on Alzheimer's Disease. <i>Molecular Medicine and Biotechnology</i> , 2013, , 127-155.	0.4	0
70	Role of Metal Ions in the Self-assembly of the Alzheimer's Amyloid- β Peptide. <i>Inorganic Chemistry</i> , 2013, 52, 12193-12206.	4.0	296
71	The role of metal ions in amyloid formation: general principles from model peptides. <i>Metallomics</i> , 2013, 5, 183.	2.4	47
72	Identifying, By First-Principles Simulations, Cu[Amyloid- β] Species Making Fenton-Type Reactions in Alzheimer's Disease. <i>Journal of Physical Chemistry B</i> , 2013, 117, 16455-16467.	2.6	51

#	ARTICLE	IF	CITATIONS
73	The Catalytically Active Copper- β -Amyloid State: Coordination Site Responsible for Reactive Oxygen Species Production. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 11110-11113.	13.8	105
74	Copper and Heme-Mediated β -Toxicity: Redox Chemistry, β -Oxidations and Anti-ROS Compounds. <i>Current Topics in Medicinal Chemistry</i> , 2013, 12, 2573-2595.	2.1	56
75	A Bioinorganic View of Alzheimer's Disease: When Misplaced Metal Ions (Re)direct the Electrons to the Wrong Target. <i>Chemistry - A European Journal</i> , 2012, 18, 15910-15920.	3.3	84
76	Dynamics of Zn ^{II} Binding as a Key Feature in the Formation of Amyloid Fibrils by A β 11-28. <i>Inorganic Chemistry</i> , 2012, 51, 701-708.	4.0	23
77	Rapid Exchange of Metal between Zn ⁷⁺ -Metallothionein-3 and Amyloid- β 2 Peptide Promotes Amyloid-Related Structural Changes. <i>Biochemistry</i> , 2012, 51, 1697-1706.	2.5	68
78	Copper Coordination to Native N-Terminally Modified versus Full-Length Amyloid- β 2: Second-Sphere Effects Determine the Species Present at Physiological pH. <i>Inorganic Chemistry</i> , 2012, 51, 12988-13000.	4.0	40
79	A thienoquinoxaline and a styryl-quinoxaline as new fluorescent probes for amyloid- β 2 fibrils. <i>Comptes Rendus Chimie</i> , 2012, 15, 79-85.	0.5	25
80	Methods and techniques to study the bioinorganic chemistry of metal-peptide complexes linked to neurodegenerative diseases. <i>Coordination Chemistry Reviews</i> , 2012, 256, 2381-2396.	18.8	77
81	Metal ions in neurodegenerative diseases. <i>Coordination Chemistry Reviews</i> , 2012, 256, 2127-2128.	18.8	22
82	Neurodegenerative diseases and exposure to the environmental metals Mn, Pb, and Hg. <i>Coordination Chemistry Reviews</i> , 2012, 256, 2147-2163.	18.8	78
83	Interference of a new cyclometallated Pt compound with Cu binding to amyloid- β 2 peptide. <i>Dalton Transactions</i> , 2012, 41, 6404.	3.3	38
84	Modeling Copper Binding to the Amyloid- β 2 Peptide at Different pH: Toward a Molecular Mechanism for Cu Reduction. <i>Journal of Physical Chemistry B</i> , 2012, 116, 11899-11910.	2.6	37
85	Insights into the Mechanisms of Amyloid Formation of Zn ^{II} -A β 11-28: pH-Dependent Zinc Coordination and Overall Charge as Key Parameters for Kinetics and the Structure of Zn ^{II} -A β 11-28 Aggregates. <i>Inorganic Chemistry</i> , 2012, 51, 7897-7902.	4.0	10
86	Inhibition of Cu- β -Amyloid by using Bifunctional Peptides with β -Sheet Breaker and Chelator Moieties. <i>Chemistry - A European Journal</i> , 2012, 18, 4836-4839.	3.3	29
87	Copper in Alzheimer disease: too much, too little, or misplaced?. <i>Free Radical Biology and Medicine</i> , 2012, 52, 747-748.	2.9	34
88	Reevaluation of Copper(I) Affinity for Amyloid- β 2 Peptides by Competition with Ferrozine-An Unusual Copper(I) Indicator. <i>Chemistry - A European Journal</i> , 2012, 18, 1161-1167.	3.3	73
89	Thermodynamic study of Cu ²⁺ binding to the DAHK and GHK peptides by isothermal titration calorimetry (ITC) with the weaker competitor glycine. <i>Journal of Biological Inorganic Chemistry</i> , 2012, 17, 37-47.	2.6	97
90	New Insights into the Coordination of Cu(II) by the Amyloid-B 16 Peptide from Fourier Transform IR Spectroscopy and Isotopic Labeling. <i>Journal of Physical Chemistry B</i> , 2011, 115, 14812-14821.	2.6	31

#	ARTICLE	IF	CITATIONS
91	pH-Dependent Cu(II) Coordination to Amyloid- β Peptide: Impact of Sequence Alterations, Including the H6R and D7N Familial Mutations.. Inorganic Chemistry, 2011, 50, 11192-11201.	4.0	73
92	Iron(II) Binding to Amyloid- β , the Alzheimer's Peptide. Inorganic Chemistry, 2011, 50, 9024-9030.	4.0	177
93	Metals and Alzheimer's Disease. International Journal of Alzheimer's Disease, 2011, 2011, 1-2.	2.0	10
94	Zinc(II) modulates specifically amyloid formation and structure in model peptides. Journal of Biological Inorganic Chemistry, 2011, 16, 333-340.	2.6	23
95	Copper(II) Coordination to Amyloid- β : Murine versus Human Peptide. Angewandte Chemie - International Edition, 2011, 50, 901-905.	13.8	74
96	X-ray and Solution Structures of Cu(II)-GHK and Cu(II)-DAHK Complexes: Influence on Their Redox Properties. Chemistry - A European Journal, 2011, 17, 10151-10160.	3.3	115
97	Copper Transfer from Cu(II) to Human Serum Albumin Inhibits Aggregation, Radical Production and Reduces A β Toxicity. ChemBioChem, 2010, 11, 110-118.	2.6	82
98	Two Functions, One Molecule: A Metal-Binding and a Targeting Moiety to Combat Alzheimer's Disease. ChemBioChem, 2010, 11, 950-953.	2.6	47
99	Neuronal growth-inhibitory factor (metallothionein-3): reactivity and structure of metal-thiolate clusters*. FEBS Journal, 2010, 277, 2921-2930.	4.7	42
100	Zinc release of Zn7-metallothionein-3 induces fibrillar type amyloid- β aggregates. Metallomics, 2010, 2, 741.	2.4	34
101	Modeling the Cu(II) Binding in the 1-16 Region of the Amyloid- β Peptide Involved in Alzheimer's Disease. Journal of Physical Chemistry B, 2010, 114, 15119-15133.	2.6	63
102	Copper and Zinc Binding to Amyloid- β : Coordination, Dynamics, Aggregation, Reactivity and Metal-Ion Transfer. ChemBioChem, 2009, 10, 2837-2845.	2.6	257
103	Deprotonation of the Asp15;Ala2 Peptide Bond Induces Modification of the Dynamic Copper(II) Environment in the Amyloid- β Peptide near Physiological pH. Angewandte Chemie - International Edition, 2009, 48, 9522-9525.	13.8	118
104	Pulse EPR Spectroscopy Reveals the Coordination Sphere of Copper(II) Ions in the 1-16 Amyloid- β Peptide: A Key Role of the First Two N-Terminus Residues. Angewandte Chemie - International Edition, 2009, 48, 9273-9276.	13.8	176
105	Mechanism of zinc(II)-promoted amyloid formation: zinc(II) binding facilitates the transition from the partially α -helical conformer to aggregates of amyloid β protein(1-28). Journal of Biological Inorganic Chemistry, 2009, 14, 449-455.	2.6	47
106	Importance of dynamical processes in the coordination chemistry and redox conversion of copper amyloid- β complexes. Journal of Biological Inorganic Chemistry, 2009, 14, 995-1000.	2.6	116
107	Intense Raman bands and low luminescence of thin films of heme proteins on silica. Chemical Physics Letters, 2009, 478, 66-69.	2.6	2
108	Bioinorganic chemistry of copper and zinc ions coordinated to amyloid- β peptide. Dalton Transactions, 2009, , 1080-1094.	3.3	464

#	ARTICLE	IF	CITATIONS
109	A β -mediated ROS production by Cu ions: Structural insights, mechanisms and relevance to Alzheimer's disease. <i>Biochimie</i> , 2009, 91, 1212-1217.	2.6	232
110	Folding of the prion peptide GGGTHSQW around the copper(II) ion: identifying the oxygen donor ligand at neutral pH and probing the proximity of the tryptophan residue to the copper ion. <i>Journal of Biological Inorganic Chemistry</i> , 2008, 13, 1055-1064.	2.6	29
111	Thioflavin Derivatives as Markers for Amyloid β Fibrils: Insights into Structural Features Important for High β Affinity Binding. <i>ChemMedChem</i> , 2008, 3, 63-66.	3.2	63
112	Metal swap between Zn ⁷ -metallothionein-3 and amyloid- β Cu protects against amyloid- β toxicity. <i>Nature Chemical Biology</i> , 2008, 4, 366-372.	8.0	181
113	Amyloid fibrils: modulation of formation and structure by copper(ii). <i>New Journal of Chemistry</i> , 2008, 32, 1189.	2.8	26
114	Redox Silencing of Copper in Metal-linked Neurodegenerative Disorders. <i>Journal of Biological Chemistry</i> , 2007, 282, 16068-16078.	3.4	113
115	Evidence that the Principal Coll-Binding Site in Human Serum Albumin Is Not at the N-Terminus: Implication on the Albumin Cobalt Binding Test for Detecting Myocardial Ischemia. <i>Biochemistry</i> , 2007, 46, 2267-2274.	2.5	95
116	Zinc Binding to Amyloid- β : Isothermal Titration Calorimetry and Zn Competition Experiments with Zn Sensors. <i>Biochemistry</i> , 2007, 46, 13658-13666.	2.5	101
117	Amyloid-Beta Peptide Forms Monomeric Complexes With CuII and ZnII Prior to Aggregation. <i>ChemBioChem</i> , 2007, 8, 163-165.	2.6	89
118	Redox Chemistry of Copper β Amyloid- β : The Generation of Hydroxyl Radical in the Presence of Ascorbate is Linked to Redox-Potentials and Aggregation State. <i>ChemBioChem</i> , 2007, 8, 1317-1325.	2.6	245
119	Nanoscale needle shaped histidine and narrow vibrational Raman bands using visible excitation. <i>Chemical Physics Letters</i> , 2007, 439, 360-363.	2.6	1
120	Zinc(II) binds to the neuroprotective peptide humanin. <i>Journal of Inorganic Biochemistry</i> , 2006, 100, 1672-1678.	3.5	43
121	Structural and thermodynamical properties of CuII amyloid- β 16/28 complexes associated with Alzheimer's disease. <i>Journal of Biological Inorganic Chemistry</i> , 2006, 11, 1024-1038.	2.6	130
122	Characterization of the ZnII Binding to the Peptide Amyloid- β 1-16 linked to Alzheimer's Disease. <i>ChemBioChem</i> , 2005, 6, 1663-1671.	2.6	79
123	Metal-Binding Properties of the Peptide APP170-188: A Model of the ZnII-Binding Site of Amyloid Precursor Protein (APP). <i>Chemistry - A European Journal</i> , 2005, 11, 903-909.	3.3	41
124	Mechanism of Cd ²⁺ toxicity: Cd ²⁺ inhibits photoactivation of Photosystem II by competitive binding to the essential Ca ²⁺ site. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2005, 1706, 158-164.	1.0	227
125	Side-Path Electron Donors: Cytochrome b559, Chlorophyll Z and β -Carotene. , 2005, , 347-365.		30
126	The stable tyrosyl radical in Photosystem II: why D?. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2004, 1655, 222-230.	1.0	98

#	ARTICLE	IF	CITATIONS
127	Resolving intermediates in biological proton-coupled electron transfer: A tyrosyl radical prior to proton movement. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 8732-8735.	7.1	112
128	Photosystem II: evolutionary perspectives. Philosophical Transactions of the Royal Society B: Biological Sciences, 2003, 358, 245-253.	4.0	106
129	Activity of Metal-Responsive Transcription Factor 1 by Toxic Heavy Metals and H ₂ O ₂ In Vitro Is Modulated by Metallothionein. Molecular and Cellular Biology, 2003, 23, 8471-8485.	2.3	224
130	Coordination Studies of the Metal Center of Hemocyanin by ¹⁹⁹ mHg Nuclear Quadrupole Interaction. Zeitschrift Fur Naturforschung - Section A Journal of Physical Sciences, 2002, 57, 623-626.	1.5	2
131	Tyrosine D Oxidation at Cryogenic Temperature in Photosystem II. Biochemistry, 2002, 41, 12914-12920.	2.5	74
132	Chlorophyll and Carotenoid Radicals in Photosystem II Studied by Pulsed ENDOR. Biochemistry, 2001, 40, 320-326.	2.5	43
133	β -Carotene Redox Reactions in Photosystem II: Electron Transfer Pathway. Biochemistry, 2001, 40, 6431-6440.	2.5	97
134	The heart of photosynthesis in glorious 3D. Trends in Biochemical Sciences, 2001, 26, 341-344.	7.5	46
135	Rapid formation of the stable tyrosyl radical in photosystem II. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 14368-14373.	7.1	118
136	Metal-thiolate clusters in neuronal growth inhibitory factor (GIF). Journal of Inorganic Biochemistry, 2000, 79, 7-10.	3.5	19
137	Optical and TDPAC spectroscopy of Hg(II)-rubredoxin: model for a mononuclear tetrahedral [Hg(CysS) ₄] ²⁺ center. Journal of Biological Inorganic Chemistry, 2000, 5, 393-401.	2.6	23
138	High-Field EPR Study of Carotenoid ^{•+} and the Angular Orientation of Chlorophyll ^{•+} in Photosystem II. Journal of Physical Chemistry B, 2000, 104, 10960-10963.	2.6	25
139	Carotenoid Oxidation in Photosystem II. Biochemistry, 1999, 38, 8189-8195.	2.5	183
140	Evidence for a Dynamic Structure of Human Neuronal Growth Inhibitory Factor and for Major Rearrangements of Its Metal ^{•+} Thiolate Clusters. Biochemistry, 1999, 38, 10158-10167.	2.5	97
141	Detection of two novel lowest lying singlet-triplet transitions of the C ⁺ , S ⁺ , C chromophore in L-methionine. Inorganica Chimica Acta, 1998, 272, 150-152.	2.4	5
142	Growth inhibitory factor and zinc affect neural cell cultures in a tissue specific manner. Chemico-Biological Interactions, 1998, 115, 167-174.	4.0	14
143	Structural characterization of Cu(I) and Zn(II) sites in neuronal-growth-inhibitory factor by extended X-ray absorption fine structure (EXAFS). FEBS Journal, 1998, 255, 172-177.	0.2	50
144	Metal ^{•+} Thiolate Clusters in the C-Terminal Domain of Human Neuronal Growth Inhibitory Factor (GIF). Biochemistry, 1998, 37, 14966-14973.	2.5	61

#	ARTICLE	IF	CITATIONS
145	Distinct Metal ²⁺ Thiolate Clusters in the N-Terminal Domain of Neuronal Growth Inhibitory Factor. <i>Biochemistry</i> , 1997, 36, 13341-13348.	2.5	73
146	Isolation and characterization of a novel monomeric zinc- and heme-containing protein from bovine brain. <i>FEBS Letters</i> , 1996, 395, 33-38.	2.8	9
147	Evidence for Cu(I) Clusters and Zn(II) Clusters in Neuronal Growth-Inhibitory Factor Isolated from Bovine Brain. <i>FEBS Journal</i> , 1996, 238, 698-705.	0.2	52
148	Isolation, primary structures and metal binding properties of neuronal growth inhibitory factor (GIF) from bovine and equine brain. <i>FEBS Letters</i> , 1994, 345, 193-197.	2.8	59