

Sandra K Hunter

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1443380/sandra-k-hunter-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

4,721
citations

39
h-index

66
g-index

112
ext. papers

5,618
ext. citations

3.1
avg. IF

6.09
L-index

#	Paper	IF	Citations
106	Fitness levels do not explain greater performance fatigability of the upper extremity in fibromyalgia. <i>European Journal of Applied Physiology</i> , 2021 , 121, 2363-2364	3.4	0
105	Technological advances in elite marathon performance. <i>Journal of Applied Physiology</i> , 2021 , 130, 2002-2008	3.7	12
104	Impact of isometric and concentric resistance exercise on pain and fatigue in fibromyalgia. <i>European Journal of Applied Physiology</i> , 2021 , 121, 1389-1404	3.4	1
103	The single-leg heel raise does not predict maximal plantar flexion strength in healthy males and females. <i>PLoS ONE</i> , 2021 , 16, e0253276	3.7	0
102	Fatigability of the knee extensor muscles during high-load fast and low-load slow resistance exercise in young and older adults. <i>Experimental Gerontology</i> , 2021 , 154, 111546	4.5	0
101	Physiology and fast marathons. <i>Journal of Applied Physiology</i> , 2020 , 128, 1065-1068	3.7	19
100	Ca dependency of limb muscle fiber contractile mechanics in young and older adults. <i>American Journal of Physiology - Cell Physiology</i> , 2020 , 318, C1238-C1251	5.4	3
99	Last Word on Viewpoint: Physiology and fast marathons. <i>Journal of Applied Physiology</i> , 2020 , 128, 1086-1087	3.7	4
98	Age-related Deficits in Voluntary Activation: A Systematic Review and Meta-analysis. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 549-560	1.2	14
97	Greater Lower Limb Fatigability in People with Prediabetes than Controls. <i>Medicine and Science in Sports and Exercise</i> , 2020 , 52, 1176-1186	1.2	4
96	Physiological sex differences affect the integrative response to exercise: acute and chronic implications. <i>Experimental Physiology</i> , 2020 , 105, 2007-2021	2.4	46
95	Who is wearing a mask? Gender-, age-, and location-related differences during the COVID-19 pandemic. <i>PLoS ONE</i> , 2020 , 15, e0240785	3.7	158
94	Greater fatigue resistance of dorsiflexor muscles in people with prediabetes than type 2 diabetes. <i>Journal of Electromyography and Kinesiology</i> , 2020 , 54, 102458	2.5	1
93	Greater fatigability and motor unit discharge variability in human type 2 diabetes. <i>Physiological Reports</i> , 2020 , 8, e14503	2.6	4
92	Attenuated activation of knee extensor muscles during fast contractions in older men and women. <i>European Journal of Applied Physiology</i> , 2020 , 120, 2289-2299	3.4	2
91	Increased Cardiovascular Response to a 6-Minute Walk Test in People With Type 2 Diabetes. <i>Diabetes Spectrum</i> , 2020 , 33, 104-110	1.9	2
90	Sex differences in fatigability following exercise normalised to the power-duration relationship. <i>Journal of Physiology</i> , 2020 , 598, 5717-5737	3.9	17

89	Differential effects of aging and physical activity on corticospinal excitability of upper and lower limb muscles. <i>Journal of Neurophysiology</i> , 2019 , 122, 241-250	3.2	9
88	The Relationship Between Blood Flow and Motor Unit Firing Rates in Response to Fatiguing Exercise Post-stroke. <i>Frontiers in Physiology</i> , 2019 , 10, 545	4.6	5
87	Bioenergetic basis for the increased fatigability with ageing. <i>Journal of Physiology</i> , 2019 , 597, 4943-4957	3.9	17
86	Menstrual cycle-associated modulations in neuromuscular function and fatigability of the knee extensors in eumenorrheic women. <i>Journal of Applied Physiology</i> , 2019 , 126, 1701-1712	3.7	58
85	Oscillations in neural drive and age-related reductions in force steadiness with a cognitive challenge. <i>Journal of Applied Physiology</i> , 2019 , 126, 1056-1065	3.7	11
84	Sex differences in fatigability and recovery relative to the intensity-duration relationship. <i>Journal of Physiology</i> , 2019 , 597, 5577-5595	3.9	31
83	Methodological issues influence determination of critical force during intermittent exercise: authors' reply. <i>Journal of Physiology</i> , 2019 , 597, 5987-5989	3.9	2
82	Are masters athletic performances predictive of human aging in men and women?. <i>Movement and Sports Sciences - Science Et Motricite</i> , 2019 , 5-12	0.5	1
81	Exercise-induced hyperemia is associated with knee extensor fatigability in adults with type 2 diabetes. <i>Journal of Applied Physiology</i> , 2019 , 126, 658-667	3.7	7
80	Sex Differences in Mechanisms of Recovery after Isometric and Dynamic Fatiguing Tasks. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 1070-1083	1.2	27
79	Impaired Trunk Flexor Strength, Fatigability, and Steadiness in Postpartum Women. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 1558-1569	1.2	13
78	Performance Fatigability: Mechanisms and Task Specificity. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2018 , 8,	5.4	38
77	Mechanisms for the increased fatigability of the lower limb in people with type 2 diabetes. <i>Journal of Applied Physiology</i> , 2018 , 125, 553-566	3.7	14
76	Mechanisms for the age-related increase in fatigability of the knee extensors in old and very old adults. <i>Journal of Applied Physiology</i> , 2018 , 125, 146-158	3.7	26
75	Girls in the boat: Sex differences in rowing performance and participation. <i>PLoS ONE</i> , 2018 , 13, e0191504	3.7	10
74	Stroke increases ischemia-related decreases in motor unit discharge rates. <i>Journal of Neurophysiology</i> , 2018 , 120, 3246-3256	3.2	5
73	Fatigability of the Lumbopelvic Stabilizing Muscles in Women 8 and 26 Weeks Postpartum. <i>Journal of Womens Health Physical Therapy</i> , 2018 , 42, 128-138	0.7	6
72	Force Steadiness During a Cognitively Challenging Motor Task Is Predicted by Executive Function in Older Adults. <i>Frontiers in Physiology</i> , 2018 , 9, 1316	4.6	2

71	Effects of elevated H and P on the contractile mechanics of skeletal muscle fibres from young and old men: implications for muscle fatigue in humans. <i>Journal of Physiology</i> , 2018 , 596, 3993-4015	3.9	38
70	Rates of performance loss and neuromuscular activity in men and women during cycling: evidence for a common metabolic basis of muscle fatigue. <i>Journal of Applied Physiology</i> , 2017 , 122, 130-141	3.7	10
69	Sex differences in neuromuscular function after repeated eccentric contractions of the knee extensor muscles. <i>European Journal of Applied Physiology</i> , 2017 , 117, 1119-1130	3.4	20
68	Physical activity modulates corticospinal excitability of the lower limb in young and old adults. <i>Journal of Applied Physiology</i> , 2017 , 123, 364-374	3.7	18
67	Contraction intensity and sex differences in knee-extensor fatigability. <i>Journal of Electromyography and Kinesiology</i> , 2017 , 37, 68-74	2.5	23
66	Voluntary activation and variability during maximal dynamic contractions with aging. <i>European Journal of Applied Physiology</i> , 2017 , 117, 2493-2507	3.4	16
65	Sex differences in spatial accuracy relate to the neural activation of antagonistic muscles in young adults. <i>Experimental Brain Research</i> , 2017 , 235, 2425-2436	2.3	7
64	Muscle function and fatigability of trunk flexors in males and females. <i>Biology of Sex Differences</i> , 2017 , 8, 12	9.3	14
63	Age differences in dynamic fatigability and variability of arm and leg muscles: Associations with physical function. <i>Experimental Gerontology</i> , 2017 , 87, 74-83	4.5	39
62	Sex Differences in Neuromuscular Fatigability of the Knee Extensors Post-Stroke. <i>Brain Sciences</i> , 2017 , 7,	3.4	4
61	The aging neuromuscular system and motor performance. <i>Journal of Applied Physiology</i> , 2016 , 121, 982-995	9.5	163
60	The Relevance of Sex Differences in Performance Fatigability. <i>Medicine and Science in Sports and Exercise</i> , 2016 , 48, 2247-2256	1.2	106
59	Sex differences in fatigability of dynamic contractions. <i>Experimental Physiology</i> , 2016 , 101, 250-5	2.4	75
58	Short-interval cortical inhibition and intracortical facilitation during submaximal voluntary contractions changes with fatigue. <i>Experimental Brain Research</i> , 2016 , 234, 2541-51	2.3	39
57	Sex Differences in Participation, Performance, and Age of Ultramarathon Runners. <i>International Journal of Sports Physiology and Performance</i> , 2016 , 11, 635-42	3.5	15
56	Sex differences with aging in the fatigability of dynamic contractions. <i>Experimental Gerontology</i> , 2015 , 70, 1-10	4.5	41
55	Sex Differences in Arm Muscle Fatigability With Cognitive Demand in Older Adults. <i>Clinical Orthopaedics and Related Research</i> , 2015 , 473, 2568-77	2.2	13
54	Age and sex differences in steadiness of elbow flexor muscles with imposed cognitive demand. <i>European Journal of Applied Physiology</i> , 2015 , 115, 1367-79	3.4	32

53	Men are more likely than women to slow in the marathon. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 607-16	1.2	83
52	The two-hour marathon: What's the equivalent for women?. <i>Journal of Applied Physiology</i> , 2015 , 118, 1321-3	3.7	21
51	Stroke-related effects on maximal dynamic hip flexor fatigability and functional implications. <i>Muscle and Nerve</i> , 2015 , 51, 446-8	3.4	6
50	Conditioned pain modulation predicts exercise-induced hypoalgesia in healthy adults. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 176-84	1.2	67
49	Last Word on Viewpoint: The two-hour marathon: What's the equivalent for women?. <i>Journal of Applied Physiology</i> , 2015 , 118, 1329	3.7	3
48	Impaired Hyperemic Response to Exercise Post Stroke. <i>PLoS ONE</i> , 2015 , 10, e0144023	3.7	7
47	Stressor-induced increase in muscle fatigability of young men and women is predicted by strength but not voluntary activation. <i>Journal of Applied Physiology</i> , 2014 , 116, 767-78	3.7	33
46	Brain areas associated with force steadiness and intensity during isometric ankle dorsiflexion in men and women. <i>Experimental Brain Research</i> , 2014 , 232, 3133-45	2.3	24
45	The stroke-related effects of hip flexion fatigue on over ground walking. <i>Gait and Posture</i> , 2014 , 39, 1103-8	3.8	19
44	Pain relief after isometric exercise is not task-dependent in older men and women. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 185-91	1.2	31
43	Motor Variability during Sustained Contractions Increases with Cognitive Demand in Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2014 , 6, 97	5.3	32
42	Men report greater pain relief following sustained static contractions than women when matched for baseline pain. <i>Journal of Motor Behavior</i> , 2014 , 46, 107-13	1.4	9
41	Muscle fatigability and control of force in men with posttraumatic stress disorder. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 1302-13	1.2	12
40	Fatigability and recovery of arm muscles with advanced age for dynamic and isometric contractions. <i>Experimental Gerontology</i> , 2013 , 48, 259-68	4.5	32
39	Sex differences in marathon running with advanced age: physiology or participation?. <i>Medicine and Science in Sports and Exercise</i> , 2013 , 45, 148-56	1.2	55
38	Fatigue and recovery from dynamic contractions in men and women differ for arm and leg muscles. <i>Muscle and Nerve</i> , 2013 , 48, 436-9	3.4	51
37	Supraspinal fatigue impedes recovery from a low-intensity sustained contraction in old adults. <i>Journal of Applied Physiology</i> , 2012 , 112, 849-58	3.7	25
36	Stroke-related changes in neuromuscular fatigue of the hip flexors and functional implications. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2012 , 91, 33-42	2.6	20

35	Pain perception after isometric exercise in women with fibromyalgia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 89-95	2.8	49
34	Is there a sex difference in the age of elite marathon runners?. <i>Medicine and Science in Sports and Exercise</i> , 2011 , 43, 656-64	1.2	87
33	Supraspinal fatigue is similar in men and women for a low-force fatiguing contraction. <i>Medicine and Science in Sports and Exercise</i> , 2011 , 43, 1873-83	1.2	35
32	Age and load compliance alter time to task failure for a submaximal fatiguing contraction with the lower leg. <i>Journal of Applied Physiology</i> , 2010 , 108, 1510-9	3.7	18
31	Sex differences in response to cognitive stress during a fatiguing contraction. <i>Journal of Applied Physiology</i> , 2009 , 107, 1486-96	3.7	51
30	Sex differences in time to task failure and blood flow for an intermittent isometric fatiguing contraction. <i>Muscle and Nerve</i> , 2009 , 39, 42-53	3.4	40
29	The role of the menstrual cycle phase in pain perception before and after an isometric fatiguing contraction. <i>European Journal of Applied Physiology</i> , 2009 , 106, 105-12	3.4	29
28	Fatiguing exercise attenuates pain-induced corticomotor excitability. <i>Neuroscience Letters</i> , 2009 , 452, 209-13	3.3	32
27	Variation in limb support influences the time to task failure for a postural contraction. <i>Journal of Motor Behavior</i> , 2009 , 41, 393-5	1.4	11
26	Sex differences and mechanisms of task-specific muscle fatigue. <i>Exercise and Sport Sciences Reviews</i> , 2009 , 37, 113-22	6.7	126
25	Sprint training increases muscle oxidative metabolism during high-intensity exercise in patients with type 1 diabetes. <i>Diabetes Care</i> , 2008 , 31, 2097-102	14.6	40
24	Dose response of isometric contractions on pain perception in healthy adults. <i>Medicine and Science in Sports and Exercise</i> , 2008 , 40, 1880-9	1.2	96
23	Recovery from supraspinal fatigue is slowed in old adults after fatiguing maximal isometric contractions. <i>Journal of Applied Physiology</i> , 2008 , 105, 1199-209	3.7	84
22	Time to task failure and muscle activation vary with load type for a submaximal fatiguing contraction with the lower leg. <i>Journal of Applied Physiology</i> , 2008 , 105, 463-72	3.7	42
21	Age-related muscle fatigue after a low-force fatiguing contraction is explained by central fatigue. <i>Muscle and Nerve</i> , 2008 , 37, 457-66	3.4	45
20	Mechanisms of fatigue differ after low- and high-force fatiguing contractions in men and women. <i>Muscle and Nerve</i> , 2007 , 36, 515-24	3.4	109
19	Time to task failure varies with the gain of the feedback signal for women, but not for men. <i>Experimental Brain Research</i> , 2006 , 174, 575-87	2.3	25
18	Active hyperemia and vascular conductance differ between men and women for an isometric fatiguing contraction. <i>Journal of Applied Physiology</i> , 2006 , 101, 140-50	3.7	55

17	Supraspinal fatigue does not explain the sex difference in muscle fatigue of maximal contractions. <i>Journal of Applied Physiology</i> , 2006 , 101, 1036-44	3-7	155
16	Time to task failure differs with load type when old adults perform a submaximal fatiguing contraction. <i>Muscle and Nerve</i> , 2005 , 31, 730-40	3-4	27
15	Variability of motor unit discharge and force fluctuations across a range of muscle forces in older adults. <i>Muscle and Nerve</i> , 2005 , 32, 533-40	3-4	137
14	Muscle endurance is greater for old men compared with strength-matched young men. <i>Journal of Applied Physiology</i> , 2005 , 99, 890-7	3-7	70
13	Men Have Greater Active Hyperemia Than Women For A Similar Intensity Isometric Fatiguing Contraction. <i>Medicine and Science in Sports and Exercise</i> , 2005 , 37, S388	1.2	2
12	Men are more fatigable than strength-matched women when performing intermittent submaximal contractions. <i>Journal of Applied Physiology</i> , 2004 , 96, 2125-32	3-7	117
11	Muscle fatigue and the mechanisms of task failure. <i>Exercise and Sport Sciences Reviews</i> , 2004 , 32, 44-9	6.7	121
10	Influence of aging on sex differences in muscle fatigability. <i>Journal of Applied Physiology</i> , 2004 , 97, 1723-32	3-7	93
9	Fatigability of the elbow flexor muscles for a sustained submaximal contraction is similar in men and women matched for strength. <i>Journal of Applied Physiology</i> , 2004 , 96, 195-202	3-7	114
8	Activation among the elbow flexor muscles differs when maintaining arm position during a fatiguing contraction. <i>Journal of Applied Physiology</i> , 2003 , 94, 2439-47	3-7	73
7	Changes in muscle activation can prolong the endurance time of a submaximal isometric contraction in humans. <i>Journal of Applied Physiology</i> , 2003 , 94, 108-18	3-7	99
6	Mechanisms that contribute to differences in motor performance between young and old adults. <i>Journal of Electromyography and Kinesiology</i> , 2003 , 13, 1-12	2.5	393
5	Task differences with the same load torque alter the endurance time of submaximal fatiguing contractions in humans. <i>Journal of Neurophysiology</i> , 2002 , 88, 3087-96	3.2	140
4	Sex differences in the fatigability of arm muscles depends on absolute force during isometric contractions. <i>Journal of Applied Physiology</i> , 2001 , 91, 2686-94	3-7	239
3	Relationships among age-associated strength changes and physical activity level, limb dominance, and muscle group in women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2000 , 55, B264-73	6.4	84
2	Human skeletal sarcoplasmic reticulum Ca ²⁺ uptake and muscle function with aging and strength training. <i>Journal of Applied Physiology</i> , 1999 , 86, 1858-65	3-7	107
1	Technological advances in elite marathon performance		1