## David S Freedman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1443765/publications.pdf

Version: 2024-02-01

174 papers 25,043 citations

71
h-index

155 g-index

175 all docs

175
docs citations

175 times ranked

20871 citing authors

#	Article	IF	CITATIONS
1	The Relation of Overweight to Cardiovascular Risk Factors Among Children and Adolescents: The Bogalusa Heart Study. Pediatrics, 1999, 103, 1175-1182.	2.1	1,962
2	Do Obese Children Become Obese Adults? A Review of the Literature. Preventive Medicine, 1993, 22, 167-177.	3.4	1,445
3	Trends in Obesity and Severe Obesity Prevalence in US Youth and Adults by Sex and Age, 2007-2008 to 2015-2016. JAMA - Journal of the American Medical Association, 2018, 319, 1723.	7.4	1,364
4	Cardiovascular Risk Factors and Excess Adiposity Among Overweight Children and Adolescents: The Bogalusa Heart Study. Journal of Pediatrics, 2007, 150, 12-17.e2.	1.8	1,246
5	Relationship of Childhood Obesity to Coronary Heart Disease Risk Factors in Adulthood: The Bogalusa Heart Study. Pediatrics, 2001, 108, 712-718.	2.1	1,062
6	Relation of Serum Lipoprotein Levels and Systolic Blood Pressure to Early Atherosclerosis. New England Journal of Medicine, 1986, 314, 138-144.	27.0	1,012
7	The Relation of Childhood BMI to Adult Adiposity: The Bogalusa Heart Study. Pediatrics, 2005, 115, 22-27.	2.1	808
8	Low-Density Lipoprotein and High-Density Lipoprotein Particle Subclasses Predict Coronary Events and Are Favorably Changed by Gemfibrozil Therapy in the Veterans Affairs High-Density Lipoprotein Intervention Trial. Circulation, 2006, 113, 1556-1563.	1.6	522
9	Relation of circumferences and skinfold thicknesses to lipid and insulin concentrations in children and adolescents: the Bogalusa Heart Study. American Journal of Clinical Nutrition, 1999, 69, 308-317.	4.7	504
10	Trends in Obesity Prevalence by Race and Hispanic Origin—1999-2000 to 2017-2018. JAMA - Journal of the American Medical Association, 2020, 324, 1208.	7.4	441
11	Relation of Serum Uric Acid to Mortality and Ischemic Heart Disease. American Journal of Epidemiology, 1995, 141, 637-644.	3.4	419
12	Relation of BMI to fat and fat-free mass among children and adolescents. International Journal of Obesity, 2005, 29, 1-8.	3.4	398
13	Trends and Correlates of Class 3 Obesity in the United States From 1990 Through 2000. JAMA - Journal of the American Medical Association, 2002, 288, 1758.	7.4	393
14	The Validity of BMI as an Indicator of Body Fatness and Risk Among Children. Pediatrics, 2009, 124, S23-S34.	2.1	378
15	Characterizing extreme values of body mass index–for-age by using the 2000 Centers for Disease Control and Prevention growth charts. American Journal of Clinical Nutrition, 2009, 90, 1314-1320.	4.7	372
16	Morbid Obesity as a Risk Factor for Hospitalization and Death Due to 2009 Pandemic Influenza A(H1N1) Disease. PLoS ONE, 2010, 5, e9694.	2.5	371
17	Differences in Obesity Prevalence by Demographics and Urbanization in US Children and Adolescents, 2013-2016. JAMA - Journal of the American Medical Association, 2018, 319, 2410.	7.4	351
18	Prevalence of Obesity Among Youths by Household Income and Education Level of Head of Household $\hat{a}\in$ " United States 2011 $\hat{a}\in$ "2014. Morbidity and Mortality Weekly Report, 2018, 67, 186-189.	15.1	331

#	Article	IF	CITATIONS
19	Racial and Ethnic Differences in Secular Trends for Childhood BMI, Weight, and Height. Obesity, 2006, 14, 301-308.	3.0	329
20	Differences in Obesity Prevalence by Demographic Characteristics and Urbanization Level Among Adults in the United States, 2013-2016. JAMA - Journal of the American Medical Association, 2018, 319, 2419.	7.4	326
21	Secular Increases in Relative Weight and Adiposity Among Children Over Two Decades: The Bogalusa Heart Study. Pediatrics, 1997, 99, 420-426.	2.1	325
22	Validity of Self-reported Diagnoses Leading to Hospitalization: A Comparison of Self-reports with Hospital Records in a Prospective Study of American Adults. American Journal of Epidemiology, 1998, 147, 969-977.	3.4	323
23	Relation of Lipoprotein Subclasses as Measured by Proton Nuclear Magnetic Resonance Spectroscopy to Coronary Artery Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 1998, 18, 1046-1053.	2.4	314
24	Prevalence of Obesity Among Adults, by Household Income and Education — United States, 2011–2014. Morbidity and Mortality Weekly Report, 2017, 66, 1369-1373.	15.1	314
25	Prevalence of and Trends in Dyslipidemia and Blood Pressure Among US Children and Adolescents, 1999-2012. JAMA Pediatrics, 2015, 169, 272.	6.2	296
26	Nuclear Magnetic Resonance Spectroscopy of Lipoproteins and Risk of Coronary Heart Disease in the Cardiovascular Health Study. Arteriosclerosis, Thrombosis, and Vascular Biology, 2002, 22, 1175-1180.	2.4	281
27	Relation of Age at Menarche to Race, Time Period, and Anthropometric Dimensions: The Bogalusa Heart Study. Pediatrics, 2002, 110, e43-e43.	2.1	279
28	Relation of body mass index and waist-to-height ratio to cardiovascular disease risk factors in children and adolescents: the Bogalusa Heart Study. American Journal of Clinical Nutrition, 2007, 86, 33-40.	4.7	270
29	Relations of lipoprotein subclass levels and low-density lipoprotein size to progression of coronary artery disease in the pravastatin limitation of atherosclerosis in the coronary arteries (PLAC-I) trial. American Journal of Cardiology, 2002, 90, 89-94.	1.6	269
30	Health Risks of Obesity. Medical Clinics of North America, 1989, 73, 111-138.	2.5	266
31	Sex and Age Differences in Lipoprotein Subclasses Measured by Nuclear Magnetic Resonance Spectroscopy: The Framingham Study. Clinical Chemistry, 2004, 50, 1189-1200.	3.2	259
32	The relation of menarcheal age to obesity in childhood and adulthood: the Bogalusa heart study. BMC Pediatrics, 2003, 3, 3.	1.7	209
33	Increasing Prevalence of Overweight Among US Low-income Preschool Children: The Centers for Disease Control and Prevention Pediatric Nutrition Surveillance, 1983 to 1995. Pediatrics, 1998, 101, e12-e12.	2.1	192
34	Relation of body fat distribution to hyperinsulinemia in children and adolescents: the Bogalusa Heart Study. American Journal of Clinical Nutrition, 1987, 46, 403-410.	4.7	190
35	The relation of obesity throughout life to carotid intima-media thickness in adulthood: the Bogalusa Heart Study. International Journal of Obesity, 2004, 28, 159-166.	3.4	190
36	High adiposity and high body mass index–for-age in US children and adolescents overall and by race-ethnic group. American Journal of Clinical Nutrition, 2010, 91, 1020-1026.	4.7	189

#	Article	IF	CITATIONS
37	BMI <i>z</i> å€Scores are a poor indicator of adiposity among 2â€to 19â€yearâ€olds with very high BMIs, NHANES 1999â€2000 to 2013â€2014. Obesity, 2017, 25, 739-746.	3.0	187
38	Inter-relationships among childhood BMI, childhood height, and adult obesity: the Bogalusa Heart Study. International Journal of Obesity, 2004, 28, 10-16.	3.4	184
39	Body fat distribution and male/female differences in lipids and lipoproteins Circulation, 1990, 81, 1498-1506.	1.6	175
40	The Relation of Apolipoproteins A-I and B in Children to Parental Myocardial Infarction. New England Journal of Medicine, 1986, 315, 721-726.	27.0	172
41	A Longitudinal Analysis of Sugar-Sweetened Beverage Intake in Infancy and Obesity at 6 Years. Pediatrics, 2014, 134, S29-S35.	2.1	167
42	Racial Differences in the Tracking of Childhood BMI to Adulthood. Obesity, 2005, 13, 928-935.	4.0	165
43	The contribution of childhood obesity to adult carotid intima-media thickness: the Bogalusa Heart Study. International Journal of Obesity, 2008, 32, 749-756.	3.4	159
44	Growth Charts for Children With Down Syndrome in the United States. Pediatrics, 2015, 136, e1204-e1211.	2.1	152
45	Relation of body mass index and skinfold thicknesses to cardiovascular disease risk factors in children: the Bogalusa Heart Study. American Journal of Clinical Nutrition, 2009, 90, 210-216.	4.7	136
46	Fasting plasma glucose and insulin levels and their relationship to cardiovascular risk factors in children: Bogalusa Heart Study. Metabolism: Clinical and Experimental, 1986, 35, 441-446.	3.4	135
47	Relation of body fat patterning to lipid and lipoprotein concentrations in children and adolescents: the Bogalusa Heart Study. American Journal of Clinical Nutrition, 1989, 50, 930-939.	4.7	134
48	Body fat patterning and blood pressure in children and young adults. The Bogalusa Heart Study Hypertension, 1987, 9, 236-244.	2.7	130
49	Tracking of BMI <i>z</i> Scores for Severe Obesity. Pediatrics, 2017, 140, .	2.1	125
50	Classification of Body Fatness by Body Mass Index–for-Age Categories Among Children. JAMA Pediatrics, 2009, 163, 805.	3.0	124
51	The Body Adiposity Index (Hip Circumference ÷ Height <sup>1.5</sup> ) Is Not a More Accurate Measure of Adiposity Than Is BMI, Waist Circumference, or Hip Circumference. Obesity, 2012, 20, 2438-2444.	3.0	124
52	Risk Factors and Adult Body Mass Index Among Overweight Children: The Bogalusa Heart Study. Pediatrics, 2009, 123, 750-757.	2.1	117
53	Tracking of serum lipids and lipoproteins in children over an 8-year period: The Bogalusa heart study. Preventive Medicine, 1985, 14, 203-216.	3.4	116
54	Racial/ethnic Differences in Body Fatness Among Children and Adolescents. Obesity, 2008, 16, 1105-1111.	3.0	111

#	Article	IF	CITATIONS
55	Risk Factors in Early Life as Predictors of Adult Heart Disease: The Bogalusa Heart Study. American Journal of the Medical Sciences, 1989, 298, 141-151.	1.1	110
56	Relation of Body Fat Distribution to Ischemic Heart Disease. American Journal of Epidemiology, 1995, 142, 53-63.	3.4	105
57	Black-white differences in aortic fatty streaks in adolescence and early adulthood: the Bogalusa Heart Study Circulation, 1988, 77, 856-864.	1.6	104
58	A comparison of the Slaughter skinfold-thickness equations and BMI in predicting body fatness and cardiovascular disease risk factor levels in children. American Journal of Clinical Nutrition, 2013, 98, 1417-1424.	4.7	104
59	Secular Trends in BMI and Blood Pressure Among Children and Adolescents: The Bogalusa Heart Study. Pediatrics, 2012, 130, e159-e166.	2.1	102
60	High prevalence of postpartum anemia among low-income women in the United States. American Journal of Obstetrics and Gynecology, 2001, 185, 438-443.	1.3	101
61	The prediction of body fatness by BMI and skinfold thicknesses among children and adolescents. Annals of Human Biology, 2007, 34, 183-194.	1.0	101
62	BMI rebound, childhood height and obesity among adults: the Bogalusa Heart Study. International Journal of Obesity, 2001, 25, 543-549.	3 <b>.</b> 4	100
63	Relationship of Changes in Obesity to Serum Lipid and Lipoprotein Changes in Childhood and Adolescence. JAMA - Journal of the American Medical Association, 1985, 254, 515.	7.4	94
64	Body mass index and body fatness in childhood. Current Opinion in Clinical Nutrition and Metabolic Care, 2005, 8, 618-623.	2.5	93
65	Plasma Lipid Levels and Psychologic Characteristics in Men. American Journal of Epidemiology, 1995, 141, 507-517.	3.4	90
66	CIGARETTE SMOKING INITLATION AND LONGITUDINAL CHANGES IN SERUM LIPIDS AND LIPOPOPROTEINS IN EARLY ADULTHOOD THE BOGALUSA HEART STUDY. American Journal of Epidemiology, 1986, 124, 207-219.	3.4	87
67	Trends in Obesity Among Participants Aged 2–4 Years in the Special Supplemental Nutrition Program for Women, Infants, and Children — United States, 2000–2014. Morbidity and Mortality Weekly Report, 2016, 65, 1256-1260.	15.1	86
68	Secular Trends in Height Among Children During 2 Decades. JAMA Pediatrics, 2000, 154, 155.	3.0	84
69	Effects of pravastatin treatment on lipoprotein subclass profiles and particle size in the PLAC-I trial. Atherosclerosis, 2002, 160, 41-48.	0.8	82
70	Height and Adiposity among Children. Obesity, 2004, 12, 846-853.	4.0	81
71	The Pediatric Obesity Epidemic Continues Unabated in Bogalusa, Louisiana. Pediatrics, 2010, 125, 900-905.	2.1	72
72	Do Skinfold Measurements Provide Additional Information to Body Mass Index in the Assessment of Body Fatness Among Children and Adolescents?. Pediatrics, 2007, 119, e1306-e1313.	2.1	70

#	Article	IF	Citations
73	The association between cardiovascular response tasks and future blood pressure levels in children: Bogalusa heart study. American Heart Journal, 1987, 113, 1174-1179.	2.7	69
74	Levels and correlates of LDL and VLDL particle sizes among children: the Bogalusa heart study. Atherosclerosis, 2000, 152, 441-449.	0.8	67
75	Cigarette smoking and leukocyte subpopulations in men. Annals of Epidemiology, 1996, 6, 299-306.	1.9	66
76	Baldness and Ischemic Heart Disease in a National Sample of Men. American Journal of Epidemiology, 1996, 143, 651-657.	3.4	64
77	Unexplained decline in the prevalence of anemia among US children and women between 1988–1994 and 1999–2002. American Journal of Clinical Nutrition, 2008, 88, 1611-1617.	4.7	64
78	Distribution and correlates of high-density lipoprotein subclasses among children and adolescents. Metabolism: Clinical and Experimental, 2001, 50, 370-376.	3.4	63
79	Relation of Childhood Height to Obesity Among Adults: The Bogalusa Heart Study. Pediatrics, 2002, 109, e23-e23.	2.1	63
80	The Limitations of Transforming Very High Body Mass Indexes into z -Scores among 8.7 Million 2- to 4-Year-Old Children. Journal of Pediatrics, 2017, 188, 50-56.e1.	1.8	61
81	Black/white differences in leukocyte subpopulations in men. International Journal of Epidemiology, 1997, 26, 757-764.	1.9	59
82	Relation of serum testosterone levels to high density lipoprotein cholesterol and other characteristics in men Arteriosclerosis and Thrombosis: A Journal of Vascular Biology, 1991, 11, 307-315.	3.9	58
83	RELATION OF TRIGLYCERIDE LEVELS TO CORONARY ARTERY DISEASE: THE MILWAUKEE CARDIOVASCULAR DATA REGISTRY. American Journal of Epidemiology, 1988, 127, 1118-1130.	3.4	57
84	Are the recent secular increases in the waist circumference of adults independent of changes in BMI?. American Journal of Clinical Nutrition, 2015, 101, 425-431.	4.7	57
85	Validity of the WHO cutoffs for biologically implausible values of weight, height, and BMI in children and adolescents in NHANES from 1999 through 2012. American Journal of Clinical Nutrition, 2015, 102, 1000-1006.	4.7	56
86	THE RELATIONSHIP BETWEEN PARENTAL HISTORY OF VASCULAR DISEASE AND CARDIOVASCULAR DISEASE RISK FACTORS IN CHILDREN: THE BOGALUSA HEART STUDY. American Journal of Epidemiology, 1985, 122, 762-771.	3.4	55
87	Obesity, Levels of Lipids and Glucose, and Smoking among Navajo Adolescents. Journal of Nutrition, 1997, 127, 2120S-2127S.	2.9	53
88	Relation of Cigarette Smoking to Non-Hodgkin's Lymphoma among Middle-aged Men. American Journal of Epidemiology, 1998, 148, 833-841.	3.4	51
89	Risk Factors for Coronary Heart Disease among Navajo Indians: Findings from the Navajo Health and Nutrition Survey. Journal of Nutrition, 1997, 127, 2099S-2105S.	2.9	50
90	Smoothed percentage body fat percentiles for U.S. children and adolescents, 1999-2004. National Health Statistics Reports, 2011, , 1-7.	0.7	50

#	Article	IF	Citations
91	Clustering of Coronary Heart Disease Risk Factors among Obese Children. Journal of Pediatric Endocrinology and Metabolism, 2002, 15, 1099-108.	0.9	43
92	Occupational Chlorophenol Exposure and Soft Tissue Sarcoma Risk among Men Aged 30-60 Years. American Journal of Epidemiology, 1998, 148, 693-703.	3.4	42
93	Differences in the relation of obesity to serum triacylglycerol and VLDL subclass concentrations between black and white children: the Bogalusa Heart Study. American Journal of Clinical Nutrition, 2002, 75, 827-833.	4.7	42
94	Obesity - United States, 1988-2008. MMWR Supplements, 2011, 60, 73-7.	35.0	42
95	Racial (black-white) comparisons of the relationship of levels of endogenous sex hormones to serum lipoproteins during male adolescence: the Bogalusa Heart Study Circulation, 1986, 74, 1226-1234.	1.6	41
96	Body Composition and Health Status among Children and Adolescents. Preventive Medicine, 2000, 31, S34-S53.	3.4	41
97	Interrelationships between BMI, skinfold thicknesses, percent body fat, and cardiovascular disease risk factors among U.S. children and adolescents. BMC Pediatrics, 2015, 15, 188.	1.7	40
98	The Abilities of Body Mass Index and Skinfold Thicknesses to Identify Children with Low or Elevated Levels of Dual-Energy X-Ray Absorptiometryâ^'Determined Body Fatness. Journal of Pediatrics, 2013, 163, 160-166.e1.	1.8	39
99	Tracking and Variability in Childhood Levels of BMI: The Bogalusa Heart Study. Obesity, 2018, 26, 1197-1202.	3.0	39
100	Black-white differences in cholesterol levels of serum high-density lipoprotein subclasses among children: the Bogalusa Heart Study Circulation, 1987, 76, 272-279.	1.6	37
101	Black-white differences in serum lipoproteins during sexual maturation: The Bogalusa Heart Study. Journal of Chronic Diseases, 1987, 40, 309-318.	1.2	37
102	Review: Atherosclerosis and its Evolution in Childhood. American Journal of the Medical Sciences, 1987, 294, 429-440.	1.1	36
103	ADVERSE INFLUENCES OF ALCOHOL, TOBACCO, AND ORAL CONTRACEPTIVE USE ON CARDIOVASCULAR RISK FACTORS DURING TRANSITION TO ADULTHOOD. American Journal of Epidemiology, 1987, 126, 202-213.	3.4	35
104	Prevention of Atherosclerosis in Childhood. Pediatric Clinics of North America, 1986, 33, 835-858.	1.8	34
105	Black/white differences in risk factors for arteriographically documented coronary artery disease in men. American Journal of Cardiology, 1988, 62, 214-219.	1.6	34
106	Diabetes mellitus and arteriographically-documented coronary artery disease. Journal of Clinical Epidemiology, 1988, 41, 659-668.	5.0	33
107	Interpretation of linear regression models that include transformations or interaction terms. Annals of Epidemiology, 1992, 2, 735-744.	1.9	33
108	Distance and percentage distance from median BMI as alternatives to BMI <i>z</i> score. British Journal of Nutrition, 2020, 124, 493-500.	2.3	32

#	Article	IF	CITATIONS
109	Incidences of obesity and extreme obesity among US adults: findings from the 2009 Behavioral Risk Factor Surveillance System. Population Health Metrics, 2011, 9, 56.	2.7	29
110	The prevalence and validity of high, biologically implausible values of weight, height, and <scp>BMI</scp> among 8.8 million children. Obesity, 2016, 24, 1132-1139.	3.0	29
111	DIFFERENCES BETWEEN BLACK AND WHITE MEN IN CORRELATES OF HIGH DENSITY LIPOPROTEIN CHOLESTEROL. American Journal of Epidemiology, 1990, 132, 656-669.	3.4	28
112	Trends in Weight-for-Length Among Infants in WIC From 2000 to 2014. Pediatrics, 2017, 139, .	2.1	28
113	Black/White Differences in Relative Weight and Obesity among Girls: The Bogalusa Heart Study. Preventive Medicine, 2000, 30, 234-243.	3.4	27
114	Population Distribution of the Sagittal Abdominal Diameter (SAD) from a Representative Sample of US Adults: Comparison of SAD, Waist Circumference and Body Mass Index for Identifying Dysglycemia. PLoS ONE, 2014, 9, e108707.	2.5	27
115	Prevalence of Hypertension among Navajo Indians: Findings from the Navajo Health and Nutrition Survey. Journal of Nutrition, 1997, 127, 2114S-2119S.	2.9	26
116	A method for calculating BMI z-scores and percentiles above the 95 <sup>th</sup> percentile of the CDC growth charts. Annals of Human Biology, 2020, 47, 514-521.	1.0	26
117	Serum cholesterol levels in a multiracial sample of 7,439 preschool children from Arizona. Preventive Medicine, 1992, 21, 162-176.	3.4	25
118	Is the body adiposity index (hip circumference/height <sup><math>1\hat{A}\cdot5</math></sup> ) more strongly related to skinfold thicknesses and risk factor levels than is BMI? The Bogalusa Heart Study. British Journal of Nutrition, 2013, 109, 338-345.	2.3	25
119	Changes in Obesity Among US Children Aged 2 Through 4 Years Enrolled in WIC During 2010-2016. JAMA - Journal of the American Medical Association, 2019, 321, 2364.	7.4	25
120	Correlates of leukocyte counts in men. Annals of Epidemiology, 1996, 6, 74-82.	1.9	24
121	DESIGNATION OF CHILDREN WITH HIGH BLOOD PRESSUREâ€"CONSIDERATIONS ON PERCENTILE CUT POINTS AND SUBSEQUENT HIGH BLOOD PRESSURE: THE BOGALUSA HEART STUDY. American Journal of Epidemiology, 1987, 125, 73-84.	3.4	23
122	Longitudinal serum lipoprotein changes in white males during adolescence: The Bogalusa Heart Study. Metabolism: Clinical and Experimental, 1985, 34, 396-403.	3.4	22
123	Cholesterol and coronary artery disease: Age as an effect modifier. Journal of Clinical Epidemiology, 1992, 45, 1053-1059.	5.0	22
124	The identification of children with adverse risk factor levels by body mass index cutoffs from 2 classification systems: the Bogalusa Heart Study. American Journal of Clinical Nutrition, 2010, 92, 1298-1305.	4.7	22
125	The relation of atherosclerotic lesions to antemortem and postmortem lipid levels: the Bogalusa Heart Study. Atherosclerosis, 1993, 104, 37-46.	0.8	21
126	Changes and Variability in High Levels of Low-Density Lipoprotein Cholesterol Among Children. Pediatrics, 2010, 126, 266-273.	2.1	21

#	Article	IF	CITATIONS
127	A Longitudinal Comparison of Alternatives to Body Mass Index Z-Scores for Children with Very High Body Mass Indexes. Journal of Pediatrics, 2021, 235, 156-162.	1.8	20
128	Seasonal change in nutritional status among young children in an urban shanty town in Peru. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1996, 90, 442-445.	1.8	19
129	State-Specific Prevalence of Obesity Among Children Aged 2–4 Years Enrolled in the Special Supplemental Nutrition Program for Women, Infants, and Children — United States, 2010–2016. Morbidity and Mortality Weekly Report, 2019, 68, 1057-1061.	15.1	18
130	Childhood overweight and family income. MedGenMed: Medscape General Medicine, 2007, 9, 26.	0.2	17
131	Ethnic Differences in Subcutaneous Adiposity and Waist Girth in Children and Adolescents. Obesity, 2009, 17, 2075-2081.	3.0	16
132	Longitudinal changes in BMI <i>z</i> scores among 45 414 2–4-year olds with severe obesity. Annals of Human Biology, 2017, 44, 687-692.	1.0	16
133	Infant feedingâ€related maternity care practices and maternal report of breastfeeding outcomes. Birth, 2018, 45, 424-431.	2.2	14
134	Correlates of high density lipoprotein cholesterol and apolipoprotein A-I levels in children. The Bogalusa Heart Study Arteriosclerosis (Dallas, Tex ), 1987, 7, 354-360.	4.9	13
135	Polymorphism in the $5\hat{a}\in^2$ -flanking region of the insulin gene and its potential relation to cardiovascular disease risk: observations in a biracial community. Atherosclerosis, 1989, 79, 51-57.	0.8	13
136	The relation of BMI and skinfold thicknesses to risk factors among young and middle-aged adults: The Bogalusa Heart Study. Annals of Human Biology, 2010, 37, 726-737.	1.0	13
137	Weight gain among US adults during the <scp>COVID</scp> â€19 pandemic through May 2021. Obesity, 2022, 30, 2064-2070.	3.0	13
138	High density lipoprotein and coronary artery disease risk factors in children with different lipoprotein profiles: Bogalusa heart study. Journal of Chronic Diseases, 1985, 38, 327-338.	1.2	12
139	THE RELATION OF DOCUMENTED CORONARY ARTERY DISEASE TO LEVELS OF TOTAL CHOLESTEROL AND HIGH-DENSITY LIPOPROTEIN CHOLESTEROL. Epidemiology, 1994, 5, 80-87.	2.7	12
140	Risk of cardiovascular complications. , 2002, , 221-240.		12
141	Use of Density-Equalizing Cartograms to Visualize Trends and Disparities in State-Specific Prevalence of Obesity: 1996–2006. American Journal of Public Health, 2009, 99, 308-312.	2.7	12
142	Tracking of obesity among 2―to 9â€yearâ€olds in an electronic heath record database from 2006 to 2018. Obesity Science and Practice, 2020, 6, 300-306.	1.9	12
143	Metrics matter: Toward consensus reporting of BMI and weightâ€related outcomes in pediatric obesity clinical trials. Obesity, 2022, 30, 571-572.	3.0	11
144	The Importance of Body Fat Distribution in Early Life. American Journal of the Medical Sciences, 1995, 310, S72-S76.	1.1	10

#	Article	IF	Citations
145	Persistence of high diastolic blood pressure in thin children. The Bogalusa Heart Study Hypertension, 1986, 8, 24-29.	2.7	9
146	Risk factors and the anatomic distribution of coronary artery disease. Atherosclerosis, 1989, 75, 227-236.	0.8	9
147	Skinfolds and coronary heart disease risk factors are more strongly associated with BMI than with the body adiposity index. Obesity, 2013, 21, E64-70.	3.0	9
148	Are the Recent Secular Increases in Waist Circumference among Children and Adolescents Independent of Changes in BMI?. PLoS ONE, 2015, 10, e0141056.	2.5	9
149	Interrelationships among age at adiposity rebound, BMI during childhood, and BMI after age 14 years in an electronic health record database. Obesity, 2022, 30, 201-208.	3.0	9
150	Differences Between the Fourth and Fifth Korotkoff Phases Among Children and Adolescents. American Journal of Hypertension, 2014, 27, 1495-1502.	2.0	8
151	The Relation of Adiposity Rebound to Subsequent BMI in a Large Electronic Health Record Database. Childhood Obesity, 2021, 17, 51-57.	1.5	8
152	Cardiovascular Risk in Parents of Children With Extreme Lipoprotein Cholesterol Levels. Southern Medical Journal, 1988, 81, 341-353.	0.7	7
153	Secular trends for skinfolds differ from those for BMI and waist circumference among adults examined in NHANES from 1988–1994 through 2009–20101–3. American Journal of Clinical Nutrition, 2017, 105, 169-176.	4.7	7
154	Measuring <scp>BMI</scp> change among children and adolescents. Pediatric Obesity, 2022, 17, e12889.	2.8	6
155	Education, Health Behaviors, and the Blackâ€White Difference in Waistâ€toâ€Hip Ratio. Obesity, 1996, 4, 505-512.	4.0	5
156	Use of 86 Rb and 22 Na in assaying active and cotransport activities in human erythrocytes in a biracial population. Clinica Chimica Acta, 1988, 176, 133-142.	1.1	4
157	The Longitudinal Relation of Childhood Height to Subsequent Obesity in a Large Electronic Health Record Database. Obesity, 2020, 28, 1742-1749.	3.0	4
158	Trends in Obesity Disparities During Childhood. Pediatrics, 0, , .	2.1	4
159	The Relation of Prothrombin Times to Coronary Heart Disease Risk Factors among Men Aged 31–45 Years. American Journal of Epidemiology, 1992, 136, 513-524.	3.4	3
160	Determination of body size measures and blood pressure levels among children. Jornal De Pediatria, 2013, 89, 211-214.	2.0	3
161	Changes in High Weight-for-Length among Infants Enrolled in Special Supplemental Nutrition Program for Women, Infants, and Children during 2010–2018. Childhood Obesity, 2021, 17, 408-419.	1.5	3
162	Reply to TJ Cole. American Journal of Clinical Nutrition, 2010, 91, 815-816.	4.7	2

#	ARTICLE	lF	CITATIONS
163	Interpreting Weight, Height, and Body Mass Index Percentiles in the US Centers for Disease Control and Prevention Growth Charts. JAMA Pediatrics, 2022, 176, 424.	6.2	2
164	Reply to A Legido et al. American Journal of Clinical Nutrition, 1988, 48, 686-687.	4.7	1
165	Prediction of Adult Overweight From Childhood Body Mass Index and Not Childhood Height. Pediatrics, 2003, 111, 224-225.	2.1	1
166	The Measurement and Epidemiology of Child Obesity. , 2011, , 31-42.		1
167	Secular trends in pediatric BMI. American Journal of Clinical Nutrition, 2012, 95, 999-1000.	4.7	1
168	BMI Trajectories in Youth and Adulthood. Pediatrics, 2018, 141, e20173433.	2.1	1
169	Body Mass Index and Blood Pressure Improvements With a Pediatric Weight Management Intervention at Federally Qualified Health Centers. Academic Pediatrics, 2021, 21, 312-320.	2.0	1
170	Determination of Body Size Measures and Blood Pressure Levels among Children. Jornal De Pediatria (Versão Em Português), 2013, 89, 211-214.	0.2	0
171	Trends in Obesity Among Low-Income Young Children—Reply. JAMA - Journal of the American Medical Association, 2019, 322, 1714.	7.4	0
172	Response to Rolland-Cachera et al., "Early Adiposity Rebound Predicts Later Overweight and Provides Useful Information on Obesity Development―(DOI: chi-2021-0087). Childhood Obesity, 2021, 17, 429-430.	1.5	0
173	Obesity—Findings from the Bogalusa Heart Study. , 2011, , 77-92.		0
174	Response to ''BMI at age 3 years predicts later BMI but age at adiposity rebound conveys information on BMI patternâ€health association''. Obesity, 2022, , .	3.0	0