

David S Freedman

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1443765/david-s-freedman-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168 papers	20,286 citations	68 h-index	142 g-index
175 ext. papers	22,568 ext. citations	7.9 avg, IF	6.69 L-index

#	Paper	IF	Citations
168	The relation of overweight to cardiovascular risk factors among children and adolescents: the Bogalusa Heart Study. <i>Pediatrics</i> , 1999 , 103, 1175-82	7.4	1650
167	Do obese children become obese adults? A review of the literature. <i>Preventive Medicine</i> , 1993 , 22, 167-77	7.3	1223
166	Cardiovascular risk factors and excess adiposity among overweight children and adolescents: the Bogalusa Heart Study. <i>Journal of Pediatrics</i> , 2007 , 150, 12-17.e2	3.6	1035
165	Trends in Obesity and Severe Obesity Prevalence in US Youth and Adults by Sex and Age, 2007-2008 to 2015-2016. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 1723-1725	27.4	994
164	Relationship of childhood obesity to coronary heart disease risk factors in adulthood: the Bogalusa Heart Study. <i>Pediatrics</i> , 2001 , 108, 712-8	7.4	882
163	Relation of serum lipoprotein levels and systolic blood pressure to early atherosclerosis. The Bogalusa Heart Study. <i>New England Journal of Medicine</i> , 1986 , 314, 138-44	59.2	875
162	The relation of childhood BMI to adult adiposity: the Bogalusa Heart Study. <i>Pediatrics</i> , 2005 , 115, 22-7	7.4	694
161	Low-density lipoprotein and high-density lipoprotein particle subclasses predict coronary events and are favorably changed by gemfibrozil therapy in the Veterans Affairs High-Density Lipoprotein Intervention Trial. <i>Circulation</i> , 2006 , 113, 1556-63	16.7	463
160	Relation of circumferences and skinfold thicknesses to lipid and insulin concentrations in children and adolescents: the Bogalusa Heart Study. <i>American Journal of Clinical Nutrition</i> , 1999 , 69, 308-17	7	412
159	Relation of serum uric acid to mortality and ischemic heart disease. The NHANES I Epidemiologic Follow-up Study. <i>American Journal of Epidemiology</i> , 1995 , 141, 637-44	3.8	353
158	Trends and correlates of class 3 obesity in the United States from 1990 through 2000. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 1758-61	27.4	325
157	Relation of BMI to fat and fat-free mass among children and adolescents. <i>International Journal of Obesity</i> , 2005 , 29, 1-8	5.5	322
156	The validity of BMI as an indicator of body fatness and risk among children. <i>Pediatrics</i> , 2009 , 124 Suppl 1, S23-34	7.4	320
155	Characterizing extreme values of body mass index-for-age by using the 2000 Centers for Disease Control and Prevention growth charts. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 1314-20	7	312
154	Morbid obesity as a risk factor for hospitalization and death due to 2009 pandemic influenza A(H1N1) disease. <i>PLoS ONE</i> , 2010 , 5, e9694	3.7	298
153	Validity of self-reported diagnoses leading to hospitalization: a comparison of self-reports with hospital records in a prospective study of American adults. <i>American Journal of Epidemiology</i> , 1998 , 147, 969-77	3.8	298
152	Racial and ethnic differences in secular trends for childhood BMI, weight, and height. <i>Obesity</i> , 2006 , 14, 301-8	8	287

151	Secular increases in relative weight and adiposity among children over two decades: the Bogalusa Heart Study. <i>Pediatrics</i> , 1997 , 99, 420-6	7.4	282
150	Relation of lipoprotein subclasses as measured by proton nuclear magnetic resonance spectroscopy to coronary artery disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998 , 18, 1046-53	9.4	281
149	Nuclear magnetic resonance spectroscopy of lipoproteins and risk of coronary heart disease in the cardiovascular health study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002 , 22, 1175-80	9.4	249
148	Relations of lipoprotein subclass levels and low-density lipoprotein size to progression of coronary artery disease in the Pravastatin Limitation of Atherosclerosis in the Coronary Arteries (PLAC-I) trial. <i>American Journal of Cardiology</i> , 2002 , 90, 89-94	3	245
147	Relation of age at menarche to race, time period, and anthropometric dimensions: the Bogalusa Heart Study. <i>Pediatrics</i> , 2002 , 110, e43	7.4	238
146	Relation of body mass index and waist-to-height ratio to cardiovascular disease risk factors in children and adolescents: the Bogalusa Heart Study. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 33-40	7	234
145	Differences in Obesity Prevalence by Demographics and Urbanization in US Children and Adolescents, 2013-2016. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 2410-2418	27.4	226
144	Prevalence of and trends in dyslipidemia and blood pressure among US children and adolescents, 1999-2012. <i>JAMA Pediatrics</i> , 2015 , 169, 272-9	8.3	218
143	Sex and age differences in lipoprotein subclasses measured by nuclear magnetic resonance spectroscopy: the Framingham Study. <i>Clinical Chemistry</i> , 2004 , 50, 1189-200	5.5	213
142	Differences in Obesity Prevalence by Demographic Characteristics and Urbanization Level Among Adults in the United States, 2013-2016. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 2419-2429	27.4	204
141	Health risks of obesity. <i>Medical Clinics of North America</i> , 1989 , 73, 111-38	7	200
140	Prevalence of Obesity Among Youths by Household Income and Education Level of Head of Household - United States 2011-2014. <i>Morbidity and Mortality Weekly Report</i> , 2018 , 67, 186-189	31.7	190
139	Prevalence of Obesity Among Adults, by Household Income and Education - United States, 2011-2014. <i>Morbidity and Mortality Weekly Report</i> , 2017 , 66, 1369-1373	31.7	184
138	The relation of menarcheal age to obesity in childhood and adulthood: the Bogalusa heart study. <i>BMC Pediatrics</i> , 2003 , 3, 3	2.6	175
137	High adiposity and high body mass index-for-age in US children and adolescents overall and by race-ethnic group. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 1020-6	7	169
136	Relation of body fat distribution to hyperinsulinemia in children and adolescents: the Bogalusa Heart Study. <i>American Journal of Clinical Nutrition</i> , 1987 , 46, 403-10	7	169
135	The relation of obesity throughout life to carotid intima-media thickness in adulthood: the Bogalusa Heart Study. <i>International Journal of Obesity</i> , 2004 , 28, 159-66	5.5	159
134	Increasing prevalence of overweight among US low-income preschool children: the Centers for Disease Control and Prevention pediatric nutrition surveillance, 1983 to 1995. <i>Pediatrics</i> , 1998 , 101, E12	7.4	159

133	Inter-relationships among childhood BMI, childhood height, and adult obesity: the Bogalusa Heart Study. <i>International Journal of Obesity</i> , 2004 , 28, 10-6	5.5	157
132	The relation of apolipoproteins A-I and B in children to parental myocardial infarction. <i>New England Journal of Medicine</i> , 1986 , 315, 721-6	59.2	153
131	Body fat distribution and male/female differences in lipids and lipoproteins. <i>Circulation</i> , 1990 , 81, 1498-506	50.7	150
130	Racial differences in the tracking of childhood BMI to adulthood. <i>Obesity</i> , 2005 , 13, 928-35		142
129	Trends in Obesity Prevalence by Race and Hispanic Origin-1999-2000 to 2017-2018. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1208-1210	27.4	142
128	BMI z-Scores are a poor indicator of adiposity among 2- to 19-year-olds with very high BMIs, NHANES 1999-2000 to 2013-2014. <i>Obesity</i> , 2017 , 25, 739-746	8	137
127	A longitudinal analysis of sugar-sweetened beverage intake in infancy and obesity at 6 years. <i>Pediatrics</i> , 2014 , 134 Suppl 1, S29-35	7.4	130
126	The contribution of childhood obesity to adult carotid intima-media thickness: the Bogalusa Heart Study. <i>International Journal of Obesity</i> , 2008 , 32, 749-56	5.5	128
125	Body fat patterning and blood pressure in children and young adults. The Bogalusa Heart Study. <i>Hypertension</i> , 1987 , 9, 236-44	8.5	121
124	Relation of body fat patterning to lipid and lipoprotein concentrations in children and adolescents: the Bogalusa Heart Study. <i>American Journal of Clinical Nutrition</i> , 1989 , 50, 930-9	7	120
123	Relation of body mass index and skinfold thicknesses to cardiovascular disease risk factors in children: the Bogalusa Heart Study. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 210-6	7	118
122	Fasting plasma glucose and insulin levels and their relationship to cardiovascular risk factors in children: Bogalusa Heart Study. <i>Metabolism: Clinical and Experimental</i> , 1986 , 35, 441-6	12.7	109
121	Classification of body fatness by body mass index-for-age categories among children. <i>JAMA Pediatrics</i> , 2009 , 163, 805-11		106
120	The body adiposity index (hip circumference [height(1.5)]) is not a more accurate measure of adiposity than is BMI, waist circumference, or hip circumference. <i>Obesity</i> , 2012 , 20, 2438-44	8	104
119	Tracking of serum lipids and lipoproteins in children over an 8-year period: the Bogalusa Heart Study. <i>Preventive Medicine</i> , 1985 , 14, 203-16	4.3	104
118	Relation of body fat distribution to ischemic heart disease. The National Health and Nutrition Examination Survey I (NHANES I) Epidemiologic Follow-up Study. <i>American Journal of Epidemiology</i> , 1995 , 142, 53-63	3.8	93
117	Growth Charts for Children With Down Syndrome in the United States. <i>Pediatrics</i> , 2015 , 136, e1204-11	7.4	92
116	Risk factors and adult body mass index among overweight children: the Bogalusa Heart Study. <i>Pediatrics</i> , 2009 , 123, 750-7	7.4	92

115	Racial/ethnic differences in body fatness among children and adolescents. <i>Obesity</i> , 2008 , 16, 1105-11	8	92
114	The prediction of body fatness by BMI and skinfold thicknesses among children and adolescents. <i>Annals of Human Biology</i> , 2007 , 34, 183-94	1.7	92
113	Black-white differences in aortic fatty streaks in adolescence and early adulthood: the Bogalusa Heart Study. <i>Circulation</i> , 1988 , 77, 856-64	16.7	92
112	Risk factors in early life as predictors of adult heart disease: the Bogalusa Heart Study. <i>American Journal of the Medical Sciences</i> , 1989 , 298, 141-51	2.2	89
111	Secular trends in BMI and blood pressure among children and adolescents: the Bogalusa Heart Study. <i>Pediatrics</i> , 2012 , 130, e159-66	7.4	84
110	BMI rebound, childhood height and obesity among adults: the Bogalusa Heart Study. <i>International Journal of Obesity</i> , 2001 , 25, 543-9	5.5	82
109	Plasma lipid levels and psychologic characteristics in men. <i>American Journal of Epidemiology</i> , 1995 , 141, 507-17	3.8	80
108	High prevalence of postpartum anemia among low-income women in the United States. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 185, 438-43	6.4	79
107	Body mass index and body fatness in childhood. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2005 , 8, 618-23	3.8	77
106	A comparison of the Slaughter skinfold-thickness equations and BMI in predicting body fatness and cardiovascular disease risk factor levels in children. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 1417-24	7.24	74
105	Tracking of BMI Scores for Severe Obesity. <i>Pediatrics</i> , 2017 , 140,	7.4	73
104	Secular trends in height among children during 2 decades: The Bogalusa Heart Study. <i>JAMA Pediatrics</i> , 2000 , 154, 155-61		72
103	Cigarette smoking initiation and longitudinal changes in serum lipids and lipoproteins in early adulthood: the Bogalusa Heart Study. <i>American Journal of Epidemiology</i> , 1986 , 124, 207-19	3.8	71
102	Relationship of Changes in Obesity to Serum Lipid and Lipoprotein Changes in Childhood and Adolescence. <i>JAMA - Journal of the American Medical Association</i> , 1985 , 254, 515	27.4	70
101	Height and adiposity among children. <i>Obesity</i> , 2004 , 12, 846-53		69
100	Effects of pravastatin treatment on lipoprotein subclass profiles and particle size in the PLAC-I trial. <i>Atherosclerosis</i> , 2002 , 160, 41-8	3.1	66
99	Trends in Obesity Among Participants Aged 2-4 Years in the Special Supplemental Nutrition Program for Women, Infants, and Children - United States, 2000-2014. <i>Morbidity and Mortality Weekly Report</i> , 2016 , 65, 1256-1260	31.7	66
98	The pediatric obesity epidemic continues unabated in Bogalusa, Louisiana. <i>Pediatrics</i> , 2010 , 125, 900-5	7.4	63

97	Levels and correlates of LDL and VLDL particle sizes among children: the Bogalusa heart study. <i>Atherosclerosis</i> , 2000 , 152, 441-9	3.1	63
96	Do skinfold measurements provide additional information to body mass index in the assessment of body fatness among children and adolescents?. <i>Pediatrics</i> , 2007 , 119, e1306-13	7.4	61
95	The association between cardiovascular response tasks and future blood pressure levels in children: Bogalusa Heart Study. <i>American Heart Journal</i> , 1987 , 113, 1174-9	4.9	61
94	Cigarette smoking and leukocyte subpopulations in men. <i>Annals of Epidemiology</i> , 1996 , 6, 299-306	6.4	60
93	Relation of triglyceride levels to coronary artery disease: the Milwaukee Cardiovascular Data Registry. <i>American Journal of Epidemiology</i> , 1988 , 127, 1118-30	3.8	56
92	Baldness and ischemic heart disease in a national sample of men. <i>American Journal of Epidemiology</i> , 1996 , 143, 651-7	3.8	54
91	Distribution and correlates of high-density lipoprotein subclasses among children and adolescents. <i>Metabolism: Clinical and Experimental</i> , 2001 , 50, 370-6	12.7	54
90	Unexplained decline in the prevalence of anemia among US children and women between 1988-1994 and 1999-2002. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1611-7	7	53
89	Relation of serum testosterone levels to high density lipoprotein cholesterol and other characteristics in men. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1991 , 11, 307-15		52
88	Relation of childhood height to obesity among adults: the Bogalusa Heart Study. <i>Pediatrics</i> , 2002 , 109, E23	7.4	50
87	The relationship between parental history of vascular disease and cardiovascular disease risk factors in children: the Bogalusa Heart Study. <i>American Journal of Epidemiology</i> , 1985 , 122, 762-71	3.8	50
86	Are the recent secular increases in the waist circumference of adults independent of changes in BMI?. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 425-31	7	49
85	Black/white differences in leukocyte subpopulations in men. <i>International Journal of Epidemiology</i> , 1997 , 26, 757-64	7.8	49
84	Relation of cigarette smoking to non-Hodgkin's lymphoma among middle-aged men. <i>American Journal of Epidemiology</i> , 1998 , 148, 833-41	3.8	49
83	Obesity, levels of lipids and glucose, and smoking among Navajo adolescents. <i>Journal of Nutrition</i> , 1997 , 127, 2120S-2127S	4.1	47
82	Smoothed percentage body fat percentiles for U.S. children and adolescents, 1999-2004. <i>National Health Statistics Reports</i> , 2011 , 1-7	3.7	45
81	The Limitations of Transforming Very High Body Mass Indexes into z-Scores among 8.7 Million 2- to 4-Year-Old Children. <i>Journal of Pediatrics</i> , 2017 , 188, 50-56.e1	3.6	42
80	Risk factors for coronary heart disease among Navajo Indians: findings from the Navajo Health and Nutrition Survey. <i>Journal of Nutrition</i> , 1997 , 127, 2099S-2105S	4.1	42

79	Obesity - United States, 1988-2008. <i>MMWR Supplements</i> , 2011 , 60, 73-7	20.6	40
78	Validity of the WHO cutoffs for biologically implausible values of weight, height, and BMI in children and adolescents in NHANES from 1999 through 2012. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1000-6	7	38
77	Occupational chlorophenol exposure and soft tissue sarcoma risk among men aged 30-60 years. <i>American Journal of Epidemiology</i> , 1998 , 148, 693-703	3.8	38
76	Differences in the relation of obesity to serum triacylglycerol and VLDL subclass concentrations between black and white children: the Bogalusa Heart Study. <i>American Journal of Clinical Nutrition</i> , 2002 , 75, 827-33	7	37
75	Racial (black-white) comparisons of the relationship of levels of endogenous sex hormones to serum lipoproteins during male adolescence: the Bogalusa Heart Study. <i>Circulation</i> , 1986 , 74, 1226-34	16.7	37
74	Black-white differences in serum lipoproteins during sexual maturation: the Bogalusa Heart Study. <i>Journal of Chronic Diseases</i> , 1987 , 40, 309-18		36
73	Black-white differences in cholesterol levels of serum high-density lipoprotein subclasses among children: the Bogalusa Heart Study. <i>Circulation</i> , 1987 , 76, 272-9	16.7	35
72	Clustering of coronary heart disease risk factors among obese children. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2002 , 15, 1099-108	1.6	34
71	The abilities of body mass index and skinfold thicknesses to identify children with low or elevated levels of dual-energy X-ray absorptiometry-determined body fatness. <i>Journal of Pediatrics</i> , 2013 , 163, 160-6.e1	3.6	32
70	Interrelationships between BMI, skinfold thicknesses, percent body fat, and cardiovascular disease risk factors among U.S. children and adolescents. <i>BMC Pediatrics</i> , 2015 , 15, 188	2.6	32
69	Body Composition and Health Status among Children and Adolescents. <i>Preventive Medicine</i> , 2000 , 31, S34-S53	4.3	32
68	Adverse influences of alcohol, tobacco, and oral contraceptive use on cardiovascular risk factors during transition to adulthood. <i>American Journal of Epidemiology</i> , 1987 , 126, 202-13	3.8	30
67	Black/white differences in risk factors for arteriographically documented coronary artery disease in men. <i>American Journal of Cardiology</i> , 1988 , 62, 214-9	3	29
66	Prevention of atherosclerosis in childhood. <i>Pediatric Clinics of North America</i> , 1986 , 33, 835-58	3.6	29
65	Differences between black and white men in correlates of high density lipoprotein cholesterol. <i>American Journal of Epidemiology</i> , 1990 , 132, 656-69	3.8	28
64	Atherosclerosis and its evolution in childhood. <i>American Journal of the Medical Sciences</i> , 1987 , 294, 429-402		28
63	Interpretation of linear regression models that include transformations or interaction terms. <i>Annals of Epidemiology</i> , 1992 , 2, 735-44	6.4	26
62	Incidences of obesity and extreme obesity among US adults: findings from the 2009 Behavioral Risk Factor Surveillance System. <i>Population Health Metrics</i> , 2011 , 9, 56	3	25

61	Black/white differences in relative weight and obesity among girls: the Bogalusa Heart Study. <i>Preventive Medicine</i> , 2000 , 30, 234-43	4.3	25
60	Diabetes mellitus and arteriographically-documented coronary artery disease. <i>Journal of Clinical Epidemiology</i> , 1988 , 41, 659-68	5.7	25
59	Tracking and Variability in Childhood Levels of BMI: The Bogalusa Heart Study. <i>Obesity</i> , 2018 , 26, 1197-1202	18.0	24
58	Prevalence of hypertension among Navajo Indians: findings from the Navajo Health and Nutrition Survey. <i>Journal of Nutrition</i> , 1997 , 127, 2114S-2119S	4.1	23
57	Correlates of leukocyte counts in men. <i>Annals of Epidemiology</i> , 1996 , 6, 74-82	6.4	23
56	Serum cholesterol levels in a multiracial sample of 7,439 preschool children from Arizona. <i>Preventive Medicine</i> , 1992 , 21, 162-76	4.3	23
55	Is the body adiposity index (hip circumference/height(1.5)) more strongly related to skinfold thicknesses and risk factor levels than is BMI? The Bogalusa Heart Study. <i>British Journal of Nutrition</i> , 2013 , 109, 338-45	3.6	22
54	Designation of children with high blood pressure--considerations on percentile cut points and subsequent high blood pressure: the Bogalusa Heart Study. <i>American Journal of Epidemiology</i> , 1987 , 125, 73-84	3.8	22
53	Distance and percentage distance from median BMI as alternatives to BMI score. <i>British Journal of Nutrition</i> , 2020 , 124, 493-500	3.6	21
52	Trends in Weight-for-Length Among Infants in WIC From 2000 to 2014. <i>Pediatrics</i> , 2017 , 139,	7.4	20
51	The relation of atherosclerotic lesions to antemortem and postmortem lipid levels: the Bogalusa Heart Study. <i>Atherosclerosis</i> , 1993 , 104, 37-46	3.1	20
50	Population distribution of the sagittal abdominal diameter (SAD) from a representative sample of US adults: comparison of SAD, waist circumference and body mass index for identifying dysglycemia. <i>PLoS ONE</i> , 2014 , 9, e108707	3.7	20
49	Longitudinal serum lipoprotein changes in white males during adolescence: the Bogalusa Heart Study. <i>Metabolism: Clinical and Experimental</i> , 1985 , 34, 396-403	12.7	19
48	Cholesterol and coronary artery disease: age as an effect modifier. <i>Journal of Clinical Epidemiology</i> , 1992 , 45, 1053-9	5.7	18
47	Changes in Obesity Among US Children Aged 2 Through 4 Years Enrolled in WIC During 2010-2016. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 2364-2366	27.4	17
46	Changes and variability in high levels of low-density lipoprotein cholesterol among children. <i>Pediatrics</i> , 2010 , 126, 266-73	7.4	17
45	The identification of children with adverse risk factor levels by body mass index cutoffs from 2 classification systems: the Bogalusa Heart Study. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 1298-305	30.5	17
44	Childhood overweight and family income. <i>MedGenMed: Medscape General Medicine</i> , 2007 , 9, 26		17

43	The prevalence and validity of high, biologically implausible values of weight, height, and BMI among 8.8 million children. <i>Obesity</i> , 2016 , 24, 1132-9	8	17
42	Seasonal change in nutritional status among young children in an urban shanty town in Peru. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1996 , 90, 442-5	2	16
41	Ethnic differences in subcutaneous adiposity and waist girth in children and adolescents. <i>Obesity</i> , 2009 , 17, 2075-81	8	15
40	Longitudinal changes in BMI z-scores among 45 414 2-4-year olds with severe obesity. <i>Annals of Human Biology</i> , 2017 , 44, 687-692	1.7	14
39	The relation of BMI and skinfold thicknesses to risk factors among young and middle-aged adults: the Bogalusa Heart Study. <i>Annals of Human Biology</i> , 2010 , 37, 726-37	1.7	12
38	State-Specific Prevalence of Obesity Among Children Aged 2-4 Years Enrolled in the Special Supplemental Nutrition Program for Women, Infants, and Children - United States, 2010-2016. <i>Morbidity and Mortality Weekly Report</i> , 2019 , 68, 1057-1061	31.7	12
37	The relation of documented coronary artery disease to levels of total cholesterol and high-density lipoprotein cholesterol. <i>Epidemiology</i> , 1994 , 5, 80-7	3.1	11
36	Polymorphism in the 5' flanking region of the insulin gene and its potential relation to cardiovascular disease risk: observations in a biracial community. The Bogalusa Heart Study. <i>Atherosclerosis</i> , 1989 , 79, 51-7	3.1	11
35	High density lipoprotein and coronary artery disease risk factors in children with different lipoprotein profiles: Bogalusa Heart Study. <i>Journal of Chronic Diseases</i> , 1985 , 38, 327-38		11
34	Use of density-equalizing cartograms to visualize trends and disparities in state-specific prevalence of obesity: 1996-2006. <i>American Journal of Public Health</i> , 2009 , 99, 308-12	5.1	10
33	Tracking of obesity among 2- to 9-year-olds in an electronic health record database from 2006 to 2018. <i>Obesity Science and Practice</i> , 2020 , 6, 300-306	2.6	9
32	Infant feeding-related maternity care practices and maternal report of breastfeeding outcomes. <i>Birth</i> , 2018 , 45, 424-431	3.1	9
31	The importance of body fat distribution in early life. <i>American Journal of the Medical Sciences</i> , 1995 , 310 Suppl 1, S72-6	2.2	9
30	Correlates of high density lipoprotein cholesterol and apolipoprotein A-I levels in children. The Bogalusa Heart Study. <i>Arteriosclerosis (Dallas, Tex)</i> , 1987 , 7, 354-60		9
29	Skinfolds and coronary heart disease risk factors are more strongly associated with BMI than with the body adiposity index. <i>Obesity</i> , 2013 , 21, E64-70	8	8
28	Are the Recent Secular Increases in Waist Circumference among Children and Adolescents Independent of Changes in BMI?. <i>PLoS ONE</i> , 2015 , 10, e0141056	3.7	8
27	Differences between the fourth and fifth Korotkoff phases among children and adolescents. <i>American Journal of Hypertension</i> , 2014 , 27, 1495-502	2.3	8
26	Risk factors and the anatomic distribution of coronary artery disease. <i>Atherosclerosis</i> , 1989 , 75, 227-36	3.1	8

25	Persistence of high diastolic blood pressure in thin children. The Bogalusa Heart Study. <i>Hypertension</i> , 1986 , 8, 24-9	8.5	7
24	A method for calculating BMI z-scores and percentiles above the 95 percentile of the CDC growth charts. <i>Annals of Human Biology</i> , 2020 , 47, 514-521	1.7	7
23	Risk of cardiovascular complications 2002 , 221-240		6
22	The Relation of Adiposity Rebound to Subsequent BMI in a Large Electronic Health Record Database. <i>Childhood Obesity</i> , 2021 , 17, 51-57	2.5	6
21	Secular trends for skinfolds differ from those for BMI and waist circumference among adults examined in NHANES from 1988-1994 through 2009-2010. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 169-176	7	5
20	Education, health behaviors, and the black-white difference in waist-to-hip ratio. <i>Obesity</i> , 1996 , 4, 505-12		5
19	Cardiovascular risk in parents of children with extreme lipoprotein cholesterol levels: the Bogalusa Heart Study. <i>Southern Medical Journal</i> , 1988 , 81, 341-9, 353	0.6	5
18	Use of ⁸⁶ Rb and ²² Na in assaying active and cotransport activities in human erythrocytes in a biracial population. <i>Clinica Chimica Acta</i> , 1988 , 176, 133-42	6.2	4
17	A Longitudinal Comparison of Alternatives to Body Mass Index Z-Scores for Children with Very High Body Mass Indexes. <i>Journal of Pediatrics</i> , 2021 , 235, 156-162	3.6	3
16	The Longitudinal Relation of Childhood Height to Subsequent Obesity in a Large Electronic Health Record Database. <i>Obesity</i> , 2020 , 28, 1742-1749	8	2
15	Reply to TJ Cole. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 815-816	7	2
14	The relation of prothrombin times to coronary heart disease risk factors among men aged 31-45 years. <i>American Journal of Epidemiology</i> , 1992 , 136, 513-24	3.8	2
13	Interrelationships among age at adiposity rebound, BMI during childhood, and BMI after age 14 years in an electronic health record database.. <i>Obesity</i> , 2022 , 30, 201-208	8	2
12	BMI Trajectories in Youth and Adulthood. <i>Pediatrics</i> , 2018 , 141,	7.4	1
11	Prediction of adult overweight from childhood body mass index and not childhood height. <i>Pediatrics</i> , 2003 , 111, 224-5; author reply 224-5	7.4	1
10	Reply to A Legido et al. <i>American Journal of Clinical Nutrition</i> , 1988 , 48, 686-687	7	1
9	Measuring BMI change among children and adolescents.. <i>Pediatric Obesity</i> , 2022 , e12889	4.6	0
8	Changes in High Weight-for-Length among Infants Enrolled in Special Supplemental Nutrition Program for Women, Infants, and Children during 2010-2018. <i>Childhood Obesity</i> , 2021 , 17, 408-419	2.5	0

7	Trends in Obesity Among Low-Income Young Children-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 1714-1715	27.4
6	Determination of Body Size Measures and Blood Pressure Levels among Children. <i>Jornal De Pediatria (Versão Em Português)</i> , 2013 , 89, 211-214	0.2
5	The Measurement and Epidemiology of Child Obesity 2011 , 31-42	
4	Obesity Bindings from the Bogalusa Heart Study 2011 , 77-92	
3	Body Mass Index and Blood Pressure Improvements With a Pediatric Weight Management Intervention at Federally Qualified Health Centers. <i>Academic Pediatrics</i> , 2021 , 21, 312-320	2.7
2	Response to Rolland-Cachera et al., "Early Adiposity Rebound Predicts Later Overweight and Provides Useful Information on Obesity Development" (DOI: chi-2021-0087). <i>Childhood Obesity</i> , 2021 , 17, 429-430	2.5
1	Response to BMI at age 3 years predicts later BMI but age at adiposity rebound conveys information on BMI pattern-health association <i>Obesity</i> , 2022 ,	8