

# David S Freedman

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1443765/david-s-freedman-publications-by-year.pdf>

**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168 papers	20,286 citations	68 h-index	142 g-index
175 ext. papers	22,568 ext. citations	7.9 avg, IF	6.69 L-index

#	Paper	IF	Citations
168	Measuring BMI change among children and adolescents.. <i>Pediatric Obesity</i> , <b>2022</b> , e12889	4.6	0
167	Interrelationships among age at adiposity rebound, BMI during childhood, and BMI after age 14 years in an electronic health record database.. <i>Obesity</i> , <b>2022</b> , 30, 201-208	8	2
166	Response to BMI at age 3 years predicts later BMI but age at adiposity rebound conveys information on BMI pattern-health association <i>Obesity</i> , <b>2022</b> ,	8	
165	Body Mass Index and Blood Pressure Improvements With a Pediatric Weight Management Intervention at Federally Qualified Health Centers. <i>Academic Pediatrics</i> , <b>2021</b> , 21, 312-320	2.7	
164	The Relation of Adiposity Rebound to Subsequent BMI in a Large Electronic Health Record Database. <i>Childhood Obesity</i> , <b>2021</b> , 17, 51-57	2.5	6
163	A Longitudinal Comparison of Alternatives to Body Mass Index Z-Scores for Children with Very High Body Mass Indexes. <i>Journal of Pediatrics</i> , <b>2021</b> , 235, 156-162	3.6	3
162	Changes in High Weight-for-Length among Infants Enrolled in Special Supplemental Nutrition Program for Women, Infants, and Children during 2010-2018. <i>Childhood Obesity</i> , <b>2021</b> , 17, 408-419	2.5	0
161	Response to Rolland-Cachera et al., "Early Adiposity Rebound Predicts Later Overweight and Provides Useful Information on Obesity Development" (DOI: chi-2021-0087). <i>Childhood Obesity</i> , <b>2021</b> , 17, 429-430	2.5	
160	The Longitudinal Relation of Childhood Height to Subsequent Obesity in a Large Electronic Health Record Database. <i>Obesity</i> , <b>2020</b> , 28, 1742-1749	8	2
159	Tracking of obesity among 2- to 9-year-olds in an electronic health record database from 2006 to 2018. <i>Obesity Science and Practice</i> , <b>2020</b> , 6, 300-306	2.6	9
158	Trends in Obesity Prevalence by Race and Hispanic Origin-1999-2000 to 2017-2018. <i>JAMA - Journal of the American Medical Association</i> , <b>2020</b> , 324, 1208-1210	27.4	142
157	A method for calculating BMI z-scores and percentiles above the 95 percentile of the CDC growth charts. <i>Annals of Human Biology</i> , <b>2020</b> , 47, 514-521	1.7	7
156	Distance and percentage distance from median BMI as alternatives to BMI score. <i>British Journal of Nutrition</i> , <b>2020</b> , 124, 493-500	3.6	21
155	Changes in Obesity Among US Children Aged 2 Through 4 Years Enrolled in WIC During 2010-2016. <i>JAMA - Journal of the American Medical Association</i> , <b>2019</b> , 321, 2364-2366	27.4	17
154	Trends in Obesity Among Low-Income Young Children-Reply. <i>JAMA - Journal of the American Medical Association</i> , <b>2019</b> , 322, 1714-1715	27.4	
153	State-Specific Prevalence of Obesity Among Children Aged 2-4 Years Enrolled in the Special Supplemental Nutrition Program for Women, Infants, and Children - United States, 2010-2016. <i>Morbidity and Mortality Weekly Report</i> , <b>2019</b> , 68, 1057-1061	31.7	12
152	Infant feeding-related maternity care practices and maternal report of breastfeeding outcomes. <i>Birth</i> , <b>2018</b> , 45, 424-431	3.1	9

151	BMI Trajectories in Youth and Adulthood. <i>Pediatrics</i> , <b>2018</b> , 141,	7.4	1
150	Trends in Obesity and Severe Obesity Prevalence in US Youth and Adults by Sex and Age, 2007-2008 to 2015-2016. <i>JAMA - Journal of the American Medical Association</i> , <b>2018</b> , 319, 1723-1725	27.4	994
149	Tracking and Variability in Childhood Levels of BMI: The Bogalusa Heart Study. <i>Obesity</i> , <b>2018</b> , 26, 1197-1202	24	
148	Differences in Obesity Prevalence by Demographics and Urbanization in US Children and Adolescents, 2013-2016. <i>JAMA - Journal of the American Medical Association</i> , <b>2018</b> , 319, 2410-2418	27.4	226
147	Differences in Obesity Prevalence by Demographic Characteristics and Urbanization Level Among Adults in the United States, 2013-2016. <i>JAMA - Journal of the American Medical Association</i> , <b>2018</b> , 319, 2419-2429	27.4	204
146	Prevalence of Obesity Among Youths by Household Income and Education Level of Head of Household - United States 2011-2014. <i>Morbidity and Mortality Weekly Report</i> , <b>2018</b> , 67, 186-189	31.7	190
145	BMI z-Scores are a poor indicator of adiposity among 2- to 19-year-olds with very high BMIs, NHANES 1999-2000 to 2013-2014. <i>Obesity</i> , <b>2017</b> , 25, 739-746	8	137
144	The Limitations of Transforming Very High Body Mass Indexes into z-Scores among 8.7 Million 2- to 4-Year-Old Children. <i>Journal of Pediatrics</i> , <b>2017</b> , 188, 50-56.e1	3.6	42
143	Trends in Weight-for-Length Among Infants in WIC From 2000 to 2014. <i>Pediatrics</i> , <b>2017</b> , 139,	7.4	20
142	Prevalence of Obesity Among Adults, by Household Income and Education - United States, 2011-2014. <i>Morbidity and Mortality Weekly Report</i> , <b>2017</b> , 66, 1369-1373	31.7	184
141	Tracking of BMI Scores for Severe Obesity. <i>Pediatrics</i> , <b>2017</b> , 140,	7.4	73
140	Longitudinal changes in BMI z-scores among 45 414 2-4-year olds with severe obesity. <i>Annals of Human Biology</i> , <b>2017</b> , 44, 687-692	1.7	14
139	Secular trends for skinfolds differ from those for BMI and waist circumference among adults examined in NHANES from 1988-1994 through 2009-2010. <i>American Journal of Clinical Nutrition</i> , <b>2017</b> , 105, 169-176	7	5
138	Trends in Obesity Among Participants Aged 2-4 Years in the Special Supplemental Nutrition Program for Women, Infants, and Children - United States, 2000-2014. <i>Morbidity and Mortality Weekly Report</i> , <b>2016</b> , 65, 1256-1260	31.7	66
137	The prevalence and validity of high, biologically implausible values of weight, height, and BMI among 8.8 million children. <i>Obesity</i> , <b>2016</b> , 24, 1132-9	8	17
136	Prevalence of and trends in dyslipidemia and blood pressure among US children and adolescents, 1999-2012. <i>JAMA Pediatrics</i> , <b>2015</b> , 169, 272-9	8.3	218
135	Growth Charts for Children With Down Syndrome in the United States. <i>Pediatrics</i> , <b>2015</b> , 136, e1204-11	7.4	92
134	Validity of the WHO cutoffs for biologically implausible values of weight, height, and BMI in children and adolescents in NHANES from 1999 through 2012. <i>American Journal of Clinical Nutrition</i> , <b>2015</b> , 102, 1000-6	7	38

133	Interrelationships between BMI, skinfold thicknesses, percent body fat, and cardiovascular disease risk factors among U.S. children and adolescents. <i>BMC Pediatrics</i> , <b>2015</b> , 15, 188	2.6	32
132	Are the Recent Secular Increases in Waist Circumference among Children and Adolescents Independent of Changes in BMI?. <i>PLoS ONE</i> , <b>2015</b> , 10, e0141056	3.7	8
131	Are the recent secular increases in the waist circumference of adults independent of changes in BMI?. <i>American Journal of Clinical Nutrition</i> , <b>2015</b> , 101, 425-31	7	49
130	A longitudinal analysis of sugar-sweetened beverage intake in infancy and obesity at 6 years. <i>Pediatrics</i> , <b>2014</b> , 134 Suppl 1, S29-35	7.4	130
129	Differences between the fourth and fifth Korotkoff phases among children and adolescents. <i>American Journal of Hypertension</i> , <b>2014</b> , 27, 1495-502	2.3	8
128	Population distribution of the sagittal abdominal diameter (SAD) from a representative sample of US adults: comparison of SAD, waist circumference and body mass index for identifying dysglycemia. <i>PLoS ONE</i> , <b>2014</b> , 9, e108707	3.7	20
127	Skinfolds and coronary heart disease risk factors are more strongly associated with BMI than with the body adiposity index. <i>Obesity</i> , <b>2013</b> , 21, E64-70	8	8
126	The abilities of body mass index and skinfold thicknesses to identify children with low or elevated levels of dual-energy X-ray absorptiometry-determined body fatness. <i>Journal of Pediatrics</i> , <b>2013</b> , 163, 160-6.e1	3.6	32
125	Determination of Body Size Measures and Blood Pressure Levels among Children. <i>Jornal De Pediatria (Versão Em Português)</i> , <b>2013</b> , 89, 211-214	0.2	
124	A comparison of the Slaughter skinfold-thickness equations and BMI in predicting body fatness and cardiovascular disease risk factor levels in children. <i>American Journal of Clinical Nutrition</i> , <b>2013</b> , 98, 1417-24	7.24	74
123	Is the body adiposity index (hip circumference/height(1.5)) more strongly related to skinfold thicknesses and risk factor levels than is BMI? The Bogalusa Heart Study. <i>British Journal of Nutrition</i> , <b>2013</b> , 109, 338-45	3.6	22
122	The body adiposity index (hip circumference [height(1.5)]) is not a more accurate measure of adiposity than is BMI, waist circumference, or hip circumference. <i>Obesity</i> , <b>2012</b> , 20, 2438-44	8	104
121	Secular trends in BMI and blood pressure among children and adolescents: the Bogalusa Heart Study. <i>Pediatrics</i> , <b>2012</b> , 130, e159-66	7.4	84
120	The Measurement and Epidemiology of Child Obesity <b>2011</b> , 31-42		
119	Incidences of obesity and extreme obesity among US adults: findings from the 2009 Behavioral Risk Factor Surveillance System. <i>Population Health Metrics</i> , <b>2011</b> , 9, 56	3	25
118	Obesity Bindings from the Bogalusa Heart Study <b>2011</b> , 77-92		
117	Obesity - United States, 1988-2008. <i>MMWR Supplements</i> , <b>2011</b> , 60, 73-7	20.6	40
116	Smoothed percentage body fat percentiles for U.S. children and adolescents, 1999-2004. <i>National Health Statistics Reports</i> , <b>2011</b> , 1-7	3.7	45

115	High adiposity and high body mass index-for-age in US children and adolescents overall and by race-ethnic group. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 91, 1020-6	7	169
114	Reply to TJ Cole. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 91, 815-816	7	2
113	Changes and variability in high levels of low-density lipoprotein cholesterol among children. <i>Pediatrics</i> , <b>2010</b> , 126, 266-73	7.4	17
112	The identification of children with adverse risk factor levels by body mass index cutoffs from 2 classification systems: the Bogalusa Heart Study. <i>American Journal of Clinical Nutrition</i> , <b>2010</b> , 92, 1298-305	7.5	17
111	Morbid obesity as a risk factor for hospitalization and death due to 2009 pandemic influenza A(H1N1) disease. <i>PLoS ONE</i> , <b>2010</b> , 5, e9694	3.7	298
110	The pediatric obesity epidemic continues unabated in Bogalusa, Louisiana. <i>Pediatrics</i> , <b>2010</b> , 125, 900-5	7.4	63
109	The relation of BMI and skinfold thicknesses to risk factors among young and middle-aged adults: the Bogalusa Heart Study. <i>Annals of Human Biology</i> , <b>2010</b> , 37, 726-37	1.7	12
108	Characterizing extreme values of body mass index-for-age by using the 2000 Centers for Disease Control and Prevention growth charts. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 90, 1314-20	7	312
107	Classification of body fatness by body mass index-for-age categories among children. <i>JAMA Pediatrics</i> , <b>2009</b> , 163, 805-11		106
106	Relation of body mass index and skinfold thicknesses to cardiovascular disease risk factors in children: the Bogalusa Heart Study. <i>American Journal of Clinical Nutrition</i> , <b>2009</b> , 90, 210-6	7	118
105	Ethnic differences in subcutaneous adiposity and waist girth in children and adolescents. <i>Obesity</i> , <b>2009</b> , 17, 2075-81	8	15
104	Risk factors and adult body mass index among overweight children: the Bogalusa Heart Study. <i>Pediatrics</i> , <b>2009</b> , 123, 750-7	7.4	92
103	The validity of BMI as an indicator of body fatness and risk among children. <i>Pediatrics</i> , <b>2009</b> , 124 Suppl 1, S23-34	7.4	320
102	Use of density-equalizing cartograms to visualize trends and disparities in state-specific prevalence of obesity: 1996-2006. <i>American Journal of Public Health</i> , <b>2009</b> , 99, 308-12	5.1	10
101	Racial/ethnic differences in body fatness among children and adolescents. <i>Obesity</i> , <b>2008</b> , 16, 1105-11	8	92
100	The contribution of childhood obesity to adult carotid intima-media thickness: the Bogalusa Heart Study. <i>International Journal of Obesity</i> , <b>2008</b> , 32, 749-56	5.5	128
99	Unexplained decline in the prevalence of anemia among US children and women between 1988-1994 and 1999-2002. <i>American Journal of Clinical Nutrition</i> , <b>2008</b> , 88, 1611-7	7	53
98	The prediction of body fatness by BMI and skinfold thicknesses among children and adolescents. <i>Annals of Human Biology</i> , <b>2007</b> , 34, 183-94	1.7	92

97	Cardiovascular risk factors and excess adiposity among overweight children and adolescents: the Bogalusa Heart Study. <i>Journal of Pediatrics</i> , <b>2007</b> , 150, 12-17.e2	3.6	1035
96	Do skinfold measurements provide additional information to body mass index in the assessment of body fatness among children and adolescents?. <i>Pediatrics</i> , <b>2007</b> , 119, e1306-13	7.4	61
95	Relation of body mass index and waist-to-height ratio to cardiovascular disease risk factors in children and adolescents: the Bogalusa Heart Study. <i>American Journal of Clinical Nutrition</i> , <b>2007</b> , 86, 33-40	7	234
94	Childhood overweight and family income. <i>MedGenMed: Medscape General Medicine</i> , <b>2007</b> , 9, 26		17
93	Low-density lipoprotein and high-density lipoprotein particle subclasses predict coronary events and are favorably changed by gemfibrozil therapy in the Veterans Affairs High-Density Lipoprotein Intervention Trial. <i>Circulation</i> , <b>2006</b> , 113, 1556-63	16.7	463
92	Racial and ethnic differences in secular trends for childhood BMI, weight, and height. <i>Obesity</i> , <b>2006</b> , 14, 301-8	8	287
91	Body mass index and body fatness in childhood. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , <b>2005</b> , 8, 618-23	3.8	77
90	Racial differences in the tracking of childhood BMI to adulthood. <i>Obesity</i> , <b>2005</b> , 13, 928-35		142
89	Relation of BMI to fat and fat-free mass among children and adolescents. <i>International Journal of Obesity</i> , <b>2005</b> , 29, 1-8	5.5	322
88	The relation of childhood BMI to adult adiposity: the Bogalusa Heart Study. <i>Pediatrics</i> , <b>2005</b> , 115, 22-7	7.4	694
87	Sex and age differences in lipoprotein subclasses measured by nuclear magnetic resonance spectroscopy: the Framingham Study. <i>Clinical Chemistry</i> , <b>2004</b> , 50, 1189-200	5.5	213
86	The relation of obesity throughout life to carotid intima-media thickness in adulthood: the Bogalusa Heart Study. <i>International Journal of Obesity</i> , <b>2004</b> , 28, 159-66	5.5	159
85	Inter-relationships among childhood BMI, childhood height, and adult obesity: the Bogalusa Heart Study. <i>International Journal of Obesity</i> , <b>2004</b> , 28, 10-6	5.5	157
84	Height and adiposity among children. <i>Obesity</i> , <b>2004</b> , 12, 846-53		69
83	Prediction of adult overweight from childhood body mass index and not childhood height. <i>Pediatrics</i> , <b>2003</b> , 111, 224-5; author reply 224-5	7.4	1
82	The relation of menarcheal age to obesity in childhood and adulthood: the Bogalusa heart study. <i>BMC Pediatrics</i> , <b>2003</b> , 3, 3	2.6	175
81	Differences in the relation of obesity to serum triacylglycerol and VLDL subclass concentrations between black and white children: the Bogalusa Heart Study. <i>American Journal of Clinical Nutrition</i> , <b>2002</b> , 75, 827-33	7	37
80	Relation of childhood height to obesity among adults: the Bogalusa Heart Study. <i>Pediatrics</i> , <b>2002</b> , 109, E23	7.4	50

79	Relations of lipoprotein subclass levels and low-density lipoprotein size to progression of coronary artery disease in the Pravastatin Limitation of Atherosclerosis in the Coronary Arteries (PLAC-I) trial. <i>American Journal of Cardiology</i> , <b>2002</b> , 90, 89-94	3	245
78	Clustering of coronary heart disease risk factors among obese children. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>2002</b> , 15, 1099-108	1.6	34
77	Nuclear magnetic resonance spectroscopy of lipoproteins and risk of coronary heart disease in the cardiovascular health study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2002</b> , 22, 1175-80	9.4	249
76	Trends and correlates of class 3 obesity in the United States from 1990 through 2000. <i>JAMA - Journal of the American Medical Association</i> , <b>2002</b> , 288, 1758-61	27.4	325
75	Relation of age at menarche to race, time period, and anthropometric dimensions: the Bogalusa Heart Study. <i>Pediatrics</i> , <b>2002</b> , 110, e43	7.4	238
74	Effects of pravastatin treatment on lipoprotein subclass profiles and particle size in the PLAC-I trial. <i>Atherosclerosis</i> , <b>2002</b> , 160, 41-8	3.1	66
73	Risk of cardiovascular complications <b>2002</b> , 221-240		6
72	BMI rebound, childhood height and obesity among adults: the Bogalusa Heart Study. <i>International Journal of Obesity</i> , <b>2001</b> , 25, 543-9	5.5	82
71	High prevalence of postpartum anemia among low-income women in the United States. <i>American Journal of Obstetrics and Gynecology</i> , <b>2001</b> , 185, 438-43	6.4	79
70	Relationship of childhood obesity to coronary heart disease risk factors in adulthood: the Bogalusa Heart Study. <i>Pediatrics</i> , <b>2001</b> , 108, 712-8	7.4	882
69	Distribution and correlates of high-density lipoprotein subclasses among children and adolescents. <i>Metabolism: Clinical and Experimental</i> , <b>2001</b> , 50, 370-6	12.7	54
68	Secular trends in height among children during 2 decades: The Bogalusa Heart Study. <i>JAMA Pediatrics</i> , <b>2000</b> , 154, 155-61		72
67	Body Composition and Health Status among Children and Adolescents. <i>Preventive Medicine</i> , <b>2000</b> , 31, S34-S53	4.3	32
66	Black/white differences in relative weight and obesity among girls: the Bogalusa Heart Study. <i>Preventive Medicine</i> , <b>2000</b> , 30, 234-43	4.3	25
65	Levels and correlates of LDL and VLDL particle sizes among children: the Bogalusa heart study. <i>Atherosclerosis</i> , <b>2000</b> , 152, 441-9	3.1	63
64	Relation of circumferences and skinfold thicknesses to lipid and insulin concentrations in children and adolescents: the Bogalusa Heart Study. <i>American Journal of Clinical Nutrition</i> , <b>1999</b> , 69, 308-17	7	412
63	The relation of overweight to cardiovascular risk factors among children and adolescents: the Bogalusa Heart Study. <i>Pediatrics</i> , <b>1999</b> , 103, 1175-82	7.4	1650
62	Relation of lipoprotein subclasses as measured by proton nuclear magnetic resonance spectroscopy to coronary artery disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>1998</b> , 18, 1046-53	9.4	281

61	Occupational chlorophenol exposure and soft tissue sarcoma risk among men aged 30-60 years. <i>American Journal of Epidemiology</i> , <b>1998</b> , 148, 693-703	3.8	38
60	Validity of self-reported diagnoses leading to hospitalization: a comparison of self-reports with hospital records in a prospective study of American adults. <i>American Journal of Epidemiology</i> , <b>1998</b> , 147, 969-77	3.8	298
59	Relation of cigarette smoking to non-Hodgkin's lymphoma among middle-aged men. <i>American Journal of Epidemiology</i> , <b>1998</b> , 148, 833-41	3.8	49
58	Increasing prevalence of overweight among US low-income preschool children: the Centers for Disease Control and Prevention pediatric nutrition surveillance, 1983 to 1995. <i>Pediatrics</i> , <b>1998</b> , 101, E127-4	7.4	159
57	Black/white differences in leukocyte subpopulations in men. <i>International Journal of Epidemiology</i> , <b>1997</b> , 26, 757-64	7.8	49
56	Secular increases in relative weight and adiposity among children over two decades: the Bogalusa Heart Study. <i>Pediatrics</i> , <b>1997</b> , 99, 420-6	7.4	282
55	Risk factors for coronary heart disease among Navajo Indians: findings from the Navajo Health and Nutrition Survey. <i>Journal of Nutrition</i> , <b>1997</b> , 127, 2099S-2105S	4.1	42
54	Obesity, levels of lipids and glucose, and smoking among Navajo adolescents. <i>Journal of Nutrition</i> , <b>1997</b> , 127, 2120S-2127S	4.1	47
53	Prevalence of hypertension among Navajo Indians: findings from the Navajo Health and Nutrition Survey. <i>Journal of Nutrition</i> , <b>1997</b> , 127, 2114S-2119S	4.1	23
52	Baldness and ischemic heart disease in a national sample of men. <i>American Journal of Epidemiology</i> , <b>1996</b> , 143, 651-7	3.8	54
51	Correlates of leukocyte counts in men. <i>Annals of Epidemiology</i> , <b>1996</b> , 6, 74-82	6.4	23
50	Education, health behaviors, and the black-white difference in waist-to-hip ratio. <i>Obesity</i> , <b>1996</b> , 4, 505-12		5
49	Cigarette smoking and leukocyte subpopulations in men. <i>Annals of Epidemiology</i> , <b>1996</b> , 6, 299-306	6.4	60
48	Seasonal change in nutritional status among young children in an urban shanty town in Peru. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , <b>1996</b> , 90, 442-5	2	16
47	Relation of serum uric acid to mortality and ischemic heart disease. The NHANES I Epidemiologic Follow-up Study. <i>American Journal of Epidemiology</i> , <b>1995</b> , 141, 637-44	3.8	353
46	Relation of body fat distribution to ischemic heart disease. The National Health and Nutrition Examination Survey I (NHANES I) Epidemiologic Follow-up Study. <i>American Journal of Epidemiology</i> , <b>1995</b> , 142, 53-63	3.8	93
45	Plasma lipid levels and psychologic characteristics in men. <i>American Journal of Epidemiology</i> , <b>1995</b> , 141, 507-17	3.8	80
44	The importance of body fat distribution in early life. <i>American Journal of the Medical Sciences</i> , <b>1995</b> , 310 Suppl 1, S72-6	2.2	9

43	The relation of documented coronary artery disease to levels of total cholesterol and high-density lipoprotein cholesterol. <i>Epidemiology</i> , <b>1994</b> , 5, 80-7	3.1	11
42	Do obese children become obese adults? A review of the literature. <i>Preventive Medicine</i> , <b>1993</b> , 22, 167-77	4.3	1223
41	The relation of atherosclerotic lesions to antemortem and postmortem lipid levels: the Bogalusa Heart Study. <i>Atherosclerosis</i> , <b>1993</b> , 104, 37-46	3.1	20
40	Interpretation of linear regression models that include transformations or interaction terms. <i>Annals of Epidemiology</i> , <b>1992</b> , 2, 735-44	6.4	26
39	Cholesterol and coronary artery disease: age as an effect modifier. <i>Journal of Clinical Epidemiology</i> , <b>1992</b> , 45, 1053-9	5.7	18
38	Serum cholesterol levels in a multiracial sample of 7,439 preschool children from Arizona. <i>Preventive Medicine</i> , <b>1992</b> , 21, 162-76	4.3	23
37	The relation of prothrombin times to coronary heart disease risk factors among men aged 31-45 years. <i>American Journal of Epidemiology</i> , <b>1992</b> , 136, 513-24	3.8	2
36	Relation of serum testosterone levels to high density lipoprotein cholesterol and other characteristics in men. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , <b>1991</b> , 11, 307-15		52
35	Differences between black and white men in correlates of high density lipoprotein cholesterol. <i>American Journal of Epidemiology</i> , <b>1990</b> , 132, 656-69	3.8	28
34	Body fat distribution and male/female differences in lipids and lipoproteins. <i>Circulation</i> , <b>1990</b> , 81, 1498-506	5.67	150
33	Relation of body fat patterning to lipid and lipoprotein concentrations in children and adolescents: the Bogalusa Heart Study. <i>American Journal of Clinical Nutrition</i> , <b>1989</b> , 50, 930-9	7	120
32	Polymorphism in the 5' flanking region of the insulin gene and its potential relation to cardiovascular disease risk: observations in a biracial community. The Bogalusa Heart Study. <i>Atherosclerosis</i> , <b>1989</b> , 79, 51-7	3.1	11
31	Risk factors and the anatomic distribution of coronary artery disease. <i>Atherosclerosis</i> , <b>1989</b> , 75, 227-36	3.1	8
30	Health risks of obesity. <i>Medical Clinics of North America</i> , <b>1989</b> , 73, 111-38	7	200
29	Risk factors in early life as predictors of adult heart disease: the Bogalusa Heart Study. <i>American Journal of the Medical Sciences</i> , <b>1989</b> , 298, 141-51	2.2	89
28	Black/white differences in risk factors for arteriographically documented coronary artery disease in men. <i>American Journal of Cardiology</i> , <b>1988</b> , 62, 214-9	3	29
27	Use of <sup>86</sup> Rb and <sup>22</sup> Na in assaying active and cotransport activities in human erythrocytes in a biracial population. <i>Clinica Chimica Acta</i> , <b>1988</b> , 176, 133-42	6.2	4
26	Diabetes mellitus and arteriographically-documented coronary artery disease. <i>Journal of Clinical Epidemiology</i> , <b>1988</b> , 41, 659-68	5.7	25

25	Black-white differences in aortic fatty streaks in adolescence and early adulthood: the Bogalusa Heart Study. <i>Circulation</i> , <b>1988</b> , 77, 856-64	16.7	92
24	Relation of triglyceride levels to coronary artery disease: the Milwaukee Cardiovascular Data Registry. <i>American Journal of Epidemiology</i> , <b>1988</b> , 127, 1118-30	3.8	56
23	Cardiovascular risk in parents of children with extreme lipoprotein cholesterol levels: the Bogalusa Heart Study. <i>Southern Medical Journal</i> , <b>1988</b> , 81, 341-9, 353	0.6	5
22	Reply to A Legido et al. <i>American Journal of Clinical Nutrition</i> , <b>1988</b> , 48, 686-687	7	1
21	Body fat patterning and blood pressure in children and young adults. The Bogalusa Heart Study. <i>Hypertension</i> , <b>1987</b> , 9, 236-44	8.5	121
20	Correlates of high density lipoprotein cholesterol and apolipoprotein A-I levels in children. The Bogalusa Heart Study. <i>Arteriosclerosis (Dallas, Tex)</i> , <b>1987</b> , 7, 354-60		9
19	Black-white differences in cholesterol levels of serum high-density lipoprotein subclasses among children: the Bogalusa Heart Study. <i>Circulation</i> , <b>1987</b> , 76, 272-9	16.7	35
18	Adverse influences of alcohol, tobacco, and oral contraceptive use on cardiovascular risk factors during transition to adulthood. <i>American Journal of Epidemiology</i> , <b>1987</b> , 126, 202-13	3.8	30
17	Designation of children with high blood pressure--considerations on percentile cut points and subsequent high blood pressure: the Bogalusa Heart Study. <i>American Journal of Epidemiology</i> , <b>1987</b> , 125, 73-84	3.8	22
16	Atherosclerosis and its evolution in childhood. <i>American Journal of the Medical Sciences</i> , <b>1987</b> , 294, 429-402		28
15	Black-white differences in serum lipoproteins during sexual maturation: the Bogalusa Heart Study. <i>Journal of Chronic Diseases</i> , <b>1987</b> , 40, 309-18		36
14	The association between cardiovascular response tasks and future blood pressure levels in children: Bogalusa Heart Study. <i>American Heart Journal</i> , <b>1987</b> , 113, 1174-9	4.9	61
13	Relation of body fat distribution to hyperinsulinemia in children and adolescents: the Bogalusa Heart Study. <i>American Journal of Clinical Nutrition</i> , <b>1987</b> , 46, 403-10	7	169
12	The relation of apolipoproteins A-I and B in children to parental myocardial infarction. <i>New England Journal of Medicine</i> , <b>1986</b> , 315, 721-6	59.2	153
11	Racial (black-white) comparisons of the relationship of levels of endogenous sex hormones to serum lipoproteins during male adolescence: the Bogalusa Heart Study. <i>Circulation</i> , <b>1986</b> , 74, 1226-34	16.7	37
10	Persistence of high diastolic blood pressure in thin children. The Bogalusa Heart Study. <i>Hypertension</i> , <b>1986</b> , 8, 24-9	8.5	7
9	Relation of serum lipoprotein levels and systolic blood pressure to early atherosclerosis. The Bogalusa Heart Study. <i>New England Journal of Medicine</i> , <b>1986</b> , 314, 138-44	59.2	875
8	Fasting plasma glucose and insulin levels and their relationship to cardiovascular risk factors in children: Bogalusa Heart Study. <i>Metabolism: Clinical and Experimental</i> , <b>1986</b> , 35, 441-6	12.7	109

7	Cigarette smoking initiation and longitudinal changes in serum lipids and lipoproteins in early adulthood: the Bogalusa Heart Study. <i>American Journal of Epidemiology</i> , <b>1986</b> , 124, 207-19	3.8	71
6	Prevention of atherosclerosis in childhood. <i>Pediatric Clinics of North America</i> , <b>1986</b> , 33, 835-58	3.6	29
5	The relationship between parental history of vascular disease and cardiovascular disease risk factors in children: the Bogalusa Heart Study. <i>American Journal of Epidemiology</i> , <b>1985</b> , 122, 762-71	3.8	50
4	Relationship of Changes in Obesity to Serum Lipid and Lipoprotein Changes in Childhood and Adolescence. <i>JAMA - Journal of the American Medical Association</i> , <b>1985</b> , 254, 515	27.4	70
3	Longitudinal serum lipoprotein changes in white males during adolescence: the Bogalusa Heart Study. <i>Metabolism: Clinical and Experimental</i> , <b>1985</b> , 34, 396-403	12.7	19
2	Tracking of serum lipids and lipoproteins in children over an 8-year period: the Bogalusa Heart Study. <i>Preventive Medicine</i> , <b>1985</b> , 14, 203-16	4.3	104
1	High density lipoprotein and coronary artery disease risk factors in children with different lipoprotein profiles: Bogalusa Heart Study. <i>Journal of Chronic Diseases</i> , <b>1985</b> , 38, 327-38		11