Bartira Erclia Pinheiro da Costa

List of Publications by Citations

Source:

https://exaly.com/author-pdf/1444423/bartira-ercilia-pinheiro-da-costa-publications-by-citations.pdf **Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

16 386 59 12 h-index g-index citations papers 466 84 2.5 3.04 avg, IF L-index ext. citations ext. papers

| # | Paper | IF | Citations |
|----|---|------------------|-----------|
| 59 | Placental expression of eNOS, iNOS and the major protein components of caveolae in women with pre-eclampsia. <i>Placenta</i> , 2015 , 36, 607-10 | 3.4 | 30 |
| 58 | Angiotensin-converting enzyme gene polymorphism in preeclampsia and normal pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 821-4 | 6.4 | 27 |
| 57 | Matrix metalloproteinase (MMP)-2 genetic variants modify the circulating MMP-2 levels in end-stage kidney disease. <i>American Journal of Nephrology</i> , 2012 , 35, 209-15 | 4.6 | 20 |
| 56 | Immature platelet fraction in hypertensive pregnancy. <i>Platelets</i> , 2016 , 27, 333-7 | 3.6 | 19 |
| 55 | Posterior reversible encephalopathy syndrome: differences between pregnant and non-pregnant patients. <i>Neurology International</i> , 2014 , 6, 5376 | 1.2 | 19 |
| 54 | Is the atherosclerotic phenotype of preeclamptic placentas due to altered lipoprotein concentrations and placental lipoprotein receptors? Role of a small-for-gestational-age phenotype. <i>Journal of Lipid Research</i> , 2013 , 54, 2658-64 | 6.3 | 19 |
| 53 | Depression, quality of life, and body composition in patients with end-stage renal disease: a cohort study. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 301-306 | 2.6 | 18 |
| 52 | Blood-brain barrier breakdown in reduced uterine perfusion pressure: a possible model of posterior reversible encephalopathy syndrome. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014 , 23, 2075-2 | 079 ⁸ | 17 |
| 51 | Endocan-1 concentrations in maternal and fetal plasma and placentae in pre-eclampsia in the third trimester of pregnancy. <i>Cytokine</i> , 2015 , 74, 152-6 | 4 | 16 |
| 50 | Does uric acid provide information about maternal condition and fetal outcome in pregnant women with hypertension?. <i>Hypertension in Pregnancy</i> , 2008 , 27, 413-20 | 2 | 15 |
| 49 | Increased serum phosphodiesterase activity in women with pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2006 , 113, 577-9 | 3.7 | 14 |
| 48 | Workplace stress in nursing workers from an emergency hospital: Job Stress Scale analysis. <i>Revista Latino-Americana De Enfermagem</i> , 2011 , 19, 1122-31 | 1.5 | 12 |
| 47 | L-Arginine erythrocyte transport in normal pregnant and preeclamptic women. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 190, 468-71 | 6.4 | 12 |
| 46 | Functional matrix metalloproteinase (MMP)-9 genetic variants modify the effects of hemodialysis on circulating MMP-9 levels. <i>Clinica Chimica Acta</i> , 2012 , 414, 46-51 | 6.2 | 11 |
| 45 | Temperature, urbanization and body color polymorphism in South Brazilian populations of Drosophila kikkawai (Diptera, Drosophilidae). <i>Iheringia - Serie Zoologia</i> , 2003 , 93, 381-393 | 0.9 | 11 |
| 44 | Serum nitrate and NOx levels in preeclampsia are higher than in normal pregnancy. <i>Hypertension in Pregnancy</i> , 2016 , 35, 226-33 | 2 | 10 |
| 43 | The Influence of Glucose Exposure Load and Peritoneal Membrane Transport on Body Composition and Nutritional Status Changes after 1 Year on Peritoneal Dialysis. <i>Peritoneal Dialysis International</i> , 2017 , 37, 458-463 | 2.8 | 9 |

(2017-2014)

| 42 | Evaluation of body composition and fluid volume using a body composition monitor: does intraperitoneal fluid matter?. <i>Peritoneal Dialysis International</i> , 2014 , 34, 456-8 | 2.8 | 9 | |
|----|---|-----|---|--|
| 41 | PP040. Expression of RANTES (CCL5) in maternal plasma, fetal plasma and placenta in pre-eclampsia and normotensive controls. <i>Pregnancy Hypertension</i> , 2012 , 2, 263 | 2.6 | 8 | |
| 40 | Endothelial nitric oxide genotypes and haplotypes are not associated with end-stage renal disease. <i>DNA and Cell Biology</i> , 2011 , 30, 55-9 | 3.6 | 8 | |
| 39 | Is there any relationship between ABO/Rh blood group and patients with pre-eclampsia?. <i>Pregnancy Hypertension</i> , 2014 , 4, 170-3 | 2.6 | 7 | |
| 38 | Nutritional status evaluated by multi-frequency bioimpedance is not associated with quality of life or depressive symptoms in hemodialysis patients. <i>Therapeutic Apheresis and Dialysis</i> , 2011 , 15, 58-65 | 1.9 | 7 | |
| 37 | Increased proteinuria and uric acid levels are associated with eclamptic crisis. <i>Pregnancy Hypertension</i> , 2019 , 15, 93-97 | 2.6 | 6 | |
| 36 | The Quality of Mobile Apps Used for the Identification of Pressure Ulcers in Adults: Systematic Survey and Review of Apps in App Stores. <i>JMIR MHealth and UHealth</i> , 2020 , 8, e14266 | 5.5 | 6 | |
| 35 | Phosphodiesterase Inhibition in the Treatment of Preeclampsia: What Is New?. <i>Current Hypertension Reports</i> , 2018 , 20, 83 | 4.7 | 5 | |
| 34 | Flow-mediated dilatation of brachial artery as marker of preeclampsia morbidity. <i>International Journal of Cardiology</i> , 2013 , 168, 4424-5 | 3.2 | 5 | |
| 33 | Reproductive biology of Syzygiella rubricaulis (Nees) Steph. (Adelanthaceae, Marchantiophyta), a liverwort disjunctly distributed in high-altitude Neotropical mountains. <i>Plant Biology</i> , 2016 , 18, 601-8 | 3.7 | 4 | |
| 32 | Serum tissue factor as a biomarker for renal clear cell carcinoma. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2018 , 44, 38-44 | 2 | 3 | |
| 31 | Phosphodiesterases and preeclampsia. <i>Medical Hypotheses</i> , 2017 , 108, 94-100 | 3.8 | 3 | |
| 30 | Arterial hypertension in nursing personnel of an emergency hospital. <i>International Journal of Nursing Practice</i> , 2015 , 21, 433-42 | 2.3 | 3 | |
| 29 | Peritoneal Transport Function and Endothelium-Dependent Vasodilation. <i>Peritoneal Dialysis International</i> , 2007 , 27, 203-205 | 2.8 | 3 | |
| 28 | L-arginine erythrocyte transport increases during pregnancy and immediately postpartum. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 572-5 | 6.4 | 3 | |
| 27 | Effect of standard and neutral-pH peritoneal dialysis solutions upon fibroblasts proliferation. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2014 , 36, 150-4 | 1.5 | 3 | |
| 26 | Negative Correlation between Placental Growth Factor and Endocan-1 in Women with Preeclampsia. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2018 , 40, 593-598 | 1.1 | 3 | |
| 25 | THE PERCEPTION OF PROFESSIONALS FROM THE HEALTH AREA REGARDING THEIR TRAINING AS LECTURERS. <i>Texto E Contexto Enfermagem</i> , 2017 , 26, | 1.1 | 2 | |

| 24 | Aumento dos nueis do receptor soluel da Interleucina-6 em pacientes com præclimpsia em relaŭ a gestantes normotensas. <i>Scientia Medica</i> , 2014 , 23, 213 | 0.3 | 2 |
|----|---|-----|---|
| 23 | PP050. Distribution of ABO and Rhesus blood groups in patients withpre-eclampsia. <i>Pregnancy Hypertension</i> , 2012 , 2, 268-9 | 2.6 | 2 |
| 22 | Educational Interventions and Glycemic Control: Integrative Review. <i>Journal of Diabetes & Metabolism</i> , 2016 , 7, | О | 2 |
| 21 | Posterior reversible encephalopathy syndrome (PRES): Is DWI a prognosis factor?. <i>Journal of Clinical Neuroscience</i> , 2020 , 72, 357-359 | 2.2 | 2 |
| 20 | Erythrocyte L-arginine uptake in peritoneal dialysis patients changes over time. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 2007 , 23, 48-50 | | 2 |
| 19 | Time to Positivity of Bacteria Cultures in Peritoneal Dialysis Fluid: Evaluation of Different Laboratory Techniques. <i>Peritoneal Dialysis International</i> , 2017 , 37, 342-344 | 2.8 | 1 |
| 18 | Angiotensin Converting Enzyme 90 kDa isoform: Biomarker for diagnosis of preeclampsia?. <i>Medical Hypotheses</i> , 2014 , 83, 526-9 | 3.8 | 1 |
| 17 | Effect of radiocontrasts on selected membrane transport systems. <i>Renal Failure</i> , 2005 , 27, 727-32 | 2.9 | 1 |
| 16 | Low dose L-arginine reduces blood pressure and endothelin-1 production in hypertensive uraemic rats. <i>Nephrology Dialysis Transplantation</i> , 2001 , 16, 2110-1 | 4.3 | 1 |
| 15 | Neuromuscular Electrical Stimulation in Intensive Care Unit Patients: Integrative Review. <i>Modern Research in Inflammation</i> , 2019 , 08, 11-27 | 0.4 | 1 |
| 14 | Reversible hemianopsia in postpartum due to posterior reversible encephalopathy syndrome in pregnant with late eclampsia. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2016 , 38, 265-8 | 1.5 | 1 |
| 13 | Erythrocyte L-arginine uptake in peritoneal dialysis patients: systems y and y+ L. <i>Advances in Peritoneal Dialysis Conference on Peritoneal Dialysis</i> , 2005 , 21, 2-4 | | 1 |
| 12 | Coping e qualidade de vida em pacientes em lista de espera para transplante renal. <i>ACTA Paulista De Enfermagem</i> , 2017 , 30, 582-589 | 0.7 | О |
| 11 | Total Th1/Th2 cytokines profile from peripheral blood lymphocytes in normal pregnancy and preeclampsia syndrome. <i>Hypertension in Pregnancy</i> , 2021 , 1-8 | 2 | O |
| 10 | Psychological factors and coping strategies in pregnancies complicated by hypertension: A cluster-analytic approach. <i>Journal of Affective Disorders</i> , 2022 , 296, 89-94 | 6.6 | О |
| 9 | Acetylsalicylic acid mitigates erythropoietin-associated blood pressure increase in nonuremic rats. <i>Clinical and Experimental Hypertension</i> , 2015 , 37, 235-40 | 2.2 | |
| 8 | Using the Reduced Uterine Perfusion Pressure model of preeclampsia to study the blood brain barrier permeability. <i>Scientia Medica</i> , 2018 , 28, 29631 | 0.3 | |
| 7 | Arterite de Takayasu diagnosticada durante o puerpfio em mulher com doenfi hipertensiva gestacional: relato de caso. <i>Scientia Medica</i> , 2014 , 24, 173 | 0.3 | |

LIST OF PUBLICATIONS

| 6 | OS080. Maternal and fetal lipoprotein concentrations and expression of placental lipoprotein transporters in pre-eclampsia and normotensive controls. <i>Pregnancy Hypertension</i> , 2012 , 2, 221 | 2.6 |
|---|--|-----|
| 5 | Small solutes peritoneal membrane transport and endothelial function. <i>Nephrology Dialysis Transplantation</i> , 2010 , 25, 2037-8 | 4.3 |
| 4 | Erythrocytes L-arginine y+ transporter inhibition by N-ethylmaleimide in ice-bath. <i>Cell Biochemistry and Biophysics</i> , 2010 , 58, 69-73 | 3.2 |
| | Advanced Stage Stuck Gland Adenocarcinoma: Case Report. <i>Modern Research in Inflammation</i> , 2020 | |
| 3 | , 09, 1-7 | 0.4 |
| 2 | | 0.4 |