

Hamid R Sohrabi R Sohrabi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1445616/publications.pdf>

Version: 2024-02-01

125
papers

4,840
citations

109321

35
h-index

110387

64
g-index

139
all docs

139
docs citations

139
times ranked

7893
citing authors

#	ARTICLE	IF	CITATIONS
1	Serum neurofilament dynamics predicts neurodegeneration and clinical progression in presymptomatic Alzheimer's disease. <i>Nature Medicine</i> , 2019, 25, 277-283.	30.7	610
2	Perspectives on ethnic and racial disparities in Alzheimer's disease and related dementias: Update and areas of immediate need. <i>Alzheimer's and Dementia</i> , 2019, 15, 292-312.	0.8	310
3	Retinal vascular biomarkers for early detection and monitoring of Alzheimer's disease. <i>Translational Psychiatry</i> , 2013, 3, e233-e233.	4.8	230
4	Innovative diagnostic tools for early detection of Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2015, 11, 561-578.	0.8	213
5	Plasma glial fibrillary acidic protein is elevated in cognitively normal older adults at risk of Alzheimer's disease. <i>Translational Psychiatry</i> , 2021, 11, 27.	4.8	207
6	Examining the potential clinical value of curcumin in the prevention and diagnosis of Alzheimer's disease. <i>British Journal of Nutrition</i> , 2016, 115, 449-465.	2.3	186
7	Curcumin and cognition: a randomised, placebo-controlled, double-blind study of community-dwelling older adults. <i>British Journal of Nutrition</i> , 2016, 115, 2106-2113.	2.3	147
8	The Relationship between Sleep Quality and Brain Amyloid Burden. <i>Sleep</i> , 2016, 39, 1063-1068.	1.1	123
9	Impact of Aging on the Auditory System and Related Cognitive Functions: A Narrative Review. <i>Frontiers in Neuroscience</i> , 2018, 12, 125.	2.8	123
10	Dietary patterns and cognitive decline in an Australian study of ageing. <i>Molecular Psychiatry</i> , 2015, 20, 860-866.	7.9	111
11	Enhancing Cognitive Functioning in Healthy Older Adults: a Systematic Review of the Clinical Significance of Commercially Available Computerized Cognitive Training in Preventing Cognitive Decline. <i>Neuropsychology Review</i> , 2017, 27, 62-80.	4.9	108
12	Alzheimer's Disease: A Journey from Amyloid Peptides and Oxidative Stress, to Biomarker Technologies and Disease Prevention Strategies—Gains from AIBL and DIAN Cohort Studies. <i>Journal of Alzheimer's Disease</i> , 2018, 62, 965-992.	2.6	96
13	Intense physical activity is associated with cognitive performance in the elderly. <i>Translational Psychiatry</i> , 2012, 2, e191-e191.	4.8	93
14	Olfactory discrimination predicts cognitive decline among community-dwelling older adults. <i>Translational Psychiatry</i> , 2012, 2, e118-e118.	4.8	93
15	Genetic variation in Aquaporin-4 moderates the relationship between sleep and brain A β -amyloid burden. <i>Translational Psychiatry</i> , 2018, 8, 47.	4.8	92
16	Diagnostic and prognostic plasma biomarkers for preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2022, 18, 1141-1154.	0.8	89
17	Impact of Cochlear Implantation on Cognitive Functions of Older Adults: Pilot Test Results. <i>Otology and Neurotology</i> , 2017, 38, e289-e295.	1.3	72
18	A combination of physical activity and computerized brain training improves verbal memory and increases cerebral glucose metabolism in the elderly. <i>Translational Psychiatry</i> , 2014, 4, e487-e487.	4.8	66

#	ARTICLE	IF	CITATIONS
19	Fifteen Years of the Australian Imaging, Biomarkers and Lifestyle (AIBL) Study: Progress and Observations from 2,359 Older Adults Spanning the Spectrum from Cognitive Normality to Alzheimer's Disease. <i>Journal of Alzheimer's Disease Reports</i> , 2021, 5, 443-468.	2.2	59
20	The Effects of Testosterone Supplementation on Cognitive Functioning in Older Men.. <i>CNS and Neurological Disorders - Drug Targets</i> , 2016, 15, 337-343.	1.4	56
21	A novel study on association between untreated hearing loss and cognitive functions of older adults: Baseline non-verbal cognitive assessment results. <i>Clinical Otolaryngology</i> , 2018, 43, 182-191.	1.2	54
22	Potential of coconut oil and medium chain triglycerides in the prevention and treatment of Alzheimer's disease. <i>Mechanisms of Ageing and Development</i> , 2020, 186, 111209.	4.6	54
23	Relationship between physical activity, cognition, and Alzheimer pathology in autosomal dominant Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2018, 14, 1427-1437.	0.8	51
24	Association of Plasma Neurofilament Light Chain with Neocortical Amyloid- β^2 Load and Cognitive Performance in Cognitively Normal Elderly Participants. <i>Journal of Alzheimer's Disease</i> , 2018, 63, 479-487.	2.6	50
25	Elevated plasma ferritin in elderly individuals with high neocortical amyloid- β^2 load. <i>Molecular Psychiatry</i> , 2018, 23, 1807-1812.	7.9	49
26	Mediterranean diet adherence and rate of cerebral $\text{A}\beta^2$ -amyloid accumulation: Data from the Australian Imaging, Biomarkers and Lifestyle Study of Ageing. <i>Translational Psychiatry</i> , 2018, 8, 238.	4.8	49
27	IMPACT OF COCHLEAR IMPLANTATION ON COGNITIVE FUNCTIONS OF OLDER ADULTS: PILOT TEST RESULTS. <i>Otology and Neurotology</i> , 2018, 39, 514-515.	1.3	47
28	Habitual exercise levels are associated with cerebral amyloid load in presymptomatic autosomal dominant Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2017, 13, 1197-1206.	0.8	45
29	Alterations in serum kynurenine pathway metabolites in individuals with high neocortical amyloid- β^2 load: A pilot study. <i>Scientific Reports</i> , 2018, 8, 8008.	3.3	45
30	Associations of Dietary Protein and Fiber Intake with Brain and Blood Amyloid- β^2 . <i>Journal of Alzheimer's Disease</i> , 2018, 61, 1589-1598.	2.6	44
31	Decreased body mass index in the preclinical stage of autosomal dominant Alzheimer's disease. <i>Scientific Reports</i> , 2017, 7, 1225.	3.3	42
32	Alzheimer's Disease and the Early Signs of Age-Related Macular Degeneration. <i>Current Alzheimer Research</i> , 2016, 13, 1259-1266.	1.4	42
33	Plasma neurofilament light chain and amyloid- β^2 are associated with the kynurenine pathway metabolites in preclinical Alzheimer's disease. <i>Journal of Neuroinflammation</i> , 2019, 16, 186.	7.2	41
34	Plasma Phospholipid and Sphingolipid Alterations in Presenilin1 Mutation Carriers: A Pilot Study. <i>Journal of Alzheimer's Disease</i> , 2016, 50, 887-894.	2.6	40
35	Olfactory Dysfunction is Associated with Subjective Memory Complaints in Community-Dwelling Elderly Individuals. <i>Journal of Alzheimer's Disease</i> , 2009, 17, 135-142.	2.6	39
36	Ultrasensitive Detection of Plasma Amyloid- β^2 as a Biomarker for Cognitively Normal Elderly Individuals at Risk of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2019, 71, 775-783.	2.6	38

#	ARTICLE	IF	CITATIONS
37	Multiple Mechanisms Linking Type 2 Diabetes and Alzheimer's Disease: Testosterone as a Modifier. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 445-466.	2.6	36
38	Relationships between physical activity, sleep and cognitive function: A narrative review. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 130, 369-378.	6.1	36
39	Alterations in erythrocyte fatty acid composition in preclinical Alzheimer's disease. <i>Scientific Reports</i> , 2017, 7, 676.	3.3	35
40	Cerebral amyloid- β accumulation and deposition following traumatic brain injury—A narrative review and meta-analysis of animal studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 64, 215-228.	6.1	34
41	Serum high-density lipoprotein is associated with better cognitive function in a cross-sectional study of aging women. <i>International Journal of Neuroscience</i> , 2017, 127, 243-252.	1.6	34
42	Physical Activity in Preventing Alzheimer's Disease and Cognitive Decline: A Narrative Review. <i>Sports Medicine</i> , 2018, 48, 29-44.	6.5	33
43	Pupil Response Biomarkers Distinguish Amyloid Precursor Protein Mutation Carriers from Non-Carriers. <i>Current Alzheimer Research</i> , 2013, 10, 790-796.	1.4	30
44	Bilingualism Is Associated with a Delayed Onset of Dementia but Not with a Lower Risk of Developing it: a Systematic Review with Meta-Analyses. <i>Neuropsychology Review</i> , 2020, 30, 1-24.	4.9	30
45	Amyloid and Tau Pathology Associations With Personality Traits, Neuropsychiatric Symptoms, and Cognitive Lifestyle in the Preclinical Phases of Sporadic and Autosomal Dominant Alzheimer's Disease. <i>Biological Psychiatry</i> , 2021, 89, 776-785.	1.3	30
46	Possible role of common spices as a preventive and therapeutic agent for Alzheimer's disease. <i>International Journal of Preventive Medicine</i> , 2017, 8, 5.	0.4	29
47	Association of Cardiovascular Factors and Alzheimer's Disease Plasma Amyloid- β Protein in Subjective Memory Complainers. <i>Journal of Alzheimer's Disease</i> , 2009, 17, 305-318.	2.6	26
48	Effects of Testosterone Supplementation on Separate Cognitive Domains in Cognitively Healthy Older Men: A Meta-analysis of Current Randomized Clinical Trials. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 1232-1246.	1.2	26
49	Pupil Response Biomarkers for Early Detection and Monitoring of Alzheimer's Disease. <i>Current Alzheimer Research</i> , 2013, 10, 931-939.	1.4	26
50	The Relationship Between Memory Complaints, Perceived Quality of Life and Mental Health in Apolipoprotein E μ 4 Carriers and Non-Carriers. <i>Journal of Alzheimer's Disease</i> , 2009, 17, 69-79.	2.6	25
51	Bone mineral density, adiposity, and cognitive functions. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 16.	3.4	23
52	Cerebral Glucose Metabolism is Associated with Verbal but not Visual Memory Performance in Community-Dwelling Older Adults. <i>Journal of Alzheimer's Disease</i> , 2016, 52, 661-672.	2.6	23
53	Superior Memory Reduces 8-year Risk of Mild Cognitive Impairment and Dementia But Not Amyloid β -Associated Cognitive Decline in Older Adults. <i>Archives of Clinical Neuropsychology</i> , 2019, 34, 585-598.	0.5	23
54	High Content, Multi-Parameter Analyses in Buccal Cells to Identify Alzheimer's Disease. <i>Current Alzheimer Research</i> , 2016, 13, 787-799.	1.4	23

#	ARTICLE	IF	CITATIONS
55	A blood-based biomarker panel indicates IL-10 and IL-12/23p40 are jointly associated as predictors of β 2-amyloid load in an AD cohort. <i>Scientific Reports</i> , 2017, 7, 14057.	3.3	22
56	Amyloid imaging of dutch ϵ type hereditary cerebral amyloid angiopathy carriers. <i>Annals of Neurology</i> , 2019, 86, 616-625.	5.3	22
57	Rates of age ϵ and amyloid β 2 associated cortical atrophy in older adults with superior memory performance. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019, 11, 566-575.	2.4	21
58	Modulating functional connectivity with non-invasive brain stimulation for the investigation and alleviation of age-associated declines in response inhibition: A narrative review. <i>NeuroImage</i> , 2019, 185, 490-512.	4.2	21
59	Plasma metabolites associated with biomarker evidence of neurodegeneration in cognitively normal older adults. <i>Journal of Neurochemistry</i> , 2021, 159, 389-402.	3.9	20
60	Relationship Between Amyloid- β 2 Positivity and Progression to Mild Cognitive Impairment or Dementia over 8 Years in Cognitively Normal Older Adults. <i>Journal of Alzheimer's Disease</i> , 2018, 65, 1313-1325.	2.6	19
61	The impact of exercise, sleep, and diet on neurocognitive recovery from mild traumatic brain injury in older adults: A narrative review. <i>Ageing Research Reviews</i> , 2021, 68, 101322.	10.9	18
62	Testosterone Replacement Therapy in Older Male Subjective Memory Complainers: Double-Blind Randomized Crossover Placebo-Controlled Clinical Trial of Physiological Assessment and Safety. <i>CNS and Neurological Disorders - Drug Targets</i> , 2015, 14, 576-586.	1.4	18
63	Research criteria for the diagnosis of Alzheimer's disease: genetic risk factors, blood biomarkers and olfactory dysfunction. <i>International Psychogeriatrics</i> , 2008, 20, 853-855.	1.0	17
64	Sleep disruption explains age-related prospective memory deficits: implications for cognitive aging and intervention. <i>Aging, Neuropsychology, and Cognition</i> , 2019, 26, 621-636.	1.3	16
65	High-intensity exercise and cognitive function in cognitively normal older adults: a pilot randomised clinical trial. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 33.	6.2	16
66	Study protocol of the Intense Physical Activity and Cognition study: The effect of high ϵ intensity exercise training on cognitive function in older adults. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2017, 3, 562-570.	3.7	15
67	Multiple β 3-secretase product peptides are coordinately increased in concentration in the cerebrospinal fluid of a subpopulation of sporadic Alzheimer ϵ ™s disease subjects. <i>Molecular Neurodegeneration</i> , 2012, 7, 16.	10.8	14
68	Estimates of age-related memory decline are inflated by unrecognized Alzheimer's disease. <i>Neurobiology of Aging</i> , 2018, 70, 170-179.	3.1	14
69	Potential of Sorghum Polyphenols to Prevent and Treat Alzheimer ϵ ™s Disease: A Review Article. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 729949.	3.4	14
70	Subjective memory complaints predict baseline but not future cognitive function over three years: results from the Western Australia Memory Study. <i>International Psychogeriatrics</i> , 2019, 31, 513-525.	1.0	13
71	Investigating Auditory Electrophysiological Measures of Participants with Mild Cognitive Impairment and Alzheimer ϵ ™s Disease: A Systematic Review and Meta-Analysis of Event-Related Potential Studies. <i>Journal of Alzheimer's Disease</i> , 2021, 84, 419-448.	2.6	13
72	Increased Carbohydrate Intake is Associated with Poorer Performance in Verbal Memory and Attention in an APOE Genotype-Dependent Manner. <i>Journal of Alzheimer's Disease</i> , 2017, 58, 193-201.	2.6	12

#	ARTICLE	IF	CITATIONS
73	Resistance training enhances delayed memory in healthy middle-aged and older adults: A randomised controlled trial. <i>Journal of Science and Medicine in Sport</i> , 2019, 22, 1226-1231.	1.3	12
74	Functional effects of genetic polymorphism in inflammatory genes in subjective memory complainers. <i>Neurobiology of Aging</i> , 2012, 33, 1054-1056.	3.1	11
75	Influence of BDNF Val66Met on the relationship between cardiorespiratory fitness and memory in cognitively normal older adults. <i>Behavioural Brain Research</i> , 2019, 362, 103-108.	2.2	10
76	Plasma Amyloid-Beta Levels in a Pre-Symptomatic Dutch-Type Hereditary Cerebral Amyloid Angiopathy Pedigree: A Cross-Sectional and Longitudinal Investigation. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2931.	4.1	10
77	Decreased Platelet APP Isoform Ratios in Autosomal Dominant Alzheimer's Disease: Baseline Data from a DIAN Cohort Subset. <i>Current Alzheimer Research</i> , 2015, 12, 157-164.	1.4	10
78	Sleep Mediates Age-Related Executive Function for Older Adults with Limited Cognitive Reserve. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 711-721.	1.8	10
79	A depressive endophenotype of poorer cognition among cognitively healthy community-dwelling adults: results from the Western Australia memory study. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 881-886.	2.7	9
80	Modulation of Retinal Arteriolar Central Reflection by APOE Genotype. <i>Current Alzheimer Research</i> , 2017, 14, 916-923.	1.4	8
81	The Association Between Alzheimer's Disease-Related Markers and Physical Activity in Cognitively Normal Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2022, 14, 771214.	3.4	8
82	Diagnostic Value of Subjective Memory Complaints Assessed with a Single Item in Dominantly Inherited Alzheimer's Disease: Results of the DIAN Study. <i>BioMed Research International</i> , 2015, 2015, 1-7.	1.9	7
83	The role of APOE- ϵ 4 and beta amyloid in the differential rate of recovery from ECT: a review. <i>Translational Psychiatry</i> , 2015, 5, e539-e539.	4.8	7
84	Plasma High Density Lipoprotein Small Subclass is Reduced in Alzheimer's Disease Patients and Correlates with Cognitive Performance. <i>Journal of Alzheimer's Disease</i> , 2020, 77, 733-744.	2.6	7
85	The Peripheral Hearing and Central Auditory Processing Skills of Individuals With Subjective Memory Complaints. <i>Frontiers in Neuroscience</i> , 2020, 14, 888.	2.8	7
86	A Randomized Controlled Trial of High-Intensity Exercise and Executive Functioning in Cognitively Normal Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 129-140.	1.2	6
87	COMT val158met is not associated with A β ² -amyloid and APOE ϵ 4 related cognitive decline in cognitively normal older adults. <i>IBRO Reports</i> , 2019, 6, 147-152.	0.3	5
88	Presymptomatic Dutch-Type Hereditary Cerebral Amyloid Angiopathy-Related Blood Metabolite Alterations. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 895-903.	2.6	5
89	SPON1 Is Associated with Amyloid- β ² and APOE ϵ 4-Related Cognitive Decline in Cognitively Normal Adults. <i>Journal of Alzheimer's Disease Reports</i> , 2021, 5, 111-120.	2.2	5
90	Trajectories of irregular word reading ability as a proxy for premorbid intelligence in Alzheimer's disease, mild cognitive impairment, and healthy aging: A longitudinal study.. <i>Psychological Assessment</i> , 2018, 30, 1308-1316.	1.5	5

#	ARTICLE	IF	CITATIONS
91	New lexicon and criteria for the diagnosis of Alzheimer's disease. <i>Lancet Neurology</i> , The, 2011, 10, 299-300.	10.2	4
92	Pattern and degree of individual brain atrophy predicts dementia onset in dominantly inherited Alzheimer's disease. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021, 13, e12197.	2.4	4
93	Higher Cardiorespiratory Fitness Is Associated With Better Verbal Generativity in Community-Dwelling Older Adults. <i>Journal of Aging and Physical Activity</i> , 2019, 27, 703-710.	1.0	3
94	Auditory electrophysiological assessments of Alzheimer's disease and preclinical stages: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2020, 10, e033308.	1.9	3
95	Serum Hepcidin Levels in Cognitively Normal Older Adults with High Neocortical Amyloid- β^2 Load. <i>Journal of Alzheimer's Disease</i> , 2020, 76, 291-301.	2.6	3
96	Personality factors and cerebral glucose metabolism in community-dwelling older adults. <i>Brain Structure and Function</i> , 2020, 225, 1511-1522.	2.3	3
97	Comparison of Auditory Steady-State Responses With Conventional Audiometry in Older Adults. <i>Frontiers in Neurology</i> , 0, 13, .	2.4	3
98	Personality characteristics are independently associated with prospective memory in the laboratory, and in daily life, among older adults. <i>Journal of Research in Personality</i> , 2018, 76, 32-37.	1.7	2
99	Systematic review protocol for assessing central auditory functions of Alzheimer's disease and its preclinical stages. <i>BMJ Open</i> , 2020, 10, e033342.	1.9	2
100	Androgen receptor CAG repeat length as a moderator of the relationship between free testosterone levels and cognition. <i>Hormones and Behavior</i> , 2021, 131, 104966.	2.1	2
101	Longitudinal Trajectories in Cortical Thickness and Volume Atrophy: Superior Cognitive Performance Does Not Protect Against Brain Atrophy in Older Adults. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 1039-1052.	2.6	2
102	The Effect of Self-Paced Exercise Intensity and Cardiorespiratory Fitness on Frontal Grey Matter Volume in Cognitively Normal Older Adults: A Randomised Controlled Trial. <i>Journal of the International Neuropsychological Society</i> , 2022, 28, 902-915.	1.8	2
103	"Multi-domain interventions for dementia prevention â€" A Systematic Review". <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	2
104	Cognitive Function After Testosterone Treatment. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 2335.	7.4	1
105	Hyperspectral retinal imaging shows amyloid-like deposits in preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020, 16, e044128.	0.8	1
106	AU \rightarrow (Australia). <i>Alzheimer's and Dementia</i> , 2020, 16, e046955.	0.8	1
107	Improving Prospective Memory Performance in Community-dwelling Older Adults: Goal Management Training and Implementation Intentions. <i>Experimental Aging Research</i> , 2021, 47, 414-435.	1.2	1
108	Alzheimer's Disease-related Gene Expression Is Reduced Following Six Months Of High-intensity Exercise. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 1015-1015.	0.4	1

#	ARTICLE	IF	CITATIONS
109	Investigating auditory electrophysiological measures of participants with mild cognitive impairment and Alzheimer's disease: A systematic review and meta-analysis of event-related potential studies. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	1
110	[ICP104]: INFORMANT RATINGS OF EVERYDAY EXECUTIVE FUNCTIONS AND UNDERLYING FRONTAL LOBE GLUCOSE METABOLISM. <i>Alzheimer's and Dementia</i> , 2017, 13, P80.	0.8	0
111	[O501]: COGNITIVE SUPERAGING VERSUS TYPICAL AGING IN COMMUNITY-DWELLING OLDER ADULTS: LONGITUDINAL TRAJECTORIES IN GLOBAL CORTICAL THICKNESS OVER SIX YEARS. <i>Alzheimer's and Dementia</i> , 2017, 13, P1463.	0.8	0
112	[O304]: HABITUAL EXERCISE LEVELS ARE ASSOCIATED WITH CEREBRAL AMYLOID LOAD IN PRE-SYMPTOMATIC AUTOSOMAL DOMINANT ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2017, 13, P894.	0.8	0
113	O0601: GENETIC VARIATION IN AQUAPORINS MODERATES THE RELATIONSHIP BETWEEN SLEEP AND BRAIN AMYLOID BURDEN. <i>Alzheimer's and Dementia</i> , 2018, 14, P1413.	0.8	0
114	P283: ELEVATED KYNURENINE AND ANTHRANILIC ACID LEVELS IN ELDERLY FEMALES WITH HIGH NEOCORTICAL AMYLOID-BETA LOAD. <i>Alzheimer's and Dementia</i> , 2018, 14, P789.	0.8	0
115	P1302: ASSOCIATION OF PLASMA NEUROFILAMENT LIGHT CHAIN WITH COGNITIVE PERFORMANCE IN COGNITIVELY NORMAL ELDERLY PARTICIPANTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P405.	0.8	0
116	P3620: INCREASED PROTEIN AND FIBRE INTAKE IS ASSOCIATED WITH HIGHER PERFORMANCE IN THE AIBL PACC SCORE IN COGNITIVELY NORMAL ADULTS: AUSTRALIAN IMAGING, BIOMARKERS AND LIFESTYLE (AIBL) STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P1368.	0.8	0
117	P3392: HYPERSPECTRAL RETINAL IMAGING FEATURES AND ITS ASSOCIATION WITH BRAIN AMYLOID BURDEN IN PRECLINICAL ALZHEIMER'S DISEASE. <i>Alzheimer's and Dementia</i> , 2018, 14, P1247.	0.8	0
118	P3478: THE WESTERN AUSTRALIA OLFACTORY MEMORY TEST: RELIABILITY AND VALIDITY IN A SAMPLE OF OLDER ADULTS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1303.	0.8	0
119	P4550: ASSOCIATION OF PLASMA-SOLUBLE TREM2 WITH NEOCORTICAL AMYLOID-BETA LOAD IN COGNITIVELY NORMAL ELDERLY PARTICIPANTS. <i>Alzheimer's and Dementia</i> , 2019, 15, P1528.	0.8	0
120	P4485: <i>SPON1</i> IS ASSOCIATED WITH AMYLOID AND <i>APOE</i> RELATED COGNITIVE DECLINE IN COGNITIVELY NORMAL ADULTS. <i>Alzheimer's and Dementia</i> , 2019, 15, P1498.	0.8	0
121	The peripheral hearing and central auditory processing skills of individuals with subjective memory complaints. <i>Alzheimer's and Dementia</i> , 2020, 16, e044989.	0.8	0
122	The Role Of Apolipoprotein μ 4 Allele Carriage In Exercise-induced Cognitive Change. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 1016-1016.	0.4	0
123	Cognition may improve with medium-chain triglyceride oil supplementation: A pilot study. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
124	How lifestyle shapes the brain: Associations between physical activity, sleep, beta-amyloid and cognitive function in older adults. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0
125	Postprandial ketone body levels increase following medium-chain triglyceride oil consumption. <i>Alzheimer's and Dementia</i> , 2021, 17, .	0.8	0