

Jaume Capdevila

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1445694/publications.pdf>

Version: 2024-02-01

135
papers

10,725
citations

134610

34
h-index

36203

101
g-index

136
all docs

136
docs citations

136
times ranked

10315
citing authors

#	ARTICLE	IF	CITATIONS
1	External Validity of Somatostatin Analogs Trials in Advanced Neuroendocrine Neoplasms: The GETNE-TRASGU Study. <i>Neuroendocrinology</i> , 2022, 112, 88-100.	1.2	6
2	Position Statement on the Diagnosis, Treatment, and Response Evaluation to Systemic Therapies of Advanced Neuroendocrine Tumors, With a Special Focus on Radioligand Therapy. <i>Oncologist</i> , 2022, 27, e328-e339.	1.9	3
3	Development of a quality of life questionnaire for patients with pancreatic neuroendocrine tumours (the PANNET module). <i>Journal of Neuroendocrinology</i> , 2022, 34, e13097.	1.2	5
4	Cervical dissecting extravasation of oxaliplatin: A case report. <i>Molecular and Clinical Oncology</i> , 2022, 16, 60.	0.4	1
5	What Is the Status of Immunotherapy in Neuroendocrine Neoplasms?. <i>Current Oncology Reports</i> , 2022, 24, 451-461.	1.8	1
6	Molecular diagnosis and targeted treatment of advanced follicular cell-derived thyroid cancer in the precision medicine era. <i>Cancer Treatment Reviews</i> , 2022, 106, 102380.	3.4	26
7	Quality of life and late toxicity after short-course radiotherapy followed by chemotherapy or chemoradiotherapy for locally advanced rectal cancer – The RAPIDO trial. <i>Radiotherapy and Oncology</i> , 2022, 171, 69-76.	0.3	20
8	Clinical activity of CC-90011, an oral, potent, and reversible LSD1 inhibitor, in advanced malignancies. <i>Cancer</i> , 2022, 128, 3185-3195.	2.0	10
9	Cabozantinib versus placebo in patients (pts) with radioiodine-refractory (RAIR) differentiated thyroid cancer (DTC) who progressed after prior VEGFR-targeted therapy: Outcomes in prespecified subgroups based on histology subtypes.. <i>Journal of Clinical Oncology</i> , 2022, 40, 6081-6081.	0.8	1
10	Phase I Study of Lysine-Specific Demethylase 1 Inhibitor, CC-90011, in Patients with Advanced Solid Tumors and Relapsed/Refractory Non-Hodgkin Lymphoma. <i>Clinical Cancer Research</i> , 2021, 27, 438-446.	3.2	21
11	Short-course radiotherapy followed by chemotherapy before total mesorectal excision (TME) versus preoperative chemoradiotherapy, TME, and optional adjuvant chemotherapy in locally advanced rectal cancer (RAPIDO): a randomised, open-label, phase 3 trial. <i>Lancet Oncology</i> , The, 2021, 22, 29-42.	5.1	739
12	A phase II/III randomized double-blind study of octreotide acetate LAR with axitinib versus octreotide acetate LAR with placebo in patients with advanced G1-G2 NETs of non-pancreatic origin (AXINET) Tj ETQq0 0 0 rgBT.8 Overlock 10 Tf 50		
13	Practical recommendations for the management of patients with gastroenteropancreatic and thoracic (carcinoid) neuroendocrine neoplasms in the COVID-19 era. <i>European Journal of Cancer</i> , 2021, 144, 200-214.	1.3	12
14	Clinical Impact of Presurgery Circulating Tumor DNA after Total Neoadjuvant Treatment in Locally Advanced Rectal Cancer: A Biomarker Study from the GEMCAD 1402 Trial. <i>Clinical Cancer Research</i> , 2021, 27, 2890-2898.	3.2	44
15	Drug Development in Neuroendocrine Tumors: What Is on the Horizon?. <i>Current Treatment Options in Oncology</i> , 2021, 22, 43.	1.3	8
16	Consensus on molecular imaging and theranostics in neuroendocrine neoplasms. <i>European Journal of Cancer</i> , 2021, 146, 56-73.	1.3	120
17	Correlation of Performance Status and Neutrophil-Lymphocyte Ratio with Efficacy in Radioiodine-Refractory Differentiated Thyroid Cancer Treated with Lenvatinib. <i>Thyroid</i> , 2021, 31, 1226-1234.	2.4	24
18	Description of the genetic variants identified in a cohort of patients diagnosed with localized anal squamous cell carcinoma and treated with panitumumab. <i>Scientific Reports</i> , 2021, 11, 7402.	1.6	1

#	ARTICLE	IF	CITATIONS
19	Advanced Pancreatic Neuroendocrine Neoplasms: Which Systemic Treatment Should I Start With?. <i>Current Oncology Reports</i> , 2021, 23, 80.	1.8	1
20	Acquired hepatocerebral degeneration in a metastatic neuroendocrine tumor long-term survivor – an update on neuroendocrine neoplasms' treatment: A case report. <i>World Journal of Hepatology</i> , 2021, 13, 611-619.	0.8	0
21	Limited Liver or Lung Colorectal Cancer Metastases. Systemic Treatment, Surgery, Ablation or SBRT. <i>Journal of Clinical Medicine</i> , 2021, 10, 2131.	1.0	13
22	Lenvatinib in Patients With Advanced Grade 1/2 Pancreatic and Gastrointestinal Neuroendocrine Tumors: Results of the Phase II TALENT Trial (GETNE1509). <i>Journal of Clinical Oncology</i> , 2021, 39, 2304-2312.	0.8	49
23	Cabozantinib for radioiodine-refractory differentiated thyroid cancer (COSMIC-311): a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2021, 22, 1126-1138.	5.1	136
24	10980 Nivolumab plus platinum-doublet chemotherapy as first-line therapy in unresectable, locally advanced or metastatic G3 neuroendocrine Neoplasms (NENs) of the gastroenteropancreatic (GEP) tract or unknown (UK) origin: Preliminary results from the phase II NICE-NEC trial (GETNE T1913). <i>Annals of Oncology</i> , 2021, 32, S908-S909.	0.6	4
25	A Novel Antagonistic CD73 Antibody for Inhibition of the Immunosuppressive Adenosine Pathway. <i>Molecular Cancer Therapeutics</i> , 2021, 20, 2250-2261.	1.9	11
26	Identification of Expression Profiles Defining Distinct Prognostic Subsets of Radioactive-Iodine Refractory Differentiated Thyroid Cancer from the DECISION Trial. <i>Molecular Cancer Therapeutics</i> , 2020, 19, 312-317.	1.9	8
27	Epigenetic <i>EGFR</i> Gene Repression Confers Sensitivity to Therapeutic BRAFV600E Blockade in Colon Neuroendocrine Carcinomas. <i>Clinical Cancer Research</i> , 2020, 26, 902-909.	3.2	29
28	VITAL phase 2 study: Upfront 5-fluorouracil, mitomycin, panitumumab and radiotherapy treatment in nonmetastatic squamous cell carcinomas of the anal canal (GEMCAD 09). <i>Cancer Medicine</i> , 2020, 9, 1008-1016.	1.3	12
29	Phase II randomized trial of capecitabine with bevacizumab and external beam radiation therapy as preoperative treatment for patients with resectable locally advanced rectal adenocarcinoma: long term results. <i>BMC Cancer</i> , 2020, 20, 1164.	1.1	7
30	PD-1 Blockade in Anaplastic Thyroid Carcinoma. <i>Journal of Clinical Oncology</i> , 2020, 38, 2620-2627.	0.8	177
31	<i>Fusobacterium nucleatum</i> persistence and risk of recurrence after preoperative treatment in locally advanced rectal cancer. <i>Annals of Oncology</i> , 2020, 31, 1366-1375.	0.6	80
32	The PALBONET Trial: A Phase II Study of Palbociclib in Metastatic Grade 1 and 2 Pancreatic Neuroendocrine Tumors (GETNE-1407). <i>Oncologist</i> , 2020, 25, 745-e1265.	1.9	25
33	SEOM clinical guideline thyroid cancer (2019). <i>Clinical and Translational Oncology</i> , 2020, 22, 223-235.	1.2	23
34	Phase II Study of Everolimus and Octreotide LAR in Patients with Nonfunctioning Gastrointestinal Neuroendocrine Tumors: The GETNE1003_EVERLAR Study. <i>Oncologist</i> , 2019, 24, 38-46.	1.9	23
35	Prediction of Progression-Free Survival in Patients With Advanced, Well-Differentiated, Neuroendocrine Tumors Being Treated With a Somatostatin Analog: The GETNE-TRASGU Study. <i>Journal of Clinical Oncology</i> , 2019, 37, 2571-2580.	0.8	49
36	Evaluating radiological response in pancreatic neuroendocrine tumours treated with sunitinib: comparison of Choi versus RECIST criteria (CRIPNET_GETNE1504 study). <i>British Journal of Cancer</i> , 2019, 121, 537-544.	2.9	18

#	ARTICLE	IF	CITATIONS
37	Efficacy and toxicity of sorafenib in the treatment of advanced medullary thyroid carcinoma: A systematic review and meta-analysis. <i>Head and Neck</i> , 2019, 41, 2823-2829.	0.9	5
38	Economics of gastroenteropancreatic neuroendocrine tumors: a systematic review. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2019, 10, 204201881982821.	1.4	8
39	Meta-analysis of Randomized Clinical Trials Comparing Active Treatment with Placebo in Metastatic Neuroendocrine Tumors. <i>Oncologist</i> , 2019, 24, e1315-e1320.	1.9	8
40	Recent Therapeutic Advances and Change in Treatment Paradigm of Patients with Merkel Cell Carcinoma. <i>Oncologist</i> , 2019, 24, 1375-1383.	1.9	22
41	SEOM clinical guidelines for the diagnosis and treatment of gastroenteropancreatic and bronchial neuroendocrine neoplasms (NENs) (2018). <i>Clinical and Translational Oncology</i> , 2019, 21, 55-63.	1.2	17
42	Unmet Needs in the Field of Neuroendocrine Neoplasms of the Gastrointestinal Tract, Pancreas, and Respiratory System: Reports by the ENETS Group. <i>Neuroendocrinology</i> , 2019, 108, 5-6.	1.2	8
43	Unmet Needs in Functional and Nonfunctional Pancreatic Neuroendocrine Neoplasms. <i>Neuroendocrinology</i> , 2019, 108, 26-36.	1.2	46
44	The SUNEVO (GETNE-1408) trial to evaluate the activity and safety of the combination of sunitinib with evofosfamide (TH-302) in patients with G1/G2 metastatic pancreatic neuroendocrine tumours (pNETs) naïve for systemic treatment: A phase II study of the Spanish Task Force Group for Neuroendocrine and Endocrine Tumors (GETNE). <i>Journal of Clinical Oncology</i> , 2019, 37, 4105-4105.	0.8	5
45	Final results of the TALENT trial (GETNE1509): a prospective multicohort phase II study of lenvatinib in patients (pts) with G1/G2 advanced pancreatic (panNETs) and gastrointestinal (giNETs) neuroendocrine tumors (NETs). <i>Journal of Clinical Oncology</i> , 2019, 37, 4106-4106.	0.8	25
46	Genomic profiling of NETs: a comprehensive analysis of the RADIANT trials. <i>Endocrine-Related Cancer</i> , 2019, 26, 391-403.	1.6	32
47	Early evolutionary divergence between papillary and anaplastic thyroid cancers. <i>Annals of Oncology</i> , 2018, 29, 1454-1460.	0.6	44
48	KRAS and BRAF mutations in circulating tumour DNA from locally advanced rectal cancer. <i>Scientific Reports</i> , 2018, 8, 1445.	1.6	55
49	Prognostic and predictive biomarkers for somatostatin analogs, peptide receptor radionuclide therapy and serotonin pathway targets in neuroendocrine tumours. <i>Cancer Treatment Reviews</i> , 2018, 70, 209-222.	3.4	12
50	Efficacy of lenvatinib in patients with advanced pancreatic (panNETs) and gastrointestinal (giNETs) grade 1/2 (G1/G2) neuroendocrine tumors: Results of the international phase II TALENT trial (GETNE). <i>Journal of Clinical Oncology</i> , 2019, 37, 4106-4106.	0.8	25
51	Consensus document on the progression and treatment response criteria in gastroenteropancreatic neuroendocrine tumors. <i>Clinical and Translational Oncology</i> , 2018, 20, 1522-1528.	1.2	10
52	The right compound for the right target: tackling RET. <i>Annals of Oncology</i> , 2018, 29, 1623-1625.	0.6	5
53	Biomarkers and polymorphisms in pancreatic neuroendocrine tumors treated with sunitinib. <i>Oncotarget</i> , 2018, 9, 36894-36905.	0.8	9
54	ENETS Consensus Recommendations for the Standards of Care in Neuroendocrine Neoplasms: Follow-Up and Documentation. <i>Neuroendocrinology</i> , 2017, 105, 310-319.	1.2	97

#	ARTICLE	IF	CITATIONS
55	Analysis of mutant allele fractions in driver genes in colorectal cancer – biological and clinical insights. <i>Molecular Oncology</i> , 2017, 11, 1263-1272.	2.1	26
56	A randomized, open-label, phase 2 study of everolimus in combination with pasireotide LAR or everolimus alone in advanced, well-differentiated, progressive pancreatic neuroendocrine tumors: COOPERATE-2 trial. <i>Annals of Oncology</i> , 2017, 28, 1309-1315.	0.6	82
57	Optimizing Somatostatin Analog Use in Well or Moderately Differentiated Gastroenteropancreatic Neuroendocrine Tumors. <i>Current Oncology Reports</i> , 2017, 19, 72.	1.8	13
58	The Treatment Landscape and New Opportunities of Molecular Targeted Therapies in Gastroenteropancreatic Neuroendocrine Tumors. <i>Targeted Oncology</i> , 2017, 12, 757-774.	1.7	1
59	Axitinib treatment in advanced RAI-resistant differentiated thyroid cancer (DTC) and refractory medullary thyroid cancer (MTC). <i>European Journal of Endocrinology</i> , 2017, 177, 309-317.	1.9	30
60	Capecitabine and temozolomide in grade 1/2 neuroendocrine tumors: a Spanish multicenter experience. <i>Future Oncology</i> , 2017, 13, 615-624.	1.1	32
61	Translational research in neuroendocrine tumors: pitfalls and opportunities. <i>Oncogene</i> , 2017, 36, 1899-1907.	2.6	26
62	Final progression-free survival (PFS) analyses for lanreotide autogel/depot 120 mg in metastatic enteropancreatic neuroendocrine tumors (NETs): The CLARINET extension study.. <i>Journal of Clinical Oncology</i> , 2017, 35, 4089-4089.	0.8	9
63	Clinical and molecular determinants of treatment benefit with phase I trials in patients (pts) with advanced pancreatic cancer (PC).. <i>Journal of Clinical Oncology</i> , 2017, 35, 409-409.	0.8	1
64	Emerging tyrosine kinase inhibitors for the treatment of metastatic colorectal cancer. <i>Expert Opinion on Emerging Drugs</i> , 2016, 21, 267-282.	1.0	7
65	Characterization of Tumor Size Changes Over Time From the Phase 3 Study of Lenvatinib in Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 4103-4109.	1.8	78
66	Everolimus for the Treatment of Advanced Pancreatic Neuroendocrine Tumors: Overall Survival and Circulating Biomarkers From the Randomized, Phase III RADIANT-3 Study. <i>Journal of Clinical Oncology</i> , 2016, 34, 3906-3913.	0.8	206
67	Spanish consensus for the management of patients with advanced radioactive iodine refractory differentiated thyroid cancer. <i>Endocrinología Y Nutricion: Organo De La Sociedad Espanola De Endocrinología Y Nutricion</i> , 2016, 63, e17-e24.	0.8	18
68	ENETS Consensus Guidelines Update for the Management of Distant Metastatic Disease of Intestinal, Pancreatic, Bronchial Neuroendocrine Neoplasms (NEN) and NEN of Unknown Primary Site. <i>Neuroendocrinology</i> , 2016, 103, 172-185.	1.2	844
69	ENETS Consensus Guidelines Update for the Management of Patients with Functional Pancreatic Neuroendocrine Tumors and Non-Functional Pancreatic Neuroendocrine Tumors. <i>Neuroendocrinology</i> , 2016, 103, 153-171.	1.2	1,074
70	Anti-tumour effects of lanreotide for pancreatic and intestinal neuroendocrine tumours: the CLARINET open-label extension study. <i>Endocrine-Related Cancer</i> , 2016, 23, 191-199.	1.6	193
71	Clonality patterns of driver mutations (mut) to reveal spatial-temporal genomic heterogeneity in colorectal cancer (CRC).. <i>Journal of Clinical Oncology</i> , 2016, 34, 3509-3509.	0.8	0
72	A Phase II Study of BEZ235 in Patients with Everolimus-resistant, Advanced Pancreatic Neuroendocrine Tumours. <i>Anticancer Research</i> , 2016, 36, 713-9.	0.5	66

#	ARTICLE	IF	CITATIONS
73	Imaging approaches to assess the therapeutic response of gastroenteropancreatic neuroendocrine tumors (GEP-NETs): current perspectives and future trends of an exciting field in development. <i>Cancer and Metastasis Reviews</i> , 2015, 34, 823-842.	2.7	39
74	Pulmonary neuroendocrine (carcinoid) tumors: European Neuroendocrine Tumor Society expert consensus and recommendations for best practice for typical and atypical pulmonary carcinoids. <i>Annals of Oncology</i> , 2015, 26, 1604-1620.	0.6	514
75	Pazopanib in pretreated advanced neuroendocrine tumors: a phase II, open-label trial of the Spanish Task Force Group for Neuroendocrine Tumors (GETNE). <i>Annals of Oncology</i> , 2015, 26, 1987-1993.	0.6	112
76	A randomized phase II study of capecitabine-based chemoradiation with or without bevacizumab in resectable locally advanced rectal cancer: clinical and biological features. <i>BMC Cancer</i> , 2015, 15, 60.	1.1	41
77	GEP-NETs UPDATE: Biotherapy for neuroendocrine tumours. <i>European Journal of Endocrinology</i> , 2015, 172, R31-R46.	1.9	41
78	Elucidating the molecular aspects of colorectal cancer and their clinical importance. <i>Colorectal Cancer</i> , 2015, 4, 175-183.	0.8	0
79	Evaluation of the efficacy and safety of lanreotide in combination with targeted therapies in patients with neuroendocrine tumours in clinical practice: a retrospective cross-sectional analysis. <i>BMC Cancer</i> , 2015, 15, 495.	1.1	25
80	Health-related quality of life in well-differentiated metastatic gastroenteropancreatic neuroendocrine tumors. <i>Cancer and Metastasis Reviews</i> , 2015, 34, 381-400.	2.7	49
81	A phase I/II, open-label, randomised study of nintedanib plus mFOLFOX6 versus bevacizumab plus mFOLFOX6 in first-line metastatic colorectal cancer patients. <i>Annals of Oncology</i> , 2015, 26, 2085-2091.	0.6	37
82	Everolimus in patients with advanced, progressive pancreatic neuroendocrine tumors: Overall survival results from the phase III RADIANT-3 study after adjusting for crossover bias.. <i>Journal of Clinical Oncology</i> , 2015, 33, 4091-4091.	0.8	5
83	Lanreotide depot/autogel (LAN) in intestinal and pancreatic neuroendocrine tumors (NETs) according to body mass index (BMI): Subgroup analyses from the CLARINET study.. <i>Journal of Clinical Oncology</i> , 2015, 33, e15182-e15182.	0.8	3
84	Effects of lanreotide autogel/depot (LAN) in pancreatic neuroendocrine tumors (pNETs): A subgroup analysis from the CLARINET study.. <i>Journal of Clinical Oncology</i> , 2015, 33, 233-233.	0.8	4
85	Effects of lanreotide autogel/depot (LAN) in patients with neuroendocrine tumors (NETs) age 65 or younger versus older than age 65: Subgroup analyses from the CLARINET study.. <i>Journal of Clinical Oncology</i> , 2015, 33, 367-367.	0.8	2
86	Prognostic effect of a single nucleotide polymorphism (SNP) in MIR608 in patients with high-risk locally advanced rectal cancer (LARC): Results of the EXPERT-C trial.. <i>Journal of Clinical Oncology</i> , 2015, 33, 581-581.	0.8	1
87	Clinical and molecular characterization of refractory BRAF mutant metastatic colorectal carcinoma (mCRC): Vall d'Hebron Institute of Oncology phase I program cohort.. <i>Journal of Clinical Oncology</i> , 2015, 33, 587-587.	0.8	0
88	Everolimus (Eve) for the Treatment of Advanced Pancreatic Neuroendocrine Tumors (Pnet): Final Overall Survival (Os) Results of a Randomized, Double-Blind, Placebo (Pbo)-Controlled, Multicenter Phase III Trial (Radiant-3). <i>Annals of Oncology</i> , 2014, 25, iv394.	0.6	10
89	Multikinase inhibitors in the treatment of thyroid cancer: specific role of lenvatinib. <i>Biologics: Targets and Therapy</i> , 2014, 8, 129.	3.0	73
90	Polymorphisms and Cetuximab Benefit in the Microscopic Disease. <i>Clinical Cancer Research</i> , 2014, 20, 4511-4519.	3.2	7

#	ARTICLE	IF	CITATIONS
91	RAF signaling in neuroendocrine neoplasms: From bench to bedside. <i>Cancer Treatment Reviews</i> , 2014, 40, 974-979.	3.4	21
92	Molecular biology of neuroendocrine tumors: from pathways to biomarkers and targets. <i>Cancer and Metastasis Reviews</i> , 2014, 33, 345-351.	2.7	29
93	Lanreotide in Metastatic Enteropancreatic Neuroendocrine Tumors. <i>New England Journal of Medicine</i> , 2014, 371, 224-233.	13.9	1,460
94	Open-label, multicentre expansion cohort to evaluate imgatuzumab in pre-treated patients with KRAS-mutant advanced colorectal carcinoma. <i>European Journal of Cancer</i> , 2014, 50, 496-505.	1.3	26
95	Comparison of ColoPrint risk classification with clinical risk in the prospective PARSC trial.. <i>Journal of Clinical Oncology</i> , 2014, 32, 3562-3562.	0.8	1
96	Phase II trial of panitumumab (P) plus mytomicin C (M), 5-fluorouracil (5-FU), and radiation (RT) in patients with squamous cell carcinoma of the anal canal (SCAC): Safety and efficacy profileâ€”VITAL study, GEMCAD 09-02 clinical trial.. <i>Journal of Clinical Oncology</i> , 2014, 32, 4034-4034.	0.8	2
97	Axitinib treatment in advanced RAI-resistant differentiated thyroid cancer (DTC) and refractory medullary thyroid cancer (MTC).. <i>Journal of Clinical Oncology</i> , 2014, 32, 6027-6027.	0.8	2
98	Correlation of VEGFR2 expression in tumor tissue with longer progression-free survival in patients with neuroendocrine tumors (NETs) treated with pazopanib.. <i>Journal of Clinical Oncology</i> , 2014, 32, e15154-e15154.	0.8	3
99	Comparison of ColoPrint risk classification with clinical risk in the prospective PARSC trial.. <i>Journal of Clinical Oncology</i> , 2014, 32, 465-465.	0.8	2
100	Potential role of mTOR phosphorylation status as a negative predictor to everolimus plus octreotide in NETs.. <i>Journal of Clinical Oncology</i> , 2014, 32, 484-484.	0.8	1
101	Study of the gastroenteropancreatic neuroendocrine tumor (gpe-net) microenvironment beyond angiogenesis: The role of lysyl oxidase-like 2 (LOXL2).. <i>Journal of Clinical Oncology</i> , 2014, 32, 4109-4109.	0.8	0
102	Pazopanib activity in pancreatic neuroendocrine tumors (pNETs).. <i>Journal of Clinical Oncology</i> , 2014, 32, e15171-e15171.	0.8	0
103	FCÎ³R11a and FCÎ³R11a polymorphisms (SNPs) and cetuximab (C) benefit in the EXPERT-C trial.. <i>Journal of Clinical Oncology</i> , 2014, 32, 3573-3573.	0.8	0
104	Coexisting KRAS and PIK3CA exon 20 mutations as a potential poor-prognosis factor in metastatic colorectal cancer (mCRC).. <i>Journal of Clinical Oncology</i> , 2014, 32, 3591-3591.	0.8	0
105	Retrospective analysis of the safety and efficacy of vandetanib as systemic treatment for patients with advanced and progressive medullary thyroid cancer (MTC).. <i>Journal of Clinical Oncology</i> , 2014, 32, e17015-e17015.	0.8	0
106	Clinical scenario 1: Advanced, grade 2, neuroendocrine tumor in the midgut. <i>Clinical Advances in Hematology and Oncology</i> , 2014, 12, 17-9.	0.3	2
107	Continued advances in targeting gastroenteropancreatic neuroendocrine tumors: general discussion. <i>Clinical Advances in Hematology and Oncology</i> , 2014, 12, 22; quiz 23.	0.3	1
108	A phase I pharmacokinetic study of PM00104 (ZalypsisÂ®) administered as a 24-h intravenous infusion every 3 weeks in patients with advanced solid tumors. <i>Cancer Chemotherapy and Pharmacology</i> , 2013, 71, 1247-1254.	1.1	9

#	ARTICLE	IF	CITATIONS
109	sVEGFR2 and circulating tumor cells to predict for the efficacy of pazopanib in neuroendocrine tumors (NETs): PAZONET subgroup analysis.. Journal of Clinical Oncology, 2013, 31, 4140-4140.	0.8	17
110	Long-term efficacy and pharmacodynamic parameter analysis in pretreated KRAS-mutant metastatic colorectal carcinoma (mCRC) patients treated with RG7160 (GA201), an antibody-dependent cellular cytotoxicity (ADCC)-enhanced monoclonal anti-EGFR antibody.. Journal of Clinical Oncology, 2013, 31, 379-379.	0.8	0
111	Molecular characterization of nonpancreatic neuroendocrine neoplasms (NENS): First description of mutations in the tumor suppressor gene (TSG) <i>SMARCB1</i> in NENS of colorectal origin using next-generation sequencing (NGS).. Journal of Clinical Oncology, 2013, 31, 4135-4135.	0.8	0
112	A significant response to sunitinib in a patient with anaplastic thyroid carcinoma. Journal of Research in Medical Sciences, 2013, 18, 623-5.	0.4	17
113	Sorafenib in metastatic thyroid cancer. Endocrine-Related Cancer, 2012, 19, 209-216.	1.6	96
114	Evaluation of CYP3A5, VEGF-a, and VEGFR2 polymorphisms as markers of sunitinib toxicity.. Journal of Clinical Oncology, 2012, 30, 10546-10546.	0.8	2
115	A randomized phase II study of capecitabine-based chemoradiation with or without bevacizumab in resectable locally advanced rectal cancer.. Journal of Clinical Oncology, 2012, 30, 3571-3571.	0.8	1
116	PAZONET: Results of a phase II trial of pazopanib as a sequencing treatment in progressive metastatic neuroendocrine tumors (NETs) patients (pts), on behalf of the Spanish task force for NETs (GETNE) NCT01280201.. Journal of Clinical Oncology, 2012, 30, 4119-4119.	0.8	7
117	Evaluation of safety and efficacy of somatuline autogel in combination with molecular targeted therapies (MTT) in patients with neuroendocrine tumors (NETs): Data from one Spanish cohort.. Journal of Clinical Oncology, 2012, 30, e14671-e14671.	0.8	2
118	The PARSC trial, a prospective study for the assessment of recurrence risk in stage II colon cancer (CC) patients using ColoPrint.. Journal of Clinical Oncology, 2012, 30, 678-678.	0.8	5
119	Molecular profiling of patients (pts) with colorectal cancer (CRC) and matched targeted therapy (MTA) in phase I clinical trials.. Journal of Clinical Oncology, 2012, 30, 3014-3014.	0.8	1
120	The PARSC trial, a prospective study for the assessment of recurrence risk in stage II colon cancer patients using ColoPrint.. Journal of Clinical Oncology, 2012, 30, TPS10632-TPS10632.	0.8	1
121	The impact of TP53 mutation on high-risk rectal cancer patients treated within the EXPERT-C trial, a randomized phase II study of neoadjuvant oxaliplatin/capecitabine (CAPOX) and chemoradiation (CRT) with or without cetuximab.. Journal of Clinical Oncology, 2012, 30, e14088-e14088.	0.8	0
122	Senescence, a new concept in pathologic response evaluation of rectal carcinomas (RC) after neoadjuvant treatment.. Journal of Clinical Oncology, 2012, 30, e21021-e21021.	0.8	0
123	Everolimus for Advanced Pancreatic Neuroendocrine Tumors. New England Journal of Medicine, 2011, 364, 514-523.	13.9	2,547
124	Innovations therapy: mammalian target of rapamycin (mTOR) inhibitors for the treatment of neuroendocrine tumors. Cancer and Metastasis Reviews, 2011, 30, 27-34.	2.7	67
125	A Shining Light in the Darkness for the Treatment of Pancreatic Neuroendocrine Tumors. Cancer Discovery, 2011, 1, 213-221.	7.7	26
126	Incidence, patterns of care and prognostic factors for outcome of gastroenteropancreatic neuroendocrine tumors (GEP-NETs): results from the National Cancer Registry of Spain (RGETNE). Annals of Oncology, 2010, 21, 1794-1803.	0.6	338

#	ARTICLE	IF	CITATIONS
127	New approaches in the management of radioiodine-refractory thyroid cancer: the molecular targeted therapy era. <i>Discovery Medicine</i> , 2010, 9, 153-62.	0.5	10
128	The role of salvage treatment in advanced colorectal cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2009, 71, 53-61.	2.0	13
129	Targeted therapies in thyroid cancer. <i>Targeted Oncology</i> , 2009, 4, 275-285.	1.7	2
130	Molecular targeted therapies in the treatment of gastroenteropancreatic neuroendocrine tumors. <i>Targeted Oncology</i> , 2009, 4, 287-296.	1.7	16
131	Anti-epidermal growth factor receptor monoclonal antibodies in cancer treatment. <i>Cancer Treatment Reviews</i> , 2009, 35, 354-363.	3.4	120
132	Development of new drug strategies in infrequent digestive tumors: esophageal, biliary tract, and anal cancers. <i>Current Opinion in Oncology</i> , 2009, 21, 374-380.	1.1	3
133	Oxaliplatin-based chemotherapy in the management of colorectal cancer. <i>Expert Review of Anticancer Therapy</i> , 2008, 8, 1223-1236.	1.1	34
134	New approaches in systemic treatment of advanced colorectal cancer: the molecular targets era. <i>Expert Review of Anticancer Therapy</i> , 2007, 7, 1027-1041.	1.1	3
135	Monoclonal antibodies in the treatment of advanced colorectal cancer. <i>European Journal of Surgical Oncology</i> , 2007, 33, S24-S34.	0.5	16