Richard H Wilson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1446049/publications.pdf

Version: 2024-02-01

60 papers 3,622 citations

236833 25 h-index 54 g-index

62 all docs

62 docs citations

times ranked

62

5727 citing authors

#	Article	IF	CITATIONS
1	Addition of cetuximab to oxaliplatin-based first-line combination chemotherapy for treatment of advanced colorectal cancer: results of the randomised phase 3 MRC COIN trial. Lancet, The, 2011, 377, 2103-2114.	6.3	876
2	Phase I Study of the Poly(ADP-Ribose) Polymerase Inhibitor, AG014699, in Combination with Temozolomide in Patients with Advanced Solid Tumors. Clinical Cancer Research, 2008, 14, 7917-7923.	3.2	361
3	Intermittent versus continuous oxaliplatin and fluoropyrimidine combination chemotherapy for first-line treatment of advanced colorectal cancer: results of the randomised phase 3 MRC COIN trial. Lancet Oncology, The, 2011, 12, 642-653.	5.1	232
4	Development and Independent Validation of a Prognostic Assay for Stage II Colon Cancer Using Formalin-Fixed Paraffin-Embedded Tissue. Journal of Clinical Oncology, 2011, 29, 4620-4626.	0.8	178
5	Guidance on the management of diarrhoea during cancer chemotherapy. Lancet Oncology, The, 2014, 15, e447-e460.	5.1	171
6	A phase II study of the potent PARP inhibitor, Rucaparib (PF-01367338, AG014699), with temozolomide in patients with metastatic melanoma demonstrating evidence of chemopotentiation. Cancer Chemotherapy and Pharmacology, 2013, 71, 1191-1199.	1.1	164
7	Genomic Profiling of Small-Bowel Adenocarcinoma. JAMA Oncology, 2017, 3, 1546.	3.4	154
8	ADD-ASPIRIN: A phase III, double-blind, placebo controlled, randomised trial assessing the effects of aspirin on disease recurrence and survival after primary therapy in common non-metastatic solid tumours. Contemporary Clinical Trials, 2016, 51, 56-64.	0.8	129
9	Evaluating Many Treatments and Biomarkers in Oncology: A New Design. Journal of Clinical Oncology, 2013, 31, 4562-4568.	0.8	128
10	Clinical trial designs for rare diseases: Studies developed and discussed by the International Rare Cancers Initiative. European Journal of Cancer, 2015, 51, 271-281.	1.3	108
11	Intermittent chemotherapy plus either intermittent or continuous cetuximab for first-line treatment of patients with KRAS wild-type advanced colorectal cancer (COIN-B): a randomised phase 2 trial. Lancet Oncology, The, 2014, 15, 631-639.	5.1	97
12	EphA2 Expression Is a Key Driver of Migration and Invasion and a Poor Prognostic Marker in Colorectal Cancer. Clinical Cancer Research, 2016, 22, 230-242.	3.2	97
13	Critical research gaps and recommendations to inform research prioritisation for more effective prevention and improved outcomes in colorectal cancer. Gut, 2018, 67, 179-193.	6.1	73
14	A phase I study of intravenous and oral rucaparib in combination with chemotherapy in patients with advanced solid tumours. British Journal of Cancer, 2017, 116, 884-892.	2.9	69
15	Patient Selection for Oncology Phase I Trials: A Multi-Institutional Study of Prognostic Factors. Journal of Clinical Oncology, 2012, 30, 996-1004.	0.8	68
16	Inhibition of WEE1 Is Effective in <i>TP53</i> and <i>RAS</i> Mutant Metastatic Colorectal Cancer: A Randomized Trial (FOCUS4-C) Comparing Adavosertib (AZD1775) With Active Monitoring. Journal of Clinical Oncology, 2021, 39, 3705-3715.	0.8	51
17	Inhibition of EGFR, HER2, and HER3 signalling in patients with colorectal cancer wild-type for BRAF, PIK3CA, KRAS , and NRAS (FOCUS4-D): a phase 2–3 randomised trial. The Lancet Gastroenterology and Hepatology, 2018, 3, 162-171.	3.7	47
18	Aspirin as an adjuvant treatment for cancer: feasibility results from the Add-Aspirin randomised trial. The Lancet Gastroenterology and Hepatology, 2019, 4, 854-862.	3.7	47

#	Article	IF	CITATIONS
19	Effect of Pulsed Masking on Selected Speech Materials. Journal of the Acoustical Society of America, 1969, 46, 898-906.	0.5	45
20	Transcriptional Subtyping and CD8 Immunohistochemistry Identifies Patients With Stage II and III Colorectal Cancer With Poor Prognosis Who Benefit From Adjuvant Chemotherapy. JCO Precision Oncology, 2018, 2018, 1-15.	1.5	45
21	Comprehensive molecular pathology analysis of small bowel adenocarcinoma reveals novel targets with potential for clinical utility. Oncotarget, 2015, 6, 20863-20874.	0.8	41
22	Molecular Subtypes and Personalized Therapy in Metastatic Colorectal Cancer. Current Colorectal Cancer Reports, 2016, 12, 141-150.	1.0	40
23	BCL-2 system analysis identifies high-risk colorectal cancer patients. Gut, 2017, 66, 2141-2148.	6.1	40
24	Molecular profiling of signet ring cell colorectal cancer provides a strong rationale for genomic targeted and immune checkpoint inhibitor therapies. British Journal of Cancer, 2017, 117, 203-209.	2.9	38
25	ZEBRA: A Multicenter Phase II Study of Pembrolizumab in Patients with Advanced Small-Bowel Adenocarcinoma. Clinical Cancer Research, 2021, 27, 3641-3648.	3.2	32
26	Changing the Paradigm—Multistage Multiarm Randomized Trials and Stratified Cancer Medicine. Oncologist, 2015, 20, 849-851.	1.9	24
27	The Effects of the Endocannabinoids Anandamide and 2-Arachidonoylglycerol on Human Osteoblast Proliferation and Differentiation. PLoS ONE, 2015, 10, e0136546.	1.1	23
28	Natural killer-like signature observed post therapy in locally advanced rectal cancer is a determinant of pathological response and improved survival. Modern Pathology, 2017, 30, 1287-1298.	2.9	23
29	Dataset for Pathology Reporting of Colorectal Cancer. Annals of Surgery, 2022, 275, e549-e561.	2.1	22
30	A Stepwise Integrated Approach to Personalized Risk Predictions in Stage III Colorectal Cancer. Clinical Cancer Research, 2017, 23, 1200-1212.	3.2	21
31	Effects of the myocardialâ€selective α ₁ â€adrenoceptor antagonist UKâ€52046 and atenolol, alone and in combination, on experimental cardiac arrhythmias in dogs. British Journal of Pharmacology, 1988, 95, 1241-1254.	2.7	20
32	Capecitabine Versus Active Monitoring in Stable or Responding Metastatic Colorectal Cancer After 16 Weeks of First-Line Therapy: Results of the Randomized FOCUS4-N Trial. Journal of Clinical Oncology, 2021, 39, 3693-3704.	0.8	19
33	Dose–Response Relationship in Phase I Clinical Trials: A European Drug Development Network (EDDN) Collaboration Study. Clinical Cancer Research, 2014, 20, 5663-5671.	3.2	15
34	Targeting nucleotide metabolism enhances the efficacy of anthracyclines and anti-metabolites in triple-negative breast cancer. Npj Breast Cancer, 2021, 7, 38.	2.3	12
35	Novel Therapeutic Developments Other Than EGFR and VEGF Inhibition in Colorectal Cancer. Oncologist, 2006, 11, 1018-1024.	1.9	11
36	A population-level investigation of cancer clinical trials participation in a UK region. European Journal of Cancer Prevention, 2017, 26, S229-S235.	0.6	11

#	Article	IF	CITATIONS
37	A phase I pharmacokinetic and pharmacodynamic study of the oral mitogen-activated protein kinase kinase (MEK) inhibitor, WX-554, in patients with advanced solid tumours. European Journal of Cancer, 2016, 68, 1-10.	1.3	9
38	A first-in-human phase I study to determine the maximum tolerated dose of the oral Src/ABL inhibitor AZD0424. British Journal of Cancer, 2018, 118, 770-776.	2.9	9
39	GLOBAL BALLAD: An International Rare Cancers Initiative trial to evaluate the potential benefit of adjuvant chemotherapy for small bowel adenocarcinoma (IRCI 002) Journal of Clinical Oncology, 2016, 34, TPS4154-TPS4154.	0.8	9
40	Rare cancers: the greatest inequality in cancer research and oncology treatment. British Journal of Cancer, 2017, 117, 1255-1257.	2.9	8
41	Experiences of running a stratified medicine adaptive platform trial: Challenges and lessons learned from 10 years of the FOCUS4 trial in metastatic colorectal cancer. Clinical Trials, 2022, 19, 146-157.	0.7	7
42	PET-CT as a predictor of outcome in resectable colorectal liver metastases. European Journal of Gastroenterology and Hepatology, 2014, 26, 466-472.	0.8	5
43	Delivering a researchâ€enabled multistakeholder partnership for enhanced patient care at a population level: The Northern Ireland Comprehensive Cancer Program. Cancer, 2016, 122, 664-673.	2.0	5
44	A Machine Learning Platform to Optimize the Translation of Personalized Network Models to the Clinic. JCO Clinical Cancer Informatics, 2019, 3, 1-17.	1.0	4
45	Nothing to lose: a grounded theory study of patients' and healthcare professionals' perspectives of being involved in the consent process for oncology trials with non-curative intent. BMC Palliative Care, 2020, 19, 166.	0.8	4
46	A first-in-human Phase I dose-escalation trial of the novel therapeutic peptide, ALM201, demonstrates a favourable safety profile in unselected patients with ovarian cancer and other advanced solid tumours. British Journal of Cancer, 2022, 127, 92-101.	2.9	4
47	Orthogonal <i>MET</i> analysis in a populationâ€representative stage Ilâ€"III colon cancer cohort: prognostic and potential therapeutic implications. Molecular Oncology, 2021, 15, 3317-3328.	2.1	3
48	Association of a DNA damage response deficiency (DDRD) assay and prognosis in early-stage esophageal adenocarcinoma Journal of Clinical Oncology, 2014, 32, 4015-4015.	0.8	3
49	Association of a specific innate immune response to DNA damage with DNA repair deficient colorectal cancers Journal of Clinical Oncology, 2016, 34, 3035-3035.	0.8	3
50	Relationship Between Tumor Response and Tumor-Related Symptoms in RAS Wild-Type Metastatic Colorectal Cancer: Retrospective Analyses From 3 Panitumumab Trials. Clinical Colorectal Cancer, 2019, 18, 245-256.e5.	1.0	2
51	Early switch from intravenous to oral antibiotic therapy in patients with cancer who have low-risk neutropenic sepsis (the EASI-SWITCH trial): study protocol for a randomised controlled trial. Trials, 2020, 21, 431.	0.7	2
52	Add-Aspirin trial: A phase III, double blind, placebo-controlled, randomized trial assessing the effects of aspirin on disease recurrence and survival after primary therapy in common nonmetastatic solid tumors Journal of Clinical Oncology, 2014, 32, TPS1617-TPS1617.	0.8	2
53	Do clinical trials change practice? A longitudinal, international assessment of colorectal cancer prescribing practices. Cancer Treatment and Research Communications, 2021, 28, 100445.	0.7	1
54	A systems model of BCL-2 dependent apoptosis to predict stage II CRC patients benefiting from adjuvant chemotherapy and as a prognostic tool for stage III CRC patients with increased risk of recurrence Journal of Clinical Oncology, 2016, 34, 3584-3584.	0.8	1

#	Article	IF	CITATIONS
55	RE: Test of Four Colon Cancer Risk-Scores in Formalin Fixed Paraffin Embedded Microarray Gene Expression Data. Journal of the National Cancer Institute, 2015, 107, djv055-djv055.	3.0	O
56	The prognostic and therapeutic value of EpHA2 in early colorectal cancer (CRC) Journal of Clinical Oncology, 2014, 32, 3581-3581.	0.8	0
57	Caspase modelling to predict personalised risk in stage III colorectal cancer (CRC) patients Journal of Clinical Oncology, 2016, 34, 11592-11592.	0.8	O
58	The EASI-SWITCH trial: Early switch to oral antibiotic therapy in patients with low risk neutropenic sepsis Journal of Clinical Oncology, 2016, 34, TPS10143-TPS10143.	0.8	0
59	TAX-TORC: A phase I trial of vistusertib (AZD2014) in combination with weekly paclitaxel with integrated pharmacodynamic (PD) and molecular characterization (MC) studies Journal of Clinical Oncology, 2017, 35, 2571-2571.	0.8	0
60	Reply to A. Kurreck et al and M.S. Copur et al. Journal of Clinical Oncology, 2022, 40, 1263-1264.	0.8	0