

Naser Elkum

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1446774/publications.pdf>

Version: 2024-02-01

37
papers

1,935
citations

361296

20
h-index

345118

36
g-index

38
all docs

38
docs citations

38
times ranked

3352
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The B7-H1 (PD-L1) T Lymphocyte-Inhibitory Molecule Is Expressed in Breast Cancer Patients with Infiltrating Ductal Carcinoma: Correlation with Important High-Risk Prognostic Factors. <i>Neoplasia</i> , 2006, 8, 190-198. | 2.3 | 505 |
| 2 | FOXP3+ Tregs and B7-H1+/PD-1+T lymphocytes co-infiltrate the tumor tissues of high-risk breast cancer patients: Implication for immunotherapy. <i>BMC Cancer</i> , 2008, 8, 57. | 1.1 | 178 |
| 3 | Expression of B7-H1 in breast cancer patients is strongly associated with high proliferative Ki-67-expressing tumor cells. <i>International Journal of Cancer</i> , 2007, 121, 751-758. | 2.3 | 132 |
| 4 | Higher plasma betatrophin/ANGPTL8 level in Type 2 Diabetes subjects does not correlate with blood glucose or insulin resistance. <i>Scientific Reports</i> , 2015, 5, 10949. | 1.6 | 108 |
| 5 | Circulating ANGPTL8/Betatrophin Is Increased in Obesity and Reduced after Exercise Training. <i>PLoS ONE</i> , 2016, 11, e0147367. | 1.1 | 84 |
| 6 | Being 40 or younger is an independent risk factor for relapse in operable breast cancer patients: The Saudi Arabia experience. <i>BMC Cancer</i> , 2007, 7, 222. | 1.1 | 76 |
| 7 | Proteomics Analysis of Human Obesity Reveals the Epigenetic Factor HDAC4 as a Potential Target for Obesity. <i>PLoS ONE</i> , 2013, 8, e75342. | 1.1 | 75 |
| 8 | Vitamin D Insufficiency in Arabs and South Asians Positively Associates with Polymorphisms in GC and CYP2R1 Genes. <i>PLoS ONE</i> , 2014, 9, e113102. | 1.1 | 68 |
| 9 | Circulating angiopoietin-like protein 8 (betatrophin) association with HsCRP and metabolic syndrome. <i>Cardiovascular Diabetology</i> , 2016, 15, 25. | 2.7 | 67 |
| 10 | DNAJB3/HSP-40 Cochaperone Is Downregulated in Obese Humans and Is Restored by Physical Exercise. <i>PLoS ONE</i> , 2013, 8, e69217. | 1.1 | 58 |
| 11 | MAP kinase phosphatase DUSP1 is overexpressed in obese humans and modulated by physical exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015, 308, E71-E83. | 1.8 | 54 |
| 12 | Obesity is a significant risk factor for breast cancer in Arab women. <i>BMC Cancer</i> , 2014, 14, 788. | 1.1 | 53 |
| 13 | Physical exercise alleviates ER stress in obese humans through reduction in the expression and release of GRP78 chaperone. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 1409-1420. | 1.5 | 45 |
| 14 | Immunohistochemical profiling of the heat shock response in obese non-diabetic subjects revealed impaired expression of heat shock proteins in the adipose tissue. <i>Lipids in Health and Disease</i> , 2014, 13, 106. | 1.2 | 43 |
| 15 | Physical Exercise Reduces the Expression of RANTES and Its CCR5 Receptor in the Adipose Tissue of Obese Humans. <i>Mediators of Inflammation</i> , 2014, 2014, 1-13. | 1.4 | 41 |
| 16 | Model Comparison for Breast Cancer Prognosis Based on Clinical Data. <i>PLoS ONE</i> , 2016, 11, e0146413. | 1.1 | 34 |
| 17 | Lack of associations between betatrophin/ANGPTL8 level and C-peptide in type 2 diabetic subjects. <i>Cardiovascular Diabetology</i> , 2015, 14, 112. | 2.7 | 32 |
| 18 | CSF total and oligomeric α -Synuclein along with TNF- α as risk biomarkers for Parkinson's disease: a study in LRRK2 mutation carriers. <i>Translational Neurodegeneration</i> , 2020, 9, 15. | 3.6 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Genetic risk variants for metabolic traits in Arab populations. <i>Scientific Reports</i> , 2017, 7, 40988. | 1.6 | 26 |
| 20 | Genome-wide association study identifies novel recessive genetic variants for high TGs in an Arab population. <i>Journal of Lipid Research</i> , 2018, 59, 1951-1966. | 2.0 | 24 |
| 21 | Obesity susceptibility loci in Qataris, a highly consanguineous Arabian population. <i>Journal of Translational Medicine</i> , 2015, 13, 119. | 1.8 | 21 |
| 22 | Gender-Specific Association of Oxidative Stress and Inflammation with Cardiovascular Risk Factors in Arab Population. <i>Mediators of Inflammation</i> , 2015, 2015, 1-11. | 1.4 | 19 |
| 23 | The p53 codon 72 polymorphism is associated with risk and early onset of breast cancer among Saudi women. <i>Oncology Letters</i> , 2012, 3, 875-878. | 0.8 | 18 |
| 24 | Evaluation of the usefulness of a D dimer test in combination with clinical pretest probability score in the prediction and exclusion of Venous Thromboembolism by medical residents. <i>Thrombosis Journal</i> , 2014, 12, 28. | 0.9 | 17 |
| 25 | Adult Diabetes and Prediabetes Prevalence in Kuwait: Data from the Cross-Sectional Kuwait Diabetes Epidemiology Program. <i>Journal of Clinical Medicine</i> , 2020, 9, 3420. | 1.0 | 17 |
| 26 | ANGPTL8/Betatrophin R59W variant is associated with higher glucose level in non-diabetic Arabs living in Kuwait. <i>Lipids in Health and Disease</i> , 2016, 15, 26. | 1.2 | 16 |
| 27 | The <i>TCN2</i> variant of rs9606756 [Ile23Val] acts as risk loci for obesity-related traits and mediates by interacting with ApoA1. <i>Obesity</i> , 2017, 25, 1098-1108. | 1.5 | 16 |
| 28 | Genome-wide association study identifies novel risk variants from RPS6KA1, CADPS, VARS, and DHX58 for fasting plasma glucose in Arab population. <i>Scientific Reports</i> , 2020, 10, 152. | 1.6 | 16 |
| 29 | Gender Differences in Ghrelin Association with Cardiometabolic Risk Factors in Arab Population. <i>International Journal of Endocrinology</i> , 2014, 2014, 1-8. | 0.6 | 13 |
| 30 | Genome-wide landscape establishes novel association signals for metabolic traits in the Arab population. <i>Human Genetics</i> , 2021, 140, 505-528. | 1.8 | 13 |
| 31 | Barriers in participant recruitment of diverse ethnicities in the state of Kuwait. <i>International Journal for Equity in Health</i> , 2013, 12, 93. | 1.5 | 10 |
| 32 | Investigation of genetic variation and lifestyle determinants in vitamin D levels in Arab individuals. <i>Journal of Translational Medicine</i> , 2018, 16, 20. | 1.8 | 9 |
| 33 | DUSP1 Is a Potential Marker of Chronic Inflammation in Arabs with Cardiovascular Diseases. <i>Disease Markers</i> , 2018, 2018, 1-10. | 0.6 | 8 |
| 34 | High adiponectin levels in lean Arab women compared to Asian women. <i>Biomarker Research</i> , 2015, 3, 7. | 2.8 | 3 |
| 35 | PR3 levels are impaired in plasma and PBMCs from Arabs with cardiovascular diseases. <i>PLoS ONE</i> , 2020, 15, e0227606. | 1.1 | 2 |
| 36 | A teaching intervention increases the performance of handheld ultrasound devices for assessment of left ventricular ejection fraction. <i>Heart Views</i> , 2019, 20, 133. | 0.1 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Value of routine blood cultures in febrile children presenting to the Emergency Department. Journal of Emergency Medicine, Trauma and Acute Care, 2016, 2016, . | 0.1 | 0 |