

Seung-Geun Yeo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1447151/publications.pdf>

Version: 2024-02-01

129
papers

1,844
citations

279798

23
h-index

361022

35
g-index

130
all docs

130
docs citations

130
times ranked

2107
citing authors

#	ARTICLE	IF	CITATIONS
1	Nicotinamide Adenine Dinucleotide Phosphate Oxidase 2 Expression and Effects of Alpha Lipoic Acid on Recovery in a Rat Model of Facial Nerve Injury. <i>Biomedicines</i> , 2022, 10, 291.	3.2	2
2	Prognosis prediction changes based on the timing of electroneurography after facial paralysis. <i>Acta Oto-Laryngologica</i> , 2022, 142, 213-219.	0.9	3
3	Comparison of Medical and Surgical Treatment in Severe Bell's Palsy. <i>Journal of Clinical Medicine</i> , 2022, 11, 888.	2.4	2
4	Hearing Aid Effects and Satisfaction in Patients with Tinnitus. <i>Journal of Clinical Medicine</i> , 2022, 11, 1096.	2.4	9
5	The Roles of NOD-like Receptors in Innate Immunity in Otitis Media. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2350.	4.1	0
6	Glioblastoma Homing Photodynamic Therapy Based on Multifunctionalized Porous Silicon Nanoparticles. <i>ACS Applied Nano Materials</i> , 2022, 5, 5387-5397.	5.0	8
7	Prognostic Factors Associated with Recovery from Recurrent Idiopathic Sudden Sensorineural Hearing Loss: Retrospective Analysis and Systematic Review. <i>Journal of Clinical Medicine</i> , 2022, 11, 1453.	2.4	4
8	Role of Biomarkers as Prognostic Factors in Acute Peripheral Facial Palsy. <i>International Journal of Molecular Sciences</i> , 2022, 23, 307.	4.1	2
9	Relationship between toll-like receptor expression in the distal facial nerve and facial nerve recovery after injury. <i>International Journal of Immunopathology and Pharmacology</i> , 2022, 36, 039463202210900.	2.1	4
10	Review of Drug Therapy for Peripheral Facial Nerve Regeneration That Can Be Used in Actual Clinical Practice. <i>Biomedicines</i> , 2022, 10, 1678.	3.2	2
11	Expression of endoplasmic reticulum stress mRNAs in otitis media. <i>Acta Oto-Laryngologica</i> , 2021, 141, 459-465.	0.9	1
12	Immunoglobulins and Transcription Factors in Otitis Media. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3201.	4.1	11
13	Analysis of Chronic Tinnitus in Noise-Induced Hearing Loss and Presbycusis. <i>Journal of Clinical Medicine</i> , 2021, 10, 1779.	2.4	8
14	Potential Therapeutic Strategies and Substances for Facial Nerve Regeneration Based on Preclinical Studies. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4926.	4.1	8
15	Human Glioblastoma Visualization: Triple Receptor-Targeting Fluorescent Complex of Dye, SIWV Tetra-Peptide, and Serum Albumin Protein. <i>ACS Sensors</i> , 2021, 6, 2270-2280.	7.8	12
16	Objective and Measurable Biomarkers in Chronic Subjective Tinnitus. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6619.	4.1	14
17	Review of Pharmacotherapy for Tinnitus. <i>Healthcare (Switzerland)</i> , 2021, 9, 779.	2.0	10
18	Audiologic Characteristics of Hearing and Tinnitus in Occupational Noise-Induced Hearing Loss. <i>Journal of International Advanced Otolaryngology</i> , 2021, 17, 330-334.	1.0	3

#	ARTICLE	IF	CITATIONS
19	Toll-Like Receptors: Expression and Roles in Otitis Media. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7868.	4.1	9
20	Association between Initial Severity of Facial Weakness and Outcomes of Bell's Palsy. <i>Journal of Clinical Medicine</i> , 2021, 10, 3914.	2.4	4
21	Clinical Prognostic Factors Associated with Good Outcomes in Pediatric Bell's Palsy. <i>Journal of Clinical Medicine</i> , 2021, 10, 4368.	2.4	1
22	Environmental enrichment modulates silent information regulator 1 (SIRT1) activity to attenuate central presbycusis in a rat model of normal aging. <i>Experimental Gerontology</i> , 2021, 155, 111552.	2.8	2
23	Steroids plus antiviral agents are more effective than steroids alone in the treatment of severe Bell's palsy patients over 40 years of age. <i>International Journal of Immunopathology and Pharmacology</i> , 2021, 35, 205873842110421.	2.1	7
24	Association of Metabolic Syndrome with Sensorineural Hearing Loss. <i>Journal of Clinical Medicine</i> , 2021, 10, 4866.	2.4	9
25	Neuropeptides Involved in Facial Nerve Regeneration. <i>Biomedicines</i> , 2021, 9, 1575.	3.2	2
26	Levels of endoplasmic reticulum stress-related mRNA in peritoneal fluid of patients with endometriosis or gynaecological cancer. <i>Journal of International Medical Research</i> , 2021, 49, 030006052110653.	1.0	1
27	Tissue Characterization Using an Electrical Bioimpedance Spectroscopy-Based Multi-Electrode Probe to Screen for Cervical Intraepithelial Neoplasia. <i>Diagnostics</i> , 2021, 11, 2354.	2.6	2
28	Factors Associated With Fast Recovery of Bell Palsy in Children. <i>Journal of Child Neurology</i> , 2020, 35, 71-76.	1.4	9
29	Expression of aquaporins in inner ear disease. <i>Laryngoscope</i> , 2020, 130, 1532-1539.	2.0	12
30	Neutrophil-lymphocyte ratio as a valuable prognostic marker in idiopathic sudden sensorineural hearing loss. <i>Acta Oto-Laryngologica</i> , 2020, 140, 307-313.	0.9	15
31	Biomarkers Suggesting Favorable Prognostic Outcomes in Sudden Sensorineural Hearing Loss. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7248.	4.1	35
32	Inhibition of transient receptor potential melastatin 7 (TRPM7) protects against Schwann cell trans-differentiation and proliferation during Wallerian degeneration. <i>Animal Cells and Systems</i> , 2020, 24, 189-196.	2.2	5
33	Decreased expression of autophagy markers in culture-positive patients with chronic otitis media. <i>Journal of International Medical Research</i> , 2020, 48, 030006052093617.	1.0	2
34	Expression, Distribution and Role of Aquaporins in Various Rhinologic Conditions. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5853.	4.1	4
35	Combination Antiviral Therapy in Patients With Bell Palsy—Reply. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2020, 146, 978.	2.2	0
36	Impact of Endoplasmic Reticulum Stress in Otorhinolaryngologic Diseases. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4121.	4.1	2

#	ARTICLE	IF	CITATIONS
37	Evaluation of Factors Associated With Favorable Outcomes in Adults With Bell Palsy. JAMA Otolaryngology - Head and Neck Surgery, 2020, 146, 256.	2.2	47
38	The Relationship between Age-Related Hearing Loss and Cognitive Disorder. Orl, 2019, 81, 265-273.	1.1	3
39	Differences in Antibiotic Resistance of MRSA Infections in Patients with Various Types of Otitis Media. Journal of International Advanced Otolaryngology, 2019, 14, 459-463.	1.0	4
40	Bacteriology and resistance patterns of otitis media with effusion. International Journal of Pediatric Otorhinolaryngology, 2019, 127, 109652.	1.0	9
41	Bilateral facial palsy. Acta Oto-Laryngologica, 2019, 139, 934-938.	0.9	16
42	Recurrent Bell's palsy. Clinical Otolaryngology, 2019, 44, 305-312.	1.2	22
43	The histone deacetylase class I, II inhibitor trichostatin A delays peripheral neurodegeneration. Journal of Molecular Histology, 2019, 50, 167-178.	2.2	9
44	Metabolic syndrome is associated with hearing disturbance. Acta Oto-Laryngologica, 2019, 139, 42-47.	0.9	9
45	Comparative prognosis in patients with Ramsay-Hunt syndrome and Bell's palsy. European Archives of Oto-Rhino-Laryngology, 2019, 276, 1011-1016.	1.6	18
46	Role of Obesity in Otorhinolaryngologic Diseases. Current Allergy and Asthma Reports, 2019, 19, 34.	5.3	26
47	A High Neutrophil-to-Lymphocyte Ratio Is Associated with Recovery from Ramsay Hunt Syndrome. Orl, 2019, 81, 130-137.	1.1	10
48	Differences in autophagy-associated mRNAs in peritoneal fluid of patients with endometriosis and gynecologic cancers. European Journal of Obstetrics and Gynecology and Reproductive Biology: X, 2019, 2, 100016.	1.1	4
49	Expression of Endoplasmic Reticulum Stress-Related mRNAs in Chronic Otitis Media. Orl, 2019, 81, 101-110.	1.1	2
50	Expression of endoplasmic reticulum stress-related mRNA in otitis media with effusion. International Journal of Pediatric Otorhinolaryngology, 2019, 121, 109-113.	1.0	5
51	Association of Nutritional Factors with Hearing Loss. Nutrients, 2019, 11, 307.	4.1	42
52	Expression of C-type lectin receptor mRNA in otitis media with effusion and chronic otitis media with and without cholesteatoma. Auris Nasus Larynx, 2019, 46, 672-680.	1.2	1
53	Decreased Aquaporin 4 and 6 mRNAs in Patients With Chronic Otitis Media With Otorrhea. Clinical and Experimental Otorhinolaryngology, 2019, 12, 267-272.	2.1	4
54	Association Between High Neutrophil to Lymphocyte Ratio and Delayed Recovery From Bell's Palsy. Clinical and Experimental Otorhinolaryngology, 2019, 12, 261-266.	2.1	15

#	ARTICLE	IF	CITATIONS
55	Prognostic value of the blink reflex test in Bell's palsy and Ramsay-Hunt syndrome. <i>Auris Nasus Larynx</i> , 2018, 45, 966-970.	1.2	10
56	Association of Metabolic Syndrome With Sudden Sensorineural Hearing Loss. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2018, 144, 308.	2.2	48
57	The effect of metabolic syndrome on Bell's palsy recovery rate. <i>Acta Oto-Laryngologica</i> , 2018, 138, 670-674.	0.9	17
58	Expression of aquaporins mRNAs in patients with otitis media. <i>Acta Oto-Laryngologica</i> , 2018, 138, 701-707.	0.9	6
59	Differences in C-type lectin receptors and their adaptor molecules in the peritoneal fluid of patients with endometriosis and gynecologic cancers. <i>International Journal of Medical Sciences</i> , 2018, 15, 411-416.	2.5	8
60	Expression, Distribution, and Role of C-Type Lectin Receptors in the Human and Animal Middle Ear and Eustachian Tube: A Review. <i>Molecules</i> , 2018, 23, 734.	3.8	2
61	Expression of C-type lectin receptor mRNA in chronic otitis media with cholesteatoma. <i>Acta Oto-Laryngologica</i> , 2017, 137, 581-587.	0.9	7
62	Ocular vestibular evoked myogenic potential testing for the prognosis of Bell's palsy. <i>Acta Oto-Laryngologica</i> , 2017, 137, 221-224.	0.9	1
63	A Review: Expression of Aquaporins in Otitis Media. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2164.	4.1	8
64	Role of Gasotransmitters in Oxidative Stresses, Neuroinflammation, and Neuronal Repair. <i>BioMed Research International</i> , 2017, 2017, 1-15.	1.9	45
65	The Author's Response: The Bacterial Etiology of Otitis Media and Specimen Collection. <i>Journal of Korean Medical Science</i> , 2017, 32, 1559.	2.5	0
66	Bacterial Species and Antibiotic Sensitivity in Korean Patients Diagnosed with Acute Otitis Media and Otitis Media with Effusion. <i>Journal of Korean Medical Science</i> , 2017, 32, 672.	2.5	7
67	Effect of Age and Severity of Facial Palsy on Taste Thresholds in Bell's Palsy Patients. <i>Journal of Audiology and Otology</i> , 2017, 21, 16-21.	0.8	13
68	Factors Prognostic of Season-Associated Sudden Sensorineural Hearing Loss: A Retrospective Observational Study. <i>Journal of Audiology and Otology</i> , 2017, 21, 44-48.	0.8	11
69	Clinical and Audiologic Characteristics of Tinnitus in Subjects Aged <65 and ≥65 Years. <i>Journal of International Advanced Otology</i> , 2017, 13, 349-353.	1.0	0
70	Primary Nasopharyngeal Tuberculosis Combined with Tuberculous Otomastoiditis and Facial Nerve Palsy. <i>Iranian Journal of Radiology</i> , 2016, 13, e30941.	0.2	1
71	Nitric Oxide: Exploring the Contextual Link with Alzheimer's Disease. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-10.	4.0	90
72	Bone mineral density in women treated for various types of gynecological cancer. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2016, 12, e398-e404.	1.1	11

#	ARTICLE	IF	CITATIONS
73	Increased IL-17 and 22 mRNA expression in pediatric patients with otitis media with effusion. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016, 90, 188-192.	1.0	6
74	Relationship between obesity and hearing loss. <i>Acta Oto-Laryngologica</i> , 2016, 136, 1046-1050.	0.9	32
75	The prognostic value of electroneurography of Bell's palsy at the orbicularis oculi versus nasolabial fold. <i>Laryngoscope</i> , 2016, 126, 1644-1648.	2.0	24
76	Comparison of acyclovir and famciclovir for the treatment of Bell's palsy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3083-3090.	1.6	6
77	Expression of CXCL4 and aquaporin 3 and 10 mRNAs in patients with otitis media with effusion. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016, 81, 33-37.	1.0	11
78	Delayed facial nerve decompression for Bell's palsy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 1755-1760.	1.6	20
79	Evaluation of tinnitus patients by audiometric configuration. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2016, 37, 1-5.	1.3	11
80	Clinical characteristics and prognosis of low frequency sensorineural hearing loss without vertigo. <i>Acta Oto-Laryngologica</i> , 2016, 136, 159-163.	0.9	20
81	Comparison of innate immunity mediators in peritoneal fluid and spleen between young and aged rats. <i>Aging Clinical and Experimental Research</i> , 2016, 28, 775-779.	2.9	2
82	Audiologic evaluation of vestibular schwannoma and other cerebellopontine angle tumors. <i>Acta Oto-Laryngologica</i> , 2016, 136, 149-153.	0.9	8
83	Refractory Granulomatosis with Polyangiitis Presenting as Facial Paralysis and Bilateral Sudden Deafness. <i>Journal of Audiology and Otology</i> , 2016, 20, 55.	0.8	11
84	Characteristics of Patients with Hearing Aids according to the Degree and Pattern of Hearing Loss. <i>Journal of Audiology and Otology</i> , 2016, 20, 146-152.	0.8	1
85	Hydrogen sulfide is essential for Schwann cell responses to peripheral nerve injury. <i>Journal of Neurochemistry</i> , 2015, 132, 230-242.	3.9	31
86	Presbycusis. <i>Hanyang Medical Reviews</i> , 2015, 35, 78.	0.4	14
87	Differences in taste detection thresholds between normal-weight and obese young adults. <i>Acta Oto-Laryngologica</i> , 2015, 135, 478-483.	0.9	36
88	Age-dependent changes in pattern recognition receptor and cytokine mRNA expression in children with otitis media with effusion. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015, 79, 229-234.	1.0	15
89	Comparison of clinical characteristics in patients with bilateral and unilateral tinnitus. <i>Acta Oto-Laryngologica</i> , 2015, 135, 1128-31.	0.9	6
90	A novel therapeutic target for peripheral nerve injury-related diseases: aminoacyl-tRNA synthetases. <i>Neural Regeneration Research</i> , 2015, 10, 1656.	3.0	5

#	ARTICLE	IF	CITATIONS
91	Change in Detection Rate of Methicillin-Resistant <i>Staphylococcus aureus</i> and <i>Pseudomonas aeruginosa</i> and Their Antibiotic Sensitivities in Patients with Chronic Suppurative Otitis Media. <i>Journal of International Advanced Otology</i> , 2015, 11, 151-156.	1.0	20
92	Changing Patterns of Bacterial Strains in Adults and Children With Otitis Media in Korean Tertiary Care Centers. <i>Clinical and Experimental Otorhinolaryngology</i> , 2014, 7, 79.	2.1	12
93	Increased expression of Dec-205, Bcl-10, Tim-3, and Trem-1 mRNA in chronic otitis media with cholesteatoma. <i>Acta Oto-Laryngologica</i> , 2014, 134, 475-480.	0.9	5
94	Expression of pattern recognition receptors in cholesteatoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 245-253.	1.6	14
95	Analysis of differences in facial nerve dehiscence and ossicular injury in chronic otitis media and cholesteatoma. <i>Acta Oto-Laryngologica</i> , 2014, 134, 455-461.	0.9	8
96	Hearing Loss as a Function of Aging and Diabetes Mellitus: A Cross Sectional Study. <i>PLoS ONE</i> , 2014, 9, e116161.	2.5	38
97	Decreased Pattern-Recognition Receptor-Mediated Cytokine mRNA Expression in Obese Children With Otitis Media With Effusion. <i>Clinical and Experimental Otorhinolaryngology</i> , 2014, 7, 7.	2.1	18
98	Clinical Reasons for Returning Hearing Aids. <i>Korean Journal of Audiology</i> , 2014, 18, 8.	0.7	4
99	Influence of Head and Neck Muscle Contraction on Tinnitus. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2014, 57, 84.	0.2	0
100	Clinical bacteriology of recurrent otitis media with effusion. <i>Acta Oto-Laryngologica</i> , 2013, 133, 1133-1141.	0.9	6
101	C-type lectin receptors mRNA expression in patients with otitis media with effusion. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2013, 77, 1846-1851.	1.0	8
102	Allergic diseases in children with otitis media with effusion. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2013, 77, 158-161.	1.0	37
103	Steroid-antiviral Treatment Improves the Recovery Rate in Patients with Severe Bell's Palsy. <i>American Journal of Medicine</i> , 2013, 126, 336-341.	1.5	69
104	Effect of Aging on the Prognosis of Bell's Palsy. <i>Otology and Neurotology</i> , 2013, 34, 766-770.	1.3	24
105	Increased Expression of Pattern Recognition Receptors and Nitric Oxide Synthase in Patients with Endometriosis. <i>International Journal of Medical Sciences</i> , 2013, 10, 1199-1208.	2.5	26
106	Aging. <i>Korean Journal of Audiology</i> , 2013, 17, 39.	0.7	43
107	Decreased Expression of TLR-9 and Cytokines in the Presence of Bacteria in Patients with Otitis Media with Effusion. <i>Clinical and Experimental Otorhinolaryngology</i> , 2013, 6, 195.	2.1	19
108	Toll-like receptors, cytokines & nitric oxide synthase in patients with otitis media with effusion. <i>Indian Journal of Medical Research</i> , 2013, 138, 523-30.	1.0	10

#	ARTICLE	IF	CITATIONS
109	Clinical Analysis of Auricular Benign Masses. Korean Journal of Audiology, 2012, 16, 10.	0.7	13
110	Prognosis of patients with recurrent facial palsy. European Archives of Oto-Rhino-Laryngology, 2012, 269, 61-66.	1.6	20
111	Aural Fullness. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2012, 55, 76.	0.2	1
112	Clinical Approaches for Understanding the Expression Levels of Pattern Recognition Receptors in Otitis Media with Effusion. Clinical and Experimental Otorhinolaryngology, 2011, 4, 163.	2.1	10
113	TLR-9, NOD-1, NOD-2, RIG-I and immunoglobulins in recurrent otitis media with effusion. International Journal of Pediatric Otorhinolaryngology, 2010, 74, 1425-1429.	1.0	25
114	IgA and Differentiation-associated Transcription Factors in Chronic Otitis Media with Effusion. Clinical and Experimental Otorhinolaryngology, 2009, 2, 131.	2.1	4
115	Current bacteriology of chronic otitis media with effusion: High rate of nosocomial infection and decreased antibiotic sensitivity. Journal of Infection, 2009, 59, 308-316.	3.3	29
116	Immunoglobulin E and Transcription Factor in Adenoid of Children with Allergy. Korean Journal of Otorhinolaryngology-Head and Neck Surgery, 2009, 52, 594.	0.2	1
117	Relationship between effusion bacteria and concentrations of immunoglobulin in serum and effusion fluid in otitis media with effusion patients. International Journal of Pediatric Otorhinolaryngology, 2008, 72, 337-342.	1.0	18
118	Effect of paranasal sinusitis on the development of otitis media with effusion: Influence of Eustachian tube function and adenoid immunity. International Journal of Pediatric Otorhinolaryngology, 2008, 72, 1609-1618.	1.0	33
119	Acyclovir plus steroid vs steroid alone in the treatment of Bell's palsy. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2008, 29, 163-166.	1.3	59
120	Toll-like Receptors 2 and 4 and Their Mutations in Patients with Otitis Media and Middle Ear Effusion. Clinical and Experimental Otorhinolaryngology, 2008, 1, 189.	2.1	26
121	The role of allergic rhinitis in the development of otitis media with effusion: effect on eustachian tube function. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2007, 28, 148-152.	1.3	61
122	Bacteriology of chronic suppurative otitis media – a multicenter study. Acta Oto-Laryngologica, 2007, 127, 1062-1067.	0.9	62
123	Squamous Metaplasia and BCL-6 in Pediatric Adenoid Accompanied by Otitis Media with Effusion. Yonsei Medical Journal, 2007, 48, 449.	2.2	4
124	B Cells in Murine Cervical Lymph Nodes are Conventional B-2 Cells. Journal of Korean Medical Science, 2006, 21, 391.	2.5	0
125	Characteristic features of B cells in murine cervical lymph nodes. Acta Oto-Laryngologica, 2006, 126, 56-61.	0.9	3
126	Differences in Their Proliferation and Differentiation between B-1 and B-2 Cell. Immune Network, 2006, 6, 1.	3.6	1

#	ARTICLE	IF	CITATIONS
127	Cutting Edge: Spontaneously Ig-Secreting B-1 Cells Violate the Accepted Paradigm for Expression of Differentiation-Associated Transcription Factors. <i>Journal of Immunology</i> , 2005, 174, 3173-3177.	0.8	96
128	B-1 Cells Differ from Conventional B (B-2) Cells: Difference in Proliferation. <i>Immune Network</i> , 2004, 4, 155.	3.6	2
129	A Study of Otologic Symptoms and Prognosis in Patients With Ramsay Hunt Syndrome and Bell's Palsy. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 0, , .	0.2	0