

Rolf R Engel

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1447730/rolf-r-engel-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82

papers

8,101

citations

35

h-index

86

g-index

86

ext. papers

9,241

ext. citations

5.4

avg, IF

5.52

L-index

#	Paper	IF	Citations
82	Comparative efficacy and tolerability of 15 antipsychotic drugs in schizophrenia: a multiple-treatments meta-analysis. <i>Lancet, The</i> , 2013 , 382, 951-62	40	1665
81	Second-generation versus first-generation antipsychotic drugs for schizophrenia: a meta-analysis. <i>Lancet, The</i> , 2009 , 373, 31-41	40	1385
80	What does the PANSS mean?. <i>Schizophrenia Research</i> , 2005 , 79, 231-8	3.6	889
79	Relapse prevention in schizophrenia with new-generation antipsychotics: a systematic review and exploratory meta-analysis of randomized, controlled trials. <i>American Journal of Psychiatry</i> , 2003 , 160, 1209-22	11.9	365
78	Amisulpride, an unusual "atypical" antipsychotic: a meta-analysis of randomized controlled trials. <i>American Journal of Psychiatry</i> , 2002 , 159, 180-90	11.9	334
77	Beneficial antipsychotic effects of celecoxib add-on therapy compared to risperidone alone in schizophrenia. <i>American Journal of Psychiatry</i> , 2002 , 159, 1029-34	11.9	304
76	Linking the PANSS, BPRS, and CGI: clinical implications. <i>Neuropsychopharmacology</i> , 2006 , 31, 2318-25	8.7	223
75	Neuropsychological performance in adult attention-deficit hyperactivity disorder: meta-analysis of empirical data. <i>Archives of Clinical Neuropsychology</i> , 2005 , 20, 727-44	2.7	185
74	The T102C polymorphism of the 5-HT2A-receptor gene in fibromyalgia. <i>Neurobiology of Disease</i> , 1999 , 6, 433-9	7.5	159
73	Is the superior efficacy of new generation antipsychotics an artifact of LOCF?. <i>Schizophrenia Bulletin</i> , 2007 , 33, 183-91	1.3	156
72	Reduced hippocampal volumes associated with the long variant of the serotonin transporter polymorphism in major depression. <i>Archives of General Psychiatry</i> , 2004 , 61, 177-83		149
71	Defining 'response' in antipsychotic drug trials: recommendations for the use of scale-derived cutoffs. <i>Neuropsychopharmacology</i> , 2007 , 32, 1903-10	8.7	143
70	Efficacy and Safety of Antidepressants Added to Antipsychotics for Schizophrenia: A Systematic Review and Meta-Analysis. <i>American Journal of Psychiatry</i> , 2016 , 173, 876-86	11.9	115
69	Sensory gating in normals and schizophrenics: a failure to find strong P50 suppression in normals. <i>Biological Psychiatry</i> , 1990 , 27, 1216-26	7.9	107
68	The relative sensitivity of the Clinical Global Impressions Scale and the Brief Psychiatric Rating Scale in antipsychotic drug trials. <i>Neuropsychopharmacology</i> , 2006 , 31, 406-12	8.7	100
67	Clinical effects of COX-2 inhibitors on cognition in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005 , 255, 149-51	5.1	96
66	Value of event-related P300 subcomponents in the clinical diagnosis of mild cognitive impairment and Alzheimer's Disease. <i>Psychophysiology</i> , 2002 , 39, 175-181	4.1	93

65	Evidence-based guidelines for interpretation of the Panic Disorder Severity Scale. <i>Depression and Anxiety</i> , 2009 , 26, 922-9	8.4	88
64	Cognitive functioning in euthymic bipolar I and bipolar II patients. <i>Bipolar Disorders</i> , 2008 , 10, 877-87	3.8	82
63	Neurobiological underpinnings of shame and guilt: a pilot fMRI study. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 150-7	4	80
62	Hippocampal function during associative learning in patients with posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2009 , 43, 309-18	5.2	73
61	Delayed peak latency of the mismatch negativity in schizophrenics and alcoholics. <i>Biological Psychiatry</i> , 1995 , 37, 754-7	7.9	68
60	Was hilft bei der Lese-Rechtschreibstörung?. <i>Kindheit Und Entwicklung (discontinued)</i> , 2012 , 21, 122-136	0.3	64
59	Lack of association of serotonin-2A receptor gene polymorphism (T102C) with suicidal ideation and suicide. <i>American Journal of Medical Genetics Part A</i> , 2000 , 96, 831-5		57
58	A case of persistent retrograde amnesia following a dissociative fugue: neuropsychological and neurofunctional underpinnings of loss of autobiographical memory and self-awareness. <i>Neuropsychologia</i> , 2008 , 46, 2993-3005	3.2	56
57	Situational reactivity of autonomic functions in schizophrenic patients. <i>Psychiatry Research</i> , 1982 , 6, 361-70	7.0	56
56	Functional MRI study of memory-related brain regions in patients with depressive disorder. <i>Journal of Affective Disorders</i> , 2009 , 119, 124-31	6.6	48
55	Double-blind cross-over study of phosphatidylserine vs. placebo in patients with early dementia of the Alzheimer type. <i>European Neuropsychopharmacology</i> , 1992 , 2, 149-55	1.2	48
54	Perception of waking and sleeping: possible implications for the evaluation of insomnia. <i>Sleep</i> , 1988 , 11, 265-72	1.1	48
53	Endogenous opiates increase pain tolerance after stress in humans. <i>Psychiatry Research</i> , 1983 , 8, 13-8	9.9	44
52	Effects of risperidone and quetiapine on cognition in patients with schizophrenia and predominantly negative symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 360-70	5.1	41
51	Quetiapine has equivalent efficacy and superior tolerability to risperidone in the treatment of schizophrenia with predominantly negative symptoms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005 , 255, 432-7	5.1	41
50	CNV, PINV and probe-evoked potentials in schizophrenics. <i>Electroencephalography and Clinical Neurophysiology</i> , 1996 , 98, 130-43		40
49	Efficacy of olanzapine versus quetiapine on cognitive dysfunctions in patients with an acute episode of schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 402-12	5.1	36
48	The impact of homocysteine levels on cognition in euthymic bipolar patients: a cross-sectional study. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 899-906	4.6	36

47	Electrophysiological evidence for reduced latent inhibition in schizophrenic patients. <i>Schizophrenia Research</i> , 2000 , 45, 103-14	3.6	35
46	Equipercntile linking of scales measuring functioning and symptoms: examining the GAF, SOFAS, CGI-S, and PANSS. <i>European Neuropsychopharmacology</i> , 2014 , 24, 1767-72	1.2	34
45	No association between the G308A polymorphism of the tumor necrosis factor-alpha gene and schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2002 , 252, 232-4	5.1	30
44	Cognitive determinants of the postimperative negative variation. <i>Psychophysiology</i> , 1990 , 27, 256-63	4.1	30
43	Suicidality as rare adverse event of antidepressant medication: report from the AMSP multicenter drug safety surveillance project. <i>Journal of Clinical Psychiatry</i> , 2010 , 71, 1293-307	4.6	28
42	What does the MADRS mean? Equipercntile linking with the CGI using a company database of mirtazapine studies. <i>Journal of Affective Disorders</i> , 2017 , 210, 287-293	6.6	27
41	After facing traumatic stress: brain activation, cognition and stress coping in policemen. <i>Journal of Psychiatric Research</i> , 2009 , 43, 1146-55	5.2	26
40	Cutaneous adverse reactions to psychotropic drugs: data from a multicenter surveillance program. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1258-65	4.6	26
39	Translating the HAM-D into the MADRS and vice versa with equipercntile linking. <i>Journal of Affective Disorders</i> , 2018 , 226, 326-331	6.6	25
38	Disentangling the adult attention-deficit hyperactivity disorder endophenotype: parametric measurement of attention. <i>Journal of Abnormal Psychology</i> , 2011 , 120, 890-901	7	24
37	Value of event-related P300 subcomponents in the clinical diagnosis of mild cognitive impairment and Alzheimer's Disease. <i>Psychophysiology</i> , 2002 , 39, 175-81	4.1	24
36	Does clinical judgment of baseline severity and changes in psychopathology depend on the patient population? Results of a CGI and PANSS linking analysis in a naturalistic study. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 726-31	1.7	23
35	EEG correlates of visual short-term memory as neuro-cognitive endophenotypes of ADHD. <i>Neuropsychologia</i> , 2016 , 85, 91-9	3.2	22
34	Equipercntile linking of the Brief Psychiatric Rating Scale and the Clinical Global Impression Scale in a catchment area. <i>European Neuropsychopharmacology</i> , 2012 , 22, 501-5	1.2	20
33	Information processing during eye tracking as revealed by event-related potentials in schizophrenics, alcoholics, and healthy controls. <i>Schizophrenia Research</i> , 1995 , 16, 145-56	3.6	20
32	Translating the BDI and BDI-II into the HAMD and vice versa with equipercntile linking. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e24	5.1	20
31	ERP changes in alcoholics with and without alcohol psychosis. <i>Biological Psychiatry</i> , 1996 , 39, 873-81	7.9	19
30	Imputation of response rates from means and standard deviations in schizophrenia. <i>Schizophrenia Research</i> , 2013 , 151, 209-14	3.6	16

29	Obsessive-compulsive disorder--A question of conscience? An fMRI study of behavioural and neurofunctional correlates of shame and guilt. <i>Journal of Psychiatric Research</i> , 2015 , 68, 354-62	5.2	16
28	Methodology of 3H-spiperone binding to lymphocytes. <i>Journal of Psychiatric Research</i> , 1990 , 24, 83-92	5.2	16
27	Normal P300 in acute schizophrenics during a continuous performance test. <i>Biological Psychiatry</i> , 1989 , 25, 792-5	7.9	14
26	Seizure rates under treatment with antipsychotic drugs: Data from the AMSP project. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 732-741	3.8	12
25	Haloperidol versus low-potency first-generation antipsychotic drugs for schizophrenia. <i>The Cochrane Library</i> , 2014 , CD009268	5.2	12
24	Fluphenazine versus low-potency first-generation antipsychotic drugs for schizophrenia. <i>The Cochrane Library</i> , 2014 , CD009230	5.2	11
23	Time trends in pharmacological treatment of major depressive disorder: Results from the AMSP Pharmacovigilance Program from 2001-2017. <i>Journal of Affective Disorders</i> , 2021 , 281, 547-556	6.6	10
22	Trifluoperazine versus low-potency first-generation antipsychotic drugs for schizophrenia. <i>The Cochrane Library</i> , 2014 , CD009396	5.2	9
21	Identification of input variables for feature based artificial neural networks-saccade detection in EOG recordings. <i>International Journal of Medical Informatics</i> , 1997 , 45, 175-84	5.3	9
20	Use and safety of antiepileptic drugs in psychiatric inpatients-data from the AMSP study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 191-208	5.1	9
19	Erfassung negativer Antwortverzerrungen mit der deutschen Fassung des Personality Assessment Inventory--dem Verhaltens- und Erlebensinventar-- <i>Diagnostica</i> , 2013 , 59, 73-85	0.8	8
18	Empirical correlates for the Minnesota Multiphasic Personality Inventory-2-Restructured Form in a German inpatient sample. <i>Psychological Assessment</i> , 2017 , 29, 1273-1289	5.3	8
17	Perphenazine versus low-potency first-generation antipsychotic drugs for schizophrenia. <i>The Cochrane Library</i> , 2014 , CD009369	5.2	5
16	The German Adaptation and Standardization of the Personality Assessment Inventory (PAI)		5
15	Severe parkinsonism under treatment with antipsychotic drugs. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 35-47	5.1	5
14	Methodological problems in assessing therapeutic efficacy in patients with dementia. <i>Drugs and Aging</i> , 1992 , 2, 79-85	4.7	4
13	Flupenthixol versus low-potency first-generation antipsychotic drugs for schizophrenia. <i>The Cochrane Library</i> , 2014 , CD009227	5.2	3
12	Psychopharmacological therapy and suicide of inpatients with depressive psychoses. <i>Archives of Suicide Research</i> , 1998 , 4, 143-155	2.3	3

11	Scoring and interpreting the MMPI with a desk-top calculator. <i>Behavior Research Methods</i> , 1979 , 11, 317-320	3
10	Zur Äquivalenz der Normen des Wechsler-Intelligenztests ff Erwachsene (WIE) mit denen des Hamburg-Wechsler-Intelligenztests ff Erwachsene [Revision (HAWIE-R). <i>Zeitschrift ff Neuropsychologie = Journal of Neuropsychology</i> , 2010 , 21, 25-37	0.5 3
9	Different stress responses to mental and physical stressors in healthy volunteers. <i>Stress and Health</i> , 1990 , 6, 259-265	2
8	Severe drug-induced liver injury in patients under treatment with antipsychotic drugs: Data from the AMSP study. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 373-386	3.8 2
7	Personality Traits in Marathon Runners and Sedentary Controls With MMPI-2-RF. <i>Frontiers in Psychology</i> , 2020 , 11, 886	3.4 1
6	Comparative Efficacy and Tolerability of 15 Antipsychotic Drugs in Schizophrenia: A Multiple-Treatments Meta-Analysis. <i>Focus (American Psychiatric Publishing)</i> , 2014 , 12, 192-204	1.1 1
5	Phytohemagglutinin-stimulated calcium signal in lymphocytes of alcoholics before, during and after detoxification. <i>Psychiatry Research</i> , 1998 , 81, 157-62	9.9 1
4	Verbal memory tests in the differential diagnosis of depression and dementia: Discriminative power of seven test variations. <i>Archives of Clinical Neuropsychology</i> , 1994 , 9, 1-13	2.7 1
3	Methodological and Technological Issues in Biofeedback Research 1977 , 47-57	1
2	Psychopharmacological therapy and suicide of inpatients with depressive psychoses. <i>Archives of Suicide Research</i> , 1998 , 4, 143-155	2.3
1	Atypical dyskinesias under treatment with antipsychotic drugs: Report from the AMSP multicenter drug safety project. <i>World Journal of Biological Psychiatry</i> , 2021 , 1-14	3.8