Santos Manes

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1448521/santos-manes-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73	5,705	41	74
papers	citations	h-index	g-index
74	6,213 ext. citations	9.8	5.13
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
73	The Importance of Mitochondrial Pyruvate Carrier in Cancer Cell Metabolism and Tumorigenesis. <i>Cancers</i> , 2021 , 13,	6.6	11
72	DNGR-1 limits Flt3L-mediated antitumor immunity by restraining tumor-infiltrating type I conventional dendritic cells 2021 , 9,		5
71	Immunometabolism Modulation in Therapy. <i>Biomedicines</i> , 2021 , 9,	4.8	2
7°	The Chemokine Receptor CCR5 Links Memory CD4 T Cell Metabolism to T Cell Antigen Receptor Nanoclustering <i>Frontiers in Immunology</i> , 2021 , 12, 722320	8.4	О
69	SOD3 induces a HIF-2Edependent program in endothelial cells that provides a selective signal for tumor infiltration by T cells 2020 , 8,		15
68	CCR5 deficiency impairs CD4 T-cell memory responses and antigenic sensitivity through increased ceramide synthesis. <i>EMBO Journal</i> , 2020 , 39, e104749	13	10
67	Extracellular Superoxide Dismutase, the Endothelial Basement Membrane, and the WNT Pathway: New Players in Vascular Normalization and Tumor Infiltration by T-Cells. <i>Frontiers in Immunology</i> , 2020 , 11, 579552	8.4	5
66	Immuno-priming durvalumab with bevacizumab in HER2-negative advanced breast cancer: a pilot clinical trial. <i>Breast Cancer Research</i> , 2020 , 22, 124	8.3	7
65	SOD3 boosts T cell infiltration by normalizing the tumor endothelium and inducing laminin-個. <i>Oncolmmunology</i> , 2020 , 9, 1794163	7.2	3
64	A flow cytometry-based method to screen for modulators of tumor-specific T cell cytotoxicity. <i>Methods in Enzymology</i> , 2020 , 631, 467-482	1.7	1
63	PD-1 signaling affects cristae morphology and leads to mitochondrial dysfunction in human CD8 T lymphocytes 2019 , 7, 151		48
62	Age-related oxidative stress confines damage-responsive Bmi1 cells to perivascular regions in the murine adult heart. <i>Redox Biology</i> , 2019 , 22, 101156	11.3	4
61	SOD3 improves the tumor response to chemotherapy by stabilizing endothelial HIF-2\(\textit{INature}\) <i>Communications</i> , 2018 , 9, 575	17.4	28
60	Diacylglycerol kinase Inactivation is an integral component of the costimulatory pathway that amplifies TCR signals. <i>Cancer Immunology, Immunotherapy</i> , 2018 , 67, 965-980	7.4	19
59	Chemokine Receptor Signaling and the Hallmarks of Cancer. <i>International Review of Cell and Molecular Biology</i> , 2017 , 331, 181-244	6	53
58	Notch-regulated miR-223 targets the aryl hydrocarbon receptor pathway and increases cytokine production in macrophages from rheumatoid arthritis patients. <i>Scientific Reports</i> , 2016 , 6, 20223	4.9	46
57	p21 mediates macrophage reprogramming through regulation of p50-p50 NF- B and IFN-□ <i>Journal of Clinical Investigation</i> , 2016 , 126, 3089-103	15.9	50

(2008-2015)

APRIL promotes breast tumor growth and metastasis and is associated with aggressive basal breast cancer. <i>Carcinogenesis</i> , 2015 , 36, 574-84	4.6	26
Filamin A interaction with the CXCR4 third intracellular loop regulates endocytosis and signaling of WT and WHIM-like receptors. <i>Blood</i> , 2015 , 125, 1116-25	2.2	18
Type I phosphatidylinositol 4-phosphate 5-kinase homo- and heterodimerization determines its membrane localization and activity. <i>FASEB Journal</i> , 2015 , 29, 2371-85	0.9	12
CX3CL1 promotes breast cancer via transactivation of the EGF pathway. Cancer Research, 2013, 73, 446	1 ₁ 73 ₁	55
Notch activation stimulates migration of breast cancer cells and promotes tumor growth. <i>Breast Cancer Research</i> , 2013 , 15, R54	8.3	89
CX3CL1 at the crossroad of EGF signals: Relevance for the progression of ERBB2 breast carcinoma. <i>Oncolmmunology</i> , 2013 , 2, e25669	7.2	9
A lovastatin-elicited genetic program inhibits M2 macrophage polarization and enhances T cell infiltration into spontaneous mouse mammary tumors. <i>Oncotarget</i> , 2013 , 4, 2288-301	3.3	34
APRIL and BAFF proteins increase proliferation of human adipose-derived stem cells through activation of Erk1/2 MAP kinase. <i>Tissue Engineering - Part A</i> , 2012 , 18, 852-9	3.9	22
CCR5 in cancer immunotherapy: More than an "attractive" receptor for T cells. <i>Oncolmmunology</i> , 2012 , 1, 106-108	7.2	22
CCR5 as a potential target in cancer therapy: inhibition or stimulation?. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2012 , 12, 1045-57	2.2	11
Maximal T cell-mediated antitumor responses rely upon CCR5 expression in both CD4(+) and CD8(+) T cells. <i>Cancer Research</i> , 2011 , 71, 5455-66	10.1	79
An isoform-specific PDZ-binding motif targets type I PIP5 kinase beta to the uropod and controls polarization of neutrophil-like HL60 cells. <i>FASEB Journal</i> , 2010 , 24, 3381-92	0.9	13
Liver and brain imaging through dimercaptosuccinic acid-coated iron oxide nanoparticles. <i>Nanomedicine</i> , 2010 , 5, 397-408	5.6	57
Cannabinoids reduce ErbB2-driven breast cancer progression through Akt inhibition. <i>Molecular Cancer</i> , 2010 , 9, 196	42.1	119
Variations in the promoter region of the glutaminase gene and the development of hepatic encephalopathy in patients with cirrhosis: a cohort study. <i>Annals of Internal Medicine</i> , 2010 , 153, 281-8	8	53
Dihydrosphingomyelin impairs HIV-1 infection by rigidifying liquid-ordered membrane domains. <i>Chemistry and Biology</i> , 2010 , 17, 766-75		59
Immunomodulatory and anti-inflammatory activities of statins. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2009 , 9, 237-47	2.2	36
Cytokine adsorption/release on uniform magnetic nanoparticles for localized drug delivery. <i>Journal of Controlled Release</i> , 2008 , 130, 168-74	11.7	36
	Filamin A interaction with the CXCR4 third intracellular loop regulates endocytosis and signaling of WT and WHIM-like receptors. <i>Blood</i> , 2015, 125, 1116-25 Type I phosphatidylinositol 4-phosphate 5-kinase homo- and heterodimerization determines its membrane localization and activity. <i>FASEB Journal</i> , 2015, 29, 2371-85 CX3CL1 promotes breast cancer via transactivation of the EGF pathway. <i>Cancer Research</i> , 2013, 73, 446 Notch activation stimulates migration of breast cancer cells and promotes tumor growth. <i>Breast Cancer Research</i> , 2013, 15, R54 CX3CL1 at the crossroad of EGF signals: Relevance for the progression of ERBB2 breast carcinoma. <i>Oncolmmunology</i> , 2013, 2, e25669 A lovastatin-elicited genetic program inhibits M2 macrophage polarization and enhances T cell infiltration into spontaneous mouse mammary tumors. <i>Oncotarget</i> , 2013, 4, 2288-301 APRIL and BAFF proteins increase proliferation of human adipose-derived stem cells through activation of Erk1/2 MAP kinase. <i>Tissue Engineering - Part A</i> , 2012, 18, 852-9 CCR5 in cancer immunotherapy: More than an "attractive" receptor for T cells. <i>Oncolmmunology</i> , 2012, 1, 106-108 CCR5 as a potential target in cancer therapy: inhibition or stimulation?. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2012, 12, 1045-57 Maximal T cell-mediated antitumor responses rely upon CCR5 expression in both CD4(+) and CD8(+) T cells. <i>Cancer Research</i> , 2011, 71, 5455-66 An isoform-specific PD2-binding motif targets type I PIPS kinase beta to the uropod and controls polarization of neutrophil-like HL60 cells. <i>FASEB Journal</i> , 2010, 24, 3381-92 Liver and brain imaging through dimercaptosuccinic acid-coated Iron oxide nanoparticles. <i>Nanomedicine</i> , 2010, 5, 397-408 Cannabinoids reduce Erb82-driven breast cancer progression through Akt inhibition. <i>Molecular Cancer</i> , 2010, 9, 196 Variations in the promoter region of the glutaminase gene and the development of hepatic encephalopathy in patients with cirrhosis: a cohort study. <i>Annals of Internal Medicine</i> , 2010, 153, 281-8	Filamin A interaction with the CXCR4 third intracellular loop regulates endocytosis and signaling of WT and WHIM-Hike receptors. Blood, 2015, 125, 1116-25 Type I phosphatidylinositol 4-phosphate 5-kinase homo- and heterodimerization determines its membrane localization and activity. FASEB Journal, 2015, 29, 2371-85 O9 CX3CL1 promotes breast cancer via transactivation of the EGF pathway. Cancer Research, 2013, 73, 4461-731 Notch activation stimulates migration of breast cancer cells and promotes tumor growth. Breast Cancer Research, 2013, 15, R54 CX3CL1 at the crossroad of EGF signals: Relevance for the progression of ERBB2 breast carcinoma. Oncolmmunology, 2013, 2, e25669 A lovastatin-elicited genetic program inhibits M2 macrophage polarization and enhances T cell infiltration into spontaneous mouse mammary tumors. Oncotarget, 2013, 4, 2288-301 APRIL and BAFF proteins increase proliferation of human adipose-derived stem cells through activation of Erk 1/2 MAP kinase. Tissue Engineering - Part A, 2012, 18, 852-9 CCR5 in cancer immunotherapy: More than an "attractive" receptor for T cells. Oncolmmunology, 2012, 1, 106-108 CCR5 as a potential target in cancer therapy: inhibition or stimulation?. Anti-Cancer Agents in Medicinal Chemistry, 2012, 12, 1045-57 Maximal T cell-mediated antitumor responses rely upon CCR5 expression in both CD4(+) and CD8(+) T cells. Cancer Research, 2011, 71, 5455-66 An Isoform-specific PDZ-binding motif targets type I PIPS kinase beta to the uropod and controls polarization of neutrophil-like HL60 cells. FASEB Journal, 2010, 24, 3381-92 Liver and brain imaging through dimercaptosuccinic acid-coated iron oxide nanoparticles. Nanomedicine, 2010, 5, 397-408 Cannabinoids reduce ErbB2-driven breast cancer progression through Akt inhibition. Molecular Cancer, 2010, 9, 196 Variations in the promoter region of the glutaminase gene and the development of hepatic encephalopathy in patients with cirrhosis: a cohort study. Annals of Internal Medicine, 2010, 153, 281-8 Dihydrosphingomy

38	Statins induce regulatory T cell recruitment via a CCL1 dependent pathway. <i>Journal of Immunology</i> , 2008 , 181, 3524-34	5.3	74
37	Forced expression of MMP9 rescues the loss of angiogenesis and abrogates metastasis of pancreatic tumors triggered by the absence of host SPARC. <i>Experimental Biology and Medicine</i> , 2008 , 233, 860-73	3.7	54
36	CXCR4-CCR5: a couple modulating T cell functions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 10101-6	11.5	165
35	Filamin-A regulates actin-dependent clustering of HIV receptors. <i>Nature Cell Biology</i> , 2007 , 9, 838-46	23.4	146
34	Establishment and maintenance of cell polarity during leukocyte chemotaxis. <i>Cell Adhesion and Migration</i> , 2007 , 1, 69-76	3.2	23
33	Type I phosphatidylinositol 4-phosphate 5-kinase controls neutrophil polarity and directional movement. <i>Journal of Cell Biology</i> , 2007 , 179, 1539-53	7.3	58
32	Gas1 is related to the glial cell-derived neurotrophic factor family receptors alpha and regulates Ret signaling. <i>Journal of Biological Chemistry</i> , 2006 , 281, 14330-9	5.4	43
31	Orchestration of lymphocyte chemotaxis by mitochondrial dynamics. <i>Journal of Experimental Medicine</i> , 2006 , 203, 2879-86	16.6	237
30	Lipid rafts in lymphocyte activation and migration. Molecular Membrane Biology, 2006, 23, 59-69	3.4	73
29	CD28 interaction with filamin-A controls lipid raft accumulation at the T-cell immunological synapse. <i>Nature Cell Biology</i> , 2006 , 8, 1270-6	23.4	124
28	Mastering time and space: immune cell polarization and chemotaxis. <i>Seminars in Immunology</i> , 2005 , 17, 77-86	10.7	32
27	T cell costimulation by chemokine receptors. <i>Nature Immunology</i> , 2005 , 6, 465-71	19.1	263
26	PTEN regulates motility but not directionality during leukocyte chemotaxis. <i>Journal of Cell Science</i> , 2004 , 117, 6207-15	5.3	64
25	Secreted MMP9 promotes angiogenesis more efficiently than constitutive active MMP9 bound to the tumor cell surface. <i>Journal of Cell Science</i> , 2004 , 117, 1847-57	5.3	119
24	Statins inhibit HIV-1 infection by down-regulating Rho activity. <i>Journal of Experimental Medicine</i> , 2004 , 200, 541-7	16.6	243
23	Dynamic redistribution of raft domains as an organizing platform for signaling during cell chemotaxis. <i>Journal of Cell Biology</i> , 2004 , 164, 759-68	7.3	195
22	Cholesterol domains regulate the actin cytoskeleton at the leading edge of moving cells. <i>Trends in Cell Biology</i> , 2004 , 14, 275-8	18.3	25
21	The inner side of T cell lipid rafts. <i>Immunology Letters</i> , 2004 , 94, 247-52	4.1	53

(1999-2004)

20	Differential requirements for DOCK2 and phosphoinositide-3-kinase gamma during T and B lymphocyte homing. <i>Immunity</i> , 2004 , 21, 429-41	32.3	202
19	Novel interfering bifunctional molecules against the CCR5 coreceptor are efficient inhibitors of HIV-1 infection. <i>Molecular Therapy</i> , 2003 , 8, 475-84	11.7	21
18	Pathogens: raft hijackers. <i>Nature Reviews Immunology</i> , 2003 , 3, 557-68	36.5	399
17	From rafts to crafts: membrane asymmetry in moving cells. <i>Trends in Immunology</i> , 2003 , 24, 320-6	14.4	71
16	CCR5 expression influences the progression of human breast cancer in a p53-dependent manner. Journal of Experimental Medicine, 2003 , 198, 1381-9	16.6	114
15	Quantitative determination of tumor cell intravasation in a real-time polymerase chain reaction-based assay. <i>Clinical and Experimental Metastasis</i> , 2002 , 19, 313-8	4.7	37
14	Specific SHP-2 partitioning in raft domains triggers integrin-mediated signaling via Rho activation. Journal of Cell Biology, 2002 , 157, 277-89	7.3	79
13	Blocking of HIV-1 infection by targeting CD4 to nonraft membrane domains. <i>Journal of Experimental Medicine</i> , 2002 , 196, 293-301	16.6	83
12	A role for chemokine receptor transactivation in growth factor signaling. <i>EMBO Reports</i> , 2001 , 2, 151-6	6.5	73
11	The collagen receptor DDR2 regulates proliferation and its elimination leads to dwarfism. <i>EMBO Reports</i> , 2001 , 2, 446-52	6.5	209
10	Chemokine signaling and functional responses: the role of receptor dimerization and TK pathway activation. <i>Annual Review of Immunology</i> , 2001 , 19, 397-421	34.7	302
9	Membrane raft microdomains in chemokine receptor function. <i>Seminars in Immunology</i> , 2001 , 13, 147-5	7 10.7	52
8	Insulin-like Growth Factor Axis Elements in Breast Cancer Progression 2001 , 107-166		
7	Cells on the move: a dialogue between polarization and motility. IUBMB Life, 2000, 49, 89-96	4.7	37
6	Membrane raft microdomains mediate lateral assemblies required for HIV-1 infection. <i>EMBO Reports</i> , 2000 , 1, 190-6	6.5	305
5	Insulin-like growth factor I-triggered cell migration and invasion are mediated by matrix metalloproteinase-9. <i>Endocrinology</i> , 1999 , 140, 1657-64	4.8	89
4	The matrix metalloproteinase-9 regulates the insulin-like growth factor-triggered autocrine response in DU-145 carcinoma cells. <i>Journal of Biological Chemistry</i> , 1999 , 274, 6935-45	5.4	143
3	Membrane raft microdomains mediate front-rear polarity in migrating cells. <i>EMBO Journal</i> , 1999 , 18, 6211-20	13	278

Identification of insulin-like growth factor-binding protein-1 as a potential physiological substrate for human stromelysin-3. *Journal of Biological Chemistry*, **1997**, 272, 25706-12

5.4 162

CCR5 deficiency impairs CD4+ T cell memory responses and antigenic sensitivity through increased ceramide synthesis

1