
Geert Goderis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/144950/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Intego database: background, methods and basic results of a Flemish general practice-based continuous morbidity registration project. BMC Medical Informatics and Decision Making, 2014, 14, 48.	3.0	73
2	Antibiotic prescribing in relation to diagnoses and consultation rates in Belgium, the Netherlands and Sweden: use of European quality indicators. Scandinavian Journal of Primary Health Care, 2017, 35, 10-18.	1.5	60
3	Optimizing diabetes control in people with Type 2 diabetes through nurseâ€led telecoaching. Diabetic Medicine, 2016, 33, 777-785.	2.3	57
4	Trends in multimorbidity and polypharmacy in the Flemish-Belgian population between 2000 and 2015. PLoS ONE, 2019, 14, e0212046.	2.5	54
5	Interdisciplinary diabetes care teams operating on the interface between primary and specialty care are associated with improved outcomes of care: findings from the Leuven Diabetes Project. BMC Health Services Research, 2009, 9, 179.	2.2	52
6	Barriers and facilitators to evidence based care of type 2 diabetes patients: experiences of general practitioners participating to a quality improvement program. Implementation Science, 2009, 4, 41.	6.9	42
7	Start improving the quality of care for people with type 2 diabetes through a general practice support program: A cluster randomized trial. Diabetes Research and Clinical Practice, 2010, 88, 56-64.	2.8	37
8	Designing a Patient Portal for Patient-Centered Care: Cross-Sectional Survey. Journal of Medical Internet Research, 2018, 20, e269.	4.3	37
9	Type 2 Diabetes in Primary Care in Belgium: Need for Structured Shared Care. Experimental and Clinical Endocrinology and Diabetes, 2009, 117, 367-372.	1.2	31
10	The correlation between blood pressure and kidney function decline in older people: a registry-based cohort study. BMJ Open, 2015, 5, e007571.	1.9	31
11	Burden of heart failure in Flemish general practices: a registry-based study in the Intego database. BMJ Open, 2019, 9, e022972.	1.9	31
12	Diversity in diabetes care programmes and views on high quality diabetes care: are we in need of a standardized framework?. International Journal of Integrated Care, 2008, 8, e07.	0.2	23
13	Long-term evolution of renal function in patients with type 2 diabetes mellitus: a registry-based retrospective cohort study. BMJ Open, 2013, 3, e004029.	1.9	22
14	Delivering Diabetes Education through Nurse-Led Telecoaching. Cost-Effectiveness Analysis. PLoS ONE, 2016, 11, e0163997.	2.5	22
15	Influence of chronic comorbidity and medication on the efficacy of treatment in patients with diabetes in general practice. British Journal of General Practice, 2013, 63, e267-e273.	1.4	20
16	Relevance of Chronic Lyme Disease to Family Medicine as a Complex Multidimensional Chronic Disease Construct: A Systematic Review. International Journal of Family Medicine, 2014, 2014, 1-10.	1.2	17
17	Time trends in statin use and incidence of recurrent cardiovascular events in secondary prevention between 1999 and 2013: a registry-based study. BMC Cardiovascular Disorders, 2018, 18, 209.	1.7	17
18	A cluster randomized trial to improve adherence to evidence-based guidelines on diabetes and reduce clinical inertia in primary care physicians in Belgium: study protocol [NTR 1369]. Implementation Science, 2008, 3, 42.	6.9	14

GEERT GODERIS

#	Article	IF	CITATIONS
19	Health Data for Research Through a Nationwide Privacy-Proof System in Belgium: Design and Implementation. JMIR Medical Informatics, 2018, 6, e11428.	2.6	14
20	Nurse-led telecoaching of people with type 2 diabetes in primary care: rationale, design and baseline data of a randomized controlled trial. BMC Family Practice, 2014, 15, 24.	2.9	13
21	Does the Belgian diabetes type 2 care trajectory improve quality of care for diabetes patients?. Archives of Public Health, 2015, 73, 31.	2.4	13
22	Patients' perceptions of frequent hospital admissions: a qualitative interview study with older people above 65 years of age. BMC Geriatrics, 2020, 20, 332.	2.7	13
23	The effect of electronic audits and feedback in primary care and factors that contribute to their effectiveness: a systematic review. International Journal for Quality in Health Care, 2020, 32, 708-720.	1.8	12
24	Health problems associated with irritable bowel syndrome: analysis of a primary care registry. Alimentary Pharmacology and Therapeutics, 2018, 47, 1349-1357.	3.7	10
25	Estimating the prevalence of diabetes mellitus and thyroid disorders using medication data in Flanders, Belgium. European Journal of Public Health, 2018, 28, 193-198.	0.3	10
26	Developing quality indicators for Chronic Kidney Disease in primary care, extractable from the Electronic Medical Record. A Rand-modified Delphi method. BMC Nephrology, 2020, 21, 161.	1.8	10
27	Evaluating Large-Scale Integrated Care Projects: The Development of a Protocol for a Mixed Methods Realist Evaluation Study in Belgium. International Journal of Integrated Care, 2020, 20, 12.	0.2	10
28	Studying the impact of a medication use evaluation by the community pharmacist (Simenon): Drug-related problems and associated variables. Research in Social and Administrative Pharmacy, 2020, 16, 1100-1110.	3.0	9
29	Is there a correlation between an eGFR slope measured over a 5-year period and incident cardiovascular events in the following 5 years among a Flemish general practice population: a retrospective cohort study. BMJ Open, 2018, 8, e023594.	1.9	8
30	Care trajectories are associated with quality improvement in the treatment of patients with uncontrolled type 2 diabetes: A registry based cohort study. Primary Care Diabetes, 2015, 9, 354-361.	1.8	7
31	Assessing testing rates for viral hepatitis B and C by general practitioners in Flanders, Belgium: a registry-based study. BMJ Open, 2019, 9, e026464.	1.9	7
32	Prevalence of Atherosclerotic Cardiovascular Disease, Heart Failure, and Chronic Kidney Disease in Patients with Type 2 Diabetes Mellitus: A Primary Care Research Network-based Study. Experimental and Clinical Endocrinology and Diabetes, 2022, 130, 447-453.	1.2	6
33	Cardiovascular prevention in general practice. Acta Cardiologica, 2004, 59, 598-605.	0.9	6
34	Patients' Experiences with Patient-Centred Care are Associated with Documented outcome of Care Indicators for Diabetes: Findings from the Leuven Diabetes Project. International Journal of Care Pathways, 2011, 15, 65-75.	0.5	4
35	Factors associated with Prolonged Inaction in the hypoglycaemic treatment in people with non-insulin dependent Type 2 Diabetes and elevated glycated haemoglobin: A registry-based cohort study. Primary Care Diabetes, 2017, 11, 482-489.	1.8	4
36	Development of quality indicators for type 2 diabetes, extractable from the electronic health record of the general physician. A rand-modified Delphi method. Primary Care Diabetes, 2020, 14, 75-84.	1.8	4

GEERT GODERIS

#	Article	IF	CITATIONS
37	The effect of automated audit and feedback on data completeness in the electronic health record of the general physician: protocol for a cluster randomized controlled trial. Trials, 2021, 22, 325.	1.6	4
38	The concept of disability and its causal mechanisms in older people over time from a theoretical perspective: a literature review. European Journal of Ageing, 2022, 19, 397-411.	2.8	4
39	Monitoring Modifiable Cardiovascular Risk in Type 2 Diabetes Care in General Practice. Medical Care, 2010, 48, 589-595.	2.4	3
40	The effectiveness and cost-effectiveness of an integrated osteoporosis care programme for postmenopausal women in Flanders: study protocol of a quasi-experimental controlled design. Archives of Osteoporosis, 2020, 15, 107.	2.4	3
41	Screening and follow-up of pregestational diabetes and gestational diabetes mellitus: A survey of primary care physicians in Belgium. Primary Care Diabetes, 2020, 14, 628-632.	1.8	3
42	Quality assessment of automatically extracted data from GPs' EPR. Studies in Health Technology and Informatics, 2012, 180, 726-30.	0.3	3
43	Barriers and Facilitators towards an Integrated Chronic Care Model as experienced by primary care health providers. International Journal of Integrated Care, 2016, 16, 78.	0.2	2
44	Prescription of Antibiotics to Treat Gonorrhoea in General Practice in Flanders 2009–2013: A Registry-Based Retrospective Cohort Study. Journal of Sexually Transmitted Diseases, 2017, 2017, 1-13.	1.0	2
45	Nation-wide primary healthcare research network: a privacy protection assessment. Studies in Health Technology and Informatics, 2012, 174, 23-8.	0.3	2
46	Belgian primary care EPR: assessment of nationwide routine data extraction. Studies in Health Technology and Informatics, 2014, 197, 85-9.	0.3	2
47	Statins in patients at high risk of cardiovascular disease presenting with peripheral artery disease. European Heart Journal, 2004, 25, 712-713.	2.2	1
48	What determines inclusion in the early phase of the type 2 diabetes care trajectory in Belgium?. Archives of Public Health, 2014, 72, 29.	2.4	1
49	Gonorrhoea and Syphilis Epidemiology in Flemish General Practice 2009–2013: Results from a Registry-based Retrospective Cohort Study Compared with Mandatory Notification. AIMS Public Health, 2016, 3, 800-822.	2.6	1
50	Evaluating Triple Aim in integrated care through claims data. International Journal of Integrated Care, 2019, 19, 516.	0.2	1
51	How to evaluate a Nation-wide Whole System Change in Health Care towards Integrated Care for people with Chronic Conditions? Part II: the co-construction of a monitoring system involving multiple databases. International Journal of Integrated Care, 2018, 18, 70.	0.2	0
52	How to evaluate a Nationwide Whole System Change in Health Care towards Integrated Care for people with Chronic Conditions? Part I: the co-construction of an evaluation framework. International Journal of Integrated Care, 2018, 18, 279.	0.2	0