## Keita Hirai

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1450177/keita-hirai-publications-by-year.pdf

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

42 437 12 19 g-index

55 546 3.6 avg, IF L-index

#	Paper	IF	Citations
42	Mucus Plugs and Small Airway Dysfunction in Asthma, COPD, and Asthma-COPD Overlap <i>Allergy,</i> Asthma and Immunology Research, <b>2022</b> , 14, 196-209	5.3	2
41	Forced oscillatory parameters as predictors of COPD assessment test improvement in untreated COPD patients. <i>Respiratory Physiology and Neurobiology</i> , <b>2021</b> , 296, 103809	2.8	0
40	Benralizumab restores gene and microRNA expression involved in steroid sensitivity in severe asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , <b>2021</b> , 76, 2589-2592	9.3	3
39	Combined assessment of serum eosinophil-derived neurotoxin and YKL-40 may identify Asthma-COPD overlap. <i>Allergology International</i> , <b>2021</b> , 70, 136-139	4.4	5
38	High fractional exhaled nitric oxide levels may predict short-term worsening of respiratory oscillometry in asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , <b>2021</b> , 76, 363-366	9.3	1
37	Circulating microRNA-15b-5p as a biomarker for asthma-COPD overlap. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , <b>2021</b> , 76, 766-774	9.3	15
36	Blood eosinophil count and FeNO to predict benralizumab effectiveness in real-life severe asthma patients. <i>Journal of Asthma</i> , <b>2021</b> , 1-9	1.9	5
35	Annual changes in forced oscillation technique parameters correlate with FEV1 decline in patients with asthma, COPD, and asthma-COPD overlap. <i>Allergology International</i> , <b>2020</b> , 69, 626-627	4.4	0
34	Oscillometry improves earlier than spirometry after benralizumab initiation in severe asthma. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , <b>2020</b> , 75, 2678-2680	9.3	5
33	Effect of therapeutic plasma exchange on phenytoin plasma concentration in patients receiving intravenous fosphenytoin therapy. <i>Die Pharmazie</i> , <b>2020</b> , 75, 488-490	1.5	1
32	CYP2C9, VKORC1, and CYP4F2 polymorphisms and pediatric warfarin maintenance dose: a systematic review and meta-analysis. <i>Pharmacogenomics Journal</i> , <b>2020</b> , 20, 306-319	3.5	8
31	Oscillometry as a Predictor of Exercise Tolerance in COPD. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , <b>2020</b> , 17, 647-654	2	2
30	Role of Type2 Inflammatory Biomarkers in Chronic Obstructive Pulmonary Disease. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	9
29	Comparison of the Association between Circulating Vitamin D Levels and Clinical Outcomes in Patients with Asthma and Chronic Obstructive Pulmonary Disease: A Prospective Observational Study. <i>Biological and Pharmaceutical Bulletin</i> , <b>2019</b> , 42, 1861-1866	2.3	1
28	Improved cough- and sputum-related quality of life after initiation of treatment in pulmonary tuberculosis. <i>Respiratory Investigation</i> , <b>2019</b> , 57, 252-259	3.4	5
27	Combined Assessment of Serum Periostin and YKL-40 May Identify Asthma-COPD Overlap. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , <b>2019</b> , 7, 134-145.e1	5.4	36
26	Impact of Gene Expression Associated with Glucocorticoid-Induced Transcript 1 (GLCCI1) on Severe Asthma and Future Exacerbation. <i>Biological and Pharmaceutical Bulletin</i> , <b>2019</b> , 42, 1746-1752	2.3	7

25	Forced oscillation technique may identify severe asthma. <i>Journal of Allergy and Clinical Immunology:</i> in <i>Practice</i> , <b>2019</b> , 7, 2857-2860.e1	5.4	1
24	Forced oscillation technique may identify asthma-COPD overlap. <i>Allergology International</i> , <b>2019</b> , 68, 385	zβ.β87	3
23	Forced oscillatory parameters in reversibility testing as predictors for chronic cough responsive to inhaled corticosteroid/long-acting 2 agonist. <i>Annals of Allergy, Asthma and Immunology</i> , <b>2019</b> , 122, 345-3	346.e1	1
22	Effect of CYP4F2, VKORC1, and CYP2C9 in Influencing Coumarin Dose: A Single-Patient Data Meta-Analysis in More Than 15,000 Individuals. <i>Clinical Pharmacology and Therapeutics</i> , <b>2019</b> , 105, 1477-	f491	12
21	Association between (CCTTT)n repeat polymorphism in NOS2 promoter and asthma exacerbations. Journal of Allergy and Clinical Immunology, <b>2018</b> , 142, 663-665.e3	11.5	9
20	Genetic risk factors for chemotherapy-induced nausea and vomiting in patients with cancer receiving cisplatin-based chemotherapy. <i>Supportive Care in Cancer</i> , <b>2018</b> , 26, 1505-1513	3.9	5
19	Time-Dependent Decline in Serum Phenytoin Concentration With Heightened Convulsive Seizure Risk by Prolonged Administration of Fosphenytoin in Japanese: A Retrospective Study. <i>Therapeutic Drug Monitoring</i> , <b>2018</b> , 40, 507-511	3.2	1
18	Validation of a Nomogram for Achieving Target Trough Concentration of Vancomycin: Accuracy in Patients With Augmented Renal Function. <i>Therapeutic Drug Monitoring</i> , <b>2018</b> , 40, 693-698	3.2	8
17	Influence of ABCB1 and ABCG2 polymorphisms on the antiemetic efficacy in patients with cancer receiving cisplatin-based chemotherapy: a TRIPLE pharmacogenomics study. <i>Pharmacogenomics Journal</i> , <b>2017</b> , 17, 435-440	3.5	14
16	Chemotherapy-induced neutropenia as a prognostic factor in patients with metastatic pancreatic cancer treated with gemcitabine. <i>European Journal of Clinical Pharmacology</i> , <b>2017</b> , 73, 1033-1039	2.8	9
15	A clustering approach to identify and characterize the asthma and chronic obstructive pulmonary disease overlap phenotype. <i>Clinical and Experimental Allergy</i> , <b>2017</b> , 47, 1374-1382	4.1	23
14	Comparative Investigation of the Antiemetic Efficacy of Aprepitant Containing Antiemetic Regimen in Breast Cancer Patients Receiving Doxorubicin and Cyclophosphamide Combination Chemotherapy. Iryo Yakugaku (Japanese Journal of Pharmaceutical Health Care and Sciences), 2017,	0.1	
13	Comprehensive study of risk factors for chemotherapy-induced nausea and vomiting in cancer patients receiving cisplatin-based chemotherapy: A TRIPLE pharmacogenomics study <i>Journal of Clinical Oncology</i> , <b>2017</b> , 35, 10091-10091	2.2	
12	Influence of Genetic Polymorphisms and Concomitant Anxiolytic Doses on Antidepressant Maintenance Doses in Japanese Patients with Depression. <i>Biological and Pharmaceutical Bulletin</i> , <b>2016</b> , 39, 1508-13	2.3	0
11	Drug-related genetic polymorphisms affecting severe chemotherapy-induced neutropenia in breast cancer patients: A hospital-based observational study. <i>Medicine (United States)</i> , <b>2016</b> , 95, e5151	1.8	15
10	Augmented Renal Clearance in Patients With Febrile Neutropenia is Associated With Increased Risk for Subtherapeutic Concentrations of Vancomycin. <i>Therapeutic Drug Monitoring</i> , <b>2016</b> , 38, 706-710	3.2	44
9	Factors that influence the pharmacokinetics of lamotrigine in Japanese patients with epilepsy. <i>European Journal of Clinical Pharmacology</i> , <b>2016</b> , 72, 555-62	2.8	12
8	Risk factors for hypernatremia in patients with short- and long-term tolvaptan treatment. <i>European Journal of Clinical Pharmacology</i> , <b>2016</b> , 72, 1177-1183	2.8	20

7	Augmented Renal Clearance in Pediatric Patients With Febrile Neutropenia Associated With Vancomycin Clearance. <i>Therapeutic Drug Monitoring</i> , <b>2016</b> , 38, 393-7	3.2	28
6	Influence of glutamine synthetase gene polymorphisms on the development of hyperammonemia during valproic acid-based therapy. <i>Seizure: the Journal of the British Epilepsy Association</i> , <b>2015</b> , 33, 76-8	03.2	6
5	Reduced folate carrier 1 gene expression levels are correlated with methotrexate efficacy in Japanese patients with rheumatoid arthritis. <i>Drug Metabolism and Pharmacokinetics</i> , <b>2015</b> , 30, 227-30	2.2	7
4	Plasma vitamin K concentrations depend on CYP4F2 polymorphism and influence on anticoagulation in Japanese patients with warfarin therapy. <i>Thrombosis Research</i> , <b>2015</b> , 135, 861-6	8.2	12
3	Simultaneous microdetermination of bosentan, ambrisentan, sildenafil, and tadalafil in plasma using liquid chromatography/tandem mass spectrometry for pediatric patients with pulmonary arterial hypertension. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2014</b> , 89, 227-32	3.5	32
2	Influence of CYP4F2 polymorphisms and plasma vitamin K levels on warfarin sensitivity in Japanese pediatric patients. <i>Drug Metabolism and Pharmacokinetics</i> , <b>2013</b> , 28, 132-7	2.2	17
1	Antinociceptive effects of St. John's wort, Harpagophytum procumbens extract and Grape seed proanthocyanidins extract in mice. <i>Biological and Pharmaceutical Bulletin.</i> <b>2008</b> , 31, 240-5	2.3	52