

Rita de Cassia Bianchi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1450373/publications.pdf>

Version: 2024-02-01

25

papers

528

citations

840776

11

h-index

677142

22

g-index

25

all docs

25

docs citations

25

times ranked

674

citing authors

#	ARTICLE	IF	CITATIONS
1	Diet of two sympatric carnivores, <i>Cerdocyon thous</i> and <i>Procyon cancrivorus</i> , in a restinga area of Espírito Santo State, Brazil. <i>Journal of Tropical Ecology</i> , 2006, 22, 227-230.	1.1	66
2	Ocelot (<i>Leopardus pardalis</i>) predation on primates in Caratinga Biological Station, Southeast Brazil. <i>American Journal of Primatology</i> , 2007, 69, 1173-1178.	1.7	66
3	NEOTROPICAL XENARTHTRANS: a data set of occurrence of xenarthran species in the Neotropics. <i>Ecology</i> , 2019, 100, e02663.	3.2	54
4	Intraspecific, interspecific, and seasonal differences in the diet of three mid-sized carnivores in a large neotropical wetland. <i>Acta Theriologica</i> , 2014, 59, 13-23.	1.1	49
5	Diet of margay, <i>Leopardus wiedii</i> , and jaguarundi, <i>Puma yagouaroundi</i> , (Carnivora: Felidae) in Atlantic Rainforest, Brazil. <i>Zoologia</i> , 2011, 28, 127-132.	0.5	41
6	Niche Partitioning among Mesocarnivores in a Brazilian Wetland. <i>PLoS ONE</i> , 2016, 11, e0162893.	2.5	33
7	Estimating age of carnivores from the Pantanal region of Brazil. <i>Wildlife Biology</i> , 2010, 16, 389-399.	1.4	30
8	Food habits of the ocelot, <i>Leopardus pardalis</i> , in two areas in southeast Brazil. <i>Studies on Neotropical Fauna and Environment</i> , 2010, 45, 111-119.	1.0	29
9	Modulating Variables of <i>Trypanosoma cruzi</i> and <i>Trypanosoma evansi</i> Transmission in Free-Ranging Coati (<i>Nasua nasua</i>) from the Brazilian Pantanal Region. <i>Vector-Borne and Zoonotic Diseases</i> , 2011, 11, 835-841.	1.5	27
10	NEOTROPICAL CARNIVORES: a data set on carnivore distribution in the Neotropics. <i>Ecology</i> , 2020, 101, e03128.	3.2	26
11	Co-Infection and Wild Animal Health: Effects of Trypanosomatids and Gastrointestinal Parasites on Coatis of the Brazilian Pantanal. <i>PLoS ONE</i> , 2015, 10, e0143997.	2.5	23
12	Movement patterns and space use of the first giant anteater (<i>Myrmecophaga tridactyla</i>) monitored in São Paulo State, Brazil. <i>Studies on Neotropical Fauna and Environment</i> , 2017, 52, 68-74.	1.0	12
13	Dog activity in protected areas: behavioral effects on mesocarnivores and the impacts of a top predator. <i>European Journal of Wildlife Research</i> , 2020, 66, 1.	1.4	12
14	Land-use changes and the expansion of biofuel crops threaten the giant anteater in southeastern Brazil. <i>Journal of Mammalogy</i> , 2019, 100, 435-444.	1.3	9
15	The role of environmental temperature on movement patterns of giant anteaters. <i>Integrative Zoology</i> , 2022, 17, 285-296.	2.6	9
16	Diet of the crab-eating fox, <i>Cerdocyon thous</i> (Carnivora, Canidae) in Paulo Cesar Vinha State Park, Espírito Santo State, Brazil / La diâ-te du renard crabier <i>Cerdocyon thous</i> (Carnivora, Canidae) au parc d'Atat Paulo Cesar Vinha, Espírito Santo, Brazil. <i>Mammalia</i> , 2006, 70, .	0.7	8
17	Serology for brucellosis in free-ranging crab-eating foxes (<i>Cerdocyon thous</i>) and brown-nosed coatis (<i>Nasua nasua</i>) from Brazilian Pantanal. <i>Ciencia Rural</i> , 2014, 44, 2193-2196.	0.5	7
18	Space use by giant anteaters (<i>Myrmecophaga tridactyla</i>) in a protected area within human-modified landscape. <i>Ecology and Evolution</i> , 2020, 10, 7981-7994.	1.9	7

#	ARTICLE	IF	CITATIONS
19	Giant Anteater Population Density Estimation and Viability Analysis Through Motionâ€¢Sensitive Camera Records. <i>Journal of Wildlife Management</i> , 2021, 85, 1554-1562.	1.8	6
20	Identifying Priority Giant Anteater (<i>Myrmecophaga tridactyla</i>) Populations for Conservation in SÃ£o Paulo State, Brazil. <i>Ecology and Evolution</i> , 2021, 11, 700-713.	1.9	4
21	Tayra (<i>Eira barbara</i>) landscape use as a function of cover types, forest protection, and the presence of puma and freeâ€¢anging dogs. <i>Biotropica</i> , 2021, 53, 1569-1581.	1.6	4
22	The importance of protected areas for conservation of bare-faced curassow (<i>Crax fasciolata spix,</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 0.5		
23	IDENTIFICAÃ‡ÃO DE MAMÃ‰FEROS SILVESTRES DO PANTANAL SUL-MATO-GROSSENSE PORTADORES DE <i>Leptospira</i> spp.. <i>Ciencia Animal Brasileira</i> , 2013, 14, .	0.3	2
24	A New Species of <i>Pachysentis</i> Meyer, 1931 (Acanthocephala: Oligacanthorhynchidae) in the Brown-Nosed Coati <i>Nasua nasua</i> (Carnivora: Procyonidae) from Brazil, with Notes on the Genus and a Key to Species. <i>Acta Parasitologica</i> , 2019, 64, 587-595.	1.1	1
25	Medium to large-sized mammals of the Augusto Ruschi Biological Reserve, SÃ£o Paulo State, Brazil. <i>Oecologia Australis</i> , 2015, 19, 232-243.	0.2	1