

Ibrahim Celalettin Haznedaroğlu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1450945/publications.pdf>

Version: 2024-02-01

370
papers

6,456
citations

108046

37
h-index

124990

64
g-index

376
all docs

376
docs citations

376
times ranked

6819
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Review on Characteristics and Analytical Methods of Rivaroxaban. <i>Critical Reviews in Analytical Chemistry</i> , 2022, 52, 865-877. | 1.8 | 9 |
| 2 | Prophylactic Central Nervous System Irradiation Is Not Indispensable In Adult Patients With Acute Lymphoblastic Leukemia: A Multi-Center Retrospective Cohort Study. <i>Turkish Journal of Haematology</i> , 2022, , . | 0.2 | 0 |
| 3 | Bone Marrow Origin of Coronary Artery Diseases: The Impact of the Local Renin-Angiotensin System.. <i>Acta Cardiologica Sinica</i> , 2022, 38, 13-20. | 0.1 | 0 |
| 4 | Four-Dimensional Echocardiographic Evaluation of Left Ventricular Systolic Functions in Patients with Chronic Myeloid Leukaemia Receiving Tyrosine Kinase Inhibitors. <i>Cardiovascular Toxicology</i> , 2021, 21, 216-223. | 1.1 | 4 |
| 5 | Convalescent plasma therapy in patients with COVID-19. <i>Transfusion and Apheresis Science</i> , 2021, 60, 102955. | 0.5 | 52 |
| 6 | The clinical course of COVID-19 in hematopoietic stem cell transplantation (HSCT) recipients. <i>Turkish Journal of Medical Sciences</i> , 2021, 51, 1647-1652. | 0.4 | 7 |
| 7 | Evaluation of Prognostic Significance of the International Staging System According to Glomerular Filtration Rate in Newly Diagnosed Multiple Myeloma Patients Eligible for Autologous Stem Cell Transplantation. <i>Turkish Journal of Haematology</i> , 2021, 38, 33-40. | 0.2 | 8 |
| 8 | Perspectives for immune plasma treatment of COVID-19. <i>Turkish Journal of Medical Sciences</i> , 2021, 51, 1-9. | 0.4 | 4 |
| 9 | Could Targeting HMGB1 be Useful for the Clinical Management of COVID-19 Infection?. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2021, 24, 587-590. | 0.6 | 3 |
| 10 | Allogeneic Hematopoietic Stem-Cell Transplantation Improves Disease-Free Survival Compared to Pediatric-Inspired Berlin-Frankfurt-Münster Chemotherapy in Adult Acute Lymphoblastic Leukemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, 147-153. | 0.2 | 5 |
| 11 | Leukemic stem cells shall be searched in the bone marrow before "tyrosine kinase inhibitor" discontinuation" in chronic myeloid leukemia. <i>International Journal of Laboratory Hematology</i> , 2021, 43, 1110-1116. | 0.7 | 6 |
| 12 | Long-term results of allogeneic peripheral blood hematopoietic stem cell transplantation for severe aplastic anemia. <i>Transfusion and Apheresis Science</i> , 2021, 60, 103050. | 0.5 | 1 |
| 13 | Efficacy and safety of ruxolitinib in patients with myelofibrosis: a retrospective and multicenter experience in Turkey. <i>Turkish Journal of Medical Sciences</i> , 2021, 51, 1033-1042. | 0.4 | 0 |
| 14 | Free Health Coverage for All COVID-19 Patients is Required to Defeat the Virus at The Community Level. <i>Acta Medica</i> , 2021, 52, 90-91. | 0.0 | 0 |
| 15 | Exposure of Hepatocellular Carcinoma Cells to Ankaferd Blood Stopper® Alters Cell Death Signaling Networks Confirmed by Oncoproteomic and Genomic Profiling Studies. <i>Current Traditional Medicine</i> , 2021, 7, 246-258. | 0.1 | 8 |
| 16 | Covid-19 scientific publications from Turkey. <i>Turkish Journal of Medical Sciences</i> , 2021, 51, 877-889. | 0.4 | 7 |
| 17 | Current community transmission and future perspectives on the COVID-19 process. <i>Turkish Journal of Medical Sciences</i> , 2021, 51, 1001-1011. | 0.4 | 1 |
| 18 | Antitumor activity of Ankaferd Blood Stopper® on MCF-7 breast cancer: A proteomic approach to ascertain the mechanism of the action. <i>Journal of Herbal Medicine</i> , 2021, 28, 100449. | 1.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Human Ace D/I Polymorphism Could Affect the Clinicobiological Course of COVID-19. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2021, 2021, 1-7. | 1.0 | 20 |
| 20 | Protein Kinases in Hematological Disorders. Advances in Experimental Medicine and Biology, 2021, 1275, 383-393. | 0.8 | 5 |
| 21 | Clinical variations between three different causes of thrombocytopenia. Nigerian Journal of Clinical Practice, 2021, 24, 17. | 0.2 | 4 |
| 22 | Predictive factors for stem cell mobilization failure in multiple myeloma patients: A single center experience. Transfusion and Apheresis Science, 2020, 59, 102595. | 0.5 | 6 |
| 23 | The comparison of bone marrow kinetics between patients with acute myeloid leukemia and acute promyelocytic leukemia after induction chemotherapy. Immunopharmacology and Immunotoxicology, 2020, 42, 17-21. | 1.1 | 1 |
| 24 | Ankaferd hemostat (ABS) as a potential mucosal topical agent for the management of COVID-19 syndrome based on its PAR-1 inhibitory effect and oestrogen content. Medical Hypotheses, 2020, 143, 110150. | 0.8 | 3 |
| 25 | Antiinfective and wound-healing pleiotropic actions of Ankaferd hemostat. Turkish Journal of Medical Sciences, 2020, 50, 1434-1435. | 0.4 | 4 |
| 26 | Pathobiological Interactions of Local Bone Marrow Renin-Angiotensin System and Central Nervous System in Systemic Arterial Hypertension. Frontiers in Endocrinology, 2020, 11, 425. | 1.5 | 13 |
| 27 | Immunogenomic phases of COVID-19 and appropriate clinical management. Lancet Microbe, The, 2020, 1, e278. | 3.4 | 3 |
| 28 | Comparison of bortezomib-cyclophosphamide-dexamethasone versus bortezomib-dexamethasone based regimens in newly diagnosed multiple myeloma patients. Hematology Reports, 2020, 12, 8267. | 0.3 | 1 |
| 29 | Convalescent (immune) plasma treatment in a myelodysplastic COVID-19 patient with disseminated tuberculosis. Transfusion and Apheresis Science, 2020, 59, 102821. | 0.5 | 42 |
| 30 | In vitro analysis of the renin-angiotensin system and inflammatory gene transcripts in human bronchial epithelial cells after infection with severe acute respiratory syndrome coronavirus. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2020, 21, 147032032092887. | 1.0 | 12 |
| 31 | Spontaneous subepithelial hemorrhage of renal pelvis and ureter (Antopol-Goldman lesion) in hemophilia A patient with inhibitor. Medicine (United States), 2020, 99, e20851. | 0.4 | 8 |
| 32 | The effects of blood group types on the risk of COVID-19 infection and its clinical outcome. Turkish Journal of Medical Sciences, 2020, 50, 679-683. | 0.4 | 139 |
| 33 | Pharmacobiological management of hemostasis within clinical backgrounds via Ankaferd hemostat (Ankaferd blood stopper). SAGE Open Medicine, 2020, 8, 205031212090781. | 0.7 | 4 |
| 34 | Renin angiotensin system genes are biomarkers for personalized treatment of acute myeloid leukemia with Doxorubicin as well as etoposide. PLoS ONE, 2020, 15, e0242497. | 1.1 | 18 |
| 35 | Ankaferd hemostat: from molecules to medicine. Turkish Journal of Medical Sciences, 2020, 50, 1739-1750. | 0.4 | 4 |
| 36 | Evaluation of the Survival Outcomes of Multiple Myeloma Patients According to Their Plasmacytoma Presentation at Diagnosis. Turkish Journal of Haematology, 2020, 37, 256-262. | 0.2 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The impact of early versus late platelet and neutrophil recovery after induction chemotherapy on survival outcomes of patients with acute myeloid leukemia. Turkish Journal of Haematology, 2020, 37, 116-120. | 0.2 | 8 |
| 38 | Who 2016 Definition of Chronic Myeloid Leukemia and Tyrosine Kinase Inhibitors. Turkish Journal of Haematology, 2020, 37, 42-47. | 0.2 | 8 |
| 39 | COVID-19, Renin-angiotensin System and Hematopoiesis. Turkish Journal of Haematology, 2020, 37, 207-208. | 0.2 | 1 |
| 40 | CD34+ hematopoietic progenitor cell dose as a predictor of engraftment and survival in multiple myeloma patients undergoing autologous stem cell transplantation. Turkish Journal of Medical Sciences, 2020, 50, 1851-1856. | 0.4 | 7 |
| 41 | Title is missing!. , 2020, 15, e0242497. | | 0 |
| 42 | Title is missing!. , 2020, 15, e0242497. | | 0 |
| 43 | Title is missing!. , 2020, 15, e0242497. | | 0 |
| 44 | Title is missing!. , 2020, 15, e0242497. | | 0 |
| 45 | Title is missing!. , 2020, 15, e0242497. | | 0 |
| 46 | Title is missing!. , 2020, 15, e0242497. | | 0 |
| 47 | Title is missing!. , 2020, 15, e0242497. | | 0 |
| 48 | Title is missing!. , 2020, 15, e0242497. | | 0 |
| 49 | Indications and outcomes of splenectomy for hematological disorders. Open Medicine (Poland), 2019, 14, 491-496. | 0.6 | 4 |
| 50 | A unique case of complex variant translocation of t(6;9;22)(p22;q34;q11.2), der(19) in a newly diagnosed patient with chronic myeloid leukemia. Cancer Genetics, 2019, 237, 78-81. | 0.2 | 5 |
| 51 | Unclassifiable non-CML classical myeloproliferative diseases with microcytosis: findings indicating diagnosis of polycythemia vera masked by iron deficiency. Turkish Journal of Medical Sciences, 2019, 49, 1560-1563. | 0.4 | 3 |
| 52 | Ghosal hematodiaphyseal dysplasia with autoimmune anemia in two adult siblings. Transfusion and Apheresis Science, 2019, 58, 449-452. | 0.5 | 4 |
| 53 | Mitoxantrone-melphalan conditioning regimen for autologous stem cell transplantation in relapsed/refractory lymphoma. Turkish Journal of Medical Sciences, 2019, 49, 985-992. | 0.4 | 5 |
| 54 | The factors affecting early death in newly diagnosed APL patients. Open Medicine (Poland), 2019, 14, 647-652. | 0.6 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The impact of At1r inhibition via losartan on the anti-leukaemic effects of doxorubicin in acute myeloid leukaemia. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2019, 20, 147032031985131. | 1.0 | 6 |
| 56 | Analysis of the Antiproliferative Effect of Ankaferd Hemostat on Caco-2 Colon Cancer Cells via LC/MS Shotgun Proteomics Approach. BioMed Research International, 2019, 2019, 1-11. | 0.9 | 7 |
| 57 | The impact of JAK/STAT inhibitor ruxolitinib on the genesis of lymphoproliferative diseases. Turkish Journal of Medical Sciences, 2019, 49, 661-674. | 0.4 | 6 |
| 58 | Effects of Ankaferd Hemostat on red blood cell aggregation: a hemorheological study. Turkish Journal of Medical Sciences, 2019, 49, 356-360. | 0.4 | 4 |
| 59 | The Antithrombin Effect of Ankaferd Hemostat (ABS) Is Related to the High Iron Content of the Medicine. Clinical and Applied Thrombosis/Hemostasis, 2019, 25, 107602961882441. | 0.7 | 1 |
| 60 | Branch retinal vein occlusion associated with platelet activation. Turkish Journal of Medical Sciences, 2019, 49, 283-287. | 0.4 | 9 |
| 61 | Effects of Ankaferd Hemostat on Helicobacter pylori strains and antibiotic resistance. Turkish Journal of Medical Sciences, 2019, 49, 347-355. | 0.4 | 6 |
| 62 | Current perspectives for the treatment of chronic myeloid leukemia. Turkish Journal of Medical Sciences, 2019, 49, 1-10. | 0.4 | 21 |
| 63 | Impact of Time Between Induction Chemotherapy and Complete Remission on Survival Outcomes in Patients With Acute Myeloid Leukemia. Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, 729-734. | 0.2 | 6 |
| 64 | Efficacy and Feasibility of Allogeneic Hematopoietic Stem-Cell Transplantation in the Treatment of Refractory Acute Myeloid Leukemia. Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, 177-182. | 0.2 | 5 |
| 65 | Comparison of Myeloablative Versus Reduced-Intensity Conditioning Regimens for Allogeneic Hematopoietic Stem Cell Transplantation in Acute Myeloid Leukemia: A Cohort Study. Turkish Journal of Haematology, 2019, 36, 88-96. | 0.2 | 5 |
| 66 | A multi-centric study on the efficacy of eltrombopag in management of refractory chronic immune thrombocytopenia. Turkish Journal of Haematology, 2019, 36, 230-237. | 0.2 | 8 |
| 67 | Aggressive Clinicopathological Course of Myeloma with t(3;16) (q21;q22) Cytogenetic Abnormality. Turkish Journal of Haematology, 2019, 36, 62-63. | 0.2 | 0 |
| 68 | TUMOR LYSIS SYNDROME DUE TO TARGETING OF HEPATOCELLULAR CARCINOMA ASSOCIATED WITH CHRONIC MYELOMONOCYTIC LEUKEMIA. Turkish Journal of Haematology, 2019, 36, 218-219. | 0.2 | 2 |
| 69 | Thrombosis and Bleeding in Philadelphia Negative Myeloproliferative Neoplasia: Incidences and Risk Factors. Acta Medica, 2019, 50, 1-7. | 0.0 | 0 |
| 70 | Effects of Smoking on Hematological Parameters and Ferritin Levels. Haseki Tip Bulteni, 2019, 57, 372-376. | 0.2 | 2 |
| 71 | Retrospective evaluation of chromosome 1 anomalies in hematologic malignancies: A single center study. Genetics & Applications, 2019, 3, 17. | 0.1 | 0 |
| 72 | Discontinuation of imatinib mesylate could improve renal impairment in chronic myeloid leukemia. Open Medicine (Poland), 2018, 14, 22-24. | 0.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Effect of postremission high dose cytarabine-based consolidation chemotherapy before allogenic stem cell transplantation in outcomes of acute myeloid leukemia patients. <i>Transfusion and Apheresis Science</i> , 2018, 57, 752-755. | 0.5 | 3 |
| 74 | Frontline nilotinib treatment in Turkish patients with Philadelphia chromosomeâ€“positive chronic Myeloid Leukemia in chronic phase: updated results with 2 years of follow-up. <i>Hematology</i> , 2018, 23, 771-777. | 0.7 | 5 |
| 75 | On Being a â€“Physician Patientâ€™ With His Own Experimental Therapeutic Drug. <i>Turkish Journal of Haematology</i> , 2018, 35, 302-303. | 0.2 | 4 |
| 76 | Long-Term Results of Non- Fludarabine Versus Fludarabine-Based Conditioning Regimens in Severe Aplastic Anemia Patients. <i>Blood</i> , 2018, 132, 5700-5700. | 0.6 | 0 |
| 77 | Growth inhibitory activity of Ankaferd hemostat on primary melanoma cells and cell lines. <i>SAGE Open Medicine</i> , 2017, 5, 205031211668951. | 0.7 | 15 |
| 78 | Proteomic and transcriptomic analyses to explain the pleiotropic effects of Ankaferd blood stopper. <i>SAGE Open Medicine</i> , 2017, 5, 205031211772256. | 0.7 | 11 |
| 79 | The Modelled Effectiveness of Ruxolitinib on Survival in Polycythemia Patients with Hydroxyurea Resistance/Intolerance in Turkey. <i>Value in Health</i> , 2017, 20, A545. | 0.1 | 1 |
| 80 | Epidemiological Estimates and Treatment Practice Pattern in Polycythemia Vera Patients in Turkey: Results Based on an Expert Panel. <i>Value in Health</i> , 2017, 20, A546. | 0.1 | 1 |
| 81 | Lipotoxicity-Related Hematological Disorders in Obesity. <i>Advances in Experimental Medicine and Biology</i> , 2017, 960, 469-487. | 0.8 | 3 |
| 82 | Antibacterial Activities of Ankaferd Hemostat (ABS) on Shiga Toxin-Producing Escherichia coli and Other Pathogens Significant in Foodborne Diseases. <i>Turkish Journal of Haematology</i> , 2017, 34, 93-98. | 0.2 | 4 |
| 83 | Multicenter Retrospective Analysis of Turkish Patients with Chronic Myeloproliferative Neoplasms. <i>Turkish Journal of Haematology</i> , 2017, 34, 27-33. | 0.2 | 10 |
| 84 | Sole Infrequent Karyotypic Aberration Trisomy 6 in a Patient with Acute Myeloid Leukemia and Breast Cancer in Remission. <i>Turkish Journal of Haematology</i> , 2017, 34, 103-104. | 0.2 | 2 |
| 85 | Peripheral FLT-3 ligand levels as a pathobiological parameter during the clinical course of acute myeloid leukemia. <i>Turkish Journal of Medical Sciences</i> , 2016, 46, 1889-1893. | 0.4 | 1 |
| 86 | Qualitative/Chemical Analyses of Ankaferd Hemostat and Its Antioxidant Content in Synthetic Gastric Fluids. <i>BioMed Research International</i> , 2016, 2016, 1-8. | 0.9 | 14 |
| 87 | Treatment of pyoderma gangrenosum with thalidomide in a myelodysplastic syndrome case. <i>International Medical Case Reports Journal</i> , 2016, 9, 61. | 0.3 | 7 |
| 88 | Clinical associations, biological risk factors and outcomes of cerebral venous sinus thrombosis. <i>Journal of International Medical Research</i> , 2016, 44, 1454-1461. | 0.4 | 35 |
| 89 | Ultrastructural analyses of the novel chimeric hemostatic agent generated via nanotechnology, ABS nanohemostat, at the renal tissue level. <i>SpringerPlus</i> , 2016, 5, 1931. | 1.2 | 3 |
| 90 | Outcomes with frontline nilotinib treatment in Turkish patients with newly diagnosed Philadelphia chromosomeâ€“positive chronic myeloid leukemia in chronic phase. <i>Expert Opinion on Pharmacotherapy</i> , 2016, 17, 1851-1858. | 0.9 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Reply. <i>Annals of Pharmacotherapy</i> , 2016, 50, 336-336. | 0.9 | 1 |
| 92 | Comparison of Myelodysplastic Syndrome Prognostic Scoring Systems. <i>Turkish Journal of Haematology</i> , 2016, 33, 119-126. | 0.2 | 4 |
| 93 | The Prognosis of Adult Burkitt's Cell Leukemia in Real-Life Clinical Practice. <i>Turkish Journal of Haematology</i> , 2016, 33, 281-285. | 0.2 | 3 |
| 94 | Endothelial Cells, Ankaferd Hemostat, and Estradiol. <i>Turkish Journal of Haematology</i> , 2016, 33, 261-262. | 0.2 | 1 |
| 95 | Expression Profiles of the Individual Genes Corresponding to the Genes Generated by Cytotoxicity Experiments with Bortezomib in Multiple Myeloma. <i>Turkish Journal of Haematology</i> , 2016, 33, 286-292. | 0.2 | 2 |
| 96 | The Management of Chronic Myeloid Leukemia in the Era of Second Generation Tyrosine Kinase Inhibitors. <i>UHOD - Uluslararası Hematoloji-Onkoloji Dergisi</i> , 2016, 26, 1-3. | 0.1 | 1 |
| 97 | Splenic artery embolization with Ankaferd blood stopper in a sheep model. <i>Diagnostic and Interventional Radiology</i> , 2016, 22, 354-357. | 0.7 | 4 |
| 98 | High iron content of Ankaferd hemostat as a clue for its hemostatic action of red blood cell origin. <i>Blood Coagulation and Fibrinolysis</i> , 2015, 26, 233-234. | 0.5 | 6 |
| 99 | Melanonychia Secondary to Long-Term Treatment with Hydroxycarbamide: An Essential Thrombocytosis Case. <i>Case Reports in Hematology</i> , 2015, 2015, 1-3. | 0.3 | 0 |
| 100 | DRUG THERAPY IN THE PROGRESSED CML PATIENT WITH MULTI-TKI FAILURE. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2015, 7, e2015014. | 0.5 | 15 |
| 101 | Management of De Novo CML and Imatinib-Induced Acute Rhabdomyolysis With the Second-Generation TKI, Dasatinib. <i>Annals of Pharmacotherapy</i> , 2015, 49, 740-742. | 0.9 | 9 |
| 102 | Bone marrow fibrosis may be an effective independent predictor of the TKI drug response level in chronic myeloid leukemia. <i>Hematology</i> , 2015, 20, 392-396. | 0.7 | 15 |
| 103 | Rebound Thrombocytosis following Induction Chemotherapy Is an Independent Predictor of a Good Prognosis in Acute Myeloid Leukemia Patients Attaining First Complete Remission. <i>Acta Haematologica</i> , 2015, 134, 32-37. | 0.7 | 12 |
| 104 | MPV may reflect subclinical platelet activation in diabetic patients with and without diabetic retinopathy. <i>Eye</i> , 2015, 29, 376-379. | 1.1 | 33 |
| 105 | Severe radiation esophagitis successfully treated with Ankaferd hemostat. <i>Gastrointestinal Endoscopy</i> , 2015, 81, 1048-1049. | 0.5 | 4 |
| 106 | Tryptophan in Molecular Hematopoiesis. <i>Molecular and Integrative Toxicology</i> , 2015, , 253-267. | 0.5 | 0 |
| 107 | Clinical and pathological correlations of marrow PUMA and P53 expressions in myelodysplastic syndromes. <i>Apmis</i> , 2015, 123, 445-451. | 0.9 | 5 |
| 108 | High frequency of autonomous T-cell proliferation compatible with T-cell large granular lymphocytic leukemia in patients with cytopenia of unknown etiology. <i>International Journal of Hematology</i> , 2015, 102, 211-217. | 0.7 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | In Vivo Healing Effects of Ankaferd Blood Stopper on the Residual Pancreatic Tissue in a Swine Model of Distal Pancreatectomy. <i>Indian Journal of Surgery</i> , 2015, 77, 176-181. | 0.2 | 3 |
| 110 | Pharmacobiological Approach for the Clinical Development of Ruxolitinib in Myeloproliferative Neoplasms. <i>Turkish Journal of Haematology</i> , 2015, 32, 163-167. | 0.2 | 5 |
| 111 | Clinicopathological associations of acquired erythroblastopenia. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 22515-9. | 1.3 | 1 |
| 112 | The factors affecting early death after the initial therapy of acute myeloid leukemia. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 22564-9. | 1.3 | 5 |
| 113 | Next Generation Nanomedicine in the Genesis of "Ankaferd Blood Stopper Nanohemostat". <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2014, 20, 456-457. | 0.7 | 1 |
| 114 | In vivo confocal microscopic characteristics of crystalline keratopathy in patients with monoclonal gammopathy: Report of two cases. <i>Indian Journal of Ophthalmology</i> , 2014, 62, 938. | 0.5 | 17 |
| 115 | MONITORING THE RESPONSE TO TYROSINE KINASE INHIBITOR (TKI) TREATMENT IN CHRONIC MYELOID LEUKEMIA (CML). <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2014, 6, e2014009. | 0.5 | 12 |
| 116 | Local Renin-Angiotensin System in Normal Hematopoietic and Multiple Myeloma-Related Progenitor Cells. <i>Turkish Journal of Haematology</i> , 2014, 31, 136-142. | 0.2 | 6 |
| 117 | Increased Soluble Selectins as a Reflection of Activated Platelets and Endothelium in Legg-Calve-Perthes Disease. <i>Journal of Pediatric Hematology/Oncology</i> , 2014, 36, e410-e411. | 0.3 | 8 |
| 118 | Tratamiento efectivo de la hemoptisis mediante aplicaci3n endobronquial del hemost3sico Ankaferd. <i>Archivos De Bronconeumologia</i> , 2014, 50, 407-409. | 0.4 | 7 |
| 119 | Plateletcrit. <i>Herz</i> , 2014, 39, 142-148. | 0.4 | 45 |
| 120 | Effective Management of Hemoptysis Via Endobronchial Application of Ankaferd Hemostat. <i>Archivos De Bronconeumologia</i> , 2014, 50, 407-409. | 0.4 | 5 |
| 121 | Plateletcrit and red cell distribution width are independent predictors of the slow coronary flow phenomenon. <i>Journal of Cardiology</i> , 2014, 63, 112-118. | 0.8 | 68 |
| 122 | Authors'™ response to the comments on automated platelet analyses by Dr Beyan. <i>Journal of Cardiology</i> , 2014, 63, 244-245. | 0.8 | 0 |
| 123 | Massive Life-Threatening Hemorrhages Due to Toxic Oral Intake of 3750 Mg Dabigatran Etexilate As a Suicide Attempt and the Clinical Management. <i>Blood</i> , 2014, 124, 5091-5091. | 0.6 | 1 |
| 124 | Evaluation of Anti-Neoplastic Effects of a New Hemostatic Agent Ankaferd Blood Stopper on Myeloma Cell Line and Plasmocytoma Development in Balb/c Mice: Results of the First in Vitro and in Vivo Study. <i>Blood</i> , 2014, 124, 5728-5728. | 0.6 | 3 |
| 125 | High-dose chemotherapy and autologous peripheral blood stem cell (PBSC) transplantation with non-cryopreserved PBSCs in multiple myeloma.. <i>Journal of Clinical Oncology</i> , 2014, 32, e19577-e19577. | 0.8 | 0 |
| 126 | Lower Doses of Plerixafor Use Is Sufficient to Effectively Mobilize PBSC (Peripheral Blood) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Td (H | 0,6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Rebound Thrombocytosis Is an Independent Predictor of Good Prognosis in AML Patients Attaining First Complete Remission. <i>Blood</i> , 2014, 124, 2283-2283. | 0.6 | 0 |
| 128 | Nilotinib Results in Improved Rates of Molecular Response in Turkish Newly Diagnosed CML-CP Patients: A 24-Month Update. <i>Blood</i> , 2014, 124, 5532-5532. | 0.6 | 0 |
| 129 | Prognostic Factors for Survival of Elderly Patients with Acute Myeloid Leukemia after Intensive Chemotherapy: Validation of 3 Popular Prognostic Models. <i>Blood</i> , 2014, 124, 5332-5332. | 0.6 | 0 |
| 130 | Short-Term Effects of Ankaferd Hemostat for Renal Artery Embolization: An Experimental Study. <i>CardioVascular and Interventional Radiology</i> , 2013, 36, 498-504. | 0.9 | 5 |
| 131 | Evaluation of the mean platelet volume in secondary amyloidosis due to familial Mediterranean fever. <i>Rheumatology International</i> , 2013, 33, 2555-2559. | 1.5 | 4 |
| 132 | Comparative outcome of reduced intensity and myeloablative conditioning regimen in HLA identical sibling allogeneic hematopoietic stem cell transplantation for acute leukemia patients: A single center experience. <i>Transfusion and Apheresis Science</i> , 2013, 49, 590-599. | 0.5 | 9 |
| 133 | Circulating CD4+CD25+ Regulatory T Cells in the Pathobiology of Ulcerative Colitis and Concurrent Primary Sclerosing Cholangitis. <i>Digestive Diseases and Sciences</i> , 2013, 58, 1250-1255. | 1.1 | 11 |
| 134 | Current concerns of undertreatment and overtreatment in chronic myeloid leukemia based on European LeukemiaNet 2013 recommendations. <i>Expert Opinion on Pharmacotherapy</i> , 2013, 14, 2005-2010. | 0.9 | 27 |
| 135 | Topical Ankaferd hemostat for the management of clinical bleeding plus hemorrhagic diathesis. <i>Gastrointestinal Intervention</i> , 2013, 2, 127. | 0.1 | 0 |
| 136 | Echocardiographic Dilemma: Misleading Thrombus Appearance Due to Cavitation With Intravascular Hemolysis on a Mechanical Prosthetic Valve. <i>Canadian Journal of Cardiology</i> , 2013, 29, 403.e1-403.e2. | 0.8 | 1 |
| 137 | The therapeutic goals of essential thrombocythemia under the clouds of over-treatment and under-treatment. <i>Expert Opinion on Pharmacotherapy</i> , 2013, 14, 1431-1436. | 0.9 | 4 |
| 138 | Local bone marrow renin-angiotensin system in primitive, definitive and neoplastic haematopoiesis. <i>Clinical Science</i> , 2013, 124, 307-323. | 1.8 | 41 |
| 139 | EUTOS CML prognostic scoring system predicts ELN-based "event-free survival" better than Euro/Hasford and Sokal systems in CML patients receiving front-line imatinib mesylate. <i>Hematology</i> , 2013, 18, 247-252. | 0.7 | 31 |
| 140 | Current Management of Chronic Myeloid Leukemia with Tyrosine Kinase Inhibitors. <i>Turkish Journal of Haematology</i> , 2013, 30, 247-255. | 0.2 | 5 |
| 141 | Turkish Chronic Myeloid Leukemia Study: Retrospective Sectional Analysis of CML Patients. <i>Turkish Journal of Haematology</i> , 2013, 30, 351-358. | 0.2 | 14 |
| 142 | Co-expression of t(15;17) and t(8;21) in a Case of Acute Promyelocytic Leukemia: Review of the Literature. <i>Turkish Journal of Haematology</i> , 2013, 30, 400-404. | 0.2 | 6 |
| 143 | The Impact of Eltrombopag Administration on the Clinical Course of Severe Refractory Fatal Acquired Aplastic Anemia. <i>Turkish Journal of Haematology</i> , 2013, 30, 328-330. | 0.2 | 4 |
| 144 | Local hematopoietic renin-angiotensin system in myeloid versus lymphoid hematological neoplastic disorders. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2013, 14, 308-314. | 1.0 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Hyper-CVAD Regimen in Routine Management of Adult Acute Lymphoblastic Leukemia: A Retrospective Multicenter Study. <i>Acta Haematologica</i> , 2013, 130, 199-205. | 0.7 | 22 |
| 146 | Key Decision Just After 3 Months Following TKI Initiation in CML: Better and not Difficult. <i>UHOD - Uluslararası Hematoloji-Onkoloji Dergisi</i> , 2013, 23, 1-2. | 0.1 | 0 |
| 147 | Generation of Chimeric α - β ABS Nanohemostat α -Complex and Comparing Its Histomorphological<i>In Vivo</i>Effects to the Traditional Ankaferd Hemostat in Controlled Experimental Partial Nephrectomy Model. <i>International Journal of Biomaterials</i> , 2013, 2013, 1-10. | 1.1 | 6 |
| 148 | Long-Term Sustained Hemorrhage Due to Bone Marrow Biopsy Successfully Treated With Topical Ankaferd Hemostat in a Bleeding-Prone Patient With Secondary Amyloidosis. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2013, 19, 338-340. | 0.7 | 1 |
| 149 | The price of drugs for chronic myeloid leukemia (CML) is a reflection of the unsustainable prices of cancer drugs: from the perspective of a large group of CML experts. <i>Blood</i> , 2013, 121, 4439-4442. | 0.6 | 546 |
| 150 | Oral High-Dose Ankaferd Administration Effects on Gastrointestinal System. <i>International Journal of Medical Sciences</i> , 2013, 10, 451-456. | 1.1 | 7 |
| 151 | Experience With BFM 95 Pediatric Regimen In Adult ACUTE Lymphoblastic Leukemia. <i>Blood</i> , 2013, 122, 5015-5015. | 0.6 | 1 |
| 152 | Use Of Nilotinib As a First Line Treatment In Adult Patients With Philadelphia Chromosome-Positive and Chronic Phase Myeloid Leukemia. <i>Blood</i> , 2013, 122, 2742-2742. | 0.6 | 0 |
| 153 | Unusual Extramedullary Recurrence and Renal Relapse Despite Complete Chimerysm after Allografting in Ph+ ALL. <i>UHOD - Uluslararası Hematoloji-Onkoloji Dergisi</i> , 2012, 22, 46-50. | 0.1 | 0 |
| 154 | Prohemostatic and Antithrombin Activities of Ankaferd Hemostat Are Linked to Fibrinogen Gamma Chain and Prothrombin by Functional Proteomic Analyses. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2012, 18, 604-610. | 0.7 | 22 |
| 155 | Striking Promotion of the in vitro Myeloma Monoclonal Immunoglobulin Aggregation by Ankaferd Hemostat. <i>UHOD - Uluslararası Hematoloji-Onkoloji Dergisi</i> , 2012, 22, 15-22. | 0.1 | 2 |
| 156 | A Placebo-Controlled, Randomized, Double-Blinded, Cross-Over Phase-I Clinical Study Indicating the Safety of Topical Ankaferd Hemostat in Healthy Volunteers. <i>UHOD - Uluslararası Hematoloji-Onkoloji Dergisi</i> , 2012, 22, 267-274. | 0.1 | 4 |
| 157 | Histopathological Alterations in the Kidney Tissue Following Topical Ankaferd Hemostat Application in a Rat Renal Injury Model. <i>UHOD - Uluslararası Hematoloji-Onkoloji Dergisi</i> , 2012, 22, 275-281. | 0.1 | 1 |
| 158 | The Clinical Impact of Low Doses of Dasatinib in Patients with Chronic Myeloid Leukemia. <i>UHOD - Uluslararası Hematoloji-Onkoloji Dergisi</i> , 2012, 22, 8-14. | 0.1 | 1 |
| 159 | Effective Molecular Monitoring and the Proper Management of Pleural Effusion During the First-Line Dasatinib Administration in CML. <i>UHOD - Uluslararası Hematoloji-Onkoloji Dergisi</i> , 2012, 22, 1-7. | 0.1 | 1 |
| 160 | Controlling of upper gastrointestinal bleeding associated with severe immune thrombocytopenia via topical adjunctive application of Ankaferd blood stopper. <i>Blood Coagulation and Fibrinolysis</i> , 2012, 23, 464. | 0.5 | 3 |
| 161 | Increased mean platelet volume (MPV) indicating the vascular risk in Alzheimer's disease (AD). <i>Archives of Gerontology and Geriatrics</i> , 2012, 55, 257-260. | 1.4 | 31 |
| 162 | Increased ferritin levels could reflect ongoing aging-associated inflammation and may obscure underlying iron deficiency in the geriatric population. <i>European Geriatric Medicine</i> , 2012, 3, 277-280. | 1.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Topical Ankaferd hemostat application for the management of oral cavity bleedings in children with hemorrhagic diathesis. <i>Blood Coagulation and Fibrinolysis</i> , 2012, 23, 494-497. | 0.5 | 12 |
| 164 | Iron deficiency can cause cognitive impairment in geriatric patients. <i>Journal of Nutrition, Health and Aging</i> , 2012, 16, 220-224. | 1.5 | 61 |
| 165 | Pleiotropic cellular, hemostatic, and biological actions of Ankaferd hemostat. <i>Critical Reviews in Oncology/Hematology</i> , 2012, 83, 21-34. | 2.0 | 63 |
| 166 | Beneficial effects of Ankaferd Blood Stopper on caustic esophageal injuries: an experimental model. <i>Ecological Management and Restoration</i> , 2012, 25, 188-194. | 0.2 | 24 |
| 167 | Molecular Basis of Ankaferd-Induced Hemostasis in the Management of Sternal Bleeding. <i>Heart Surgery Forum</i> , 2012, 15, E305-E305. | 0.2 | 2 |
| 168 | Percutaneous ankaferd injection to in vivo liver tissue in comparison to ethanol in an experimental rat model. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2011, 35, 549-553. | 0.7 | 9 |
| 169 | Increased ACE in extrahepatic cholangiocarcinoma as a clue for activated RAS in biliary neoplasms. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2011, 35, 644-649. | 0.7 | 18 |
| 170 | Ankaferd Blood Stopper in GI bleeding: alternative for everything?. <i>Gastrointestinal Endoscopy</i> , 2011, 73, 185-186. | 0.5 | 8 |
| 171 | Ankaferd hemostat for the management of tumoral GI bleeding. <i>Gastrointestinal Endoscopy</i> , 2011, 73, 1072-1073. | 0.5 | 8 |
| 172 | Ankaferd Blood Stopper Is More Effective Than Adrenaline Plus Lidocaine and Gelatin Foam in the Treatment of Epistaxis in Rabbits. <i>Current Therapeutic Research</i> , 2011, 72, 185-194. | 0.5 | 9 |
| 173 | Identification of clinical and simple laboratory variables predicting responsible gastrointestinal lesions in patients with iron deficiency anemia. <i>International Journal of Medical Sciences</i> , 2011, 8, 30-38. | 1.1 | 14 |
| 174 | Ankaferd hemostat in the management of gastrointestinal hemorrhages. <i>World Journal of Gastroenterology</i> , 2011, 17, 3962. | 1.4 | 41 |
| 175 | Elevated Levels of Circulating Angiotensin Converting Enzyme in Patients with Hepatoportal Sclerosis. <i>Digestive Diseases and Sciences</i> , 2011, 56, 2160-2165. | 1.1 | 17 |
| 176 | Upper Gastrointestinal Bleeding in a Patient With Defective Hemostasis Successfully Treated with Ankaferd Blood Stopper. <i>Phytotherapy Research</i> , 2011, 25, 312-313. | 2.8 | 26 |
| 177 | Local Bone Marrow Renin-Angiotensin System and Atherosclerosis. <i>Cardiology Research and Practice</i> , 2011, 2011, 1-10. | 0.5 | 15 |
| 178 | A Comparison of Jurkat Cell-Reactive Anti-T Lymphocyte Globulin and Fetal Anti-Thymocyte Globulin Preparations in the Treatment of Aplastic Anemia. <i>Medical Principles and Practice</i> , 2011, 20, 341-344. | 1.1 | 5 |
| 179 | Angiotensin Converting Enzyme Insertion/Deletion Gene Polymorphisms in Leukemic Hematopoiesis. <i>UHOD - Uluslararası Hematoloji-Onkoloji Dergisi</i> , 2011, 21, 1-9. | 0.1 | 5 |
| 180 | Basic Hemostatic Parameters in Patients with Long-Term Oral Anticoagulation Undergoing Cholecystectomy. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2011, 21, 417-425. | 0.5 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Reversible Protease-Activated Receptor 1 Downregulation Mediated by Ankaferd Blood Stopper Inducible With Lipopolysaccharides Inside the Human Umbilical Vein Endothelial Cells. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2011, 17, E165-E170. | 0.7 | 17 |
| 182 | Eculizumab before and after allogeneic hematopoietic stem cell transplantation in a patient with paroxysmal nocturnal hemoglobinuria. <i>Turkish Journal of Haematology</i> , 2011, 28, 223-227. | 0.2 | 7 |
| 183 | The effects of Ankaferd Blood Stopper on transcription factors in HUVEC and erythrocyte protein profile. <i>Turkish Journal of Haematology</i> , 2011, 28, 276-85. | 0.2 | 24 |
| 184 | Dual diverse dynamic reversible actions of Ankaferd on EPCR and PAI-1 inside vascular endothelial cells with and without LPS. <i>Turkish Journal of Haematology</i> , 2011, 29, 361-6. | 0.2 | 8 |
| 185 | A new candidate as a hemostatic agent for difficult situations during variceal bleeding: Ankaferd blood stopper. <i>Saudi Journal of Gastroenterology</i> , 2011, 17, 145. | 0.5 | 12 |
| 186 | Topical Ankaferd Bloodstopper in the Management of Critical Bleedings due to Hemorrhagic Diathesis. <i>UHOD - Uluslararası Hematoloji-Onkoloji Dergisi</i> , 2011, 21, 160-165. | 0.1 | 8 |
| 187 | Surgical and histopathological effects of topical Ankaferd hemostat on major arterial vessel injury related to elevated intra-arterial blood pressure. <i>Turkish Journal of Haematology</i> , 2011, 28, 206-212. | 0.2 | 9 |
| 188 | Evaluation of a haemostatic agent in rabbits. <i>African Journal of Traditional Complementary and Alternative Medicines</i> , 2011, 8, 61-5. | 0.2 | 4 |
| 189 | Spinal Myeloid Sarcoma in Two Non-Leukemic Patients. <i>Internal Medicine</i> , 2010, 49, 2493-2497. | 0.3 | 14 |
| 190 | Antimicrobial activity of Ankaferd Blood Stopper® against nosocomial bacterial pathogens. <i>Open Medicine (Poland)</i> , 2010, 5, 198-202. | 0.6 | 18 |
| 191 | Do All Hemolytic Anemias That Occur After Mitral Valve Repair Require Surgical Treatment?. <i>Clinical Cardiology</i> , 2010, 33, E76-8. | 0.7 | 3 |
| 192 | Potential biomarkers for vascular damage in Alzheimer's disease: Thrombomodulin and von Willebrand factor. <i>Journal of Nutrition, Health and Aging</i> , 2010, 14, 439-441. | 1.5 | 11 |
| 193 | Bleeding due to slippage of elastic band during variceal ligation: successful use of Ankaferd blood stopper. <i>Indian Journal of Gastroenterology</i> , 2010, 29, 166-168. | 0.7 | 16 |
| 194 | Concomitant renal cell carcinoma and lymphoid malignancies: a case series of five patients and review of the literature. <i>Medical Oncology</i> , 2010, 27, 55-58. | 1.2 | 9 |
| 195 | Clinical features and outcomes of 49 Turkish patients with acute promyelocytic leukemia who received ATRA and anthracyclines (PETHEMA protocol) therapy. <i>Leukemia Research</i> , 2010, 34, e317-e319. | 0.4 | 17 |
| 196 | Evaluation of the Impact of Treatment on Endothelial Function and Cardiac Performance in Acromegaly. <i>Echocardiography</i> , 2010, 27, 990-996. | 0.3 | 20 |
| 197 | Ankaferd Blood Stopper for Controlling Gastrointestinal Bleeding due to Distinct Benign Lesions Refractory to Conventional Antihemorrhagic Measures. <i>Canadian Journal of Gastroenterology & Hepatology</i> , 2010, 24, 380-384. | 1.8 | 45 |
| 198 | Review: Pathobiological aspects of the local bone marrow renin-angiotensin system: a review. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2010, 11, 205-213. | 1.0 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Atraumatic Osteonecrosis After Estrogen Replacement Therapy Associated with Low Protein S Level in a Patient with Turner Syndrome. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2010, 16, 599-601. | 0.7 | 9 |
| 200 | Ankaferd Blood Stopper for Gastrointestinal Bleeding. <i>Journal of Investigative Surgery</i> , 2010, 23, 239-239. | 0.6 | 14 |
| 201 | Ultrastructural and Morphological Analyses of the In Vitro and In Vivo Hemostatic Effects of Ankaferd Blood Stopper. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2010, 16, 446-453. | 0.7 | 56 |
| 202 | Functional proteomic analysis of Ankaferd® Blood Stopper. <i>Turkish Journal of Haematology</i> , 2010, 27, 70-77. | 0.2 | 38 |
| 203 | Endoscopic topical application of Ankaferd Blood Stopper for neoplastic gastrointestinal bleeding: A retrospective analysis. <i>Digestive and Liver Disease</i> , 2010, 42, 196-199. | 0.4 | 73 |
| 204 | A new practical alternative for tumoural gastrointestinal bleeding: Ankaferd blood stopper. <i>Digestive and Liver Disease</i> , 2010, 42, 594-595. | 0.4 | 20 |
| 205 | An alternative hemostatic method for early GI bleeding caused by anastomotic ulcer. <i>Gastrointestinal Endoscopy</i> , 2010, 72, 902-903. | 0.5 | 5 |
| 206 | Successful treatment of endoscopic sphincterotomy-induced early hemorrhage with application of Ankaferd Blood Stopper. <i>Gastrointestinal Endoscopy</i> , 2010, 72, 1325-1326. | 0.5 | 13 |
| 207 | Increased circulating soluble P-selectin in polycystic ovary syndrome. <i>Fertility and Sterility</i> , 2010, 93, 2311-2315. | 0.5 | 14 |
| 208 | Oral Systemic Administration of Ankaferd Blood Stopper Has No Short-Term Toxicity in an In Vivo Rabbit Experimental Model. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2010, 16, 533-536. | 0.7 | 38 |
| 209 | The adhesion molecules of L-selectin and ICAM-1 in thrombocytosis and thrombocytopenia. <i>Platelets</i> , 2010, 21, 49-52. | 1.1 | 4 |
| 210 | The effect of a new hemostatic agent for difficult cases of non-variceal gastrointestinal bleeding: Ankaferd blood stopper. <i>Hepato-Gastroenterology</i> , 2010, 57, 191-4. | 0.5 | 16 |
| 211 | Biphasic effects of ankaferd blood stopper on renal tubular apoptosis in the rat partial nephrectomy model representing distinct levels of hemorrhage. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2010, 31, 864-8. | 0.5 | 15 |
| 212 | Evaluation of hemostatic effects of Ankaferd as an alternative medicine. <i>Alternative Medicine Review</i> , 2010, 15, 329-36. | 3.2 | 50 |
| 213 | Hemostatic Efficacy of Ankaferd Blood Stopper® in a Swine Bleeding Model. <i>Medical Principles and Practice</i> , 2009, 18, 165-169. | 1.1 | 76 |
| 214 | Topical Ankaferd Blood Stopper Administration to Bleeding Gastrointestinal Carcinomas Decreases Tumor Vascularization. <i>American Journal of Gastroenterology</i> , 2009, 104, 2874-2877. | 0.2 | 42 |
| 215 | Basic parameters of thrombophilia in ocular Behcet disease with posterior segment involvement. <i>British Journal of Ophthalmology</i> , 2009, 93, 1382-1386. | 2.1 | 6 |
| 216 | Multiple Bulky Cutaneous Plasmacytomas with CNS Relapse without Bone Marrow Involvement during the Course of a Lambda Light Chain Myeloma. <i>Onkologie</i> , 2009, 32, 662-664. | 1.1 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Effects of Imatinib Mesylate on Renin-Ângiotensin System (RAS) Activity during the Clinical Course of Chronic Myeloid Leukaemia. <i>Journal of International Medical Research</i> , 2009, 37, 1018-1028. | 0.4 | 17 |
| 218 | Endobronchial application of Ankaferd blood stopper to control profuse lung bleeding leading to hypoxemia and hemodynamic instability. <i>Respiratory Medicine CME</i> , 2009, 2, 144-146. | 0.1 | 24 |
| 219 | Association of plasma osteopontin levels with coronary calcification evaluated by tomographic coronary calcium scoring. <i>Journal of Bone and Mineral Metabolism</i> , 2009, 27, 591-597. | 1.3 | 11 |
| 220 | Changes in vascular endothelial growth factor, angiopoietins, and Tie-2 levels with G-CSF stimulation in healthy donors. <i>Annals of Hematology</i> , 2009, 88, 667-671. | 0.8 | 13 |
| 221 | Serum Stem Cell Factor Level in Renal Transplant Recipients With Posttransplant Erythrocytosis. <i>Artificial Organs</i> , 2009, 33, 1086-1090. | 1.0 | 8 |
| 222 | Tandem oral, rectal, and nasal administrations of Ankaferd Blood Stopper to control profuse bleeding leading to hemodynamic instability. <i>American Journal of Emergency Medicine</i> , 2009, 27, 631.e1-631.e2. | 0.7 | 43 |
| 223 | In Vivo Hemostatic Effect of the Medicinal Plant Extract Ankaferd Blood Stopper in Rats Pretreated With Warfarin. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2009, 15, 270-276. | 0.7 | 69 |
| 224 | Alterations of von Willebrand Factor and Ristocetin Cofactor Activity During Atrial Fibrillation. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2009, 15, 103-108. | 0.7 | 3 |
| 225 | The efficacy of Ankaferd Blood Stopper in antithrombotic drug-induced primary and secondary hemostatic abnormalities of a rat-bleeding model. <i>Blood Coagulation and Fibrinolysis</i> , 2009, 20, 185-190. | 0.5 | 48 |
| 226 | Comparison of imatinib 400 mg and 800 mg daily in the front-line treatment of high-risk, Philadelphia-positive chronic myeloid leukemia: a European LeukemiaNet Study. <i>Blood</i> , 2009, 113, 4497-4504. | 0.6 | 173 |
| 227 | Extramedullary plasmacytomas of the thyroid and pericardium as initial presentation of multiple myeloma. <i>Annals of Hematology</i> , 2008, 87, 853-854. | 0.8 | 16 |
| 228 | Haemostatic Actions of the Folkloric Medicinal Plant Extract Ankaferd Blood Stopper®. <i>Journal of International Medical Research</i> , 2008, 36, 163-170. | 0.4 | 256 |
| 229 | Soluble Platelet Glycoprotein V in Distinct Disease States of Pathological Thrombopoiesis. <i>Journal of the National Medical Association</i> , 2008, 100, 86-90. | 0.6 | 2 |
| 230 | Thrombomodulin and GFC levels in Legg-Âlve-Perthes disease. <i>Hematology</i> , 2008, 13, 324-328. | 0.7 | 16 |
| 231 | Successful Management of Bleeding Due to Solitary Rectal Ulcer via Topical Application of Ankaferd Blood Stopper. <i>Journal of Alternative and Complementary Medicine</i> , 2008, 14, 1073-1074. | 2.1 | 60 |
| 232 | Endoscopic Application of Ankaferd Blood Stopper as a Novel Experimental Treatment Modality for Upper Gastrointestinal Bleeding: A Case Report. <i>American Journal of Gastroenterology</i> , 2008, 103, 2156-2158. | 0.2 | 90 |
| 233 | Severe Arterial Thrombophilia Associated With a Homozygous MTHFR Gene Mutation (A1298C) in a Young Man With Klinefelter Syndrome. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2008, 14, 369-371. | 0.7 | 13 |
| 234 | Fenofibrate improves endothelial function and decreases thrombin-activatable fibrinolysis inhibitor concentration in metabolic syndrome. <i>Blood Coagulation and Fibrinolysis</i> , 2008, 19, 310-314. | 0.5 | 25 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | Effect of platelet count on secretion capacity: formulization and use of the formulae for evaluation of platelet secretion in thrombocytopenic patients. <i>Blood Coagulation and Fibrinolysis</i> , 2008, 19, 633-637. | 0.5 | 5 |
| 236 | Evidence for Higher Red Blood Cell Mass in Persons With Unconjugated Hyperbilirubinemia and Gilbert's Syndrome. <i>American Journal of the Medical Sciences</i> , 2008, 335, 115-119. | 0.4 | 16 |
| 237 | Functional Proteomics of Ankaferd Blood Stopper. <i>Blood</i> , 2008, 112, 4103-4103. | 0.6 | 7 |
| 238 | Haemostatic actions of the folkloric medicinal plant extract Ankaferd Blood Stopper. <i>J Int Med Res</i> 2008; 36:163-170. <i>Journal of International Medical Research</i> , 2008, 36, 1447-8; author reply 1448-9. | 0.4 | 8 |
| 239 | Short-Term Hemostatic Safety of Strontium Ranelate Treatment in Elderly Women with Osteoporosis. <i>Annals of Pharmacotherapy</i> , 2007, 41, 41-45. | 0.9 | 11 |
| 240 | Renin-angiotensin system expression in the K562 human erythroleukaemic cell line. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2007, 8, 145-147. | 1.0 | 13 |
| 241 | Lack of Platelet Activation Reflected by Circulating Soluble Glycoprotein V in Pre-eclampsia. <i>Journal of International Medical Research</i> , 2007, 35, 704-708. | 0.4 | 3 |
| 242 | Warfarin-induced skin necrosis and leukocytoclastic vasculitis in a patient with acquired protein C and protein S deficiency. <i>Blood Coagulation and Fibrinolysis</i> , 2007, 18, 805-806. | 0.5 | 17 |
| 243 | Effects of Acute Exercise on Fibrinolysis and Coagulation in Patients With Coronary Artery Disease. <i>International Heart Journal</i> , 2007, 48, 277-285. | 0.5 | 9 |
| 244 | Chemotherapy and imatinib-induced molecular remission in lymphoid blast crisis after 20 years of untreated chronic myeloid leukemia. <i>American Journal of Hematology</i> , 2007, 82, 333-333. | 2.0 | 0 |
| 245 | Alterations in the local umbilical cord blood renin-angiotensin system during pre-eclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 1193-1199. | 1.3 | 9 |
| 246 | Haemostatic Actions of the Folkloric Medicinal Plant Extract, Ankaferd Blood Stopper.. <i>Blood</i> , 2007, 110, 3943-3943. | 0.6 | 3 |
| 247 | Overexpression of the local bone marrow renin-angiotensin system in acute myeloid leukemia. <i>Journal of the National Medical Association</i> , 2007, 99, 57-63. | 0.6 | 28 |
| 248 | Angiotensin-converting enzyme expression of the lymphoma-associated macrophages in the lymph nodes of Hodgkin's disease. <i>Journal of the National Medical Association</i> , 2007, 99, 1243-4, 1246-7. | 0.6 | 13 |
| 249 | Over-expression of angiotensin-converting enzyme (CD 143) on leukemic blasts as a clue for the activated local bone marrow RAS in AML. <i>Leukemia and Lymphoma</i> , 2006, 47, 891-896. | 0.6 | 34 |
| 250 | Changing clinical manifestations of a T-peripheral lymphoma: From hypereosinophilic syndrome to questionable Kimura's disease resulting in parotid mass. <i>Leukemia and Lymphoma</i> , 2006, 47, 357-360. | 0.6 | 9 |
| 251 | Rethinking leptin and insulin action: Therapeutic opportunities for diabetes. <i>International Journal of Biochemistry and Cell Biology</i> , 2006, 38, 820-830. | 1.2 | 49 |
| 252 | Unusual extramedullary recurrences and breast relapse despite hepatic GVHD after allografting in Ph+ ALL. <i>Hematology</i> , 2006, 11, 105-107. | 0.7 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | The Search for a Common Thrombophilic State During the Active State of Inflammatory Bowel Disease. <i>Journal of Clinical Gastroenterology</i> , 2006, 40, 809-813. | 1.1 | 19 |
| 254 | Unchanged global fibrinolytic capacity during the course of hematopoietic stem cell transplantation. <i>Blood Coagulation and Fibrinolysis</i> , 2006, 17, 47-51. | 0.5 | 1 |
| 255 | Tonsillar abscess formation due to herpes simplex type-1 in a severely immunocompromised stem cell transplant patient with chronic myeloid leukemia. <i>Transplant Infectious Disease</i> , 2006, 8, 166-170. | 0.7 | 9 |
| 256 | Absence d'association entre l'enzyme mÃ©diterranÃ©enne familiale et le polymorphisme du gÃ©ne de l'enzyme de conversion de l'angiotensine. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2006, 73, 523-525. | 0.0 | 0 |
| 257 | Spontaneous tumor lysis syndrome in a patient with diffuse large B cell lymphoma and Richter syndrome. <i>Annals of Hematology</i> , 2006, 85, 183-184. | 0.8 | 19 |
| 258 | Increased serum thrombopoietin concentration in systemic sclerosis associated with myelofibrosis and thrombocytosis. <i>Joint Bone Spine</i> , 2006, 73, 122-123. | 0.8 | 4 |
| 259 | Lack of association between familial Mediterranean fever and angiotensin converting enzyme gene polymorphism. <i>Joint Bone Spine</i> , 2006, 73, 334-336. | 0.8 | 2 |
| 260 | Plasma Soluble Osteopontin Concentrations Are Increased in Patients With Rheumatic Mitral Stenosis and Associated With the Severity of Mitral Valve Calcium. <i>American Journal of Cardiology</i> , 2006, 98, 817-820. | 0.7 | 17 |
| 261 | Decrements in the Thrombin Activatable Fibrinolysis Inhibitor (TAFI) Levels in Association with Orlistat Treatment in Obesity. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2006, 12, 364-368. | 0.7 | 11 |
| 262 | Myocardial Infarction and Deep Venous Thrombosis in a Young Patient with BehÃ©t Disease. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2006, 12, 105-109. | 0.7 | 7 |
| 263 | Predicting Chronic Leukaemias from Assessment of Complete Peripheral Blood Counts. <i>Journal of International Medical Research</i> , 2006, 34, 640-647. | 0.4 | 9 |
| 264 | No alteration in the PFA-100 in vitro bleeding time induced by the Ginkgo biloba special extract, EGb 761, in elderly patients with mild cognitive impairment. <i>Blood Coagulation and Fibrinolysis</i> , 2005, 16, 349-353. | 0.5 | 10 |
| 265 | Cytarabine-induced fever complicating the clinical course of leukemia. <i>Anti-Cancer Drugs</i> , 2005, 16, 59-62. | 0.7 | 11 |
| 266 | Unusual extramedullary relapses under imatinib mesylate treatment in chronic myeloid leukemia. <i>American Journal of Hematology</i> , 2005, 79, 79-80. | 2.0 | 9 |
| 267 | Systemic toxocariasis presenting with leukemoid reaction and hypereosinophilia. <i>American Journal of Hematology</i> , 2005, 79, 171-171. | 2.0 | 14 |
| 268 | Local umbilical cord blood renin-angiotensin system. <i>Annals of Hematology</i> , 2005, 84, 277-281. | 0.8 | 24 |
| 269 | Renin and angiotensin-converting enzyme (ACE) as active components of the local synovial renin-angiotensin system in rheumatoid arthritis. <i>Rheumatology International</i> , 2005, 25, 285-291. | 1.5 | 40 |
| 270 | Immediate Effects of Fluvastatin on Circulating Soluble Endothelial Protein C and Free Tissue Factor Pathway Inhibitor in Acute Coronary Syndromes. <i>Cardiovascular Drugs and Therapy</i> , 2005, 19, 177-181. | 1.3 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 271 | Increased soluble glycoprotein V concentration during the acute onset of unstable angina pectoris in association with chronic cigarette smoking. <i>Platelets</i> , 2005, 16, 329-333. | 1.1 | 12 |
| 272 | The Plasma Levels of Prostanoids and Plasminogen Activator Inhibitor-1 in Primary and Secondary Thrombocytosis. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2005, 11, 197-201. | 0.7 | 8 |
| 273 | Endogenous thrombopoietin levels during the clinical management of acute myeloid leukaemia. <i>Platelets</i> , 2005, 16, 31-37. | 1.1 | 8 |
| 274 | ENHANCED TISSUE FACTOR PATHWAY INHIBITOR RESPONSE AS A DEFENSE MECHANISM AGAINST ONGOING LOCAL MICROVASCULAR EVENTS OF LEGG-CALVE-PERTHES DISEASE. <i>Pediatric Hematology and Oncology</i> , 2005, 22, 391-399. | 0.3 | 13 |
| 275 | Overt gastrointestinal bleeding in haematologic neoplasms. <i>Digestive and Liver Disease</i> , 2005, 37, 917-922. | 0.4 | 24 |
| 276 | Imatinib mesylate and the management of chronic myeloid leukemia (CML). <i>Turkish Journal of Haematology</i> , 2005, 22, 161-72. | 0.2 | 11 |
| 277 | Current Debates in Antiphospholipid Syndrome: The Acquired Antibody-Mediated Thrombophilia. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2004, 10, 89-126. | 0.7 | 17 |
| 278 | Tumor Lysis Syndrome Associated with Fludarabine Treatment in Chronic Lymphocytic Leukemia. <i>Annals of Pharmacotherapy</i> , 2004, 38, 1319-1320. | 0.9 | 9 |
| 279 | The Predictability of Factor V Leiden (FV:Q506) Gene Mutation via Clotting-Based Diagnosis of Activated Protein C Resistance. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2004, 10, 265-270. | 0.7 | 10 |
| 280 | Protein C Inhibitor and Serum Amyloid a in Immune Thrombocytopenic Purpura. <i>Journal of International Medical Research</i> , 2004, 32, 62-65. | 0.4 | 4 |
| 281 | Tamoxifen-induced tissue factor pathway inhibitor reduction: a clue for an acquired thrombophilic state?. <i>Annals of Oncology</i> , 2004, 15, 1622-1626. | 0.6 | 32 |
| 282 | Angiotensin-converting enzyme gene polymorphism in Behçet's disease. <i>Clinical Rheumatology</i> , 2004, 23, 142-146. | 1.0 | 27 |
| 283 | Successful treatment of rheumatoid arthritis is associated with a reduction in serum sE-selectin and thrombomodulin level. <i>Clinical Rheumatology</i> , 2004, 23, 430-434. | 1.0 | 16 |
| 284 | Plasminogen activator inhibitor-1 as a link between pathological fibrinolysis and arthritis of Behçet's disease. <i>Rheumatology International</i> , 2004, 24, 98-102. | 1.5 | 14 |
| 285 | How hematopoietic stem cells know and act in cardiac microenvironment for stem cell plasticity? Impact of local renin-angiotensin systems. <i>Medical Hypotheses</i> , 2004, 63, 866-874. | 0.8 | 31 |
| 286 | Pathologic thrombopoiesis of rheumatoid arthritis. <i>Rheumatology International</i> , 2003, 23, 49-60. | 1.5 | 54 |
| 287 | Effects of oral cyclophosphamide and prednisolone therapy on the endothelial functions and clinical findings in patients with early diffuse systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2003, 48, 2256-2261. | 6.7 | 66 |
| 288 | Towards the understanding of the local hematopoietic bone marrow renin-angiotensin system. <i>International Journal of Biochemistry and Cell Biology</i> , 2003, 35, 867-880. | 1.2 | 104 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Decreased Protein Z Concentrations Complicating the Hypercoagulable State of Behçet's Disease. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2003, 9, 259-263. | 0.7 | 11 |
| 290 | Bone Marrow and Peripheral Blood C-kit Ligand Concentrations in Patients with Thrombocytosis and Thrombocytopenia. <i>Hematology</i> , 2003, 8, 369-373. | 0.7 | 5 |
| 291 | Patients with paroxysmal atrial fibrillation but not paroxysmal supraventricular tachycardia display evidence of platelet activation during arrhythmia. <i>Platelets</i> , 2003, 14, 407-411. | 1.1 | 25 |
| 292 | Diminished Global Fibrinolytic Capacity in Patients With Mitral Valve Prolapse Is Associated With Transient Ischemic Attacks. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2002, 8, 41-44. | 0.7 | 8 |
| 293 | Phospholipase A2 activity in platelets of patients with uremia. <i>Platelets</i> , 2002, 13, 415-418. | 1.1 | 33 |
| 294 | Autoimmune hemolytic anemia in Philadelphia positive chronic myeloid leukemia with t(7;14) anomaly after 5 years of interferon alpha treatment. <i>Haematologia</i> , 2002, 32, 163-167. | 0.2 | 4 |
| 295 | Effects of Extracorporeal Circulation on Thrombin-Antithrombin III and Prothrombin Fragment 1+2 Levels. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2002, 8, 61-63. | 0.7 | 1 |
| 296 | Thrombocytopenia Complicating the Clinical Course of Leptospirosis. <i>Journal of International Medical Research</i> , 2002, 30, 535-540. | 0.4 | 25 |
| 297 | Global Fibrinolytic Capacity Is Decreased in Polycystic Ovary Syndrome, Suggesting a Prothrombotic State. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002, 87, 3871-3875. | 1.8 | 118 |
| 298 | Circulating and Local Bone Marrow Renin-angiotensin System in Leukemic Hematopoiesis: Preliminary Evidences. <i>Hematology</i> , 2002, 7, 75-82. | 0.7 | 33 |
| 299 | Thrombopoietin as a Drug: Biologic Expectations, Clinical Realities, and Future Directions. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2002, 8, 193-212. | 0.7 | 25 |
| 300 | Plasma Thrombospondin in Immune Thrombocytopenic Purpura. <i>Journal of International Medical Research</i> , 2002, 30, 52-55. | 0.4 | 4 |
| 301 | Circulating Thrombopoietin in Clonal Versus Reactive Thrombocytosis. <i>Hematology</i> , 2002, 7, 9-12. | 0.7 | 13 |
| 302 | Rational use of the PFA-100 device for screening of platelet function disorders and von Willebrand disease. <i>Blood Coagulation and Fibrinolysis</i> , 2002, 13, 349-353. | 0.5 | 36 |
| 303 | Proinflammatory and Hematopoietic Cytokines in Reactive and Clonal Thrombocytosis. <i>Southern Medical Journal</i> , 2002, 95, 565-566. | 0.3 | 1 |
| 304 | Pathological haemostasis and "prothrombotic state" in Behçet's disease. <i>Thrombosis Research</i> , 2002, 105, 125-133. | 0.8 | 107 |
| 305 | Old antihypertensives as novel antineoplastics: angiotensin-I-converting enzyme inhibitors and angiotensin II type 1 receptor antagonists. <i>Medical Hypotheses</i> , 2002, 59, 344-348. | 0.8 | 46 |
| 306 | Effects of short-term atorvastatin treatment on global fibrinolytic capacity, and sL-selectin and sFas levels in hyperlipidemic patients with coronary artery disease. <i>International Journal of Cardiology</i> , 2002, 84, 227-231. | 0.8 | 32 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 307 | Piebaldism associated with congenital dyserythropoietic anemia type II (HEMPAS). American Journal of Hematology, 2002, 69, 210-213. | 2.0 | 5 |
| 308 | Plasma Thrombopoietin in Patients With Cavernous Transformation of the Portal Vein. International Journal of Hematology, 2002, 75, 91-94. | 0.7 | 1 |
| 309 | Unchanged global fibrinolytic capacity despite increased factor VIIa activity in Behçet's disease: evidence of a prethrombotic state. Rheumatology International, 2002, 21, 137-140. | 1.5 | 16 |
| 310 | Hemostatic parameters in Behçet's disease: a reappraisal. Rheumatology International, 2002, 22, 9-15. | 1.5 | 22 |
| 311 | Increased plasma levels of soluble selectins in patients with unstable angina. International Journal of Cardiology, 2001, 78, 69-73. | 0.8 | 38 |
| 312 | Cardiac and Great Vessel Thrombosis in Behcet's Disease.. Internal Medicine, 2001, 40, 68-72. | 0.3 | 20 |
| 313 | Plasma fibronectin- and thrombospondin-adhesive molecules during acute attacks and attack-free periods of familial Mediterranean fever. Rheumatology International, 2001, 20, 217-220. | 1.5 | 8 |
| 314 | Two common genetic thrombotic risk factors: Factor V Leiden and prothrombin G20210A in adult Turkish patients with thrombosis. American Journal of Hematology, 2001, 67, 107-111. | 2.0 | 37 |
| 315 | Soy protein diet significantly improves endothelial function and lipid parameters. Clinical Cardiology, 2001, 24, 711-716. | 0.7 | 37 |
| 316 | Acute graft-vs-host disease Pathobiology and management. Experimental Hematology, 2001, 29, 259-277. | 0.2 | 307 |
| 317 | Cytokines, Endothelium, and Adhesive Molecules in Pathologic Thrombopoiesis. Clinical and Applied Thrombosis/Hemostasis, 2001, 7, 126-130. | 0.7 | 10 |
| 318 | Changes in the concentration and distribution of tissue factor pathway inhibitor in Behcet's disease and systemic lupus erythematosus: effect on the prethrombotic state. Annals of the Rheumatic Diseases, 2001, 60, 1149-1151. | 0.5 | 20 |
| 319 | Platelet and Leukocyte Deactivation After Intracoronary Stent Placement in Patients Receiving Combined Antiplatelet Therapy. Clinical and Applied Thrombosis/Hemostasis, 2001, 7, 116-121. | 0.7 | 9 |
| 320 | Extent of Coronary Atherosclerosis and Homocysteine Affect Endothelial Markers. Angiology, 2001, 52, 589-596. | 0.8 | 8 |
| 321 | Assessment of Autonomic Nervous System Functions in Patients with Vitamin B12 Deficiency by Power Spectral Analysis of Heart Rate Variability. PACE - Pacing and Clinical Electrophysiology, 2000, 23, 975-978. | 0.5 | 26 |
| 322 | Aplastic pancytopenia associated with thymoma. Annals of Hematology, 2000, 79, 648-650. | 0.8 | 8 |
| 323 | Serum L-selectin and P-selectin levels in lymphomas. Haematologia, 2000, 30, 27-30. | 0.2 | 23 |
| 324 | Serum thrombopoietin levels in haemodialysis patients: involvement of arteriovenous fistula. Nephrology Dialysis Transplantation, 1999, 14, 2173-2177. | 0.4 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 325 | Thrombosis Involving the Major Veins with Heterozygote Factor V Leiden Mutation as the Only Risk Factor. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 1999, 5, 187-189. | 0.7 | 0 |
| 326 | Selectins and IL-6 during the Clinical Course of Idiopathic Thrombocytopenic Purpura. <i>Acta Haematologica</i> , 1999, 101, 16-20. | 0.7 | 15 |
| 327 | Thrombosis and Hemorrhage in Chronic Myeloproliferative Disorders. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 1999, 5, 282-284. | 0.7 | 3 |
| 328 | Effects of interferon- γ 2a treatment on serum levels of tumor necrosis factor- α , tumor necrosis factor- β 2 receptor, interleukin-2, interleukin-2 receptor, and E-selectin in Behçet's disease. <i>Rheumatology International</i> , 1999, 19, 11-14. | 1.5 | 36 |
| 329 | Cytokines, Thrombopoietin, and Selectins in Immune Thrombocytopenic Purpura. , 1999, , 213-216. | | 0 |
| 330 | In vivo platelet and T-lymphocyte activities during pulmonary tuberculosis. <i>European Respiratory Journal</i> , 1998, 12, 1375-1379. | 3.1 | 27 |
| 331 | Time to take a healthier view of history. <i>Nature</i> , 1998, 396, 108-108. | 13.7 | 7 |
| 332 | Activation of Blood Coagulation in Patients With Mitral Stenosis and Sinus Rhythm. <i>American Journal of Cardiology</i> , 1998, 81, 795-797. | 0.7 | 29 |
| 333 | Behçet's disease as a prethrombotic state. <i>International Journal of Clinical and Laboratory Research</i> , 1998, 28, 200-200. | 1.0 | 2 |
| 334 | Perianal infections in patients with leukemia. <i>Diseases of the Colon and Rectum</i> , 1998, 41, 81-85. | 0.7 | 53 |
| 335 | Activated protein C resistance in Behçet's disease. <i>Rheumatology International</i> , 1998, 17, 249-250. | 1.5 | 20 |
| 336 | Ischemic heart disease in Behçet's syndrome. <i>Rheumatology International</i> , 1998, 17, 251-251. | 1.5 | 1 |
| 337 | Albendazole-Induced Megakaryocytic Thrombocytopenic Purpura. <i>Annals of Pharmacotherapy</i> , 1998, 32, 842-842. | 0.9 | 14 |
| 338 | Pseudospontaneous Platelet Aggregation and Spuriously Elevated Blood Cell Counts in Cryoglobulinemia. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 1998, 4, 209-212. | 0.7 | 1 |
| 339 | Could Serum Haptoglobin Concentration Be Used as a Marker of Hypersplenism in Chronic Liver Disease?. <i>American Journal of Gastroenterology</i> , 1998, 93, 2641-2642. | 0.2 | 2 |
| 340 | Haemostasis, Thrombosis, and Endothelium in Behçet's Disease. <i>Acta Haematologica</i> , 1998, 99, 236-237. | 0.7 | 20 |
| 341 | Hemostatic Problems in Uremia. <i>Blood Purification</i> , 1998, 16, 220-221. | 0.9 | 0 |
| 342 | MEAN PLATELET VOLUME, PLATELET COUNT AND PLATELET DIMENSIONAL WIDTH DURING HEMODIALYSIS. <i>Thrombosis Research</i> , 1997, 86, 405-408. | 0.8 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | Haematopoietic Cytokines and Increased Megakaryocytic Proliferation in Chromosome 5q Deletion. <i>Acta Haematologica</i> , 1997, 97, 244-244. | 0.7 | 1 |
| 344 | Acute tumor lysis syndrome associated with paclitaxel. <i>Annals of Pharmacotherapy</i> , 1997, 31, 1548-1549. | 0.9 | 17 |
| 345 | The significance and distinct interactions of various growth factors in physiologic and pathologic megakaryocytopoiesis/thrombocytopoiesis. <i>Australian and New Zealand Journal of Medicine</i> , 1997, 27, 191-192. | 0.5 | 5 |
| 346 | The prethrombotic/hypercoagulable state of Behçet's disease: Comment on the article by Golden et al. <i>Arthritis and Rheumatism</i> , 1997, 40, 1915-1916. | 6.7 | 1 |
| 347 | Bulky plasmacytoma of the skull with intracranial involvement. , 1997, 54, 173-173. | | 6 |
| 348 | Extramedullary acute promyelocytic leukemia. <i>Cancer</i> , 1997, 80, 514-521. | 2.0 | 0 |
| 349 | A local renin-angiotensin system in the bone marrow. <i>Medical Hypotheses</i> , 1996, 46, 507-510. | 0.8 | 63 |
| 350 | Coagulation and Fibrinolysis in Amyloid and Non-amyloid Hemodialysis Patients: Assessment of Local Hemostatic Kinetics Within Arteriovenous Fistulas. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 1996, 2, 279-284. | 0.7 | 3 |
| 351 | Evisceration of the Eye in a Renal Transplant Recipient with Cytomegalovirus Chorioretinitis. <i>American Journal of Nephrology</i> , 1996, 16, 367-368. | 1.4 | 0 |
| 352 | Local Fibrinolysis in Native Arteriovenous Fistulas of Haemodialysis Patients. <i>Blood Purification</i> , 1996, 14, 227-233. | 0.9 | 7 |
| 353 | Megakaryocyte-Related Interleukins in Reactive Thrombocytosis versus Autonomous Thrombocythemia. <i>Acta Haematologica</i> , 1996, 95, 107-111. | 0.7 | 32 |
| 354 | Agranulocytosis, Plasmacytosis, and Thrombocytosis Followed by a Leukemoid Reaction Due to Acute Acetaminophen Toxicity. <i>Annals of Pharmacotherapy</i> , 1996, 30, 762-765. | 0.9 | 8 |
| 355 | Cytokines affecting megakaryocytopoiesis in rheumatoid arthritis with thrombocytosis. <i>Rheumatology International</i> , 1996, 16, 5-8. | 1.5 | 26 |
| 356 | Chronic lymphocytic leukemia presenting as acute urinary retention due to leukemic infiltration of the prostate. <i>Annals of Hematology</i> , 1996, 73, 143-144. | 0.8 | 15 |
| 357 | Leukoerythroblastosis following the use of G-CSF. , 1996, 52, 123-124. | | 7 |
| 358 | Possible cytokine mechanism of increased megakaryocytic proliferation in 5q- syndrome. <i>American Journal of Hematology</i> , 1996, 52, 124-124. | 2.0 | 4 |
| 359 | Haemostatic markers in amyloid vs non-amyloid uraemic patients on maintenance haemodialysis. <i>Nephrology</i> , 1996, 2, 273-277. | 0.7 | 2 |
| 360 | Granulocytic Sarcoma in Acute Promyelocytic Leukemia. <i>Leukemia and Lymphoma</i> , 1996, 22, 183-185. | 0.6 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 361 | Circulating Thrombomodulin as a Clue of Endothelial Damage in Behçet's Disease. <i>Thrombosis and Haemostasis</i> , 1996, 75, 974-975. | 1.8 | 48 |
| 362 | Megakaryocytopoietic cytokines in autoimmune thrombocytopenic purpura. <i>American Journal of Hematology</i> , 1995, 49, 265-265. | 2.0 | 14 |
| 363 | Two cases of extramedullary acute promyelocytic leukemia. <i>Cancer</i> , 1995, 76, 151-152. | 2.0 | 6 |
| 364 | Eicosanoids in the prethrombotic state of Behçet's disease. <i>Thrombosis Research</i> , 1995, 80, 445-446. | 0.8 | 19 |
| 365 | Tat and pap in hemodialysis patients: Two cats in a bag?. <i>Thrombosis Research</i> , 1995, 80, 447-449. | 0.8 | 6 |
| 366 | Interleukin-1 β and interleukin-6 in clonal versus reactive thrombocytosis. <i>European Journal of Haematology</i> , 1995, 55, 339-340. | 1.1 | 5 |
| 367 | The Effect of Chronic Angiotensin Converting Enzyme Inhibition on Circulating Prolactin in Systemic Hypertension. <i>Hormone and Metabolic Research</i> , 1994, 26, 491-493. | 0.7 | 2 |
| 368 | Waldenstrom macroglobulinemia presenting as plasma cell leukemia associated with hyperviscosity syndrome. <i>Medical Science and Discovery</i> , 0, , 390-392. | 0.1 | 0 |
| 369 | Event-free Survival in Patients with Chronic Myeloid Leukemia Receiving Front-line Imatinib Mesylate. <i>Acta Medica</i> , 0, , . | 0.0 | 0 |
| 370 | Turkey real-life data: demographic features, treatment results and effects of comorbidities in chronic myeloid leukemia. <i>International Journal of Hematologic Oncology</i> , 0, , . | 0.7 | 0 |