## Jennifer Landsberg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1451147/publications.pdf

Version: 2024-02-01

172457 128289 4,015 75 29 60 citations h-index g-index papers 80 80 80 9504 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Ultraviolet-radiation-induced inflammation promotes angiotropism and metastasis in melanoma. Nature, 2014, 507, 109-113.	27.8	547
2	Melanomas resist T-cell therapy through inflammation-induced reversible dedifferentiation. Nature, 2012, 490, 412-416.	27.8	506
3	5′-triphosphate-siRNA: turning gene silencing and Rig-I activation against melanoma. Nature Medicine, 2008, 14, 1256-1263.	30.7	353
4	Immune Cell–Poor Melanomas Benefit from PD-1 Blockade after Targeted Type I IFN Activation. Cancer Discovery, 2014, 4, 674-687.	9.4	226
5	Reactive Neutrophil Responses Dependent on the Receptor Tyrosine Kinase c-MET Limit Cancer Immunotherapy. Immunity, 2017, 47, 789-802.e9.	14.3	207
6	MITF and c-Jun antagonism interconnects melanoma dedifferentiation with pro-inflammatory cytokine responsiveness and myeloid cell recruitment. Nature Communications, 2015, 6, 8755.	12.8	175
7	MAPK Signaling and Inflammation Link Melanoma Phenotype Switching to Induction of CD73 during Immunotherapy. Cancer Research, 2017, 77, 4697-4709.	0.9	126
8	Free-Circulating Methylated DNA in Blood for Diagnosis, Staging, Prognosis, and Monitoring of Head and Neck Squamous Cell Carcinoma Patients: An Observational Prospective Cohort Study. Clinical Chemistry, 2017, 63, 1288-1296.	3.2	97
9	RNA-seq analysis identifies different transcriptomic types and developmental trajectories of primary melanomas. Oncogene, 2018, 37, 6136-6151.	5.9	91
10	Targeting Adenosine in BRAF-Mutant Melanoma Reduces Tumor Growth and Metastasis. Cancer Research, 2017, 77, 4684-4696.	0.9	80
11	CD155 on Tumor Cells Drives Resistance to Immunotherapy by Inducing the Degradation of the Activating Receptor CD226 in CD8+ TÂCells. Immunity, 2020, 53, 805-823.e15.	14.3	79
12	<i>LAG3</i> ( <i>LAG-3</i> , <i>CD223</i> ) DNA methylation correlates with LAG3 expression by tumor and immune cells, immune cell infiltration, and overall survival in clear cell renal cell carcinoma., 2020, 8, e000552.		70
13	CTLA4 methylation predicts response to anti–PD-1 and anti–CTLA-4 immunotherapy in melanoma patients. JCI Insight, 2018, 3, .	5.0	67
14	Genomeâ€wide association study identifies new susceptibility loci for cutaneous lupus erythematosus. Experimental Dermatology, 2015, 24, 510-515.	2.9	66
15	Dynamic O-(2-[18F]fluoroethyl)-L-tyrosine PET imaging for the detection of checkpoint inhibitor-related pseudoprogression in melanoma brain metastases. Neuro-Oncology, 2016, 18, 1462-1464.	1.2	65
16	PD-1 (PDCD1) Promoter Methylation Is a Prognostic Factor in Patients With Diffuse Lower-Grade Gliomas Harboring Isocitrate Dehydrogenase (IDH) Mutations. EBioMedicine, 2018, 28, 97-104.	6.1	55
17	<i>PD-L1</i> ( <i>CD274</i> ) and <i>PD-L2</i> ( <i>PDCD1LG2</i> ) promoter methylation is associated with HPV infection and transcriptional repression in head and neck squamous cell carcinomas. Oncotarget, 2018, 9, 641-650.	1.8	50
18	Molecular and immune correlates of TIM-3 (HAVCR2) and galectin 9 (LGALS9) mRNA expression and DNA methylation in melanoma. Clinical Epigenetics, 2019, 11, 161.	4.1	49

#	Article	IF	CITATIONS
19	Complete Regression of Advanced Primary and Metastatic Mouse Melanomas following Combination Chemoimmunotherapy. Cancer Research, 2009, 69, 6265-6274.	0.9	46
20	Phenotypic tumour cell plasticity as a resistance mechanism and therapeutic target in melanoma. European Journal of Cancer, 2016, 59, 109-112.	2.8	45
21	Promoter methylation of the immune checkpoint receptor <i>PD-1</i> ( <i>PDCD1</i> ) is an independent prognostic biomarker for biochemical recurrence-free survival in prostate cancer patients following radical prostatectomy. Oncolmmunology, 2016, 5, e1221555.	4.6	43
22	H3K27me3 and EZH2 expression in melanoma: relevance for melanoma progression and response to immune checkpoint blockade. Clinical Epigenetics, 2020, 12, 24.	4.1	43
23	Tumor-promoting role of signal transducer and activator of transcription (Stat)1 in late-stage melanoma growth. Clinical and Experimental Metastasis, 2010, 27, 133-140.	3.3	40
24	Immunogenic cell death of human ovarian cancer cells induced by cytosolic poly(I:C) leads to myeloid cell maturation and activates NK cells. European Journal of Immunology, 2011, 41, 3028-3039.	2.9	40
25	Comprehensive analysis of tumor necrosis factor receptor TNFRSF9 (4-1BB) DNA methylation with regard to molecular and clinicopathological features, immune infiltrates, and response prediction to immunotherapy in melanoma. EBioMedicine, 2020, 52, 102647.	6.1	38
26	<i>PDCD1</i> ( <i>PD-1</i> ) promoter methylation predicts outcome in head and neck squamous cell carcinoma patients. Oncotarget, 2017, 8, 41011-41020.	1.8	38
27	The epidermal polarity protein Par3 is a non–cell autonomous suppressor of malignant melanoma. Journal of Experimental Medicine, 2017, 214, 339-358.	8.5	37
28	Autochthonous primary and metastatic melanomas in Hgf dk4 <sup>R24C</sup> mice evade Tâ€cellâ€mediated immune surveillance. Pigment Cell and Melanoma Research, 2010, 23, 649-660.	3.3	34
29	A Preclinical Model of Malignant Peripheral Nerve Sheath Tumor-like Melanoma Is Characterized by Infiltrating Mast Cells. Cancer Research, 2016, 76, 251-263.	0.9	33
30	Higher number of multidisciplinary tumor board meetings per case leads to improved clinical outcome. BMC Cancer, 2020, 20, 355.	2.6	33
31	Neonatal UVB exposure accelerates melanoma growth and enhances distant metastases in Hgfâ€Cdk4 <sup>R24C</sup> C57BL/6 mice. International Journal of Cancer, 2011, 129, 285-294.	5.1	32
32	The landscape of <i>CD28, CD80, CD86, CTLA4</i> , and <i>ICOS</i> DNA methylation in head and neck squamous cell carcinomas. Epigenetics, 2020, 15, 1195-1212.	2.7	32
33	Molecular, clinicopathological, and immune correlates of LAG3 promoter DNA methylation in melanoma. EBioMedicine, 2020, 59, 102962.	6.1	31
34	Adoptive T Cell Therapy Targeting Different Gene Products Reveals Diverse and Context-Dependent Immune Evasion in Melanoma. Immunity, 2020, 53, 564-580.e9.	14.3	27
35	Prognostic and predictive value of PD-L2 DNA methylation and mRNA expression in melanoma. Clinical Epigenetics, 2020, 12, 94.	4.1	26
36	A key role of GARP in the immune suppressive tumor microenvironment. Oncotarget, 2016, 7, 42996-43009.	1.8	26

#	Article	IF	CITATIONS
37	The Role of Neutrophilic Inflammation, Angiotropism, and Pericytic Mimicry inÂMelanoma Progression and Metastasis. Journal of Investigative Dermatology, 2016, 136, 372-377.	0.7	25
38	Treatment Monitoring of Immunotherapy and Targeted Therapy Using <sup>18</sup> F-FET PET in Patients with Melanoma and Lung Cancer Brain Metastases: Initial Experiences. Journal of Nuclear Medicine, 2021, 62, 464-470.	5.0	25
39	Human dendritic cells adenovirally-engineered to express three defined tumor antigens promote broad adaptive and innate immunity. Oncolmmunology, 2012, 1, 287-357.	4.6	24
40	DNA methylation of indoleamine 2,3-dioxygenase 1 (IDO1) in head and neck squamous cell carcinomas correlates with IDO1 expression, HPV status, patients' survival, immune cell infiltrates, mutational load, and interferon γ signature. EBioMedicine, 2019, 48, 341-352.	6.1	22
41	CTLA4 promoter methylation predicts response and progression-free survival in stage IV melanoma treated with anti-CTLA-4 immunotherapy (ipilimumab). Cancer Immunology, Immunotherapy, 2021, 70, 1781-1788.	4.2	22
42	Cardiac MRI Depicts Immune Checkpoint Inhibitor–induced Myocarditis: A Prospective Study. Radiology, 2021, 301, 602-609.	7.3	22
43	Comorbidity Burden and Presence of Multiple Intracranial Lesions Are Associated with Adverse Events after Surgical Treatment of Patients with Brain Metastases. Cancers, 2020, 12, 3209.	3.7	21
44	Stromal Fibroblast–Specific Expression of ADAM-9 Modulates Proliferation and Apoptosis in Melanoma Cells In Vitro and In Vivo. Journal of Investigative Dermatology, 2012, 132, 2451-2458.	0.7	20
45	Talimogene laherparepvec treatment to overcome loco-regional acquired resistance to immune checkpoint blockade in tumor stage IIIB–IV M1c melanoma patients. Cancer Immunology, Immunotherapy, 2020, 69, 759-769.	4.2	20
46	Detailed analysis of adenosine A2a receptor ( <i>ADORA2A</i> ) and CD73 (5′-nucleotidase,) Tj ETQq0 0 0 rgBT Oncolmmunology, 2018, 7, e1452579.	/Overlock 4.6	10 Tf 50 38 19
47	Combined Assessment of Preoperative Frailty and Sarcopenia Allows the Prediction of Overall Survival in Patients with Lung Cancer (NSCLC) and Surgically Treated Brain Metastasis. Cancers, 2021, 13, 3353.	3.7	18
48	Cell-Free SHOX2 DNA Methylation in Blood as a Molecular Staging Parameter for Risk Stratification in Renal Cell Carcinoma Patients: A Prospective Observational Cohort Study. Clinical Chemistry, 2019, 65, 559-568.	3.2	17
49	Efficacy of Ablative Laser Treatment in Galli-Galli Disease. Archives of Dermatology, 2011, 147, 317.	1.4	15
50	Clinical Management of Locally Advanced Basal-Cell Carcinomas and Future Therapeutic Directions. Dermatology and Therapy, 2020, 10, 835-846.	3.0	14
51	Outcome of Elderly Patients With Surgically Treated Brain Metastases. Frontiers in Oncology, 2021, 11, 713965.	2.8	14
52	Phorbol ester-induced neutrophilic inflammatory responses selectively promote metastatic spread of melanoma in a TLR4-dependent manner. Oncolmmunology, 2016, 5, e1078964.	4.6	13
53	Deep Learning-Based Body Composition Analysis Predicts Outcome in Melanoma Patients Treated with Immune Checkpoint Inhibitors. Diagnostics, 2021, 11, 2314.	2.6	13
54	Prognostic Value of Preoperative Inflammatory Markers in Melanoma Patients with Brain Metastases. Journal of Clinical Medicine, 2021, 10, 634.	2.4	12

#	Article	IF	Citations
55	Tumor rejection in <i>Cblb</i> <sup>â^'/â^'</sup> mice depends on IL-9 and Th9 cells., 2021, 9, e002889.		11
56	Preoperative Metastatic Brain Tumor-Associated Intracerebral Hemorrhage Is Associated With Dismal Prognosis. Frontiers in Oncology, 2021, $11$ , 699860.	2.8	11
57	The Impact of Prolonged Mechanical Ventilation on Overall Survival in Patients With Surgically Treated Brain Metastases. Frontiers in Oncology, 2021, 11, 658949.	2.8	10
58	Molecular and Immune Correlates of PDCD1 (PD-1), PD-L1 (CD274), and PD-L2 (PDCD1LG2) DNA Methylation in Triple Negative Breast Cancer. Journal of Immunotherapy, 2021, 44, 319-324.	2.4	9
59	DNA methylation regulates TIGIT expression within the melanoma microenvironment, is prognostic for overall survival, and predicts progression-free survival in patients treated with anti-PD-1 immunotherapy. Clinical Epigenetics, 2022, 14, 50.	4.1	9
60	Spontaneous regression of tumor-stage cutaneous T-cell lymphoma in a multiple sclerosis patient after discontinuing fingolimod. Multiple Sclerosis Journal, 2018, 24, 1785-1787.	3.0	6
61	Joint reconstruction and classification of tumor cells and cell interactions in melanoma tissue sections with synthesized training data. International Journal of Computer Assisted Radiology and Surgery, 2019, 14, 587-599.	2.8	6
62	Talimogene Laherparepvec in Advanced Mucosal Melanoma of the Urethra Upon Primary Resistance on Immune Checkpoint Inhibition: A Case Report. Frontiers in Oncology, 2020, 10, 611.	2.8	6
63	DNA Methylation and mRNA Expression of OX40 (TNFRSF4) and GITR (TNFRSF18, AITR) in Head and Neck Squamous Cell Carcinoma Correlates With HPV Status, Mutational Load, an Interferon-l <sup>3</sup> Signature, Signatures of Immune Infiltrates, and Survival. Journal of Immunotherapy, 2022, 45, 194-206.	2.4	6
64	A matched-pair analysis on survival and response rates between German and non-German cancer patients treated at a Comprehensive Cancer Center. BMC Cancer, 2019, 19, 1024.	2.6	5
65	Lower Genital Tract Melanomas: Staging, Predictors of Outcome, and New Therapeutic Options. Anticancer Research, 2021, 41, 999-1004.	1.1	5
66	It's Not Always SIAD: Immunotherapy-Triggered Endocrinopathies Enter the Field of Cancer-Related Hyponatremia. Journal of the Endocrine Society, 2022, 6, bvac036.	0.2	4
67	No evidence to support the impact of migration background on treatment response rates and cancer survival: a retrospective matched-pair analysis in Germany. BMC Cancer, 2021, 21, 526.	2.6	3
68	Intercellular cGAMP transmission induces innate immune activation and tissue inflammation in Trex1 deficiency. IScience, 2021, 24, 102833.	4.1	3
69	Treatment monitoring of immunotherapy and targeted therapy using FET PET in patients with melanoma and lung cancer brain metastases: Initial experiences Journal of Clinical Oncology, 2019, 37, e13525-e13525.	1.6	3
70	18F-fluoroethyl-L-tyrosine positron emission tomography-guided diagnosis of a malignant intramedullary spinal cord tumor. Oncology Letters, 2016, 12, 4705-4707.	1.8	2
71	Grzybowski's Generalized Eruptive Keratoacanthomas in a Patient with Terminal Kidney Disease—An Unmet Medical Need Equally Ameliorated by Topical Imiquimod Cream and Lapacho Tea Wraps: A Case Report. Dermatology and Therapy, 2021, 11, 625-638.	3.0	2
72	Phymatous Transformation of Facial Cutaneous Vascular Malformations: Clues to Phyma Pathogenesis. JAMA Dermatology, 2013, 149, 368.	4.1	1

#	Article	IF	CITATIONS
73	32. TREATMENT MONITORING OF IMMUNOTHERAPY AND TARGETED THERAPY USING AMINO ACID PET IN PATIENTS WITH BRAIN METASTASES. Neuro-Oncology Advances, 2020, 2, ii5-ii6.	0.7	1
74	The Surgical Management of Brain Metastases in Non-Small Cell Lung Cancer (NSCLC): Identification of the Early Laboratory and Clinical Determinants of Survival. Journal of Clinical Medicine, 2021, 10, 4013.	2.4	1
75	Treatment of metastasized melanoma with combined checkpoint inhibition in a patient with highly active multiple sclerosis. Journal of Dermatology, 2020, 47, e184-e185.	1.2	0