

Pradeep L Menezes

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1451855/pradeep-l-menezes-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

4,008
citations

32
h-index

58
g-index

163
ext. papers

5,008
ext. citations

3.3
avg, IF

6.35
L-index

#	Paper	IF	Citations
154	Self-Lubricating Alumina Matrix Composites 2022 , 201-217		
153	Solid Lubricants: Classification, Properties, and Applications 2022 , 1-29		
152	Surface Modification of 6xxx Series Aluminum Alloys. <i>Coatings</i> , 2022 , 12, 180	2.9	2
151	Thermal decomposition of phosphonium salicylate and phosphonium benzoate ionic liquids. <i>Journal of Molecular Liquids</i> , 2022 , 352, 118700	6	1
150	Tribological and Corrosion Behavior of High Pressure Cold Sprayed Duplex 316 L Stainless Steel. <i>Tribology International</i> , 2022 , 169, 107471	4.9	7
149	The effect of particulate additive mixtures on the tribological performance of phosphonium-based ionic liquid lubricants. <i>Tribology International</i> , 2022 , 165, 107300	4.9	3
148	Effect of Gas Propellant Temperature on the Microstructure, Friction, and Wear Resistance of High-Pressure Cold Sprayed Zr702 Coatings on Al6061 Alloy. <i>Coatings</i> , 2022 , 12, 263	2.9	3
147	Review of Molecular Dynamics Simulations of Phosphonium Ionic Liquid Lubricants. <i>Tribology Letters</i> , 2022 , 70, 1	2.8	1
146	Synergistic Study of Solid Lubricant Nano-Additives Incorporated in canola oil for Enhancing Energy Efficiency and Sustainability. <i>Sustainability</i> , 2022 , 14, 290	3.6	2
145	Role of B ₂ O ₃ and CaO in Al ₂ O ₃ Matrix Composite: In-Situ Phases, Density, Hardness and Wear Resistance. <i>Tribology International</i> , 2022 , 107588	4.9	1
144	Ultrasonic Surface Rolling Process: Properties, Characterization, and Applications. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 10986	2.6	9
143	Tribological Properties of Additive Manufactured Materials for Energy Applications: A Review. <i>Processes</i> , 2021 , 9, 31	2.9	12
142	Tribological Properties of High-Entropy Alloys under Dry Conditions for a Wide Temperature Range-A Review. <i>Materials</i> , 2021 , 14,	3.5	4
141	Nanocrystalline Materials: Synthesis, Characterization, Properties, and Applications. <i>Crystals</i> , 2021 , 11, 1317	2.3	8
140	Recent progress on phosphonium-based room temperature ionic liquids: Synthesis, properties, tribological performances and applications. <i>Tribology International</i> , 2021 , 167, 107331	4.9	7
139	Ball Milled Graphene Nano Additives for Enhancing Sliding Contact in Vegetable Oil. <i>Nanomaterials</i> , 2021 , 11,	5.4	6
138	Diamond-Like Carbon (DLC) Coatings: Classification, Properties, and Applications. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 4445	2.6	12

137	Plasma Electrolytic Oxidation (PEO) Process-Processing, Properties, and Applications. <i>Nanomaterials</i> , 2021 , 11,	5.4	31
136	Atmospheric Plasma Spray Coating of NiTi on Mild Steel Substrate: An Microstructural Investigation. <i>Journal of Bio- and Tribo-Corrosion</i> , 2021 , 7, 1	2.9	5
135	Thermodynamic stabilization of nanocrystalline aluminum. <i>Journal of Materials Science</i> , 2021 , 56, 14611-14623	4.6	3
134	Dynamically Tunable Friction via Subsurface Stiffness Modulation. <i>Frontiers in Robotics and AI</i> , 2021 , 8, 691789	2.8	3
133	Water-Based Lubricants: Development, Properties, and Performances. <i>Lubricants</i> , 2021 , 9, 73	3.1	11
132	Tribological performance of environmental friendly ionic liquids for high-temperature applications. <i>Journal of Cleaner Production</i> , 2021 , 279, 123666	10.3	11
131	Application of Metal Matrix Composites in Engineering Sectors 2021 , 525-539		4
130	Improvement of Wear, Pitting Corrosion Resistance and Repassivation Ability of Mg-Based Alloys Using High Pressure Cold Sprayed (HPCS) Commercially Pure-Titanium Coatings. <i>Coatings</i> , 2021 , 11, 57	2.9	7
129	Introduction to tribocorrosion 2021 , 1-16		
128	Tribocorrosion Behavior of Inconel 718 Fabricated by Laser Powder Bed Fusion-Based Additive Manufacturing. <i>Coatings</i> , 2021 , 11, 195	2.9	3
127	Tribological Performance of Graphite Nanoplatelets Reinforced Al and Al/AlO Self-Lubricating Composites. <i>Materials</i> , 2021 , 14,	3.5	5
126	Peening Techniques for Surface Modification: Processes, Properties, and Applications. <i>Materials</i> , 2021 , 14,	3.5	16
125	Recent Progress on Electroactive Polymers: Synthesis, Properties and Applications. <i>Ceramics</i> , 2021 , 4, 516-541	1.7	2
124	Self-Lubricating Materials for Extreme Condition Applications. <i>Materials</i> , 2021 , 14,	3.5	7
123	Friction Stir Processing on the Tribological, Corrosion, and Erosion Properties of Steel: A Review. <i>Journal of Manufacturing and Materials Processing</i> , 2021 , 5, 97	2.2	5
122	Friction and Wear Behavior of Alumina Composites with In-Situ Formation of Aluminum Borate and Boron Nitride. <i>Materials</i> , 2020 , 13,	3.5	3
121	Influence of Abrasive Load on Wettability and Corrosion Inhibition of a Commercial Superhydrophobic Coating. <i>Coatings</i> , 2020 , 10, 887	2.9	1
120	Friction-based welding processes: friction welding and friction stir welding. <i>Journal of Adhesion Science and Technology</i> , 2020 , 34, 2613-2637	2	35

119	Laser surface texturing and related techniques for enhancing tribological performance of engineering materials: A review. <i>Journal of Manufacturing Processes</i> , 2020 , 53, 153-173	5	74
118	Corrosion performance of nanocomposite coatings in moist SO ₂ environment. <i>International Journal of Advanced Manufacturing Technology</i> , 2020 , 106, 4769-4776	3.2	1
117	Carbon solid lubricants: role of different dimensions. <i>International Journal of Advanced Manufacturing Technology</i> , 2020 , 107, 3875-3895	3.2	11
116	Effect of Laser Shock Peening on the Wear-Corrosion Synergistic Behavior of an AZ31B Magnesium Alloy. <i>Journal of Tribology</i> , 2020 , 142,	1.8	6
115	Supersonic particle deposition as an additive technology: methods, challenges, and applications. <i>International Journal of Advanced Manufacturing Technology</i> , 2020 , 106, 2079-2099	3.2	13
114	Self-healing and superhydrophobic coatings for corrosion inhibition and protection. <i>International Journal of Advanced Manufacturing Technology</i> , 2020 , 106, 2119-2131	3.2	17
113	Critical Overview of Coatings Technology for Metal Matrix Composites. <i>Journal of Bio- and Tribo-Corrosion</i> , 2020 , 6, 1	2.9	12
112	Influence of laser shock peening on the surface energy and tribocorrosion properties of an AZ31B Mg alloy. <i>Wear</i> , 2020 , 462-463, 203490	3.5	3
111	Enhanced corrosion resistance and surface bioactivity of AZ31B Mg alloy by high pressure cold sprayed monolayer Ti and bilayer Ta/Ti coatings in simulated body fluid. <i>Materials Chemistry and Physics</i> , 2020 , 256, 123627	4.4	14
110	Manufacturing and Mechanical Characterization of Fly-Ash-Reinforced Materials for Furnace Lining Applications. <i>Journal of Materials Engineering and Performance</i> , 2020 , 29, 6307-6321	1.6	2
109	Conversion of Waste Plastic to Oils for Tribological Applications. <i>Lubricants</i> , 2020 , 8, 78	3.1	9
108	Influence of hydrostatic pressure on wetting state and corrosion of superhydrophobic coatings. <i>International Journal of Advanced Manufacturing Technology</i> , 2020 , 110, 457-470	3.2	2
107	Direct laser shock surface patterning of an AZ31B magnesium alloy: Microstructure evolution and friction performance. <i>Journal of Materials Processing Technology</i> , 2020 , 275, 116333	5.3	13
106	Material Design and Surface Engineering for Bio-implants. <i>Jom</i> , 2020 , 72, 684-696	2.1	11
105	A Brief Review of Fly Ash as Reinforcement for Composites with Improved Mechanical and Tribological Properties. <i>Jom</i> , 2020 , 72, 2340-2351	2.1	13
104	Anisotropic microstructure evolution of an AZ31B magnesium alloy subjected to dry sliding and its effects on friction and wear performance. <i>Materialia</i> , 2019 , 8, 100444	3.2	4
103	Advanced Metal Matrix Nanocomposites. <i>Metals</i> , 2019 , 9, 330	2.3	96
102	Effect of Micro- and Nano-Sized Carbonous Solid Lubricants as Oil Additives in Nanofluid on Tribological Properties. <i>Lubricants</i> , 2019 , 7, 25	3.1	20

101	Tribocorrosion Performance of Tool Steel for Rock Drilling Process. <i>Journal of Bio- and Tribo-Corrosion</i> , 2019 , 5, 1	2.9	5
100	The influence of surface pre-twinning on the friction and wear performance of an AZ31B Mg alloy. <i>Applied Surface Science</i> , 2019 , 480, 998-1007	6.7	18
99	In-Situ Fretting Wear Analysis of Electrical Connectors for Real System Applications. <i>Journal of Manufacturing and Materials Processing</i> , 2019 , 3, 47	2.2	5
98	Surface Engineering of Solar Cells to Improve Efficiency. <i>Jom</i> , 2019 , 71, 4319-4329	2.1	2
97	Surface Energy and Tribology of Electrodeposited Ni and Ni/Graphene Coatings on Steel. <i>Lubricants</i> , 2019 , 7, 87	3.1	8
96	Fiber-Reinforced Polymer Composites: Manufacturing, Properties, and Applications. <i>Polymers</i> , 2019 , 11,	4.5	383
95	Advances in triboluminescence and mechanoluminescence. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 19675-19690	2.1	13
94	Friction and Wear Behavior of Environmentally Friendly Ionic Liquids for Sustainability of Biolubricants. <i>Journal of Tribology</i> , 2019 , 141,	1.8	4
93	Transition from Self-Organized Criticality into Self-Organization during Sliding Si ₃ N ₄ Balls against Nanocrystalline Diamond Films. <i>Entropy</i> , 2019 , 21, 1055	2.8	1
92	Tribocorrosion of Porous Titanium Used in Biomedical Applications. <i>Journal of Bio- and Tribo-Corrosion</i> , 2019 , 5, 1	2.9	12
91	Influence of environmental friendly multiphase lubricants on the friction and transfer layer formation during sliding against textured surfaces. <i>Journal of Cleaner Production</i> , 2019 , 209, 1245-1251	10.3	14
90	Surface texturing by indirect laser shock surface patterning for manipulated friction coefficient. <i>Journal of Materials Processing Technology</i> , 2018 , 257, 227-233	5.3	25
89	Synergistic wear-corrosion analysis and modelling of nanocomposite coatings. <i>Tribology International</i> , 2018 , 121, 30-44	4.9	22
88	Tribological study of imidazolium and phosphonium ionic liquid-based lubricants as additives in carboxylic acid-based natural oil: Advancements in environmentally friendly lubricants. <i>Journal of Cleaner Production</i> , 2018 , 176, 241-250	10.3	25
87	Graphene-Reinforced Metal and Polymer Matrix Composites. <i>Jom</i> , 2018 , 70, 829-836	2.1	26
86	RETRACTED CHAPTER: Fundamentals of Solid Lubricants 2018 , 1-32		5
85	Surface characterization and tribological performance of laser shock peened steel surfaces. <i>Surface and Coatings Technology</i> , 2018 , 351, 188-197	4.4	32
84	Natural Adhesion System Leads to Synthetic Adhesives. <i>Journal of Bio- and Tribo-Corrosion</i> , 2018 , 4, 1	2.9	7

83	Synthesis and recent advances in tribological applications of graphene. <i>International Journal of Advanced Manufacturing Technology</i> , 2018 , 97, 3999-4019	3.2	34
82	A Review on the Science and Technology of Natural and Synthetic Biolubricants. <i>Journal of Bio- and Tribo-Corrosion</i> , 2017 , 3, 1	2.9	31
81	Ionic Liquids: A Plausible Future of Bio-lubricants. <i>Journal of Bio- and Tribo-Corrosion</i> , 2017 , 3, 1	2.9	9
80	Influence of cutter velocity, friction coefficient and rake angle on the formation of discontinuous rock fragments during rock cutting process. <i>International Journal of Advanced Manufacturing Technology</i> , 2017 , 90, 3811-3827	3.2	12
79	Evaluation of boron nitride particles on the tribological performance of avocado and canola oil for energy conservation and sustainability. <i>International Journal of Advanced Manufacturing Technology</i> , 2017 , 89, 3475-3486	3.2	37
78	Influence of rock mechanical properties and rake angle on the formation of rock fragments during cutting operation. <i>International Journal of Advanced Manufacturing Technology</i> , 2017 , 90, 127-139	3.2	17
77	Performance Analysis of Retrofitted Tribo-Corrosion Test Rig for Monitoring In Situ Oil Conditions. <i>Materials</i> , 2017 , 10,	3.5	9
76	Tribological performance of self-lubricating aluminum matrix nanocomposites: Role of graphene nanoplatelets 2016 , 19, 463-469		99
75	Influences of graphite reinforcement on the tribological properties of self-lubricating aluminum matrix composites for green tribology, sustainability, and energy efficiency—review. <i>International Journal of Advanced Manufacturing Technology</i> , 2016 , 83, 325-346	3.2	84
74	Advances in Bio-inspired Tribology for Engineering Applications. <i>Journal of Bio- and Tribo-Corrosion</i> , 2016 , 2, 1	2.9	9
73	Engineering and Technology of Environmentally Friendly Lubricants 2016 , 233-271		1
72	State of the art on tribological behavior of polymer matrix composites reinforced with natural fibers in the green materials world 2016 , 19, 717-736		129
71	Surface texturing to control friction and wear for energy efficiency and sustainability. <i>International Journal of Advanced Manufacturing Technology</i> , 2016 , 85, 1385-1394	3.2	10
70	Effect of graphite particles on improving tribological properties Al-16Si-5Ni-5Graphite self-lubricating composite under fully flooded and starved lubrication conditions for transportation applications. <i>International Journal of Advanced Manufacturing Technology</i> , 2016 , 87, 929-939	3.2	24
69	Advancements in Eco-friendly Lubricants for Tribological Applications: Past, Present, and Future. <i>Materials Forming, Machining and Tribology</i> , 2016 , 41-61	0.5	11
68	Comparative Analysis of Two Methods for Evaluating Wear Rate of Nanocrystalline Diamond Films. <i>Key Engineering Materials</i> , 2016 , 721, 345-350	0.4	4
67	Effect of In-situ Processing Parameters on the Mechanical and Tribological Properties of Self-Lubricating Hybrid Aluminum Nanocomposites. <i>Tribology Letters</i> , 2016 , 62, 1	2.8	18
66	Mechanical, physical and tribological characterization of nano-cellulose fibers reinforced bio-epoxy composites: An attempt to fabricate and scale the GreenWtcomposite. <i>Carbohydrate Polymers</i> , 2016 , 147, 282-293	10.3	93

65	Influence of friction and rake angle on the formation of built-up edge during the rock cutting process. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2016 , 88, 175-182	6	10
64	The influence of fatty acids on tribological and thermal properties of natural oils as sustainable biolubricants. <i>Tribology International</i> , 2015 , 90, 123-134	4.9	122
63	The influence of surface roughness and particulate size on the tribological performance of bio-based multi-functional hybrid lubricants. <i>Tribology International</i> , 2015 , 88, 40-55	4.9	49
62	Mechanical and tribological properties of self-lubricating metal matrix nanocomposites reinforced by carbon nanotubes (CNTs) and graphene [A review]. <i>Composites Part B: Engineering</i> , 2015 , 77, 402-420	10	563
61	Influence of Surface Texture and Roughness of Softer and Harder Counter Materials on Friction During Sliding. <i>Journal of Materials Engineering and Performance</i> , 2015 , 24, 393-403	1.6	8
60	Studies on the formation of discontinuous rock fragments during cutting operation. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2014 , 71, 131-142	6	47
59	Studies on the formation of discontinuous chips during rock cutting using an explicit finite element model. <i>International Journal of Advanced Manufacturing Technology</i> , 2014 , 70, 635-648	3.2	40
58	An explicit finite element model to study the influence of rake angle and friction during orthogonal metal cutting. <i>International Journal of Advanced Manufacturing Technology</i> , 2014 , 73, 875-885	3.2	11
57	Tribological response of soft materials sliding against hard surface textures at various numbers of cycles. <i>Lubrication Science</i> , 2013 , 25, 79-99	1.3	10
56	The Size Effect of Boron Nitride Particles on the Tribological Performance of Biolubricants for Energy Conservation and Sustainability. <i>Tribology Letters</i> , 2013 , 51, 437-452	2.8	87
55	Experimental and numerical analysis of helical-wedge rolling process for producing steel balls. <i>International Journal of Machine Tools and Manufacture</i> , 2013 , 67, 1-7	9.4	54
54	Tribology in Metal Forming 2013 , 783-818		3
53	Self-Lubricating Behavior of Graphite-Reinforced Composites 2013 , 341-389		10
52	Fundamentals of Engineering Surfaces 2013 , 3-41		7
51	Fundamentals of Lubrication 2013 , 295-340		10
50	Tribology of Solid Lubricants 2013 , 447-494		16
49	Friction and Wear 2013 , 43-91		14
48	Analysis of the Contribution of Adhesion and Hysteresis to Shoe/Bloor Lubricated Friction in the Boundary Lubrication Regime. <i>Tribology Letters</i> , 2012 , 47, 341-347	2.8	26

47	Self-Lubricating Behavior of Graphite Reinforced Metal Matrix Composites. <i>Green Energy and Technology</i> , 2012 , 445-480	0.6	20
46	Analysis of Strain Rates and Microstructural Evaluation during Metal Forming: Role of Surface Texture and Friction. <i>Tribology Transactions</i> , 2012 , 55, 582-589	1.8	11
45	Studies on the Tribological Behavior of Natural Fiber Reinforced Polymer Composite. <i>Green Energy and Technology</i> , 2012 , 329-345	0.6	21
44	Green Lubricants: Role of Additive Size. <i>Green Energy and Technology</i> , 2012 , 265-286	0.6	11
43	Analysis of Shoe Friction During Sliding Against Floor Material: Role of Fluid Contaminant. <i>Journal of Tribology</i> , 2012 , 134,	1.8	16
42	Tribological Performance of Environmentally Friendly Ionic Liquid Lubricants 2012 ,		12
41	Tribological Properties of Fly Ash-Based Green Friction Products. <i>Green Energy and Technology</i> , 2012 , 429-443	0.6	3
40	Friction and transfer layer formation in polymer/steel tribo-system: Role of surface texture and roughness parameters. <i>Wear</i> , 2011 , 271, 2213-2221	3.5	48
39	The role of surface texture on friction and transfer layer formation during repeated sliding of Al/Mg against steel. <i>Wear</i> , 2011 , 271, 1785-1793	3.5	19
38	Role of Surface Texture, Roughness, and Hardness on Friction During Unidirectional Sliding. <i>Tribology Letters</i> , 2011 , 41, 1-15	2.8	58
37	Response of Materials During Sliding on Various Surface Textures. <i>Journal of Materials Engineering and Performance</i> , 2011 , 20, 1438-1446	1.6	10
36	Influence of Inclination Angle and Machining Direction on Friction and Transfer Layer Formation. <i>Journal of Tribology</i> , 2011 , 133,	1.8	8
35	Tribological Behavior of Aluminum Micro-and Nano-Composites. <i>International Journal of Aerospace Innovations</i> , 2011 , 3, 153-162		6
34	Influence of Friction and Rake Angle on the Formation of Discontinuous Rock Fragments During Rock Cutting 2010 ,		2
33	Influence of Die Surface Textures during Metal Forming: A Study Using Experiments and Simulation. <i>Materials and Manufacturing Processes</i> , 2010 , 25, 1030-1039	4.1	20
32	Influence of boric acid additive size on green lubricant performance. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2010 , 368, 4851-68	3	87
31	Response of materials as a function of grinding angle on friction and transfer layer formation. <i>International Journal of Advanced Manufacturing Technology</i> , 2010 , 49, 485-495	3.2	17
30	A parameter characterizing plowing nature of surfaces close to Gaussian. <i>Tribology International</i> , 2010 , 43, 370-380	4.9	8

29	Influence of tilt angle of plate on friction and transfer layerA study of aluminium pin sliding against steel plate. <i>Tribology International</i> , 2010 , 43, 897-905	4.9	11
28	Study of Friction and Transfer Layer Formation in Copper-Steel Tribo-System: Role of Surface Texture and Roughness Parameters. <i>Tribology Transactions</i> , 2009 , 52, 611-622	1.8	33
27	Influence of friction during forming processesB study using a numerical simulation technique. <i>International Journal of Advanced Manufacturing Technology</i> , 2009 , 40, 1067-1076	3.2	40
26	Influence of roughness parameters and surface texture on friction during sliding of pure lead over 080 M40 steel. <i>International Journal of Advanced Manufacturing Technology</i> , 2009 , 43, 731-743	3.2	28
25	Role of surface texture of harder surface on subsurface deformation. <i>Wear</i> , 2009 , 266, 103-109	3.5	29
24	Studies on friction and formation of transfer layer when AlMg alloy pins slid at various numbers of cycles on steel plates of different surface texture. <i>Wear</i> , 2009 , 267, 525-534	3.5	9
23	Influence of inclination angle of plate on friction, stick-slip and transfer layerA study of magnesium pin sliding against steel plate. <i>Wear</i> , 2009 , 267, 476-484	3.5	14
22	Influence of surface texture and roughness parameters on friction and transfer layer formation during sliding of aluminium pin on steel plate. <i>Wear</i> , 2009 , 267, 1534-1549	3.5	92
21	Studies on Friction and Formation of Transfer Layer in HCP Metals. <i>Journal of Tribology</i> , 2009 , 131,	1.8	5
20	On the effect of surface texture on friction and transfer layer formationA study using Al and steel pair. <i>Wear</i> , 2008 , 265, 1655-1669	3.5	40
19	Influence of roughness parameters of harder surface on coefficient of friction and transfer layer formation. <i>International Journal of Surface Science and Engineering</i> , 2008 , 2, 98	1	6
18	Role of surface texture and roughness parameters in friction and transfer layer formation under dry and lubricated sliding conditions. <i>International Journal of Materials Research</i> , 2008 , 99, 795-807	0.5	8
17	Studies on Friction in an Iron-Steel Tribo-System Under Dry and Lubricated Conditions. <i>Materials and Manufacturing Processes</i> , 2008 , 23, 698-707	4.1	6
16	Effect of Surface Topography on Friction and Transfer Layer during Sliding. <i>Tribology Online</i> , 2008 , 3, 25-30	0.9	19
15	Role of Surface Texture on Friction under Boundary Lubricated Conditions. <i>Tribology Online</i> , 2008 , 3, 12-18	0.9	23
14	Influence of roughness parameters on coefficient of friction under lubricated conditions. <i>Sadhana - Academy Proceedings in Engineering Sciences</i> , 2008 , 33, 181-190	1	52
13	Subsurface deformation and the role of surface textureA study with Cu pins and steel plates. <i>Sadhana - Academy Proceedings in Engineering Sciences</i> , 2008 , 33, 191-201	1	8
12	Friction tensor concept for textured surfaces. <i>Sadhana - Academy Proceedings in Engineering Sciences</i> , 2008 , 33, 203-206	1	

11	Study of solid lubrication with MoS ₂ coating in the presence of additives using reciprocating ball-on-flat scratch tester. <i>Sadhana - Academy Proceedings in Engineering Sciences</i> , 2008 , 33, 207-220	1	53
10	Effect of surface roughness parameters and surface texture on friction and transfer layer formation in tin/steel tribo-system. <i>Journal of Materials Processing Technology</i> , 2008 , 208, 372-382	5.3	52
9	Effect of Roughness Parameter and Grinding Angle on Coefficient of Friction When Sliding of Al/Mg Alloy Over EN8 Steel. <i>Journal of Tribology</i> , 2006 , 128, 697-704	1.8	75
8	Studies On Friction And Transfer Layer Using Inclined Scratch. <i>Tribology and Interface Engineering Series</i> , 2006 , 262-279		5
7	Influence of surface texture on coefficient of friction and transfer layer formation during sliding of pure magnesium pin on 080 M40 (EN8) steel plate. <i>Wear</i> , 2006 , 261, 578-591	3.5	49
6	Effect of directionality of unidirectional grinding marks on friction and transfer layer formation of Mg on steel using inclined scratch test. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006 , 429, 149-160	5.3	38
5	Studies on friction and transfer layer using inclined scratch. <i>Tribology International</i> , 2006 , 39, 175-183	4.9	41
4	Tribology and Applications of Self-Lubricating Materials		5
3	Wear Rate of Nanocrystalline Diamond Coating under High Temperature Sliding Conditions. <i>Solid State Phenomena</i> , 2007 , 219-223	0.4	4
2	Tribological interactions of 3D printed polyurethane and polyamide with water-responsive skin model. <i>Friction</i> , 2018 , 14(1), 1-10	5.6	0
1	Graphene aerogel and its composites: synthesis, properties and applications. <i>Journal of Porous Materials</i> , 2018 , 21(1), 1-10	2.4	0