
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/145334/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Effect of a Single Dose of Intravenous Ketamine on Suicidal Ideation: A Systematic Review and Individual Participant Data Meta-Analysis. American Journal of Psychiatry, 2018, 175, 150-158.	7.2	476
2	Ask Suicide-Screening Questions (ASQ). JAMA Pediatrics, 2012, 166, 1170.	3.0	341
3	Glutamate and Gamma-Aminobutyric Acid Systems in the Pathophysiology of Major Depression and Antidepressant Response to Ketamine. Biological Psychiatry, 2017, 81, 886-897.	1.3	334
4	Improvement in suicidal ideation after ketamine infusion: Relationship to reductions in depression and anxiety. Journal of Psychiatric Research, 2014, 58, 161-166.	3.1	224
5	Allowing Adolescents and Young Adults to Plan Their End-of-Life Care. Pediatrics, 2012, 130, 897-905.	2.1	201
6	Ketamine has distinct electrophysiological and behavioral effects in depressed and healthy subjects. Molecular Psychiatry, 2019, 24, 1040-1052.	7.9	187
7	Trends in Psychiatric Emergency Department Visits Among Youth and Young Adults in the US. Pediatrics, 2019, 143, .	2.1	170
8	Ketamine and other N-methyl-D-aspartate receptor antagonists in the treatment of depression: a perspective review. Therapeutic Advances in Chronic Disease, 2015, 6, 97-114.	2.5	169
9	PET radioligand binding to translocator protein (TSPO) is increased in unmedicated depressed subjects. EJNMMI Research, 2018, 8, 57.	2.5	144
10	Suicide screening in schools, primary care and emergency departments. Current Opinion in Pediatrics, 2009, 21, 620-627.	2.0	138
11	How I Wish to be Remembered: The Use of an Advance Care Planning Document in Adolescent and Young Adult Populations. Journal of Palliative Medicine, 2008, 11, 1309-1313.	1.1	124
12	Anhedonia as a clinical correlate of suicidal thoughts in clinical ketamine trials. Journal of Affective Disorders, 2017, 218, 195-200.	4.1	94
13	The role of dissociation in ketamine's antidepressant effects. Nature Communications, 2020, 11, 6431.	12.8	89
14	Depressive Symptoms and Suicidal Ideation in College Students: The Mediating and Moderating Roles of Hopelessness, Alcohol Problems, and Social Support. Journal of Clinical Psychology, 2016, 72, 919-932.	1.9	88
15	Features of dissociation differentially predict antidepressant response to ketamine in treatment-resistant depression. Journal of Affective Disorders, 2018, 232, 310-315.	4.1	87
16	Identification of At-Risk Youth by Suicide Screening in a Pediatric Emergency Department. Prevention Science, 2017, 18, 174-182.	2.6	80
17	Therapeutic Modulation of Glutamate Receptors in Major Depressive Disorder. Current Neuropharmacology, 2017, 15, 57-70.	2.9	78
18	The role of adipokines in the rapid antidepressant effects of ketamine. Molecular Psychiatry, 2017, 22, 127-133.	7.9	75

#	Article	IF	CITATIONS
19	Latent classes of childhood trauma exposure predict the development of behavioral health outcomes in adolescence and young adulthood. Psychological Medicine, 2015, 45, 3305-3316.	4.5	73
20	Feasibility of Screening Patients With Nonpsychiatric Complaints for Suicide Risk in a Pediatric Emergency Department. Pediatric Emergency Care, 2010, 26, 787-792.	0.9	72
21	Motor-Activity Markers of Circadian Timekeeping Are Related to Ketamine's Rapid Antidepressant Properties. Biological Psychiatry, 2017, 82, 361-369.	1.3	68
22	Parsing the heterogeneity of depression: An exploratory factor analysis across commonly used depression rating scales. Journal of Affective Disorders, 2018, 231, 51-57.	4.1	62
23	Sleep architecture parameters as a putative biomarker of suicidal ideation in treatment-resistant depression. Journal of Affective Disorders, 2017, 208, 309-315.	4.1	56
24	Antisuicidal Response Following Ketamine Infusion Is Associated With Decreased Nighttime Wakefulness in Major Depressive Disorder and Bipolar Disorder. Journal of Clinical Psychiatry, 2017, 78, 1068-1074.	2.2	55
25	Suicide Risk in Youth with Intellectual Disabilities. Journal of Developmental and Behavioral Pediatrics, 2012, 33, 431-440.	1.1	54
26	Assessing measures of suicidal ideation in clinical trials with aÂrapid-acting antidepressant. Journal of Psychiatric Research, 2015, 68, 68-73.	3.1	54
27	Nocturnal Wakefulness Is Associated With Next-Day Suicidal Ideation in Major Depressive Disorder and Bipolar Disorder. Journal of Clinical Psychiatry, 2016, 77, 825-831.	2.2	53
28	Acute ketamine administration corrects abnormal inflammatory bone markers in major depressive disorder. Molecular Psychiatry, 2018, 23, 1626-1631.	7.9	48
29	The kynurenine pathway and bipolar disorder: intersection of the monoaminergic and glutamatergic systems and immune response. Molecular Psychiatry, 2021, 26, 4085-4095.	7.9	48
30	Trajectories of Suicidal Ideation from Sixth through Tenth Grades in Predicting Suicide Attempts in Young Adulthood in an Urban African American Cohort. Suicide and Life-Threatening Behavior, 2016, 46, 255-265.	1.9	47
31	Neural Correlates of Suicidal Ideation and Its Reduction in Depression. International Journal of Neuropsychopharmacology, 2015, 18, pyu069-pyu069.	2.1	46
32	ADHD and Suicidal Ideation. Journal of Attention Disorders, 2015, 19, 703-714.	2.6	45
33	Characterizing the course of suicidal ideation response to ketamine. Journal of Affective Disorders, 2018, 241, 86-93.	4.1	44
34	Acute risk factors for suicide attempts and death: prospective findings from the <scp>STEP</scp> â€ <scp>BD</scp> study. Bipolar Disorders, 2016, 18, 363-372.	1.9	40
35	Patients' Opinions About Suicide Screening in a Pediatric Emergency Department. Pediatric Emergency Care, 2012, 28, 34-38.	0.9	39
36	Impact of midazolam vs. saline on effect size estimates in controlled trials of ketamine as a rapid-acting antidepressant. Neuropsychopharmacology, 2019, 44, 1233-1238.	5.4	35

#	Article	IF	CITATIONS
37	Suicide in the Medical Setting. Joint Commission Journal on Quality and Patient Safety, 2008, 34, 474-481.	0.7	34
38	Psychotropic Medication Use in Pediatric Patients With Cancer. JAMA Pediatrics, 2006, 160, 818.	3.0	33
39	Loneliness and Suicidal Ideation in Drugâ€Using College Students. Suicide and Life-Threatening Behavior, 2014, 44, 629-640.	1.9	33
40	Ketamine's Antidepressant Efficacy is Extended for at Least Four Weeks in Subjects with a Family History of an Alcohol Use Disorder. International Journal of Neuropsychopharmacology, 2015, 18, .	2.1	33
41	Ketamine-Induced Clutamatergic Mechanisms of Sleep and Wakefulness: Insights for Developing Novel Treatments for Disturbed Sleep and Mood. Handbook of Experimental Pharmacology, 2017, 253, 337-358.	1.8	33
42	Asking Youth Questions About Suicide Risk in the Pediatric Emergency Department: Results From a Qualitative Analysis of Patient Opinions. Clinical Pediatric Emergency Medicine, 2013, 14, 20-27.	0.4	32
43	SHAPS-C: the Snaith-Hamilton pleasure scale modified for clinician administration. PeerJ, 2014, 2, e429.	2.0	31
44	New Methods for Assessing Rapid Changes in Suicide Risk. Frontiers in Psychiatry, 2021, 12, 598434.	2.6	31
45	Increased fear-potentiated startle in major depressive disorder patients with lifetime history of suicide attempt. Journal of Affective Disorders, 2014, 162, 34-38.	4.1	30
46	A Double-Blind, Placebo-Controlled, Pilot Study of Riluzole Monotherapy for Acute Bipolar Depression. Journal of Clinical Psychopharmacology, 2017, 37, 355-358.	1.4	28
47	Growing Up in the Hospital. JAMA - Journal of the American Medical Association, 2007, 297, 2752.	7.4	27
48	Epidemiology of Injury-Related Emergency Department Visits in the US Among Youth with Autism Spectrum Disorder. Journal of Autism and Developmental Disorders, 2016, 46, 2756-2763.	2.7	27
49	Increased Activity or Energy as a Primary Criterion for the Diagnosis of Bipolar Mania in DSM-5: Findings From the STEP-BD Study. American Journal of Psychiatry, 2017, 174, 70-76.	7.2	27
50	Invited Commentary: Understanding Brain Mechanisms of Pain Processing in Adolescents' Non-Suicidal Self-Injury. Journal of Youth and Adolescence, 2010, 39, 327-334.	3.5	26
51	Patient Opinions About Screening for Suicide Risk in the Adult Medical Inpatient Unit. Journal of Behavioral Health Services and Research, 2017, 44, 364-372.	1.4	24
52	Research on the pathophysiology, treatment, and prevention of suicide: practical and ethical issues. BMC Psychiatry, 2019, 19, 332.	2.6	24
53	Recent medical service utilization and health conditions associated with a history of suicide attempts. General Hospital Psychiatry, 2014, 36, 437-441.	2.4	22
54	An Empowerment Approach to Family Caregiver Involvement in Suicide Prevention. Family Journal, 2015, 23, 295-304.	1.2	21

#	Article	IF	CITATIONS
55	Future disposition and suicidal ideation: Mediation by depressive symptom clusters. Journal of Affective Disorders, 2015, 170, 1-6.	4.1	21
56	Neurobiological biomarkers of response to ketamine. Advances in Pharmacology, 2020, 89, 195-235.	2.0	21
57	Riluzole likely lacks antidepressant efficacy in ketamine non-responders. Journal of Psychiatric Research, 2014, 58, 197-199.	3.1	20
58	Subtypes of suicide attempters based on longitudinal childhood profiles of co-occurring depressive, anxious and aggressive behavior symptoms. Psychiatry Research, 2017, 257, 150-155.	3.3	18
59	Lithium and Valproate Levels Do Not Correlate with Ketamine's Antidepressant Efficacy in Treatment-Resistant Bipolar Depression. Neural Plasticity, 2015, 2015, 1-7.	2.2	17
60	Parent–child conflict and drug use in college women: A moderated mediation model of self-control and mindfulness Journal of Counseling Psychology, 2015, 62, 303-313.	2.0	17
61	The antidepressant efficacy of subanesthetic-dose ketamine does not correlate with baseline subcortical volumes in a replication sample with major depressive disorder. Journal of Psychopharmacology, 2017, 31, 1570-1577.	4.0	17
62	Association of Positive Responses to Suicide Screening Questions With Hospital Admission and Repeated Emergency Department Visits in Children and Adolescents. Pediatric Emergency Care, 2013, 29, 1070-1074.	0.9	16
63	DEMOGRAPHIC AND CLINICAL CHARACTERISTICS OF CONSISTENT AND INCONSISTENT LONGITUDINAL REPORTERS OF LIFETIME SUICIDE ATTEMPTS IN ADOLESCENCE THROUGH YOUNG ADULTHOOD. Depression and Anxiety, 2013, 30, n/a-n/a.	4.1	16
64	Recognition of emotional facial expressions in anxious and nonanxious depression. Comprehensive Psychiatry, 2016, 70, 1-8.	3.1	16
65	Functional Imaging of the Implicit Association of the Self With Life and Death. Suicide and Life-Threatening Behavior, 2019, 49, 1600-1608.	1.9	16
66	The effects of ketamine on typical and atypical depressive symptoms. Acta Psychiatrica Scandinavica, 2020, 142, 394-401.	4.5	16
67	Self-harm, Assault, and Undetermined Intent Injuries Among Pediatric Emergency Department Visits. Pediatric Emergency Care, 2015, 31, 813-818.	0.9	15
68	Multilayer MEG functional connectivity as a potential marker for suicidal thoughts in major depressive disorder. NeuroImage: Clinical, 2020, 28, 102378.	2.7	15
69	The Effect of Ketamine on Electrophysiological Connectivity in Major Depressive Disorder. Frontiers in Psychiatry, 2020, 11, 519.	2.6	15
70	Are 24-hour motor activity patterns associated with continued rapid response to ketamine?. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 2739-2748.	2.2	14
71	Aftermath of Suicide in the Hospital: Institutional Response. Psychosomatics, 2008, 49, 461-469.	2.5	13
72	Familial Aggregation and Coaggregation of Suicide Attempts and Comorbid Mental Disorders in Adults. JAMA Psychiatry, 2019, 76, 826.	11.0	13

#	Article	IF	CITATIONS
73	Magnetoencephalographic Correlates of Suicidal Ideation in Major Depression. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2020, 5, 354-363.	1.5	12
74	Self-Reported Recent Life Stressors and Risk of Suicide in Pediatric Emergency Department Patients. Clinical Pediatric Emergency Medicine, 2013, 14, 35-40.	0.4	11
75	Disentangling the association of depression on the anti-fatigue effects of ketamine. Journal of Affective Disorders, 2019, 244, 42-45.	4.1	11
76	Network Changes in Insula and Amygdala Connectivity Accompany Implicit Suicidal Associations. Frontiers in Psychiatry, 2020, 11, 577628.	2.6	10
77	Dysfunction of default mode network is associated with active suicidal ideation in youths and young adults with depression: Findings from the T-RAD study. Journal of Psychiatric Research, 2021, 142, 258-262.	3.1	10
78	Emergency Department Utilization Among American Indian Adolescents Who Made a Suicide Attempt: A Screening Opportunity. Journal of Adolescent Health, 2014, 54, 357-359.	2.5	9
79	Active suicidal ideation during clinical antidepressant trials. Psychiatry Research, 2017, 257, 303-308.	3.3	9
80	Mapping anticipatory anhedonia: an fMRI study. Brain Imaging and Behavior, 2019, 13, 1624-1634.	2.1	8
81	Prospective association of psychological pain and hopelessness with suicidal thoughts. Journal of Affective Disorders, 2022, 308, 243-248.	4.1	8
82	Pediatric Psychosomatic Medicine: An Annotated Bibliography. Psychosomatics, 2007, 48, 195-204.	2.5	7
83	Symptom trajectories in the months before and after a suicide attempt in individuals with bipolar disorder: A STEPâ€BD study. Bipolar Disorders, 2020, 22, 245-254.	1.9	7
84	Neurobiological research with suicidal participants: A framework for investigators. General Hospital Psychiatry, 2020, 62, 43-48.	2.4	7
85	Mood disorders, childhood maltreatment, and medical morbidity in US adults: An observational study. Journal of Psychosomatic Research, 2020, 137, 110207.	2.6	7
86	Predictors of suicidal ideation trajectories in the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) study. Journal of Psychiatric Research, 2022, 148, 9-13.	3.1	7
87	Clinical trials for rapid changes in suicidal ideation: Lessons from ketamine. Suicide and Life-Threatening Behavior, 2021, 51, 27-35.	1.9	5
88	The mental health impact of contact with COVID-19 patients on healthcare workers in the United States. Psychiatry Research, 2022, 308, 114359.	3.3	5
89	Clinical Trial of the Potassium Channel Activator Diazoxide for Major Depressive Disorder Halted Due to Intolerability. Journal of Clinical Psychopharmacology, 2018, 38, 243-246.	1.4	3
90	Preventing suicide: A multicausal model requires multimodal research and intervention. Bipolar Disorders, 2018, 20, 558-559.	1.9	3

#	Article	IF	CITATIONS
91	Effects of stress on endophenotypes of suicide across species: A role for ketamine in risk mitigation. Neurobiology of Stress, 2022, 18, 100450.	4.0	3
92	Magnetoencephalography biomarkers of suicide attempt history and antidepressant response to ketamine in treatment-resistant major depression. Journal of Affective Disorders, 2022, 312, 188-197.	4.1	3
93	330. A Principal Components Analysis of Depression and Anhedonia Scales: Illustrating the Heterogeneity of Depression. Biological Psychiatry, 2017, 81, S135.	1.3	2
94	Clinical Trials With Suicidal Individuals Can Be Conducted Safely. Journal of Clinical Psychiatry, 2020, 81, .	2.2	2
95	Self-reported Symptoms of Anxiety Predict Positive Suicide Risk Screening in Adolescents Presenting to the Emergency Department. Pediatric Emergency Care, 2022, 38, 22-25.	0.9	2
96	Suicide attempt endophenotypes: Latent profiles of child and adolescent aggression and impulsivity differentially predict suicide attempt in females. Preventive Medicine Reports, 2022, 28, 101829.	1.8	2
97	Antidepressant treatment of Medicaid-insured youth with a cancer diagnosis. Journal of Pharmaceutical Health Services Research, 2012, 3, 109-114.	0.6	1
98	Ketamine and Suicide Risk. , 2016, , 43-56.		1
99	1004. Clinical Predictors of an Antisuicidal Response to Ketamine. Biological Psychiatry, 2017, 81, S406.	1.3	1
100	263. Beta Power in Magnetoencephalography as a Potential Neurobiological Marker for Risk of Suicide in Depressed Patients. Biological Psychiatry, 2017, 81, S108.	1.3	0
101	1003. Acute Ketamine Administration Corrects Abnormal Inflammatory Bone Markers in Major Depression. Biological Psychiatry, 2017, 81, S405-S406.	1.3	0
102	825. Mapping Anticipatory Anhedonia: An fMRI Study. Biological Psychiatry, 2017, 81, S335.	1.3	0
103	3.56 Self-Reported Anxiety Predicts Positive Suicide Risk Screening in Adolescents Presenting to the Emergency Department. Journal of the American Academy of Child and Adolescent Psychiatry, 2017, 56, S223.	0.5	Ο
104	3.59 The Importance of Screening Pre-Teens for Suicide Risk in the Emergency Department. Journal of the American Academy of Child and Adolescent Psychiatry, 2017, 56, S224.	0.5	0
105	174. Neuroimaging Correlates of Antidepressant Response to Ketamine. Biological Psychiatry, 2018, 83, S70-S71.	1.3	Ο
106	T114. Depressed Patients With History of Suicide Attempts Differ From Non-Attempters in Processing of Emotional Faces. Biological Psychiatry, 2018, 83, S172-S173.	1.3	0
107	F145. Differences in Emotional Attention Biases Between Suicide Attempters and Depressed Non-Attempters. Biological Psychiatry, 2018, 83, S294.	1.3	0
108	F147. Resting State Oscillatory Power and Risk of Suicide in Depressed Patients. Biological Psychiatry, 2018, 83, S295.	1.3	0

#	Article	IF	CITATIONS
109	F171. Ketamine Modulates Kynurenine Pathway in Mood Disorders: A Longitudinal Structural Equation Model. Biological Psychiatry, 2018, 83, S304-S305.	1.3	0
110	F59. Trauma Exposure in Adolescence and Clinical Outcomes in Young Adulthood. Biological Psychiatry, 2019, 85, S235-S236.	1.3	0
111	F125. Magnetoencephalography of the Suicide Implicit Association Task. Biological Psychiatry, 2019, 85, S261-S262.	1.3	0
112	The Classification of Depression: Embracing Phenotypic Heterogeneity in the Era of the RDoC. , 2019, , 1-8.		0
113	Electrophysiological Correlates of the Suicide Implicit Association Task. Biological Psychiatry, 2020, 87, S169.	1.3	0
114	Wakefulness After Sleep Onset as Predicting Suicidal Ideation. Biological Psychiatry, 2020, 87, S240.	1.3	0
115	Electrophysiological Biomarkers for Suicide Risk: Targets for Intervention?. Biological Psychiatry, 2021, 89, S82.	1.3	0
116	The Dynamic Relationship Between Alpha and Beta Power and Next-Day Suicidal Ideation in Individuals With Treatment-Resistant Depression. Biological Psychiatry Global Open Science, 2021, 2, 36-44.	2.2	0
117	Mood Induction Paradigm in a Depressed Patient Sample Using Magnetoencephalography. Biological Psychiatry, 2020, 87, S416.	1.3	0
118	P708. Temporal Discounting Rates Associated With Default Mode Network and Lateral Intraparietal Sulcus Activity in Patients At-Risk for Suicide Attempt. Biological Psychiatry, 2022, 91, S377-S378.	1.3	0
119	The association between variability, intensity, and persistence of suicidal ideation and prospective suicidal behavior in the systematic treatment enhancement program for bipolar disorder (STEP-BD) study. International Journal of Bipolar Disorders, 2022, 10, .	2.2	0