

Elizabeth D Ballard

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/145334/publications.pdf>

Version: 2024-02-01

119
papers

5,006
citations

109311

35
h-index

98792

67
g-index

122
all docs

122
docs citations

122
times ranked

5412
citing authors

#	ARTICLE	IF	CITATIONS
1	The Effect of a Single Dose of Intravenous Ketamine on Suicidal Ideation: A Systematic Review and Individual Participant Data Meta-Analysis. <i>American Journal of Psychiatry</i> , 2018, 175, 150-158.	7.2	476
2	Ask Suicide-Screening Questions (ASQ). <i>JAMA Pediatrics</i> , 2012, 166, 1170.	3.0	341
3	Glutamate and Gamma-Aminobutyric Acid Systems in the Pathophysiology of Major Depression and Antidepressant Response to Ketamine. <i>Biological Psychiatry</i> , 2017, 81, 886-897.	1.3	334
4	Improvement in suicidal ideation after ketamine infusion: Relationship to reductions in depression and anxiety. <i>Journal of Psychiatric Research</i> , 2014, 58, 161-166.	3.1	224
5	Allowing Adolescents and Young Adults to Plan Their End-of-Life Care. <i>Pediatrics</i> , 2012, 130, 897-905.	2.1	201
6	Ketamine has distinct electrophysiological and behavioral effects in depressed and healthy subjects. <i>Molecular Psychiatry</i> , 2019, 24, 1040-1052.	7.9	187
7	Trends in Psychiatric Emergency Department Visits Among Youth and Young Adults in the US. <i>Pediatrics</i> , 2019, 143, .	2.1	170
8	Ketamine and other N-methyl-D-aspartate receptor antagonists in the treatment of depression: a perspective review. <i>Therapeutic Advances in Chronic Disease</i> , 2015, 6, 97-114.	2.5	169
9	PET radioligand binding to translocator protein (TSPO) is increased in unmedicated depressed subjects. <i>EJNMMI Research</i> , 2018, 8, 57.	2.5	144
10	Suicide screening in schools, primary care and emergency departments. <i>Current Opinion in Pediatrics</i> , 2009, 21, 620-627.	2.0	138
11	How I Wish to be Remembered: The Use of an Advance Care Planning Document in Adolescent and Young Adult Populations. <i>Journal of Palliative Medicine</i> , 2008, 11, 1309-1313.	1.1	124
12	Anhedonia as a clinical correlate of suicidal thoughts in clinical ketamine trials. <i>Journal of Affective Disorders</i> , 2017, 218, 195-200.	4.1	94
13	The role of dissociation in ketamine's antidepressant effects. <i>Nature Communications</i> , 2020, 11, 6431.	12.8	89
14	Depressive Symptoms and Suicidal Ideation in College Students: The Mediating and Moderating Roles of Hopelessness, Alcohol Problems, and Social Support. <i>Journal of Clinical Psychology</i> , 2016, 72, 919-932.	1.9	88
15	Features of dissociation differentially predict antidepressant response to ketamine in treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2018, 232, 310-315.	4.1	87
16	Identification of At-Risk Youth by Suicide Screening in a Pediatric Emergency Department. <i>Prevention Science</i> , 2017, 18, 174-182.	2.6	80
17	Therapeutic Modulation of Glutamate Receptors in Major Depressive Disorder. <i>Current Neuropharmacology</i> , 2017, 15, 57-70.	2.9	78
18	The role of adipokines in the rapid antidepressant effects of ketamine. <i>Molecular Psychiatry</i> , 2017, 22, 127-133.	7.9	75

#	ARTICLE	IF	CITATIONS
19	Latent classes of childhood trauma exposure predict the development of behavioral health outcomes in adolescence and young adulthood. <i>Psychological Medicine</i> , 2015, 45, 3305-3316.	4.5	73
20	Feasibility of Screening Patients With Nonpsychiatric Complaints for Suicide Risk in a Pediatric Emergency Department. <i>Pediatric Emergency Care</i> , 2010, 26, 787-792.	0.9	72
21	Motor-Activity Markers of Circadian Timekeeping Are Related to Ketamine's Rapid Antidepressant Properties. <i>Biological Psychiatry</i> , 2017, 82, 361-369.	1.3	68
22	Parsing the heterogeneity of depression: An exploratory factor analysis across commonly used depression rating scales. <i>Journal of Affective Disorders</i> , 2018, 231, 51-57.	4.1	62
23	Sleep architecture parameters as a putative biomarker of suicidal ideation in treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2017, 208, 309-315.	4.1	56
24	Antisuicidal Response Following Ketamine Infusion Is Associated With Decreased Nighttime Wakefulness in Major Depressive Disorder and Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 1068-1074.	2.2	55
25	Suicide Risk in Youth with Intellectual Disabilities. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2012, 33, 431-440.	1.1	54
26	Assessing measures of suicidal ideation in clinical trials with a rapid-acting antidepressant. <i>Journal of Psychiatric Research</i> , 2015, 68, 68-73.	3.1	54
27	Nocturnal Wakefulness Is Associated With Next-Day Suicidal Ideation in Major Depressive Disorder and Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2016, 77, 825-831.	2.2	53
28	Acute ketamine administration corrects abnormal inflammatory bone markers in major depressive disorder. <i>Molecular Psychiatry</i> , 2018, 23, 1626-1631.	7.9	48
29	The kynurenine pathway and bipolar disorder: intersection of the monoaminergic and glutamatergic systems and immune response. <i>Molecular Psychiatry</i> , 2021, 26, 4085-4095.	7.9	48
30	Trajectories of Suicidal Ideation from Sixth through Tenth Grades in Predicting Suicide Attempts in Young Adulthood in an Urban African American Cohort. <i>Suicide and Life-Threatening Behavior</i> , 2016, 46, 255-265.	1.9	47
31	Neural Correlates of Suicidal Ideation and Its Reduction in Depression. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu069-pyu069.	2.1	46
32	ADHD and Suicidal Ideation. <i>Journal of Attention Disorders</i> , 2015, 19, 703-714.	2.6	45
33	Characterizing the course of suicidal ideation response to ketamine. <i>Journal of Affective Disorders</i> , 2018, 241, 86-93.	4.1	44
34	Acute risk factors for suicide attempts and death: prospective findings from the STEP-BD study. <i>Bipolar Disorders</i> , 2016, 18, 363-372.	1.9	40
35	Patients' Opinions About Suicide Screening in a Pediatric Emergency Department. <i>Pediatric Emergency Care</i> , 2012, 28, 34-38.	0.9	39
36	Impact of midazolam vs. saline on effect size estimates in controlled trials of ketamine as a rapid-acting antidepressant. <i>Neuropsychopharmacology</i> , 2019, 44, 1233-1238.	5.4	35

#	ARTICLE	IF	CITATIONS
37	Suicide in the Medical Setting. <i>Joint Commission Journal on Quality and Patient Safety</i> , 2008, 34, 474-481.	0.7	34
38	Psychotropic Medication Use in Pediatric Patients With Cancer. <i>JAMA Pediatrics</i> , 2006, 160, 818.	3.0	33
39	Loneliness and Suicidal Ideation in Drug-Using College Students. <i>Suicide and Life-Threatening Behavior</i> , 2014, 44, 629-640.	1.9	33
40	Ketamine's Antidepressant Efficacy is Extended for at Least Four Weeks in Subjects with a Family History of an Alcohol Use Disorder. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, .	2.1	33
41	Ketamine-Induced Glutamatergic Mechanisms of Sleep and Wakefulness: Insights for Developing Novel Treatments for Disturbed Sleep and Mood. <i>Handbook of Experimental Pharmacology</i> , 2017, 253, 337-358.	1.8	33
42	Asking Youth Questions About Suicide Risk in the Pediatric Emergency Department: Results From a Qualitative Analysis of Patient Opinions. <i>Clinical Pediatric Emergency Medicine</i> , 2013, 14, 20-27.	0.4	32
43	SHAPS-C: the Snaith-Hamilton pleasure scale modified for clinician administration. <i>PeerJ</i> , 2014, 2, e429.	2.0	31
44	New Methods for Assessing Rapid Changes in Suicide Risk. <i>Frontiers in Psychiatry</i> , 2021, 12, 598434.	2.6	31
45	Increased fear-potentiated startle in major depressive disorder patients with lifetime history of suicide attempt. <i>Journal of Affective Disorders</i> , 2014, 162, 34-38.	4.1	30
46	A Double-Blind, Placebo-Controlled, Pilot Study of Riluzole Monotherapy for Acute Bipolar Depression. <i>Journal of Clinical Psychopharmacology</i> , 2017, 37, 355-358.	1.4	28
47	Growing Up in the Hospital. <i>JAMA - Journal of the American Medical Association</i> , 2007, 297, 2752.	7.4	27
48	Epidemiology of Injury-Related Emergency Department Visits in the US Among Youth with Autism Spectrum Disorder. <i>Journal of Autism and Developmental Disorders</i> , 2016, 46, 2756-2763.	2.7	27
49	Increased Activity or Energy as a Primary Criterion for the Diagnosis of Bipolar Mania in DSM-5: Findings From the STEP-BD Study. <i>American Journal of Psychiatry</i> , 2017, 174, 70-76.	7.2	27
50	Invited Commentary: Understanding Brain Mechanisms of Pain Processing in Adolescents' Non-Suicidal Self-Injury. <i>Journal of Youth and Adolescence</i> , 2010, 39, 327-334.	3.5	26
51	Patient Opinions About Screening for Suicide Risk in the Adult Medical Inpatient Unit. <i>Journal of Behavioral Health Services and Research</i> , 2017, 44, 364-372.	1.4	24
52	Research on the pathophysiology, treatment, and prevention of suicide: practical and ethical issues. <i>BMC Psychiatry</i> , 2019, 19, 332.	2.6	24
53	Recent medical service utilization and health conditions associated with a history of suicide attempts. <i>General Hospital Psychiatry</i> , 2014, 36, 437-441.	2.4	22
54	An Empowerment Approach to Family Caregiver Involvement in Suicide Prevention. <i>Family Journal</i> , 2015, 23, 295-304.	1.2	21

#	ARTICLE	IF	CITATIONS
55	Future disposition and suicidal ideation: Mediation by depressive symptom clusters. <i>Journal of Affective Disorders</i> , 2015, 170, 1-6.	4.1	21
56	Neurobiological biomarkers of response to ketamine. <i>Advances in Pharmacology</i> , 2020, 89, 195-235.	2.0	21
57	Riluzole likely lacks antidepressant efficacy in ketamine non-responders. <i>Journal of Psychiatric Research</i> , 2014, 58, 197-199.	3.1	20
58	Subtypes of suicide attempters based on longitudinal childhood profiles of co-occurring depressive, anxious and aggressive behavior symptoms. <i>Psychiatry Research</i> , 2017, 257, 150-155.	3.3	18
59	Lithium and Valproate Levels Do Not Correlate with Ketamine's Antidepressant Efficacy in Treatment-Resistant Bipolar Depression. <i>Neural Plasticity</i> , 2015, 2015, 1-7.	2.2	17
60	Parent-child conflict and drug use in college women: A moderated mediation model of self-control and mindfulness. <i>Journal of Counseling Psychology</i> , 2015, 62, 303-313.	2.0	17
61	The antidepressant efficacy of subanesthetic-dose ketamine does not correlate with baseline subcortical volumes in a replication sample with major depressive disorder. <i>Journal of Psychopharmacology</i> , 2017, 31, 1570-1577.	4.0	17
62	Association of Positive Responses to Suicide Screening Questions With Hospital Admission and Repeated Emergency Department Visits in Children and Adolescents. <i>Pediatric Emergency Care</i> , 2013, 29, 1070-1074.	0.9	16
63	DEMOGRAPHIC AND CLINICAL CHARACTERISTICS OF CONSISTENT AND INCONSISTENT LONGITUDINAL REPORTERS OF LIFETIME SUICIDE ATTEMPTS IN ADOLESCENCE THROUGH YOUNG ADULTHOOD. <i>Depression and Anxiety</i> , 2013, 30, n/a-n/a.	4.1	16
64	Recognition of emotional facial expressions in anxious and nonanxious depression. <i>Comprehensive Psychiatry</i> , 2016, 70, 1-8.	3.1	16
65	Functional Imaging of the Implicit Association of the Self With Life and Death. <i>Suicide and Life-Threatening Behavior</i> , 2019, 49, 1600-1608.	1.9	16
66	The effects of ketamine on typical and atypical depressive symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2020, 142, 394-401.	4.5	16
67	Self-harm, Assault, and Undetermined Intent Injuries Among Pediatric Emergency Department Visits. <i>Pediatric Emergency Care</i> , 2015, 31, 813-818.	0.9	15
68	Multilayer MEC functional connectivity as a potential marker for suicidal thoughts in major depressive disorder. <i>NeuroImage: Clinical</i> , 2020, 28, 102378.	2.7	15
69	The Effect of Ketamine on Electrophysiological Connectivity in Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 519.	2.6	15
70	Are 24-hour motor activity patterns associated with continued rapid response to ketamine?. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 2739-2748.	2.2	14
71	Aftermath of Suicide in the Hospital: Institutional Response. <i>Psychosomatics</i> , 2008, 49, 461-469.	2.5	13
72	Familial Aggregation and Coaggregation of Suicide Attempts and Comorbid Mental Disorders in Adults. <i>JAMA Psychiatry</i> , 2019, 76, 826.	11.0	13

#	ARTICLE	IF	CITATIONS
73	Magnetoencephalographic Correlates of Suicidal Ideation in Major Depression. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020, 5, 354-363.	1.5	12
74	Self-Reported Recent Life Stressors and Risk of Suicide in Pediatric Emergency Department Patients. <i>Clinical Pediatric Emergency Medicine</i> , 2013, 14, 35-40.	0.4	11
75	Disentangling the association of depression on the anti-fatigue effects of ketamine. <i>Journal of Affective Disorders</i> , 2019, 244, 42-45.	4.1	11
76	Network Changes in Insula and Amygdala Connectivity Accompany Implicit Suicidal Associations. <i>Frontiers in Psychiatry</i> , 2020, 11, 577628.	2.6	10
77	Dysfunction of default mode network is associated with active suicidal ideation in youths and young adults with depression: Findings from the T-RAD study. <i>Journal of Psychiatric Research</i> , 2021, 142, 258-262.	3.1	10
78	Emergency Department Utilization Among American Indian Adolescents Who Made a Suicide Attempt: A Screening Opportunity. <i>Journal of Adolescent Health</i> , 2014, 54, 357-359.	2.5	9
79	Active suicidal ideation during clinical antidepressant trials. <i>Psychiatry Research</i> , 2017, 257, 303-308.	3.3	9
80	Mapping anticipatory anhedonia: an fMRI study. <i>Brain Imaging and Behavior</i> , 2019, 13, 1624-1634.	2.1	8
81	Prospective association of psychological pain and hopelessness with suicidal thoughts. <i>Journal of Affective Disorders</i> , 2022, 308, 243-248.	4.1	8
82	Pediatric Psychosomatic Medicine: An Annotated Bibliography. <i>Psychosomatics</i> , 2007, 48, 195-204.	2.5	7
83	Symptom trajectories in the months before and after a suicide attempt in individuals with bipolar disorder: A STEP-BD study. <i>Bipolar Disorders</i> , 2020, 22, 245-254.	1.9	7
84	Neurobiological research with suicidal participants: A framework for investigators. <i>General Hospital Psychiatry</i> , 2020, 62, 43-48.	2.4	7
85	Mood disorders, childhood maltreatment, and medical morbidity in US adults: An observational study. <i>Journal of Psychosomatic Research</i> , 2020, 137, 110207.	2.6	7
86	Predictors of suicidal ideation trajectories in the Sequenced Treatment Alternatives to Relieve Depression (STAR*D) study. <i>Journal of Psychiatric Research</i> , 2022, 148, 9-13.	3.1	7
87	Clinical trials for rapid changes in suicidal ideation: Lessons from ketamine. <i>Suicide and Life-Threatening Behavior</i> , 2021, 51, 27-35.	1.9	5
88	The mental health impact of contact with COVID-19 patients on healthcare workers in the United States. <i>Psychiatry Research</i> , 2022, 308, 114359.	3.3	5
89	Clinical Trial of the Potassium Channel Activator Diazoxide for Major Depressive Disorder Halted Due to Intolerability. <i>Journal of Clinical Psychopharmacology</i> , 2018, 38, 243-246.	1.4	3
90	Preventing suicide: A multicausal model requires multimodal research and intervention. <i>Bipolar Disorders</i> , 2018, 20, 558-559.	1.9	3

#	ARTICLE	IF	CITATIONS
91	Effects of stress on endophenotypes of suicide across species: A role for ketamine in risk mitigation. <i>Neurobiology of Stress</i> , 2022, 18, 100450.	4.0	3
92	Magnetoencephalography biomarkers of suicide attempt history and antidepressant response to ketamine in treatment-resistant major depression. <i>Journal of Affective Disorders</i> , 2022, 312, 188-197.	4.1	3
93	330. A Principal Components Analysis of Depression and Anhedonia Scales: Illustrating the Heterogeneity of Depression. <i>Biological Psychiatry</i> , 2017, 81, S135.	1.3	2
94	Clinical Trials With Suicidal Individuals Can Be Conducted Safely. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	2.2	2
95	Self-reported Symptoms of Anxiety Predict Positive Suicide Risk Screening in Adolescents Presenting to the Emergency Department. <i>Pediatric Emergency Care</i> , 2022, 38, 22-25.	0.9	2
96	Suicide attempt endophenotypes: Latent profiles of child and adolescent aggression and impulsivity differentially predict suicide attempt in females. <i>Preventive Medicine Reports</i> , 2022, 28, 101829.	1.8	2
97	Antidepressant treatment of Medicaid-insured youth with a cancer diagnosis. <i>Journal of Pharmaceutical Health Services Research</i> , 2012, 3, 109-114.	0.6	1
98	Ketamine and Suicide Risk. , 2016, , 43-56.		1
99	1004. Clinical Predictors of an Antisuicidal Response to Ketamine. <i>Biological Psychiatry</i> , 2017, 81, S406.	1.3	1
100	263. Beta Power in Magnetoencephalography as a Potential Neurobiological Marker for Risk of Suicide in Depressed Patients. <i>Biological Psychiatry</i> , 2017, 81, S108.	1.3	0
101	1003. Acute Ketamine Administration Corrects Abnormal Inflammatory Bone Markers in Major Depression. <i>Biological Psychiatry</i> , 2017, 81, S405-S406.	1.3	0
102	825. Mapping Anticipatory Anhedonia: An fMRI Study. <i>Biological Psychiatry</i> , 2017, 81, S335.	1.3	0
103	3.56 Self-Reported Anxiety Predicts Positive Suicide Risk Screening in Adolescents Presenting to the Emergency Department. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017, 56, S223.	0.5	0
104	3.59 The Importance of Screening Pre-Teens for Suicide Risk in the Emergency Department. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017, 56, S224.	0.5	0
105	174. Neuroimaging Correlates of Antidepressant Response to Ketamine. <i>Biological Psychiatry</i> , 2018, 83, S70-S71.	1.3	0
106	T114. Depressed Patients With History of Suicide Attempts Differ From Non-Attempters in Processing of Emotional Faces. <i>Biological Psychiatry</i> , 2018, 83, S172-S173.	1.3	0
107	F145. Differences in Emotional Attention Biases Between Suicide Attempters and Depressed Non-Attempters. <i>Biological Psychiatry</i> , 2018, 83, S294.	1.3	0
108	F147. Resting State Oscillatory Power and Risk of Suicide in Depressed Patients. <i>Biological Psychiatry</i> , 2018, 83, S295.	1.3	0

#	ARTICLE	IF	CITATIONS
109	F171. Ketamine Modulates Kynurenine Pathway in Mood Disorders: A Longitudinal Structural Equation Model. <i>Biological Psychiatry</i> , 2018, 83, S304-S305.	1.3	0
110	F59. Trauma Exposure in Adolescence and Clinical Outcomes in Young Adulthood. <i>Biological Psychiatry</i> , 2019, 85, S235-S236.	1.3	0
111	F125. Magnetoencephalography of the Suicide Implicit Association Task. <i>Biological Psychiatry</i> , 2019, 85, S261-S262.	1.3	0
112	The Classification of Depression: Embracing Phenotypic Heterogeneity in the Era of the RDoC. , 2019, , 1-8.		0
113	Electrophysiological Correlates of the Suicide Implicit Association Task. <i>Biological Psychiatry</i> , 2020, 87, S169.	1.3	0
114	Wakefulness After Sleep Onset as Predicting Suicidal Ideation. <i>Biological Psychiatry</i> , 2020, 87, S240.	1.3	0
115	Electrophysiological Biomarkers for Suicide Risk: Targets for Intervention?. <i>Biological Psychiatry</i> , 2021, 89, S82.	1.3	0
116	The Dynamic Relationship Between Alpha and Beta Power and Next-Day Suicidal Ideation in Individuals With Treatment-Resistant Depression. <i>Biological Psychiatry Global Open Science</i> , 2021, 2, 36-44.	2.2	0
117	Mood Induction Paradigm in a Depressed Patient Sample Using Magnetoencephalography. <i>Biological Psychiatry</i> , 2020, 87, S416.	1.3	0
118	P708. Temporal Discounting Rates Associated With Default Mode Network and Lateral Intraparietal Sulcus Activity in Patients At-Risk for Suicide Attempt. <i>Biological Psychiatry</i> , 2022, 91, S377-S378.	1.3	0
119	The association between variability, intensity, and persistence of suicidal ideation and prospective suicidal behavior in the systematic treatment enhancement program for bipolar disorder (STEP-BD) study. <i>International Journal of Bipolar Disorders</i> , 2022, 10, .	2.2	0