

Abdel-Aziz A Zidan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/145459/publications.pdf>

Version: 2024-02-01

22
papers

277
citations

1040056

9
h-index

940533

16
g-index

24
all docs

24
docs citations

24
times ranked

520
citing authors

#	ARTICLE	IF	CITATIONS
1	Predictive value of immunological markers after bacille Calmette-Guérin induction in bladder cancer. <i>BJU International</i> , 2022, 130, 444-453.	2.5	8
2	Myeloid-derived suppressor cells and regulatory T cells share common immunoregulatory pathways-related microRNAs that are dysregulated by acute lymphoblastic leukemia and chemotherapy. <i>Human Immunology</i> , 2021, 82, 36-45.	2.4	8
3	Thymoquinone and pentoxifylline enhance the chemotherapeutic effect of cisplatin by targeting Notch signaling pathway in mice. <i>Life Sciences</i> , 2020, 244, 117299.	4.3	11
4	Chemotherapy alters the increased numbers of myeloid-derived suppressor and regulatory T cells in children with acute lymphoblastic leukemia. <i>Immunopharmacology and Immunotoxicology</i> , 2018, 40, 158-167.	2.4	29
5	High numbers of myeloid derived suppressor cells in peripheral blood and ascitic fluid of cirrhotic and HCC patients. <i>Immunological Investigations</i> , 2018, 47, 169-180.	2.0	40
6	Loading of doxorubicin and thymoquinone with F2 gel nanofibers improves the antitumor activity and ameliorates doxorubicin-associated nephrotoxicity. <i>Life Sciences</i> , 2018, 207, 461-470.	4.3	18
7	How <i>Moringa oleifera</i> Supplementation Affects T-cell Subsets and Circulating Angiogenic, Myeloid, and Endothelial Cells in Mice with Alloxan-induced Diabetes. <i>Immunology, Endocrine and Metabolic Agents in Medicinal Chemistry</i> , 2018, 18, 55-67.	0.5	0
8	IFN- γ -based treatment of patients with chronic HCV show increased levels of cells with myeloid-derived suppressor cell phenotype and of IDO and NOS. <i>Immunopharmacology and Immunotoxicology</i> , 2017, 39, 188-198.	2.4	6
9	Enhanced anticancer effect and reduced toxicity of doxorubicin in combination with thymoquinone released from poly- N -acetyl glucosamine nanomatrix in mice bearing solid Ehrlich carcinoma. <i>European Journal of Pharmaceutical Sciences</i> , 2017, 109, 525-532.	4.0	30
10	Genetic Variations of Selected Genes Using Target Deep Sequencing in Colorectal Cancer Patients. <i>Journal of Cancer Science & Therapy</i> , 2017, 9, .	1.7	1
11	Effect of administration timing of postchemotherapy granulocyte colony-stimulating factor on host-immune cell recovery and CD8 ⁺ T-cell response. <i>Journal of Immunotoxicology</i> , 2016, 13, 784-792.	1.7	6
12	Reduction in the numbers of CD33 ⁺ myeloid population in Egyptian children with B-lineage acute lymphoblastic leukemia and its recovery after induction of chemotherapy. <i>Clinical Cancer Investigation Journal</i> , 2015, 4, 627.	0.9	0
13	Children with acute lymphoblastic leukemia show high numbers of CD4 ⁺ and CD8 ⁺ T-cells which are reduced by conventional chemotherapy. <i>Clinical Cancer Investigation Journal</i> , 2015, 4, 603.	0.9	1
14	Influence of granulocyte colony stimulating factor treatment on physiological indices in Wistar rats. <i>Clinical Cancer Investigation Journal</i> , 2015, 4, 525.	0.9	1
15	Immunostimulatory Effects of Triggering TLR3 Signaling Pathway – Implication for Cancer Immunotherapy. , 2014, , .		0
16	Immunomodulatory effects of IL-12 released from poly-N-acetyl glucosamine gel matrix during schistosomiasis infection. <i>Cytotechnology</i> , 2014, 66, 667-675.	1.6	4
17	Understanding the biology of ex vivo-expanded CD8 T cells for adoptive cell therapy: role of CD62L. <i>Immunologic Research</i> , 2013, 57, 23-33.	2.9	6
18	Frequencies of circulating myeloid derived suppressor cells and dendritic cells in Egyptian patients with chronic Hepatitis C Virus infection undergoing treatment with IFN- γ -based therapy. , 2013, 1, .		2

#	ARTICLE	IF	CITATIONS
19	Active Immunization Against Tumor Necrosis Factor-alpha Decreases Proinflammatory Cytokines, Oxidative Stress Mediators and Adhesion Molecules Risk Factors in Streptozotocin-induced Diabetic Rats. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2013, 13, 269-274.	1.2	4
20	Kinetics of rebounding of lymphoid and myeloid cells in mouse peripheral blood, spleen and bone marrow after treatment with cyclophosphamide. <i>Cellular Immunology</i> , 2012, 276, 67-74.	3.0	34
21	The glutathione disulfide mimetic NOV-002 inhibits cyclophosphamide-induced hematopoietic and immune suppression by reducing oxidative stress. <i>Free Radical Biology and Medicine</i> , 2012, 52, 1560-1568.	2.9	28
22	Synergy of brief activation of CD8 T-cells in the presence of IL-12 and adoptive transfer into lymphopenic hosts promotes tumor clearance and anti-tumor memory. <i>American Journal of Cancer Research</i> , 2011, 1, 882-96.	1.4	9